

peopd	Joint Seal
Mall Joints Equally Spaced	8" Varies 4
(M Co Ba Pa	Layers Of 55# Smooth Roofing op All Contact Surfaces Of norete And Roofing With Cut- ok Asphalt. Stop Roofing oer 6" Below Top Of Wall.) TY DETAIL (TOP VIEW)

KEY DETAIL (TOP VIEW)

ESTIMATED QUANTITIES FOR WALL PER LINEAR FOOT OF WALL

HEIGHT	PER LINEAR FOOT OF WALL			
(EXPOSED FACED)	CLASS I CONCRETE (CY)	STEEL (LB)		
<i>I</i> '	0.07	3		
2'	0./3	4		
3'	0.20	5		
4'	0.32	6		
5'	0.43	7		

GRAVITY WALL NOTES

- Gravity walls constructed as extensions of reinforced concrete retaining walls, except walls of proprietary designs, shall have the same face texture and finish as the reinforced concrete retaining wall.
- 2. When the plans call for adjunct handrail see Index No. 521 and for adjunct fence see Index No. 452.
- 3. Cost of reinforcing steel, face texture, finish and joint seal to be included in the contract unit price for Class I Concrete (Retaining Walls) CY.

GRAVITY WALL

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION

GRAVITY WALL

	Names	Dates	Approved By			
Designed By			State Roadway Design Engineer			
Drawn By	CDR	02/68	Revision	Sheet No.	Index No.	
Checked By	RHC	02/68	02	l of l	520	