

BEAM NOTES

- 1. All bar dimensions are out-to-out.
- bar (see "ELEVATION AT END OF BEAM", Index Nos. 20036, 20045, 20054, 20063, 20072 and 20078).
- the ends of the beams.
- bar is properly oriented so that the bar will be embedded in the diaphragm concrete.
- 5. Strands N shall be either ASTM A416, Grade 250 or Grade 270, seven-wire strands $\frac{3}{8}$ " ϕ or larger, stressed to 10,000 lbs. each.
- 6. Unless otherwise noted, the minimum concrete cover for reinforcing steel shall be 2". 7. At the Contractors option, welded deformed wire reinforcement may be used in lieu of Bars 3D, 5K, 4M. and 5Z as shown on the Standard Details for each beam size. Welded deformed wire reinforcement shall conform to AASHTO M221, with a minimum yield strength of 75 ksi.
- 8. Install Safety Sleeves approximately 2'-O'' from ends of beam and spaced on 8'-O'' (Max.) centers. Safety Sleeves shall be $2\frac{1}{2}$ " NPS x 5" Sch. 40 PVC Pipe with Cap. Holes shall be free of debris and water prior to casting deck.
- 9. For beams with skewed end conditions, the end reinforcement, defined as Bars 3C1, 3C2, 3D1, 3D2, 5K, shall be placed parallel to the skewed end of the beam. Bars 3D3, 5K and 4M3 located beyond the limits of Bars 3C shall be placed perpendicular to the longitudinal axis of the beam. Fan Bars as needed to avoid overlapping bars at the transition to Bars 3D3 and 4M3, and field cut to maintain minimum cover. Provide additional Bars 4M1, 4M2, 3D1 and 3D2 as required; additional bars are not included in the Number Required on the "BILL OF REINFORCING STEEL". For placement locations, see "SKEWED BEAM DIAGRAM" for skewed end conditions.
- 10. Placement of Bars 3C1, 3D1 and 4M1 correspond to END 1, and Bars 3C2, 3D2 and 4M2 correspond to END 2. END 1 and END 2 are shown on the beam "ELEVATION".
- 11. For Beams with vertically beveled end conditions, place first row of Bars 3C1, 3C2, 3D1, 3D2, 5K, 5Y and 5Z parallel to the end of the beam. Progressively rotate remaining bars within the limits of Bars 5Z until vertical by adjusting the spacing at the top of beam up to a maximum of 1". For welded deformed wire reinforcement, cut top cross wire and rotate bars as required or reduce end cover at top of the beam to minimum 1".
- 12. For beams with skewed end conditions, welded deformed wire reinforcement shall not be used for end reinforcement (Bars 3D1, 3D2, 4M1 and 4M2)
- 13. Bars 5K and 5Z shall be placed and tied to the fully bonded strands in the bottom or center row (see "STRAND PATTERN" on the Table of Beam Variables in Structures Plans). For welded deformed wire reinforcement, supplemental transverse #4 bars are permitted to support Pieces K & S under the cross wires on the bottom row of strands.
- 14. At the Contractor's option, Bars 3D1, 3D2 and 3D3 may be fabricated as a single bar with a 1'-O'' minimum lap splice of the top legs.

15. For referenced Dimensions, Angles and Case Numbers, see the Table of Beam Variables in Structures Plans.

INSTRUCTIONS	TO DESIGNER:
To limit vertical spl	itting forces in the webs o
beam ends from	fully bonded strands must
Beam Type	Max. Bonded Prestress F
Florida-1 36	1450 Kips
Florida-I 45	1670 Kips
Florida-I 54	1740 Kips
Florida-I 63	1740 Kips
Florida-I 72	1980 Kips

No losses shall be applied when calculating th of the beams must not be modified without the

2230 Kips

Florida-1 78

REVISIONS					NE OF FLORA	2010 Interim Design	
DATE 01/01/10	BY SJN	DESCRIPTION New Design Standard	DATE	BY	DESCRIPTION	E TRUE	TYPICAL FLORID DETAILS AND

2. Place one (1) Bar 5K or 5Z at each location as detailed alternating the direction of the ends for each 3. Bars 4L shall be bent prior to the beam leaving the prestressing yard. Bars 4L shall be bent parallel to

4. Caution should be used with Bars 4L in the ends of exterior beams to assure the bent portion of the

4M1, 4M2, 5Y and 5Z placed within the limits of the spacing for Bars 3C in "ELEVATION AT END OF BEAM", END DETAILS". Adjust the dimensions of Bars 3C1, 3C2, 3D1, 3D2, 4M1 and 4M2 as shown on the "BENDING

) NOTES	20010		
DA-I REAM		01/01/10	1 of 2
n Standard		Interim Date	Sheet No.
he approval of the Stat	e Structures Design	Engineer.	
orce Index No. 20036 20045 20054 20063 20072 20078 ee Bonded Prestress Fc	Last Revision Date 07/01/09 or later 07/01/09 or later 07/01/09 or later 07/01/09 or later 07/01/09 or later 07/01/09 or later	n in the er	I I I I I I I I
of beams, the maximum	prestress force at	the	





PLAN SECTION THRU BEAM WEB AT INSERT FOR DIAPHRAGM REINFORCING (When Intermediate Diaphragms are Required by Design)

 Provide 1" Ø, zinc-electroplated, ferrule wing nut or coilinserts, UNC threads, 1/0 minimum gage wire, not more than 4" in depth with a minimum ultimate tensile strength of 11,400 lbs. in 4,000 p.s.i. concrete.
If inserts are needed on both sides (faces) of beam webs, an assembly as long as the thickness of the beam web, consisting of two (2) ferrule or coil inserts attached by two (2) or more struts may be utilized. The connecting struts shall have a minimum ultimate tensile strength of 11,400 lbs.
Inserts for diaphragm reinforcing are required at each end of each intermediate diaphragm shown on the Beam Framing Plan. See Superstructure and Beam Framing Plans for longitudinal location of inserts for each face of beam.

INSERT DETAIL

n Standard	Interim Date	Sheet No.	
	01/01/10	2 of 2	
D NOTES			