



BEAM NOTES

- 1. All bar dimensions are out-to-out.
- strands $\frac{3}{6}$ " Ø or larger, stressed to 10,000 lbs. each.
- 3. Unless otherwise noted in Structures Plans, the minimum concrete cover for reinforcing steel shall be 2".
- 4. At the option of the Contractor and with the Engineer's Approval, deformed
- locally to allow placement.
- be fanned at equal spaces.
- or vertically beveled end conditions when "Dim. P" exceeds 1".
- row (see "STRAND PATTERN" in Structures Plans).
- Specifications.
- 10. Use Size No. 67 maximum sized aggregate.
- 11. Use Stay-in-Place metal deck forms inside the beams. 12. Prior to deck placement, based on the deck forming system and deck placement in place for a minimum of four days after the deck placement.
- in Structures Plans.

NOTE: of Beam Variables in Structures Plans.

LAST	N	DESCRIPTION:
REVISION	SIO	
01/01/10	Ν	
01/01/12	RE	



2. Strands N (Dormant Strands) shall be ASTM A416, Grade 270, seven-wire

welded wire reinforcement may be used in lieu of Bars 6A1, 4A2, 5B, 4C, 3D, 5E, 4F, 4G, 4H, 5K, 5L and 4M except as noted below in note 7, provided the wire sizes and spacing match those shown on the Standard Beam Detail sheets for these bars. Welded wire reinforcement shall conform to ASTM A497. 5. Safety Sleeves or other Safety Line Anchorage Devices are permitted in the top flange. One Safety Sleeve alternative is provided herein as $2\frac{1}{2}$ " NPS x 5" PVC Sch. 40 Pipe with Cap in both top flanges spaced on 8'-0" (Max.) centers. Shift Bars 5K & 4M

Holes shall be free of debris and water prior to casting deck. 6. For Beams with vertically beveled end conditions when "Dim. P" exceeds 1", Bars 5E and the first Bars 4F and 5K shall be placed parallel to the end of the beam. The remaining Bars 4F and 5K within the limits of "Dim. B" shall

7. Welded deformed wire reinforcement shall not be used for the end reinforcement (Bars 5B, 4C, 3D, 5E, 4F, 5K, and 5L) for beams with skewed end conditions 8. Bars 5K shall be placed and tied to the fully bonded strands in the bottom

9. Strand Protection at beam ends shall consist of a 2" deep recess formed around all strands (including dormant) or strand groups. Extend recess to face of web and bottom of flange for bottom row of strands. After detensioning, cut strands $\frac{1}{2}$ " from recessed surface and fill the recess with a Type F-2 or Q Epoxy Compound in accordance with Section 926 of the

sequence, evaluate and provide, if necessary, temporary bracing between the U Beams. Also, prior to deck placement, provide temporary blocking under each web at both ends of every beam. Ensure the temporary blocking is adequate to resist movements and rotations that occur during placement of the deck. Leave temporary blocking and bracing

13. For referenced Dimensions, Angles and Case Numbers see Table of Beam Variables

Work this Index with Florida U Beam - Table

FAILS	AND	NOTES	INDEX	SHEET
			NO.	NO.
		1401120	20210	2