## GENERAL NOTES:

- 1. Use a 1-piece cover, unless the 2-piece cover is called for in the Plans, except at inlets and manholes with sump bottoms. Use the 2-piece cover when the sump depth exceeds 2', unless otherwise noted.
- 2. Include "Adjustable" on the cover for Type I manhole adjustable frames.
- 3. For square or rectangular precast drainage structures, use either deformed or smooth WWR meeting the requirements of Specification 931. WWR must be continuous around the box and lapped in accordance with Option 1 or 3 as shown in the Wall Reinforcing Splice Details.
- 4. Lap splice horizontal steel in the walls of rectangular structures in accordance with Option 1, 2 or 3 as shown in the Wall Reinforcing Splice Details.
- 5. Welding of splices and laps is permitted. Use AASHTO M259 requirements and restrictions on welds.
- 6. Rebar straight end embedment of peripheral reinforcement may be used in lieu of ACI standard hooks for top and bottom slabs, except when hooks are specifically called for in the Plans.
- 7. Precast opening for pipe must be the pipe OD plus 6" ( $\pm$  2" tolerance). Use mortar to seal the pipe into the opening of such a mix that shrinkage will not cause leakage into or out of the structure. Dry-pack mortar may be used to seal openings less than  $2\frac{1}{2}$ " wide.



Sheet Description 1 General Notes, Contents, Manhole Top Overview, and Manhole Covers 2 Manhole Frames and Manhole Tops 3 Inlet Locking Grates, Subgrade and Base Temporary Drains, and Pipe to Structure Filter Fabric Wrap 4 Drainage Structure Invert, Sump Bottom, Wall Reinforcing Splice Details, and Typical Slab to Wall Details 5 Precast Option and Equivalent Reinforcement substitution 6 Construction Joints and Minimum Box Riser Segment Dimensions 7 Skewed Pipe in Rectangular Structures 8 Miscellaneous Pipe Connection Details

TABLE OF CONTENTS:



MANHOLE TOPS =



LAST

REVISION

11/01/20

DESCRIPTION:



FY 2022-23 STANDARD PLANS





## NOTES:

- 1. Install either a  $\frac{1}{2}$ " Ø x 1" Diameter Threaded Straight (Thru-Bolt), a J-Type, or an adhesive Bonded Anchor Eyebolt.
- 2. Install a  ${\rm H_{16}"}$  Chain and  ${\rm H_{16}"}$  Cold Shuts. When chaining two grates together provide adequate loop for easy handling.
- 3. Install adhesive bonded anchor option with a minimum of 4" embedment, and in accordance with Specification 416.

		EY	EBOLT AND	TABLE 2 CHAIN REQUIREMENTS
Index Number	Inlet Type	Eye- Bolts	Length of Chain	Handling & Remarks
425-030	1	1	4'-0''	Slide & Spin
	2	2	2 @ 4'-0"	Slide & Spin
425-031	N/A	1	3'-8''	Slide or Slide & Spin
425-032	N/A	1	4'-0''	Slide & Spin
425-040	S	1	4'-0''	Slide & Spin
425-041	V	1	4'-0''	Slide & Spin
425-050	А	1	3'-0''	Slide
425-051	В	1	5'-0''	Slide & Spin
	С	1	2'-6''	Slide & Spin
	D	1	2'-6''	Slide & Spin
425-052	Е	2	2 @ 2'-6"	Slide & Spin
	Н	2	2 @ 2'-6"	Flip Ctr. Grate and Slide & Spin Single Free Grate
			1 or 2 @ 1'-6"	Center Grate(s) Chained to One End Grate
	F	1	3'-6"	Flip or Slide & Spin
425-053	G	1	6'-0''	Slide
			2'-0''	Lifting Loop
425-054	J	1	4'-0''	Slide & Spin



### NOTES:

- 1. Bevel cut upper stub to match forming for apron face. Capping or plugging of upper stub is not required. Remove friable base material at stub opening to permit covering of opening with structural course material.
- 2. Remove riprap, cement PVC cap on lower stub, and place compacted fill in entrance prior to placing base material.





LOCKING GRATES TO INLETS

LOCKING GRATES, SUBGRADE AND BASE TEMPORARY DRAINS, AND PIPE TO STRUCTURE FILTER FABRIC WRAP

LAST	NC	DESCRIPTION:
REVISION	'SI(	
11/01/20	REVI	



FY 2022-23 STANDARD PLANS

SUPPLEMENTARY DETAILS FOR DRAINAGE STRUCTURES







EXAMPLE TABLE OF EQUIVALENT STEEL AREA								
	GRADE 60 REINFORCING BAR		EQUIVALENT GRADE 40 REINFORCING BAR		EQUIVALENT 65 KSI SMOOTH WELDED WIRE REINFORCEMENT		EQUIVALENT 70 KSI DEFORMED WELDED WIRE REINFORCEMENT	
SCHEDULE	Bar Size & Spacing	Steel Area (in²/ft)	Bar Size & Spacing	Steel Area (in²/ft)	Style Designation	Steel Area (in²/ft)	Style Designation	Steel Area (in²/ft)
A	#3 @ 6½" Ctrs. #4 @ 12" Ctrs.	0.20	#3 @ 4½" Ctrs. #4 @ 8" Ctrs. #5 @ 12" Ctrs.	0.30	3"×3"-W4.6×W4.6 4"×4"-W6.2×W6.2 6"×6"-W9.2×W9.2	0.1846	3"×3"-D4.3×D4.3 4"×4"-D5.7×D5.7 6"×6"-D8.6×D8.6	0.1714
В	#3 @ 5½" Ctrs. #4 @ 10" Ctrs.	0.24	#3 @ 3½" Ctrs. #4 @ 6½" Ctrs. #5 @ 10" Ctrs.	0.36	3"x3"-W5.5xW5.5 4"x4"-W7.4xW7.4 6"x6"-W11.1xW11.1	0.2215	3"×3"-D5.1×D5.1 4"×4"-D6.9×D6.9 6"×6"-D10.3×D10.3	0.2057
Special 1	#3 @ 5" Ctrs #4 @ 9" Ctrs.	0.267	#3 @ 3" Ctrs. #4 @ 6" Ctrs. #5 @ 9" Ctrs.	0.40	3"x3"-W6.2xW6.2 4"x4"-W8.2xW8.2 6"x6"-W12.3xW12.3	0.2465	3"×3"-D5.7×D5.7 4"×4"-D7.6×D7.6 6"×6"-D11.4×D11.4	0.2289
С	#3 @ 3½" Ctrs. #4 @ 6½" Ctrs. #5 @ 10" Ctrs.	0.37	#4 @ 4" Ctrs. #5 @ 6½" Ctrs. #6 @ 9½" Ctrs.	0.555	3"x3"-W8.5xW8.5 4"x4"-W11.4xW11.4 6"x6"-W17.1xW17.1	0.3415	3"×3"–D7.9×D7.9 4"×4"–D10.6×D10.6 6"×6"–D15.9×D15.9	0.3171
D	#4 @ 4 <sup>1</sup> ⁄2" Ctrs. #5 @ 7" Ctrs. #6 @ 10" Ctrs.	0.53	#4 @ 3" Ctrs. #5 @ 4½" Ctrs. #6 @ 6½" Ctrs.	0.795	3" x 3"-W 12.2 xW 12.2 4" x 4"-W 16.3 xW 16.3 6" x 6"-W 24.5 xW 24.5	0.4892	3"×3"-D11.4×D11.4 4"×4"-D15.1×D15.1 6"×6"-D22.7×D22.7	0.4543
Е	#4 @ 3" Ctrs. #5 @ 5" Ctrs. #6 @ 7" Ctrs.	0.73	#5 @ 3½" Ctrs. #6 @ 4½" Ctrs. #7 @ 6½" Ctrs.	1.095	3"×3"-W16.8×W16.8 4"×4"-W22.5×W22.5 6"×6"-W33.7×W33.7	0.6738	3"×3"-D15.6×D15.6 4"×4"-D20.9×D20.9 6"×6"-D31.3×D31.3	0.6257
F	#5 @ 3½" Ctrs. #6 @ 5" Ctrs. #7 @ 7" Ctrs.	1.06	#6 @ 3" Ctrs. #7 @ 4½" Ctrs. #8 @ 6" Ctrs.	1.59	3"x3"-W24.5xW24.5 4"x4"-W32.6xW32.6 6"x6"-W48.9xW48.9	0.9785	3"x3"-D22.7xD22.7 4"x4"-D30.3xD30.3 6"x6"-D45.4xD45.4	0.9086
Special 2	#5 @ 3" Ctrs. #6 @ 4" Ctrs. #7 @ 5½" Ctrs.	1.24	#7 @ 4" Ctrs. #8 @ 5" Ctrs.	1.86	3"×3"-W28.6×W28.6 4"×4"-W38.2×W38.2 6"×6"-W57.2×W57.2	1.1446	3"×3"–D26.6×D26.6 4"×4"–D35.4×D35.4 6"×6"–D53.1×D53.1	1.0629
G	#6 @ 3½" Ctrs. #7 @ 5" Ctrs.	1.46	#7 @ 3" Ctrs. #8 @ 4" Ctrs.	2.19	3"x3"-W33.7xW33.7 4"x4"-W44.9xW44.9	1.3477	3"×3"-D31.3×D31.3 4"×4"-D41.7×D41.7	1.2514

# NOTES:

- 1. See inlet indexes for optional precast inlet construction details up to depths of 15'.
- Index 425-010.
- with 6" wall or slab thickness.
- - Grade 40 Steel Area = As40= 60/40 x As60

  - Max. Grade 40 Bar Spacing = Grade 60 Bar Spacing

When an increased area of reinforcing is provided, the maximum bar spacing may be increased by the squared ration of increased steel area, but not to exceed 12":

Use wire no smaller than than W3.1 or D4.0, or larger and with spacing 8" or less. Use bar reinforcement displaying the minimum yield designation grade mark, or either the number 60 or one (1) grade mark line to be acceptable at the higher value. Use maximum bar spacing no greater than two (2) times the slab thickness with a maximum spacing of 12" or three (3) times the wall thickness, with a maximum spacing of 18" for vertical bars and 12" for horizontal bars. Wires smaller than W3.1 or D4.0 may be used in the walls of ASTM C 478 round structure bottoms and round risers.

PRECAST OPTION AND EQUIVALEN

SUPPLEMENTARY DETAIL FOR DRAINAGE STRUCTUR



FY 2022-23

STANDARD PLANS

2. Interior dimensions of an Alt. "B" Bottom may be adjusted to reflect these inlet interior dimensions when precast units are used in conjunction with Alt. "B" Structure Bottoms,

3. Use concrete meeting the requirements of ASTM C478 or Class IV for precast structures

4. Reinforcement may be deformed bar reinforcement or welded wire reinforcement. Bar reinforcement other than 60 ksi may be used, however only two grades are recognized: Grade 40 and Grade 60. Smooth welded wire reinforcement will be recognized as having a design strength of 65 ksi and deformed welded wire reinforcement will be recognized as having a design strength of 70 ksi. The area of reinforcement required may be adjusted in accordance with the Equivalent Steel Area Table provided. Use the following equations to determine the steel area and spacing for bars not otherwise specified:

Smooth Welded Wire Reinforcement Steel Area = As65= 60/65 x As60

Deformed Welded Wire Reinforcement Steel Area = As70= 60/70 x As60

When a reduced area of reinforcement is provided, any maximum bar spacing shown must also be reduced as determined by the following equations, unless otherwise shown:

Max. Smooth Welded Wire Spacing = Grade 60 Bar Spacing x 0.86

Max. Deformed Welded Wire Spacing = Grade 60 Bar Spacing x 0.74

Steel Area Provided Max. Bar Spacing Provided ≤=Max. Bar Spacing Required x ( Min. Steel Area Required

5. Fiber-reinforced concrete may be substituted for conventional steel reinforcement in accordance with the Structures Design Guidelines. Submit shop drawings corresponding to an approved fiber-reinforced concrete mix design for approval to the State Drainage Office.

Т	REINFORCEMEN	Τ	SUBST	TITUTION

ES 425-001 5 of 8	S	INDEX	SHEET
	ES	425-001	5 of 8





SUPPLEMENTARY DETAILS FOR DRAINAGE STRUCTURES



STANDARD PLANS

INDEX 425-001 7 of 8



Structure Wall

EOUS PIPE CONN	IECTION	DETAILS
S	INDEX	SHEET
ES	425-001	8 of 8

Structure Wall