

**SECTION 220**  
**SHAPING AND COMPACTING LOCAL ROCK BASE**

**220-1 Description.**

Scarify, shape, and compact portions of embankment that have been constructed of local rock to form a base course.

**220-2 Equipment.**

Provide equipment meeting the requirements of 200-3.

**220-3 Construction Methods.**

Scarify the embankment to a depth of not less than 6 inches [150 mm], for the full width of the proposed base, and then shape it to produce the required cross-section. Compact and finish the embankment in accordance with all of the applicable requirements of 200-6.

**220-4 Testing Surface.**

Test the surface in accordance with the requirements of 200-7.

**220-5 Priming and Maintaining.**

Meet the requirements of 200-8.

**220-6 Method of Measurement.**

The quantity to be paid for will be the plan quantity, in square yards [square meters], completed and accepted.

**220-7 Basis of Payment.**

Price and payment will be full compensation for all work specified in this Section, including correcting all defective surface.

Prime coat will be paid for under Section 300.

Payment will be made under:

|                |    |   |
|----------------|----|---|
| Item No. 220-  | 1- | Shaping and Compacting Base - per square yard.  |
| Item No. 2220- | 1- | Shaping and Compacting Base - per square meter. |