PAVEMENT EVALUATION CORING AND CONDITION DATA INPUT DATA REPORT

MANDIST	FINPROJ	TYPSECT	MESSAGE
04	449283-1-52-01	02	THE CONTROL CARD IS CORRECT

FLORIDA DEPARTMENT OF TRANSPORTATION PAVEMENT CORING REPORTING

PAVEMENT EVALUATION CORING AND CONDITION DATA

FIN PROJ: 449283-1-52-01 NAME: OKEECHOBEE BLVD CORED BY: TIERRA SOUTH FLORIDA INC.

END MP: 5.04 LENGTH: .27

TYP SECT: 02 FROM: KELLY TRACTOR DATE: 2022-12-29

BEG MP: 4.76

TO: HARVERHILL ROAD LANES: 6 @ FEET

FA PROJ:

MEDIAN:

COUNTY: PALM BEACH SHOULDER TYPE

SR NUMBER: SR 806 INSIDE:

PROJECT MEASUREMENT: ENGLISH OUTSIDE:

CURB & GUTTER: YES

CURBED: YES

01/30/23 FLORIDA DEPARTMENT OF TRANSPORTATION PCRPJ03
PAVEMENT CORING REPORTING PCR0203

PAVEMENT EVALUATION CORING AND CONDITION DATA

CORE	\mathtt{MILE}	W		CORE	CRACK	PMT	
NO.	POST	VFY LN PTOP	PAVEMENT LAYER	LNGTH BASE	SUB DEPTH TYP CLSS EXT	CND	COMMENTS
		F125 S1	1 S1 S1	LR	ST40		
1	4.962	Y R1 Y .90 1	1.70 1.20	3.80 10.0	10.0	G	SG:LIGHT BROWN SAND W/F
2	4.892	Y TL N 1.00 1	1.00 1.00 .80	3.80 10.0	10.0	G	SG:BROWN SAND W/LR W/F
	.000						

PCRPJ03 PCRO303

FLORIDA DEPARTMENT OF TRANSPORTATION PAVEMENT CORING REPORTING

PAVEMENT EVALUATION CORING AND CONDITION DATA

COMMENTS

SEQ ---

- 1 MILLING RECOMMENDATIONS: MILL 1.50 INCHES AND
- 2 REPAVE WITH 1.5 INCHES FC-12.5 (FRICTION COURSE).

FLORIDA DEPARTMENT OF TRANSPORTATION PAVEMENT CORING REPORTING

CODE DESCRIPTIONS

	CODE DESCRIPTIONS
	TYPE DESCRIPTION
А	ALLIGATORING IN WHEELPATH
В	BLOCK CRACKING
С	COMBINATION OF TYPES
	EXTENT DESCRIPTION
L	LIGHT
М	MEDIUM
S	SEVERE
	CLASS DESCRIPTION

UNKNOWN

UNKNOWN

ΙI

III

CODE DESCRIPTIONS

SURFACE LAYER CODE	DESCRIPTION
====	=======================================
ARMI	ASPHALT RUBBER MEMBRANE INTERI
BIND	ASPHALT BINDER COURSE
BRCK	BRICK PAVERS
CONC	PORTLAND CEMENT CONCRETE
CRL	CRACK RELIEF LAYER
FAB	PAVEMENT OVERLAY FABRIC
FC	FRICTION COURSE
FC1	FRICTION COURSE 1
FC2	FRICTION COURSE 2
FC3	FRICTION COURSE 3
FC4	FRICTION COURSE 4 FRICTION COURSE 5
FC5 FC5B	FRICTION COURSE 5 FRICTION COURSE 5 BONDED
FC5B FC6	FRICTION COURSE 5 BONDED FRICTION COURSE 6
F12M	FRIC. COURSE 12.5 MODIFIED
F125	FRICTION COURSE 12.5
F95	FRICTION COURSE 9.5
F95M	FRIC. COURSE 9.5 MODIFIED
S	TYPE S ASPHALTIC CONCRETE
SAHM	SAND ASPHALT HOT MIX
SP1C	9.5 SUPERPAVE COARSE GRADED
SP1F	9.5 SUPERPAVE FINE GRADED
SP2C	12.5 SUPERPAVE COARSE GRADED
SP2F	12.5 SUPERPAVE FINE GRADED
SP3C	19.0 SUPERPAVE COARSE GRADED
SP3F	19.0 SUPERPAVE FINE GRADED
ST	SURFACE TREATMENT
S1	TYPE S-I ASPHALTIC CONCRETE
S2	TYPE S-II ASPHALTIC CONCRETE
S3	TYPE S-III ASPHALTIC CONCRETE
T1	TYPE I ASPHALTIC CONCRETE
T2	TYPE II ASPHALTIC CONCRETE
T3	TYPE III ASPHALTIC CONCRETE
UNIM	UNIMPROVED SURFACE
UNKW	UNKNOWN
WC	WEARING COURSE
WC1	WEARING COURSE 1 WEARING COURSE 2
WC2	WEARING COURSE 2 WEARING COURSE 3
WC3	WEARING COURSE 3 WEARING COURSE 4
WC4	WEARING COURSE 4 WEARING COURSE 5
WC5 WC6	WEARING COURSE 5 WEARING COURSE 6
WC7	WEARING COURSE 6 WEARING COURSE 7
WC7 WC8	WEARING COURSE 7 WEARING COURSE 8
WCO	MEWKING COOKDE O