

3200000 Hot Mix Asphalt – Plant Methods and Equipment.  
COMMENTS FROM INTERNAL/INDUSTRY REVIEW

Bob Dion

386 740-0665

[bob\\_dion@urscorp.com](mailto:bob_dion@urscorp.com)

Comments: (6-6-11) Suggest you delete 'that is' currently located between 'facilities' and 'used' in the first sentence, making it 'production facilities used...'

Response:

\*\*\*\*\*

BROWN Donnie

[Donnie.BROWN@hubbard.com](mailto:Donnie.BROWN@hubbard.com)

Comments: (6-28-11) Moistures are not needed daily—a minimum of twice a week is sufficient. If the weather dictates different (rain) then, yes, more than twice a week.

Response:

\*\*\*\*\*

Pat McCann

(954) 777-4387

[pat.mccann@dot.state.fl.us](mailto:pat.mccann@dot.state.fl.us)

Comments: (7-5-11) 320-3.2.4.2: As part of clearing up the spec. please look at section(b). The term "another" in the second sentence is used twice for two different scales (I think). In the first use it is referring to a scale not owned by the contractor. In the second occurrence, it is used for scales owned by the contractor.

Response:

\*\*\*\*\*

Howie Moseley

386-961-7853

[howard.moseley@dot.state.fl.us](mailto:howard.moseley@dot.state.fl.us)

Comments: (7-8-11) Table 320-1 – Asphalt Plant Materials Testing Frequencies Do not agree with new frequencies for the properties of • Asphalt Binder Content • Gmb • Gradation • Gmm Recommend frequencies for the properties: Daily production <1000 tons, once per day; Daily production >1000 tons, twice per day 320-3 .1 General I recommend changing the word “appropriate” to “required”. 320-7 Transportation of the Mixture. The current wording of this section makes covering the mix in transit optional. I recommend requiring the mix to be covered during transit. 320-3.2.4 Monthly Electronic Weigh Systems Comparison Checks The wording needs to be constructed so that comparison checks are done at the commencement of production and within every month thereafter not to exceed 30 days. The way it is worded now, if production were to start on the first of the month and a comparison check is provided; a second comparison check could be obtained at the end of the second month of production, which would be a large lapse in time.

Response:

\*\*\*\*\*