



Ô [} c!æ&c [! • ÅÜ^ ~ ^ • cÅ- [! ÅÜ^ & [} • îâ^ ! æcâ [}




Steve D. ... Director of Management

ITS Division

Microsoft Office





2016

CONTRACTOR'S USE ONLY

CONSTRUCTION

MAR 1988

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]


[REDACTED]


[REDACTED]

[REDACTED]

The Department will grant time extensions on a day for day basis for







Product Name: [REDACTED]



[REDACTED]

ARTICLE 17

ARTICLE 17


ARTICLE 17


To: Donald Avery
Cc: Roger Marrero

Subject: RE: US 4 ITC...

100-100000

100-100000






Vance Darr

From: Vance Darr

To: Vance Darr
Cc: Vance Darr; Cabrera, Maria (bba)@...



REF ID: A123456

Case 1:50007

FILED 12/15/07

U.S. DISTRICT COURT

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]


[Redacted text block]


[Redacted text block]

[Redacted text block]


[Redacted text block]

[Redacted text block]











ARTICLE 100-100-01

CONSTRUCTION





400000


700000





[The body of the document is almost entirely obscured by dense horizontal black lines, likely due to severe scanning artifacts or redaction. Only a few faint lines of text are visible, including a date '10-10-1988' at the top left and a header 'RESEARCH REPORT' at the top center. A few other faint markings, possibly '1' and '2', are scattered throughout the page.]











Bob Hernandez

From: Bob Hernandez

To: 'Jason Burkoff'

1.1

1.2

1.3

1.4

1.5

1.6

1.7

1.8

Division of GSSC

18501 050 0460

ÖÜÓÄÜ^•][} ^Ác[ÁÔ[]c|æ&c[!0•ÄÜ^&[]•ää^!æcä[]
Ü^~^•cÁ

Santambon 14 2000