



Florida Department of Transportation

JEB BUSH
GOVERNOR

605 Suwannee Street MS #31
Tallahassee, FL 32399-0450

DENVER J. STUTLER, JR.
SECRETARY

September 28, 2005

This Memo Has Expired

MATERIALS BULLETIN NO. 09-05
DCE MEMORANDUM NO.: 24-05
(FHWA Approved: 9/26/05)

TO: DISTRICT MATERIALS ENGINEERS
DISTRICT CONSTRUCTION ENGINEERS

FROM: Thomas O. Malerk, P.E., Director, Office of Materials
Brian Blanchard, Director, Office of Construction

COPIES: Don Davis (FHWA), Bob Burleson (FTBA), Mike Bergin

SUBJECT: #78 COARSE AGGREGATE

Coarse aggregate meeting the gradation of a # 78 stone will be accepted from FDOT Pit No. GA-553 and AL-149 for use only in prestress and precast concrete. Substitution of the coarse aggregate from a currently approved mix design to the identified #78 coarse aggregate will require trial batching to ensure that plastic and hardened properties are within the requirements of the specifications and the contract documents.

This memorandum serves as a blanket approval to process a \$0.00 specification change for on-going projects and should be attached to the Field Supplement Agreement/Work Order or the Supplemental Agreement.

If you have further questions, please contact Mike Bergin at 352-955-6666 or (SunCom 625-6666).

MB/bw