



Florida Department of Transportation

JEB BUSH
GOVERNOR

605 Suwannee Street
Tallahassee, Florida 32399-0450

THOMAS F BARRY, JR
SECRETARY

DATE: April 2, 2001

TO: Registered Plans Preparation Manual Holders

FROM: Brian Blanchard, P E
State Roadway Design Engineer *Brian Blanchard*

CC: Billy Hattaway, Wilham Nickas, Jim Mills

SUBJECT: IMPLEMENTATION - PLANS PREPARATION MANUAL
JULY 2001 UPDATES

The July 2001 Updates include

- 1 Revisions to Plans Preparation Manual, Volume I Metric, January, 1998
- 2 Revisions to Plans Preparation Manual, Volume II Metric, January, 1999
- 3 Revisions to Plans Preparation Manual, Volume I English, January, 2000.
- 4 Revisions to Plans Preparation Manual, Volume II English, January, 2000.

The revisions to the English and Metric manuals are nearly identical except for units of measure
The major changes in design requirements included in both the English and Metric revisions are
to be implemented as follows

Volume I, Chapter 1, Section 1.9 Design Speed

SUMMARY OF CHANGE

Language regarding design speed on curbed sections has been revised Also, Table 1 9 2 was
corrected (English only) to include a note that was missing

IMPLEMENTATION

These changes may be implemented on applicable projects beginning immediately
These changes apply to both Metric and English Projects

Volume I Chapter 2, Section 2.3.1 Limits of Friction Course on Paved Shoulders

SUMMARY OF CHANGE

The Friction Course limits on shoulders of Limited Access facilities have been revised to accommodate the change in rumble strip location. Corresponding changes were made to Exhibits TYP-10, TYP-11, and TYP-12.

IMPLEMENTATION

These changes were implemented on November 27, 2000 in a letter from the State Roadway Design Engineer to the State Construction Engineer. These changes apply to both Metric and English Projects.

Volume I Chapter 2, Section 2.12 Bridge Railings and Separators

SUMMARY OF CHANGE

In Figure 2.12.2, the dimensions of the Corral Shape Traffic Railing Barrier (Sectional View Number 5) have been revised.

IMPLEMENTATION

This change is to be implemented on applicable projects beginning immediately. These changes apply to both Metric and English Projects.

Volume I Chapter 3, Section 3.5.7 Borrow Excavation (Truck Measure)

SUMMARY OF CHANGE

Clarification was made as to where to obtain recommendations for adjustment factors. Also, the fill adjustment factor used in the examples has been changed from 35% to 20%. A note was added to emphasize that it is only an example. Corresponding changes have been made to the example in Section 3.5.9 (Summary of Earthwork) and Exhibit SQ-3 (Summary of Quantities).

IMPLEMENTATION

The change regarding where to obtain adjustment factor recommendations is a clarification and is effective immediately. The changes to the examples regarding the fill adjustment factor are examples only, and do not require implementation. These changes apply to both Metric and English Projects.

Volume I Chapter 4, Section 4.1.2 Clear Zone Criteria

SUMMARY OF CHANGE

The note regarding the non-recoverable slope in Figure 4.1.2 has been corrected.

IMPLEMENTATION

This change is a correction of an existing requirement and is effective immediately. This change applies to both Metric and English Projects.

Volume I Chapter 7, Section 7.3.7 Maintenance of Existing Lighting During Construction

SUMMARY OF CHANGE

This section has been added to address the extent of the Contractor's responsibility to maintain existing lighting during construction

IMPLEMENTATION

This change is to be implemented on all projects beginning design as of July 1, 2001 This change applies to both Metric and English Projects

Volume I Chapter 8, Section 8.7 Shared Use Paths

SUMMARY OF CHANGE

This section has been rewritten and contains additional language and subsections regarding shared use paths

IMPLEMENTATION

These changes are to be implemented on all applicable projects beginning design as of July 1, 2001 These changes apply to both Metric and English Projects

Volume I Chapter 11, Section 11.3 Site Map

SUMMARY OF CHANGE

This section has major revisions that eliminate the option to include the SWPPP in the Specifications Package

IMPLEMENTATION

These changes are to be implemented on all projects beginning with the July 2002 letting The SWPPP are not to be included in the Specifications Package beginning with the July 2002 letting These changes apply to both Metric and English Projects

Volume I Chapter 23, Exhibits 23-B and 23-C

SUMMARY OF CHANGE

Exhibits 23-B and 23-C have been corrected Exhibit 23-B (Design Variation sample request letter) has been modified to specify the District Design Engineer beside the "To " line The footnote superscript letters have also been corrected In Exhibit 23-C, "Reconstruction" has been added to the Governing Criteria section

IMPLEMENTATION

These changes are to be implemented on all applicable projects beginning design as of July 1, 2001 These changes apply to both Metric and English Projects

Volume I Chapter 25, Section 25.4.5 Lane and Shoulder Widths

SUMMARY OF CHANGE

Table 25 4 5 4 has been added to address lane and shoulder widths for urban multilane projects without curb and gutter

IMPLEMENTATION

This change is a clarification and is to be implemented on all applicable projects beginning design as of July 1, 2001 This change is applies to both Metric and English Projects

Volume I Chapter 25, Section 25.4.25 Bridge Railing

SUMMARY OF CHANGE

This section has been rewritten to clarify bridge rail requirements on RRR projects Note Index 401 will not be included in the 2002 Design Standards which will be effective beginning with the July 2002 letting New standards for rail retrofits are being developed and scheduled for availability mid-2001 Contact the State Structures Design Office for details until the new standards are available

IMPLEMENTATION

Bridge rail requirements on RRR projects are to be implemented on applicable projects effective immediately Plans for projects requiring bridge rail retrofits that are scheduled for letting beginning July 2002 are not to reference Index 401 and must include either project specific details or use the new Standards developed for rail retrofits These changes apply to both Metric and English Projects

Volume I Chapter 29, Section 29.6 Design of Sound Barrier Walls

SUMMARY OF CHANGE

Conflicting language regarding the design of foundations and posts has been removed

IMPLEMENTATION

These changes are to be implemented effective immediately These changes apply to both Metric and English Projects

Volume I Chapter 31, Section 31.5.2 Requirements

SUMMARY OF CHANGE

The formulas in this section regarding geosynthetic design have been corrected

IMPLEMENTATION

These changes are corrections and are to be implemented effective immediately These changes apply to both Metric and English Projects

Volume II, Chapter 8, Exhibit SDS-1a, SDS-2a, and SDS-3a

SUMMARY OF CHANGE

These new exhibits regarding optional pipe are examples of sheets to be used in conjunction with the new pay item numbers implemented with the July 2002 letting. See the 2001 "Mid-Year Update - Basis of Estimate Handbook Summary of Major Changes" letter dated April 1, 2001 for further information. Exhibits SDS-1, SDS-2, and SDS-3 (currently in the PPM) are examples of sheets that are to be used in conjunction with the current pay item numbers through the June 2002 letting.

IMPLEMENTATION

These changes are to be implemented on all projects beginning with the July 2002 letting. These changes apply to both Metric and English Projects.

Volume II, Sample Project Exhibits

SUMMARY OF CHANGE

A set of exhibits has been added that contain selected sheets and components of a sample contract plan set.

IMPLEMENTATION The new exhibits are examples only, and are included with the English Plans Preparation Manual only.

All other changes in the July, 2001 Plans Preparation Manual updates package primarily consist of minor editing for clarification and/or error corrections.

If you have any questions please contact this office, 850-414-4318, Suncom 994-4318.

July 2001 Update to Plans Preparation Manual English

Please replace the following sheets

Volume I


CHAPTER	REPLACEMENT SHEETS
Chapter 1	3, 4, 11, 12
Chapter 2	7, 8, 65, 66
Chapter 3	11-14
Chapter 4	3, 4
Chapter 7	1, 11, 7-10
Chapter 8	1, 11, 5-14
Chapter 11	Complete chapter
Chapter 23	15-19
Chapter 25	1-111, 1, 2, 13-38
Chapter 29	1-4, 7-12
Chapter 30	5-10
Chapter 31	3, 4

Volume II

CHAPTER	REPLACEMENT SHEETS
Chapter 2	5, 6, 9-12
Chapter 3	5, 6
Chapter 10	5-8
Exhibits	TYP-10, TYP-11, TYP-12, SQ-3, SDS-1a, SDS-2a, SDS-3a
Exhibits	Sample Plan Set (May be placed at back of Volume II)

PLANS PREPARATION MANUAL

VOLUME II - ENGLISH



ROADWAY DESIGN OFFICE

TALLAHASSEE, FLORIDA

JANUARY 2000

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION

SUGGESTIONS AND COMMENTS
PLANS PREPARATION MANUAL
VOLUME II - ENGLISH

NAME OF FIRM OR
FDOT DEPARTMENT:

ADDRESS:

NAME OF PERSON
RESPONSIBLE FOR
SUGGESTIONS OR
COMMENTS:

TELEPHONE NO.:

FAX NO.:

SUGGESTIONS
OR COMMENTS:

(Comments or Suggestions may be attached as marked up copies of pages from the manual)

Please complete the requested information on a copy of this sheet and return to:

FLORIDA DEPARTMENT OF TRANSPORTATION
ROADWAY DESIGN OFFICE
MAIL STATION 32
605 SUWANNEE STREET
TALLAHASSEE, FLORIDA 32399-0450
FAX NUMBER (850) 922-9293

Table of Contents

Introduction

- Chapter 1 Production of Plans
- Chapter 2 Sequence of Plans Preparation
- Chapter 3 Key Sheet
- Chapter 4 Summary of Pay Items
- Chapter 5 Drainage Map and Bridge Hydraulic Recommendation Sheet
- Chapter 6 Typical Sections
- Chapter 7 Summary of Quantities
- Chapter 8 Summary of Drainage Structures and Optional Materials Tabulation
- Chapter 9 Project Layout
- Chapter 10 Roadway Plan and Roadway Plan-Profile
- Chapter 11 Special Profiles
- Chapter 12 Back-of-sidewalk Profiles
- Chapter 13 Intersection and Interchange Details/layouts
- Chapter 14 Drainage Structures
- Chapter 15 Lateral Ditch/Outfalls, Retention/Detention and Mitigation Areas
- Chapter 16 Special Details
- Chapter 17 Soil Survey
- Chapter 18 Roadway Cross Sections
- Chapter 19 Work Zone Traffic Control
- Chapter 20 Utility Adjustments
- Chapter 21 Selective Clearing and Grubbing
- Chapter 22 Miscellaneous Structures Plans
- Chapter 23 Signing and Pavement Marking Plans
- Chapter 24 Signalization Plans
- Chapter 25 Lighting Plans
- Chapter 26 Landscape Plans
- Chapter 27 Utility Joint Participation Agreement Plans

INTRODUCTION

PLANS PREPARATION MANUAL, VOLUME II - ENGLISH

PURPOSE:

This *Plans Preparation Manual, Volume II - English* sets forth requirements for the preparation and assembly of contract plans for Florida Department of Transportation (FDOT) projects. The information contained herein applies to the preparation of plans for both roadways and structures.

AUTHORITY:

Section 334.044(2), Florida Statutes

SCOPE:

This procedure impacts anyone preparing roadway and structures contract plans for the Department.

GENERAL INFORMATION:

Chapter 334 of the Florida Statutes, as part of the Florida Transportation Code, establishes the responsibilities of the State, counties, and municipalities for the planning and development of the transportation systems serving the people of Florida, with the objective of assuring development of an integrated, balanced statewide system. The Code's purpose is to protect the safety and general welfare of the people of the State and to preserve and improve all transportation facilities in Florida. Under Section 334.044, the Code sets forth the powers and duties of the Department of Transportation including to adopt rules, procedures and standards for the conduct of its business operations and the implementation of any provisions of law for which the Department is responsible.

PROCEDURE:

The standards and applications contained in this volume of the Plans Preparation Manual are requirements for the design and preparation of contract plans used in the construction of FDOT projects. This volume is to be used in conjunction with *Volume I - English (Topic No 625-000-007)* of the *Plans Preparation Manual (PPM)*

The preparation of roadway and structures plans is primarily a matter of sound application of acceptable engineering criteria, standards and presentation techniques. While the requirements contained in this volume provide a basis for uniformity in plans preparation, precise formatting and presentation standards which apply to individual situations must rely on good engineering practice and judgement. The use of these requirements does not relieve the engineer from the professional responsibility for the accuracy and completeness of the contract plans set(s)

1 PLANS PREPARATION MANUAL, VOLUME II - ENGLISH MANUAL ORGANIZATION

a Background

The Florida Department of Transportation *Plans Preparation Manual* was previously published as a two volume set in 1989. The manual preceded Department requirements for use of the Metric System, and featured only English units. Volume I contained design criteria and process requirements, while Volume II addressed plans preparation and assembly.

This English version of Volume II has been produced using the same basic format, and closely paralleling, Volume II - Metric. This is due in large part to the outdated information in the 1989 English version for such areas as Computer Aided Design Drafting (CADD), plans processing, sheet sizes, etc.

b Organization

The *Plans Preparation Manual, Volume II - English* contains specific requirements for plans production and assembly. The manual consists of individual chapters, each addressing the requirements for a plan sheet or component, and is ordered according to the way a standard plans set would be assembled.

2 DISTRIBUTION

This document is distributed through **FDOT Maps and Publications Sales**

Copies may be obtained from

Florida Department of Transportation
Maps and Publications Sales
Mail Station 12
605 Suwannee Street
Tallahassee, FL 32399-0450

Telephone (850) 414-4050
SUNCOM 994-4050
FAX Number (850) 487-4099
[http //www dot state fl us/MapsAndPublications/manuals/pub-list htm](http://www.dot.state.fl.us/MapsAndPublications/manuals/pub-list.htm)

For updates and manual registration information contact

Roadway Design Office
Mail Station 32
Telephone (850) 414-4310
SUNCOM 994-4310
FAX Number (850) 922-9293

3 REVISIONS AND UPDATES

Plans Preparation Manual holders are encouraged to submit comments and suggestions for changes to the manual to the Roadway Design Office. When ideas or suggestions are received they will be reviewed by appropriate Roadway and/or Structures Design staff in a timely manner and will be coordinated with other offices affected by the proposed change.

Structures design issues which are subject to modification and revision will be processed in coordination with the Structures Design Office.

Proposed revisions are distributed in draft form to the District Design Engineers (DDE). The DDE coordinates the review of the proposed revisions with other affected district offices such as Structures Design. The goal is to obtain a majority opinion before revisions are made.

The Roadway Design Office will also coordinate proposed revisions or additions with affected offices within the Central Office. Substantive revisions that result in policy change will be coordinated with the Executive Committee for concurrence.

Revisions are voted on jointly by the District Design Engineers and the State Roadway Design Engineer (for Roadway Design issues) or the State Structures Design Engineer (for Structures Design issues). Each district will have one vote and the central office will have two votes, for a total of ten votes. Requirements mandated by FHWA or State Rules will not be subject to this majority vote.

All revisions and updates will be coordinated with the Organization and Procedures Office prior to distribution to ensure conformance with and incorporation into the Department's Standard Operating System. The standard interval for issuing updates to the PPM is yearly, in January, when the adopted revisions and addenda will be distributed to registered holders of the manual.

Items warranting immediate change will be made with the approval of the State Roadway Design Engineer in the form of a Design Bulletin.

TRAINING:

None required

FORMS ACCESS:

Documents marked as **SAMPLES** provide only a starting point allowing users to change or alter the document as needed to fit specific situations. Samples are not official forms of the Department.

Chapter 1

PRODUCTION OF PLANS

1.1	General	1-1
1.2	Legibility Guidelines	1-2
1.3	Displaying Information and Data	1-2
	1.3.1 Converting From Metric to English	1-3
1.4	Base Sheet Format	1-4

Chapter 1

PRODUCTION OF PLANS

1.1 General

This volume shall be used in conjunction with *Volume I - English of the Plans Preparation Manual*. Close attention must be paid to the harmonizing of design criteria and processes outlined in *Volume I* with the related areas of plans preparation and presentation required in this volume

The contract plans set and the specifications are the key documents for project construction and on which the contractor bases his bid. Hence, it is imperative that the contract plans and specifications set forth the work to be done in a clear and concise manner.

As stated in the FDOT *Policy for the Development of Construction Plans via Computer Aided Design and Drafting (CADD)*, *Topic No. 000-625-010*, "All construction plans prepared by the Department of Transportation, either by in-house staff or by consultants, shall be totally prepared utilizing computer aided design and drafting (CADD) techniques."

The Engineer of Record (EOR) must provide quality control of plans, CADD files and deliverables as outlined in the Department's *CADD Manual, Topic No. 625-050-001* (or latest version) and this volume. These resources, in conjunction with district and project scope requirements, shall form the basis for contract plans format and assembly.

Plan sheets content and appearance will follow the requirements of this volume. Refer to the FDOT CADD Production Criteria Guide for such features as line weight, style, color, and level.

The exhibits shown in this volume were developed using FDOT criteria/standards in force at the time of their creation. See *Volume I* for criteria.

1.2 Legibility Guidelines

Normally, all letters and figures should be readable from either the bottom or right edge of the sheet. The guide for reading is as follows:

- (1) Horizontal Line Read left to right
- (2) Vertical Line Read bottom to top
- (3) Diagonals Read left to right

Abbreviations may be used where they save time and space. Abbreviations must be clear and easily understood. A list of standard abbreviations is given in the *Roadway and Traffic Design Standards, Index 001*.

Standard symbols for Roadway Design are shown in the *Roadway and Traffic Design Standards, Index 002*, the Symbol Cell Library, and other CADD sources.

1.3 Displaying Information and Data

The following rules apply for displaying information and data in the plans:

1 Dimensioning Requirements

- Typical Section Elements, including lane widths and shoulder widths - in feet, generally as a whole number
- Horizontal control points on plans, including survey centerline, baseline, intersections and alignment - in feet to 2 decimal places.
- Vertical alignment control points, (PVC, PVI, PVT) and profile grade elevations - in feet to 2 decimal places
- Profile Grade - in percent to 3 decimal places
- Proposed flow lines - in feet to 1 decimal place
- Manhole tops and grate elevations - in feet to 2 decimal places.
- Ditch elevations - in feet to 1 decimal place (to nearest .05 when controlled by percent of grade)

- Box Culvert Spans and Heights - (Show feet as a whole number using the span by height format e g , 10 x 6 means the span is 10 feet and the height is 6 feet) In feet as a whole number for new construction, in feet to 2 decimal places for extensions of existing box culverts
- 2 Display alignment bearings, degree of curve and delta angles for curve data in degrees, minutes and seconds, rounded to the nearest second
- 3 Express slope ratios in vertical to horizontal (V H) format For example, show roadside slopes as 1 6, 1 4, etc

1.3.1 Converting From Metric to English:

- 1 When converting metric values related to surveys, right of way and other geometric alignment use the U S Survey Foot taken to a minimum of 8 decimal places

$$1 \text{ foot} = \frac{12 \text{ inches/foot}}{39.37 \text{ inches/meter}} = 0.30480061 \text{ meters}$$

For other direct mathematical conversions use the SI definition 1 foot = 0.3048 meters

- 2 Display direct mathematical (soft) converted values to 2 decimal places
- 3 On resurfacing projects where the original construction was done in metric, hard convert typical section dimensions (lane widths, shoulder widths, etc) where existing conditions permit

Use direct mathematical (soft) conversion for existing pavement widths in curbed sections, existing right of way widths, and existing median widths

1.4 Base Sheet Format

All plan sheet formats are contained in the FDOT Engineering/CADD Systems Software Sheet borders include a place for the Financial Project ID For those projects which still have a State Project Number, the number must be added to each sheet in the plans A separate cell is available for placement above the Financial Project ID as shown below

			STATE PROJECT NO.		
			STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
			ROAD NO.	COUNTY	FINANCIAL PROJECT ID

The blank space immediately left of the box for Financial Project ID information is provided for the name, address and engineering license number of the Engineer of Record If practicing through a duly authorized engineering business, the engineering business name, address, and engineering business license number is shown See **Section 19.2, Volume I** of this manual

Contract plans shall be plotted to scale on size B (11" X 17") multipurpose paper These plots are to be generated from image files in accordance with the **CADD Manual, Section 3.8.3** Care must be taken in setting up plotting equipment and software to center the sheet border and provide a minimum 3/4" margin at each end of the sheet This is necessary to maintain plan sheet scales and to facilitate the reproduction process used for providing contract plan sets for advertisement and construction

Sheets which feature grds (cross sections, plan-profile, etc) can be plotted with minor grid lines turned off or on If the minor grds are plotted, they are to be half-toned The FDOT Engineering/CADD System Software provides MicroStation system plot drivers for this task Pen tables for half-toning, using CADNet plotting, are also available from the FDOT Engineering/CADD Systems Office

No aerial photography of any type is permitted in final contract plans

Chapter 2

SEQUENCE OF PLANS PREPARATION

2.1	General	2-1
2.2	Data Collection and Presentation	2-1
2.2.1	Type of Project	2-1
2.2.2	Presentation of Existing Data	2-2
2.2.3	Proposed Typical Section	2-2
2.2.4	Geometrics	2-3
2.2.5	Cross Sections	2-3
2.3	Phase Submittals	2-3
2.3.1	General	2-3
2.3.2	Phases	2-4
2.3.2.1	Requirements for Phase I Submittal	2-6
2.3.2.2	Requirements for Phase II Submittal	2-8
2.3.2.3	Phase III Plans Submittal	2-13
2.3.2.4	Phase IV Plans Submittal	2-13
Figure 2.1	Summary of Phase Submittals	2-5

Chapter 2

SEQUENCE OF PLANS PREPARATION

2.1 General

The set of plans depicting in detail the desired construction work is known as the "Contract Plans Set" This set consists of all sheets pertaining to roadway design (Roadway Plans), and component plans The component plans are comprised of

- Signing and Pavement Marking Plans
- Signalization Plans
- Lighting Plans
- Landscape Plans
- Architectural Plans
- Structures Plans

Utility Joint Participation Agreement Plans have a separate Financial Project ID and are placed in the back of the contract plans set

The contract plans set should be prepared systematically, undergoing phases of review and revision to ensure technically correct and clear plans

2.2 Data Collection and Presentation

2.2.1 Type of Project

The type and amount of data required for each project depends on the project For new construction and reconstruction projects which have had a Project Development and Environment (PD&E) phase the data to be used for plans preparation could include the following

- Preliminary Engineering Report
- Project Scope
- Project schedule
- Field survey and/or CADD files (including existing features such as topography, ground elevations, drainage structures, and right of way)

- R/W requirements
- Soils information
- Commitments for environmental permits or mitigation
- Typical Section Package
- Traffic Data
- Pedestrian and bicycle considerations
- Structural design requirements
- Commitments to local government(s)

For projects without the PD&E phase, such as RRR or Safety projects, some of the items listed will not be required. Regardless of type, all projects should begin with a field review to determine other requirements such as additional survey needs, utility information, etc.

Additional information can be found in **Chapters 13-16 of Volume I**. These chapters contain a comprehensive discussion of the critical issues and major activities for the design process, from initial to final engineering.

2.2.2 Presentation of Existing Data

CADD files generated from the field survey will contain existing topography and other characteristics of the project site. These also include the existing utilities and drainage structures within the limits of the project.

All data pertaining to topography, horizontal location of existing utilities and drainage structures shall be shown on the plan portion of the appropriate sheets (whether they are plan view only, or plan-profile).

2.2.3 Proposed Typical Section

Typical sections show the cross sectional design elements of a roadway. In addition to the Typical Section Sheet, certain elements of the typical section are shown on various other plan sheets, such as the Plan-Profile Sheets and Cross Sections. The various chapters for individual plan sheets address the specific requirements for displaying data (including typical section elements) on those sheets.

2.2.4 Geometrics

The Engineer of Record (EOR) sets the horizontal and vertical geometrics for a project and develops or supervises development of the CADD files used in the production of various plans sheets

Horizontal geometrics include the baseline survey/centerline construction with bearings, curve data, angles or bearings at street intersections, pavement widths, taper lengths, left turn lanes, and other geometric elements. These elements are plotted on the plan portion of the plan-profile sheets, as well as other appropriate plan sheets.

Vertical geometrics show the vertical curves and grades of the roadway along the profile grade line. On municipal projects back-of-sidewalk profiles are developed to provide a vertical alignment which addresses drainage requirements and harmonizes connections to adjacent properties. The back-of-sidewalk profiles may be included in the roadway plans as directed by the district.

On all projects which include the development of a vertical alignment the existing ground line along the baseline of survey and the proposed profile grade line shall be plotted on the profile portion of appropriate sheets in the roadway or structures plans.

2.2.5 Cross Sections

Information required for plotting existing cross sections is obtained from survey data and CADD files. These data, along with existing utilities and proposed templates, are shown on the cross sections. Refer to **Chapter 18** for additional information.

2.3 Phase Submittals

2.3.1 General

Requirements relating to the *design process* for various submittals are given in **Chapter 16, Volume I** of this manual. Refer to that chapter for additional guidance in preparing submittals for review by the Department.

For bridge submittal requirements see **Chapter 26, Volume I**.

2.3.2 Phases

The remainder of this chapter outlines, in detail, the sequence for contract plans preparation and assembly, as well as the information required to be presented on the various plan sheets which are included in design phase submittals

As stated in **Section 16.4 of Chapter 16, Volume I** "The number of submittals and phase reviews shall be determined on a project-by-project basis and shall be defined in the scope. Submittals allow functional areas to review the development of the project as contained in the scope."

Standard submittal phases are as follows

SUBMITTAL PHASES

- Phase I
- Phase II
- Phase III
- Phase IV

Minor projects should typically have two phase reviews

Figure 2.1 summarizes the plans sheet status for each submittal. No phase is complete until all review comments have been resolved and documented.

The technical accuracy required for the design is the responsibility of the Engineer of Record. Prior to submitting the plans for a formal FDOT Phase review, the design organization (in-house or consultant) shall conduct a review to ensure technically correct and complete plans. Any revisions or corrections noted during the review shall be incorporated into the plans before submittal for the formal Phase review.

When deemed necessary by the Engineer of Record, or as requested by the district, phase submittals may include an additional plan sheet titled "Notes for Reviewers." This sheet is placed as the second sheet in the submittal package. It contains information pertinent to design criteria and special project requirements, as well as other details or notes which call the reviewer's attention to issues and features unique to the project design. The sheet is to be used only in the review process and is not included in the final plans.

Figure 2.1 - Summary of Phase Submittals

ITEM	PHASE	PHASE*	PHASE	PHASE
	I	II	III	IV
Key Sheet	P	P	C	F
Summary of Pay Items		P	C	F
Drainage Map	P	P	C	F
Interchange Drainage Map	P	P	C	F
Typical Section	P	C	C	F
Summary of Quantities			C	F
Box Culvert Data			C	F
Summary of Drainage Structures			C	F
Project Layout	P	C	C	F
Roadway Plan-Profile	P	P	C	F
Special Profile	P	P	C	F
Back-of-Sidewalk Profile	P	C	C	F
Interchange Layout	P	P	C	F
Ramp Terminal Details		P	C	F
Intersection Layout/Detail	P	P	C	F
Drainage Structures		P	C	F
Lateral Ditch Plan-Profile		P	C	F
Lateral Ditch Cross Section		P	C	F
Retention/Detention Ponds		P	C	F
Cross Section Pattern Sheet		P	C	F
Roadway Soil Survey		P	C	F
Cross Sections	P	P	C	F
Storm Water Pollution Prevention Plan	P	P	C	F
Traffic Control Plans	P	P	C	F
Utility Adjustment		P	C	F
Selective Clearing and Grubbing		P	C	F
Miscellaneous Structures Plans		P	C	F
Signing and Pavement Marking Plans		P	C	F
Signalization Plans		P	C	F
Lighting Plans		P	C	F
Landscape Plans	P	P	C	F
Utility Joint Participation Agreement Plans			C	F
Mitigation Plans		P	C	F
Computation Book			C	F
Contract Time			P	F

Status Key

P - Preliminary

C - Complete but subject to change

F - Final

* Projects which have a structures plans component are required to submit the latest set of structures plans with the phase II roadway submittal

Unless otherwise directed by the district, the following elements are required for a Phase I set of plans

KEY SHEET

Location Map w/ location of project on map
All applicable Financial Project ID's
(Federal Funds) notation, if applicable
Exceptions & Equations
County Name
State Road Number
Length of project box
North arrow and scale
Approval signature lines
Railroad crossing (if applicable)
Revision box
Governing Standards & Specifications dates
Project Manager's Name
Begin & end project station and begin mile post
Begin & end bridge stations
Consultant's name, address, contract number
and vendor number (if applicable)

DRAINAGE MAP - PLAN VIEW

North arrow and scale
Drainage divides and ground elevations
Drainage areas and flow direction arrows
Equations
High water information as required
Preliminary horizontal alignment
Section, township, range lines
Street names
Begin & end stations of project, bridge, bridge
culverts & exceptions
Existing structures & pipes with relevant
information

State, Federal, county highway numbers (as
appropriate)

DRAINAGE MAP - PROFILE VIEW

Preliminary profile grade & existing ground line
Horizontal & vertical scale
Begin & end stations of project, bridges, bridge
culverts & exceptions
Equations

INTERCHANGE DRAINAGE MAP

North arrow and scale
Stationing along baselines
Ramp baselines with nomenclature
Begin and end bridge stationing
Preliminary interchange configuration
R/W lines
Preliminary interchange drainage with drainage
areas and flow direction arrows

TYPICAL SECTIONS

Mainline and crossroad typicals
R/W lines
Special details (bifurcated sections, high fills,
etc)
Traffic data

PROJECT LAYOUT / Reference Points

Plan-profile sheet sequence (mainline and
crossroads)
Reference points (if layout sheet is required)

PLAN AND PROFILE - PLAN VIEW

North arrow and scale
Baseline of survey, equations
Curve data (including superelevation)
Existing topography including utilities
Preliminary horizontal geometrics/dimensions
Existing & proposed R/W lines (if available)
Centerline of construction (if different from the baseline of survey)
Begin and end stations for the project, bridges, bridge culverts and exceptions
Reference points (if project layout sheet not included in plans set)

PLAN AND PROFILE - PROFILE VIEW

Scale
Appropriate existing utilities
Bench mark information
Preliminary profile grade line
Equations
Existing ground line with elevations at each end of sheet
Begin and End Stations for the Project, bridges, bridge culverts and exceptions

SPECIAL PROFILE

Scale
Ramp profile worksheet including nose sections
Existing ground line of intersections
Preliminary grade line of intersections
Preliminary curb return profiles, if applicable

BACK-OF-SIDEWALK PROFILE (Worksheet)

Scale
Begin and end project stations
Begin and end sidewalk stations
Cross-street locations and elevations
Drainage flow direction arrows
Mainline equations
Existing driveway locations and details

Superelevation details
Back-of-sidewalk profile grades and vertical curve information
Building floor elevations with offset distance left and right
Gradeline notation Specifically the numeric difference relative to roadway profile gradeline

INTERCHANGE DETAIL

North arrow and scale
Schematic of traffic flow and volumes
Proposed bridge limits
R/W lines
Preliminary configuration and geometrics
Quadrant identification
Ramp Labels

INTERSECTION LAYOUT

North arrow and scale
Existing topography (if applicable)
Proposed R/W limits
Length of turn lanes
Taper lengths
Existing Utilities
Geometric dimensions (radii, offsets, widths)

CROSS SECTIONS*

Scale
Existing ground line
Existing survey baseline elevations
Station numbers
Baseline of survey labeled
Existing utilities
Proposed template with profile grade elevations along mainline and cross-streets as necessary

TRAFFIC CONTROL PLANS

Project specific
Other worksheets as necessary to convey concept and scope

LANDSCAPE PLANS

Conceptual landscape plan

2.3.2.2 Requirements for Phase II Submittal

Unless otherwise directed by the district, the following elements are required for a Phase II set of plans

KEY SHEET

Index of sheets
Contract plans and component plans list

SUMMARY OF PAY ITEMS

Item numbers with descriptions

DRAINAGE MAP - PLAN VIEW

Proposed structures with structure numbers
Proposed storm sewer pipes
Flow arrows along proposed ditches
Retention/Detention ponds, pond number and area size
Cross drains with pipe sizes and structure numbers
Bridges/bridge culverts with begin and end stations
Flood data (if applicable)

DRAINAGE MAP - PROFILE VIEW

Ditch gradients including DPI's
Final roadway profile grade line
Mainline storm sewer pipes
Mainline flow line elevations
Mainline structures with structure numbers and pipes
Bridge, Bridge Culvert
Cross drains with pipe sizes, structure numbers and flow line elevation

INTERCHANGE DRAINAGE MAP

Final geometrics including PC and PT
Proposed structures with structure numbers
Proposed storm sewer pipes
Special ditches with DPI and elevation

TYPICAL SECTIONS

Pavement Design

PROJECT LAYOUT

Complete

PLAN AND PROFILE - PLAN VIEW

Curb return numbers, station ties and elevations
Proposed drainage structures with structure no
Proposed R/W lines
Existing utilities
Proposed side drain pipe requirements (including size) for access and intersections
Final geometrics and dimensions including radii, station pluses, offsets, widths, taper/transition lengths, curve data
General notes (if project layout sheet not included)
Flood data if not shown elsewhere

PLAN AND PROFILE - PROFILE VIEW

Final profile grades and vertical curve data
Mainline storm sewer pipes
Proposed special ditches
Ditch gradients with DPI station and elevation
Non-standard superelevation transition details
High water elevations
Existing utilities
Mainline drainage structures with structure numbers
Cross drains with structure number, size and flow line elevations

SPECIAL PROFILE

Final intersection profile grades
Final curb return profiles (if applicable)
Superelevation diagrams as required
Final ramp profile grades including nose sections
Preliminary access and frontage road profiles (may contain one or more types of special profiles)

BACK-OF-SIDEWALK PROFILE

Complete

INTERCHANGE LAYOUT

Curve data including superelevation and design speed
Coordinate data, stationing and ties
Access and/or frontage roads with dimensions and R/W
Fence location
Ramp identification

RAMP TERMINAL DETAILS

Preliminary geometrics
Radii, transition/taper lengths
Ramp identification

INTERSECTION LAYOUT

Limits of proposed construction along side roads
Applicable notes
Cross drains with structure numbers and pipe sizes
Storm sewer pipes including sizes
Final geometrics including dimensions, radii, offsets, station pluses and taper/transition lengths

DRAINAGE STRUCTURES

Vertical and horizontal scale
Roadway template with profile grade elevation
Underground utilities
Special sections at conflict points
R/W lines (at critical locations)
Storm sewer construction notes
Flow arrows
Applicable notes
Structure numbers and location station along right side of sheet
Drainage structures with numbers in numerical order, type, size, location and flowline elevations

OUTFALL/LATERAL DITCH SYSTEM - PLAN VIEW

North arrow and scale
Roadway centerline
Existing and/or survey ditch centerline
Proposed ditch centerline with stationing
Begin and end ditch stations
Equations
Ditch centerline intersection stations
R/W lines
Bearings of ditch and mainline centerlines
Proposed storm sewer pipes
Ditch PI stations with deflection angle left or right
Proposed drainage structures with structure numbers
Existing topography, drainage structures, utilities

**OUTFALL/LATERAL DITCH SYSTEM -
PROFILE VIEW**

Bench mark information
Scale
Existing ground line
Proposed ditch profile with grades
Begin and end ditch stations
High water elevations
Proposed storm sewer pipes with size
Existing Utilities
Overland flow or overtopping elevations
Proposed drainage structures with structure numbers
Typical section can be placed in either plan or profile

LATERAL DITCH CROSS SECTIONS

Horizontal and vertical scale
Existing ground line
Station numbers
Survey centerline and elevation
RW
Begin and end ditch stations
Begin and end excavation stations
Earthwork quantities
Existing utilities
Total earthwork quantity in cubic yards (CY)
Proposed template with ditch bottom elevation

CROSS SECTION PATTERN SHEET

North arrow and scale
Interchange layout
Access and frontage roads
Mainline and ramp stationing
Begin and end bridge stations
Cross section location lines
Ramp baselines with nomenclature and stationing

ROADWAY SOIL SURVEY

Soil data
Project specific

CROSS SECTIONS

R/W
Special ditch bottom elevations
Equivalent stations for ramps and mainline
Mainline equation stations
Soil borings
Water table
Extent of unsuitable material
Proposed template with profile grade elevation
Earthwork Columns
Begin and end stationing for project, construction and earthwork, bridge and bridge culvert
Existing utilities affected by the template and where unsuitable materials are present

SWPPP PLANS

Narrative Description (with supplemental topographic maps, when used)

TRAFFIC CONTROL PLANS

Preliminary traffic control plan
Detour plan
Phasing plan
RW - existing and additional if required
Existing Utilities

UTILITY ADJUSTMENT

All existing utilities highlighted

SELECTIVE CLEARING AND GRUBBING

Limits of construction by station and type of selective clearing and grubbing

MISCELLANEOUS STRUCTURES PLANS

Retaining walls (Cast in place, proprietary, temporary) if required

SIGNING AND PAVEMENT MARKING PLANS

- KEY SHEET
Financial Project ID
(Federal Funds) notation, if applicable
State Road Number
County Name
FDOT Project Manager's Name
Begin/end stations & exceptions
Station Equations (if location map is shown)
Governing Standards & Specifications Date
Engineer of Record
Consultants name & address, if applicable

SIGNING AND PAVEMENT MARKING PLANS
- TABULATION OF QUANTITIES

Project Specific

SIGNING AND PAVEMENT MARKING PLANS
- PLAN SHEETS

North arrow and scale
Basic Roadway Geometrics
Begin/End Stations and Exceptions
Station equations
Conflicting utilities, lighting or drainage
Pavement markings
Sign locations
Applicable pay items

SIGNING AND PAVEMENT MARKING PLANS
- SIGN DETAIL SHEETS

GUIDE SIGN WORK SHEETS
Project Specific

SIGNALIZATION PLANS - KEY SHEET

Financial Project ID
(Federal Funds) notation, if applicable
State Road Number
County Name
FDOT Project Manager's Name
Begin/end stations & exceptions
Station Equations (if location map is shown)
Governing Standards & Specifications Date
Engineer of Record
Consultants name & address, if applicable

SIGNALIZATION PLANS - TABULATION OF QUANTITIES

Project Specific

SIGNALIZATION PLANS - PLAN SHEET

North arrow and scale
Basic Roadway Geometrics
Begin/End Stations and Exceptions
Station Equations
Conflicting utilities, lighting or drainage
Signal Pole Location
Type and location of loops
Type and location of signal heads
Pedestrian Signal
Location of Stop Bars
Location of Pedestrian Crosswalks
Sheet Title
Applicable pay items

SIGNALIZATION PLANS - POLE SCHEDULE

Pole location, number, type
Pole dimensions
Pay item number and quantity
Joint use pole details, if applicable
Foundation design

**SIGNALIZATION PLANS - INTERCONNECT/
COMMUNICATION CABLE PLAN**

Placement of interconnect/communication cable
Conflicting utilities, lighting or drainage
Other project specific details

LIGHTING PLANS - KEY SHEET

Financial Project ID
(Federal Funds) notation, if applicable
State Road Number
County Name
FDOT Project Manager's Name
Begin/end stations & exceptions
Station Equations (if location map is shown)
Governing Standards & Specifications Date
Engineer of Record
Consultants name & address, if applicable

LIGHTING PLANS - TABULATION OF QUANTITIES

Project Specific

LIGHTING PLANS - POLE DATA AND LEGEND SHEET

Each pole by number with location, arm length, mounting height and luminaire wattage noted
Design value for light intensities and uniformity ratios shown
Legend and sheet title

LIGHTING PLANS - PLAN SHEETS

North arrow and scale
Basic Roadway Geometrics
Begin/End Stations and Equations
Station Equations
Conflicting utilities, drainage, signal poles, etc
Sheet title
Applicable pay items
Pole symbols shown at correct station location and approximate offset

LIGHTING PLANS - HIGH MAST

Foundation detail sheets (project specific)
Boring data sheets (project specific)
Conflicting utilities, drainage, lighting

LANDSCAPE PLANS - KEY SHEET

Financial Project ID
(Federal Funds) notation, if applicable
State Road Number
County Name
FDOT Project Manager's Name
Begin/end stations & exceptions
Station Equations (if location map is shown)
Governing Standards & Specifications Date
Engineer of Record
Consultants name & address, if applicable

LANDSCAPE PLANS - TABULATION OF QUANTITIES

Project Specific

LANDSCAPE PLANS - STANDARD DETAIL SHEET

Applicable standard details

LANDSCAPE PLANS - PLAN SHEETS

Roadway and sidewalk plan
Component plans features (signing, signalization, lighting, etc)
Plant placement by symbol
Legend for plant symbols
Existing utilities
Limits of clear sight
Canopy limits/location of existing vegetation
Billboard view zones

LANDSCAPE PLANS - IRRIGATION PLAN

(if applicable)
Type of system
Location and size of pipes
Type and location of heads

LANDSCAPE PLANS - SPECIFICATIONS PLAN SHEET

Project specific

MITIGATION PLANS

Project Specific

2.3.2.3 Phase III Plans Submittal

Ordinarily, the only other remaining work to be done will be to comply with comments received as a result of the review. The Work Zone Traffic Control items paid for on a 'per day' basis shall be estimated and included in the Phase III submittal.

The FDOT construction department will make a biddability review and will establish construction duration as a part of the Phase III review after receiving the computation book. This information should be included in the Phase III review comments transmitted back to the EOR. The estimated pay items for Work Zone Traffic Control shall be revised as necessary based on the established construction duration.

All plan sheets and computation books are complete and the Financial Management (FM) system has been updated. Final drainage tabulations shall also be furnished for review.

Utility Joint Participation Agreement (JPA) Plans, consisting of a key sheet, and mainline plan-profile showing proposed utility horizontal and vertical locations, are also to be included in the Phase III submittal.

A "marked up" set of the plans and review comments shall be returned to the EOR for incorporation of the comments into the plans. When the review comments have been resolved and documented by the designer, the plans are ready to proceed to completion.

2.3.2.4 Phase IV Plans Submittal

After all corrections noted in the Phase III submittal are complete and the cost estimate is complete, the plans are considered final.

Chapter 3

KEY SHEET

3.1	General	3-1
3.2	Project Identification	3-1
3.2.1	Financial Project ID, Federal Funds, County Name and State Road Number	3-1
3.2.2	Fiscal Year and Sheet Number	3-2
3.2.3	Length of Project Box	3-2
3.3.	Project Location Map	3-3
3.4	North Arrow and Scale	3-4
3.5	Component Plans in Contract Plans Set	3-4
3.6	Index of Sheets	3-5
3.7	Professional Responsibility	3-6
3.8	Governing Specifications and Standards	3-6
3.9	State Map	3-6
3.10	Railroad Crossing	3-6
3.11	Revisions	3-7

Chapter 3

KEY SHEET

3.1 General

This is the first sheet in the contract plans. It describes the project, the contents of the plans, and identifies those responsible for preparing the plans. The key sheet cell can be found in the FDOT Engineering/CADD Systems Software. Levels and fonts for additional data can be found in the FDOT CADD Production Criteria Guide.

For key sheet examples, see the exhibits at the back of this chapter.

3.2 Project Identification

Background On May 21, 1997, the State Highway Engineer, instructed District Secretaries on the implementation of the Financial Management System. This system replaces the Work Program Administration, the Job Cost Reporting and the Federal Project Accounting systems. Once implemented, all contract documents/sheets that historically had shown project or WPI numbers were to have the new project number on every sheet. Beginning March 16, 1998, a Financial Project ID was assigned to each old project, and from then on new projects have been assigned the Financial Project ID only. In his memorandum to the District Design Engineers dated April 22, 1998, the State Roadway Design Engineer requested that, starting with the plans packages mailed to Tallahassee for the January, 1999 letting, the new number be printed on all sheets. On June 30, 1998, the Secretary instructed the Department to use the Financial Project ID in all project documents.

3.2.1 Financial Project ID, Federal Funds, County Name and State Road Number

The Financial Project ID is the main number identifying each individual project within the Department. On the key sheet, this number is located immediately under the heading "CONTRACT PLANS", as shown in the exhibits. Where Federal funds are involved, the words "(Federal Funds)" are to be placed under the Financial Project ID. The county name and the state road number will be included under the Financial Project ID. Also, the "county and roadway section number" associated with Straight Line Diagrams will be placed within parentheses to the right of the county name, as shown on **Exhibit KS-1**.

If a project has been previously assigned a State Project Number and a Work Program Item number, both will be shown on the respective key sheet of the Contract Plans, as indicated on **Exhibit KS-2**. The State Project Number will be placed immediately under the Financial Project ID and the Work Program Item number will be placed on the upper right corner of the sheet

Strung projects, those that are independently prepared but are to be let in the same construction contract, shall have the additional Financial Project ID's noted on the right side of the key sheet

3.2.2 Fiscal Year and Sheet Number

The construction fiscal year to be entered in the fiscal year box on the bottom right corner is the second year in the fiscal year, i.e., enter 01 for fiscal year beginning July 2000 and ending June 2001. The key sheet of each component of the plans set will be numbered as the first sheet of that component

3.2.3 Length of Project Box

Lengths of roadway, bridges, bridge culverts, exceptions, and net and gross lengths of the project shall be shown in a box in the center of the sheet below the location map. The length of the project is computed as follows

Roadway = End Project - Begin Project - Exceptions - Bridges (not including bridge culverts) adjusted for Equations

Net = Roadway + Bridges

Gross = End Project - Begin Project (adjusted for Equations)

The roadway and bridge length shall be computed in feet and converted to miles, to three decimal places, without rounding off. The roadway and/or bridge mileage shall then be rounded so that their total equals the net length. The survey line should be used to compute the length of the project unless the construction line is substantially different in length (100 feet or more), or the survey line is outside the right of way, or the survey line bridge length is different from the construction line bridge length. The use of the survey line will generally result in less equations on the key map.

If divided highways have significantly different lengths for the left and right roadways, the project length shall be based on the longer roadway. A note stating which roadway was used shall be placed adjacent to the project length box.

The "Begin Project" and "End Project" stations are the basis for computing the length. Begin and end construction stations are not to be used in computing the length of the project.

A length of project box is not required on component key sheets.

3.3 Project Location Map

This map is placed in the center of the sheet and consists of a reproduced portion of one or more maps showing the project location. The map may be a county map or other appropriate map. A "clipped" area of the county maps is available upon request, from the District CADD Manager. The request must include the lower left and upper right corner coordinates of the required area. The coordinates shall be on the State Plane Coordinate System.

For consultant prepared plans, the consultant requesting the key map clip file will provide to the District CADD Manager:

- 1) A completed KEY MAP CLIPPING REQUEST (Form 625-010-08)
- 2) A county map with the location of the clip area boxed, or the state plane coordinates as previously described
- 3) The media diskette on which to provide the clipped file, or an E-mail address

There is no fee for key map clipping services if the consultant is working on an active state project. For key map clipping services not on state projects a fee will be charged.

The intent of the location map is to provide enough information so that the project location is easily understood. This may make it necessary to show the Section, Township, Range and County lines together with Section, Township and Range numbers to make the location clear. City and urban limits should be shown where applicable. The begin mile post, correct to three decimal places, shall be shown under the begin project station.

Streets shall be designated by name and State road number or U S Highway number, if appropriate. The name of the next incorporated city to which these roads lead shall be placed at the edge of the map. Roads and topography shall be indicated by standard symbols as shown in the *Roadway and Traffic Design Standards, Index No. 002* and FDOT Engineering/CADD Systems Software.

Project location shall be shown by a heavy solid line of substantial width. It is sometimes

advantageous to show station numbers at regular intervals, particularly with city street projects. The begin and end of projects, any station equations, begin and end of proposed bridges along the state project, bridge culverts and exceptions shall be stationed and flagged.

When several projects are covered by the same set of plans, the beginning and end of each project shall be indicated clearly by the Financial Project ID and stationing. The beginning of each project shall also be indicated by a mile post correct to three decimal places.

The scale of the location map should be chosen so that it will not interfere with other features on the key sheet. A common error is to position the location map on the sheet and then discover that insufficient space remains for the index of sheets, project title or the length of project box.

A location map is not required on component key sheets.

3.4 North Arrow and Scale

The north arrow shall be placed on either side of the location map, preferably to the right. The map scale shall be shown directly below the north arrow. The scale shall be indicated by using a bar scale. The scale distance shall be shown between the ticks. The map shall be oriented so that the arrow will point toward the top of the sheet. If the arrow cannot be oriented to the top, then it must be oriented to point to the right.

3.5 Component Plans in Contract Plans Set

A list of component plans included in the contract plans set shall be shown in the upper left corner. The order of listing shall be:

- Roadway
- Signing and pavement marking
- Signalization
- Lighting
- Landscape
- Architectural
- Structures

If sheets covering items such as signing and pavement markings, signalization, lighting and landscape are included and numbered consecutively within the roadway plans, these are

not to be shown as components of the contract plans set

3.6 Index of Sheets

A complete index of roadway plan sheets shall be placed on the left side of the key sheet under the heading When projects contain component plans, each plans set shall have an index of sheets on its respective key sheets

Roadway plans sheets shall be assembled as follows

- Key Sheet
- Summary of Pay Items
- Drainage Map (optional)
- Interchange Drainage Map
- Typical Section
- Summary of Quantities
- Box Culvert Data Sheet (if PSTDN55 design)
- Summary of Drainage Structures
- Project Layout (optional)
- Roadway Plan-Profiles
- Special Profiles
- Back-of-Sidewalk Profiles (optional)
- Interchange Layout
- Ramp Terminal Details
- Intersection Layout/Detail
- Drainage Structures
- Box Culvert Details (if LRFD design)
- Outfall/Lateral Ditch Plan-Profiles
- Outfall/Lateral Ditch Cross Sections
- Special Details
- Cross Section Pattern Sheet
- Roadway Soil Survey
- Cross Sections
- SWPPP Plans
- Traffic Control Plans
- Utility Adjustments
- Selective Clearing and Grubbing
- Signing and Pavement Marking Plans (when included as part of roadway plans)
- Signalization Plans (when included as part of roadway plans)
- Lighting Plans (when included as part of roadway plans)

Landscape Plans (when included as part of roadway plans)
Miscellaneous Structures Plans
Interim Roadway and Traffic Design Standards (as required)

3.7 Professional Responsibility

The name of the Engineer of Record, Architect or Landscape Architect of Record and registration number shall be included on the right side of the sheet. For specific instructions on sealing plans, see **Volume I, Chapter 19**

For plans prepared by a consulting firm, the name, address, consultant contract number and vendor number of the firm shall be shown on the right side of the sheet.

The FDOT Project Manager's name shall be shown below the length of project box for consultant and FDOT prepared plans. For key sheets where length of project is not required, the FDOT Project Manager's name shall be shown in the same relative location on the sheet.

If shop drawings are anticipated for a project, the name(s) and address(es) of the Delegated Engineer(s) for shop drawing review(s) shall be shown on the right side of the sheet.

3.8 Governing Specifications and Standards

The date of the governing *Standard Specifications for Road and Bridge Construction* and *Roadway and Traffic Design Standards* shall be inserted in a note at the lower left corner of the key sheet.

3.9 State Map

A small scale state map shall be shown at the upper right portion of the key sheet. The location of the project shall be indicated thereon.

3.10 Railroad Crossing

The location of any railroad crossing within the limits of construction will be identified on the key sheet as follows: DOT/AAR crossing number, railroad milepost, name of railroad, and the highway project station number.

3.11 Revisions

The lead key sheet (usually roadway) shall show a complete record of all plans revisions. The component (such as roadway, structures, signing and pavement marking), the sheet numbers involved, and the date when the sheet was revised shall be listed.

A newly sealed lead key sheet is required when any sheet is revised.

Revisions shall be shown on the lower left corner of the key sheet. Revisions to strung project sheets shall be listed here, under the respective Financial Project ID.

A key sheet revision box shall be shown on the right side of each component key sheet which shall contain a record of all revisions particular to that sheet. It shall list the revision date, the initials of the person responsible for the revision and a brief description of the revision.

If the changes to a key sheet only involve notes in the Revisions area, no entry is made in the key sheet revisions block at the lower right corner. The Key Sheet Revisions Block is only used to record changes other than revisions notes.

Chapter 4

SUMMARY OF PAY ITEMS

4.1 General 4-1

4.2 Summary of Pay Items Sheet 4-1

Chapter 4

SUMMARY OF PAY ITEMS

4.1 General

The summary of pay items sheet is generated from information provided by the Engineer of Record (EOR) and input into the "Contract Estimating System" (CES). This sheet shall be transferred to a graphics design file and placed on a standard formatted plan sheet available in the FDOT Engineering/CADD Systems Software. The CES file must be established and kept current with the quantities listed in the plans. It is critical that any revisions to the CES be transferred to update the graphics design file. The CES is used to prepare the bid documents and must match the plans.

4.2 Summary of Pay Items Sheet

The summary of pay items sheet(s) show all items and quantities for all components (Design Groups) for the project, or projects, in a contract. CADD produced summary of pay items sheets are placed directly behind the lead key sheet and must include

- 1 All the summaries for all component plans listed for the project

These should be placed in the same order as the contract plans listed on the key sheet. They should be numbered consecutively.

Note: Only the lead key sheet for the entire contract should contain reference to summary of pay items.

- 2 All projects let under this contract

Projects that are let under the same contract should be "strung" together. The lead project should be the first project on the summary of pay items.

Summary of pay items notes may be included on this sheet if they do not fit on the summary of quantities sheet. For small projects, the summary or pay item sheet(s) may be combined with the summary of quantities sheet.

A summary of pay items sheet without quantities is required at the Phase II submittal, and a complete summary of pay items sheet with quantities is required at the Phase III and Phase IV submittals. Refer to **Chapter 2** for requirements of phase submittals.

For a list of standard pay item notes see **Chapter 7, Exhibit 7-1**

Chapter 5

DRAINAGE MAP AND BRIDGE HYDRAULIC RECOMMENDATION SHEET

5.1	Drainage Map	5-1
5.1.1	Plan Portion	5-1
5.1.2	Profile Portion	5-3
5.1.3	Flood Data Summary Box	5-4
5.1.4	Interchange Drainage Map	5-4
5.2	Bridge Hydraulic Recommendation Sheet	5-5
5.2.1	Required Information on BHRS	5-5
5.2.1.1	Plan View	5-5
5.2.1.2	Profile View	5-6
5.2.1.3	Location Map, Drainage Map, and Existing Structures	5-6
5.2.1.4	Hydraulic Design Data, and Hydraulic Recommendations	5-6
Exhibit 5-1	Drainage Map Notes	5-7

Chapter 5

DRAINAGE MAP AND BRIDGE HYDRAULIC RECOMMENDATION SHEET

5.1 Drainage Map

When a drainage map is required (see FDOT *Drainage Manual, Topic No. 625-040-001*) it shall be prepared and included in the project file. Inclusion of a drainage map in the contract plans set is optional at the district's discretion.

Preformatted drainage map sheet cells are located in the FDOT Engineering/CADD Systems Software. The upper (grid) portion of each sheet is used for plotting the project profile, which is optional at the discretion of the district. The standard grid pattern for the profile portion of the sheet is five lines per inch, both in the horizontal and vertical. This will accommodate most scales. An optional grid with four lines per inch is available. This sheet may be used if approved by the district.

Topography of the project area shall be located in the remaining portion of the sheet. Aerial photography may be used to develop a drainage map but must not be used in the contract plans set.

The horizontal and vertical scales of the profile should be such that the stations and elevations can be read directly from the grid without the use of a scale. The horizontal scale must be the same for both the plan and profile views. Recommended scales for facility types are as follows:

<u>Type of Facility</u>	<u>Horizontal Scale</u>	<u>Vertical Scale</u>
Interstate Urban	1" = 500'	1" = 5'/1" = 10'
Interstate & Other Rural	1" = 1000'/2000'	1" = 10'/1" = 20'
Municipal & Other	1" = 200'/500'	1" = 5'/1" = 10'

5.1.1 Plan Portion

The plan portion shall comply with the following requirements:

- 1 Stationing shall be shown every 500 feet for scales of 1" = 100'/200', every 1000 feet for a scale of 1" = 500' and every 5000 feet for scales of 1" = 1000'/2000' For additional information see **Figure 10.1 in Chapter 10**

Station equations and exceptions shall be shown Begin and end stations of project, construction, bridge and bridge culverts shall also be shown

- 2 Existing physical land features affecting drainage, such as lakes, streams and swamps, shall be clearly labeled by name and direction of flow Past high water elevations and date of occurrence, if available, and present water elevations along with the dates the readings were taken shall be shown

Drainage divides and other information (such as pop-off elevations and spot elevations) shall be shown, where applicable, to indicate the overland flow of water Drainage areas on maps shall be shown in acres

Inserts shall be used to show areas that are of such magnitude that the boundaries cannot be plotted at the selected scale

- 3 Existing road numbers and street names, drainage structures with type, size, flow line elevations, flow arrows and any other pertinent data shall be shown Refer to the FDOT Engineering/CADD Systems Software and the **Roadway and Traffic Design Standards, Index No. 002** for correct symbols for existing drainage facilities In a situation of limited space, all data relating to existing drainage structures and pipes may be compiled in a table format and shown in either the plan or profile portion of the sheet Should the space limitations be such that a table will not fit within the plan or profile view, a supplemental drainage data sheet is acceptable

- 4 Proposed drainage structures, pipes, outfall structures and retention/detention pond locations, shall be shown Structures and pipes shall be noted by structure number and ponds by pond number Arrows shall be shown to indicate direction of flow along proposed ditches

- 5 Section, Township, Range and county lines shall be indicated for rural and urban projects when occurring within the project limits

- 6 A north arrow and graphic scale shall be shown, preferably in the upper right corner of the plan view

- 7 If the drainage map is to be included in the contract plans set, include Note No 1 (see **Exhibit 5-1**)

5.1.2 Profile Portion

The profile portion, if shown, shall comply with the following requirements

- 1 The recommended vertical scale for rural and urban projects is 1" = 5' in level terrain and 1" = 10' in rolling terrain. A scale of 1" = 20' may sometimes be used for rural projects through rough terrain to avoid numerous profile breaks. The profile can be broken for rolling terrain in urban areas. However, a scale of 1" = 20' should never be used at locations of proposed storm sewer systems.
- 2 Elevation datum shall be shown at each side of the sheet. In cases where the profile block is insufficient and excess space is available on the plan portion of the sheet, the profile block may be expanded.
- 3 The profile of the existing natural ground shall be plotted and labeled and the existing elevation noted at each end.
- 4 The proposed profile grade line shall be plotted. Per cent of grade need not be shown. The PC, PI, and PT of vertical curves shall be plotted using their respective standard symbols, however, no data (station, elevation, length of curve) needs be noted. Begin and end project, bridge and bridge culvert stations, station equations and exceptions shall be flagged. Profile grade line elevations shall be shown at begin and end project stations and at the beginning and end of each additional drainage sheet.
- 5 Proposed cross drains shall be plotted and identified by structure number. Do not show skew or pipe slope in plotting, but plot to elevation and location at point of crossing the construction centerline.
- 6 For projects with storm sewer systems, only the mainline structure and pipes shall be shown. Laterals need not be shown. Each structure shall be flagged with its appropriate structure number, and flow line elevations noted for the incoming and outgoing pipes.
- 7 All high water elevations affecting base clearance or roadway grades shall be shown.

5.1.3 Flood Data Summary Box

The flood data shall be shown on the drainage map, either in the plan or in the profile portion. If the drainage map is not included in the plans the flood data shall be shown on the summary of quantities sheet or on the first plan-profile sheet

Design, base and overtopping or greatest flood discharge and stage values are required for all cross structures (culverts and bridges), regardless of size, under the following conditions

- 1 All new cross structures
- 2 All cross structures that are being modified (extended, new end section, replaced, etc)
- 3 All cross structures that have a history of flooding or other hydraulic problems, even if the structure is not to be modified, or
- 4 Cross structures that are not being modified but are being impacted by the modification of another cross structure within the same drainage basin

A "disclaimer" and definitions are required to avoid misuse and possible responsibility for changes in the flood information values over which the FDOT has no control (see **Exhibit 5-1**) A preformatted summary box with disclaimer and definitions is located in the FDOT Engineering/CADD Systems Software

The project drainage engineer shall provide the information required to complete the box

5.1.4 Interchange Drainage Map

If projects include interchanges or rest areas, a drainage map on a 1" = 200' or 1" = 500' scale shall be included The purpose of this detail is to show the small areas needed to calculate pipe sizes for the tabulation of drainage structures within these special areas Should major drains pass through one of these areas, a cross reference note should indicate the proper sheet which reflects the drainage area for that through-structure

5.2 Bridge Hydraulic Recommendation Sheet

When a Bridge Hydraulic Recommendation Sheet (BHRS) is required (see FDOT *Drainage Manual, Topic No. 625-040-001*), it shall be prepared on a preformatted sheet. The cell for this sheet is located in the FDOT Engineering/CADD Systems Software.

The inclusion of this sheet in the plans set is optional at the discretion of the district. When included in the plans, the BHRS shall be placed in the structures plans. If the BHRS is not included in the plans, sufficient details to show the location and extent of bottom and slope protection shall be contained in the plans.

Parallel (dual) bridges may be shown on one sheet, although a second sheet should be used, if necessary, to clearly convey the fit of the bridge to the stream bank. When two sheets are used, only the plan and profile information needs to be furnished on the second sheet.

A completed Bridge Hydraulic Recommendation Sheet is shown as **Exhibit BHD-1**.

5.2.1 Required Information on BHRS

The preformatted BHRS is divided into the four areas listed below. The required information for each area is described in the following sections:

- Plan View
- Profile View
- Location Map, Drainage Area and Existing Structures
- Hydraulic Design Data, and Hydraulic Recommendations

5.2.1.1 Plan View

- 1 Stationing, scale, and north arrow
- 2 Existing topography (i.e., including existing bridge) and contours (i.e., Show Elevations). Sufficient detail shall be shown in the vicinity of the proposed bridge to depict how the structure will tie to natural ground.
- 3 Label the name of the water body (i.e., St. Johns River)
- 4 Arrows showing the direction of the flow
- 5 Proposed bridge begin and end station
- 6 Limits of nrap

5.2.1.2 Profile View

- 1 Stationing and scale
- 2 One cross section which most represents the section at the proposed crossing
- 3 Road profile for the proposed structure (i e , stationing and elevation)
- 4 Proposed bridge with low member, and pier locations (when practical)
- 5 Abutment locations (i e , toe of slope)
- 6 Flood elevations For non-tidal crossings, the Normal High Water (N H W) and Design Flood elevations shall be shown For tidal crossings, the Mean Higher High Water (M H H W) and Design Flood Stage elevations shall be shown
- 7 Present water elevation with month, day and year of survey

5.2.1.3 Location Map, Drainage Map, and Existing Structures

- 1 A north arrow
- 2 The range and township
- 3 An arrow showing the project location
- 4 A location map similar to that used on the key sheet for most projects The map shall be of a scale so that the entire drainage area for the proposed structure is shown (For projects with very large drainage areas, the map shall be of a scale that clearly shows the project location rather than a scale that shows the entire drainage area)

The drainage area boundaries shall be shown using a very heavy, broken line, with the area (in acres or square miles) shown within the boundary The proposed structure location should be shown Existing structures over the same water body and those structures that affect the hydraulics of the proposed structure should be located and numbered and corresponding existing structure information listed in the appropriate columns

5.2.1.4 Hydraulic Design Data, and Hydraulic Recommendations

The *Cross Drain Handbook* provides guidance for filling out this section

Drainage Map Notes

Below are standard notes which shall be placed on the drainage map as applicable

- 1 (To be placed on the drainage map when it is to be included in the plans)

DO NOT USE THE INFORMATION ON THIS SHEET FOR CONSTRUCTION PURPOSES This sheet is in the plans for documentation and to assist construction personnel with drainage concerns

- 2 (To be placed under Flood Data Box)

Note The hydraulic data is shown for informational purposes only, to indicate the flood discharges and water surface elevations which may be anticipated in any given year This data was generated using highly variable factors determined by a study of the watershed Many judgements and assumptions are required to establish these factors The resultant hydraulic data is sensitive to changes, particularly of antecedent conditions, urbanization, channelization and land use Users of this data are cautioned against the assumption of precision which can not be attained Discharges are in cubic feet per second (cfs) and stages are in feet, NGVD, 1929 or NAVD 88, as appropriate

Exhibit 5-1

Chapter 6

TYPICAL SECTIONS

6.1	General	6-1
6.2	Mandatory Information	6-2
Exhibit 6-1	Standard Notes for Typical Section Sheets	6-4

Chapter 6

TYPICAL SECTIONS

6.1 General

Typical sections are detailed cross section depictions of the highway's principal elements that are standard between certain station or milepost limits. These sections are the basis for construction details and information shown on the various plan sheets throughout the plans package.

Typical sections should show typical conditions only. Non-standard conditions that prevail for short distances only should not be shown. Existing elements that are to be incorporated into the highway's final section are depicted in conjunction with the proposed elements.

When more than one typical section is necessary for a project, the station limits of each section shall be shown below the typical section title. Typical section stationing shall cover the entire project. Transitions from one typical to another shall be included in the stationing of one or the other typical section. Sheets that feature more than one typical section should read from the top down, with the sections in the order in which they occur within the project.

The hierarchy for typical sections shall be as follows:

- 1 Project mainline
- 2 Ramps and service roads (for projects which include an interchange)
- 3 Crossing side roads
- 4 Minor side streets

Half sections and details which supplement or support various typical sections should be placed on the same sheet as the typical section to which they apply. In the event that this is not possible, additional sheets for details should be placed behind the typical section sheet(s).

Half sections are necessary when changes occur that affect several typical section elements such as number of lanes, border width, ditch/drainage features, clearing and grubbing, R/W width, etc.

Details and partial sections are necessary for the clarification of construction techniques or sequence, and to show alternates, such as the placement of shoulder gutter in high fill areas, changes in sidewalk location, etc. Judgement will be necessary in making decisions about when and where details should be shown.

The FDOT Engineering/CADD Systems Software contains a number of typical sections that can be used and adjusted to suit the conditions of a particular project. Usually typical sections are not created to scale, but the horizontal dimensions should be proportionate.

For illustrations of various typical sections, see **Exhibits TYP-1 thru TYP-12**.

6.2 Mandatory Information

Typical sections for all projects shall include the following data:

- 1 Design speed for each typical section
- 2 Traffic data (description, date and 2-way AADT)
 - a Current Year
 - b Estimated Opening Year
 - c Estimated Design Year
 - d K, D and T factors. Distinguish between T(peak hour) and T(24 hour)

For skid hazard projects, only the current year or estimated opening year for traffic data (AADT) is required to be noted.

All traffic data shown shall be consistent with the data used for pavement design.

- 3 Cross Slopes
 - a Cross slopes of roadway pavement, shoulder surfaces, sidewalks and bridge decks shall be expressed as a decimal part of a foot vertical per foot horizontal. These cross slopes shall be rounded to two decimal places, i.e., 0.02, 0.06. (See **Volume I, Chapter 2**)
 - b Median and outer slopes shall be shown by ratio, vertical to horizontal, i.e., 1:4, 1:2. (See **Volume I, Chapter 2**)
 - c Either feathering details or notes (or both) shall be shown when resurfacing without milling in urban curb and gutter sections is specified or when milling depth is less than the overlay thickness.

- d When cross slope correction is necessary, special milling and layering details showing the method of correction shall be shown in the plans (See Exhibits TYP- 9 thru 9B)
- 4 Profile grade point shall be flagged
- 5 Pavement construction shall be described in a clear, precise manner by indicating the LBR requirement and the thickness of the subgrade stabilization, subbase or base, as well as spread rates for structural course, friction course and shoulder pavement Use 4 inches for both base extension on rural sections and for stabilization extension on curbed sections

Pavement structure information shall be obtained from the approved pavement design and shall be described in the order of construction, i e starting with bottom layer and ending with friction course Show pavement spread rate descriptions for leveling, overbuild, structural course and friction course in pounds per square yard (lbs/sy)
- 6 Limits of grassing
- 7 Sidewalk location and width
- 8 Curb and gutter location and type (show Type "E" or "F", not the dimension)
- 9 Limits of clearing and grubbing, where applicable
- 10 R/W, where applicable
- 11 Template dimensions

For widening projects, the existing pavement width shall be shown as a +/- dimension, and the base widening width shall be shown with an asterisk Note 3, of **Standard Notes for Typical Section Sheets (Exhibit 6-1)**, shall be shown as near to this noted astersk as possible;

NOTE. For typical sections with varying dimensions, the dimensions shall be clearly indicated on the plan-profile sheets
- 12 Standard notes for typical sections are shown on **Exhibit 6-1**

Standard Notes for Typical Section Sheets

Below are standard notes which shall be shown on typical section sheets as applicable

1 For details and limits of selective clearing and grubbing see _____

2 (Under paved shoulders)

At the contractor's option, this area may be constructed of base material at no additional compensation

3 (On widening projects)

Actual width of base widening may vary due to actual existing pavement width
Contractor may elect to place uniform width base widening strip at no additional cost to the Department

Exhibit 6-1

Chapter 7

SUMMARY OF QUANTITIES

7.1	General	7-1
7.2	Item Quantity "Boxes" and Format	7-1
7.3	Box Culvert Data Sheet	7-1
Exhibit 7-1 Standard Notes for Summary of Quantities Sheet		7-3

Chapter 7

SUMMARY OF QUANTITIES

7.1 General

The summary of quantities sheet shows individual summaries of guardrail, fence, turnouts, sodding, ditch pavement, side drains, mitered end sections, underdrains, and earthwork when applicable. The tabulation shall show location and quantities in the plan quantity column (P). The final quantity column (F), is reserved for construction and final estimates. As noted in **Chapter 4**, the necessary pay items and the quantities shall be shown on the summary of pay items sheet.

For examples of summary of quantities sheets see **Exhibits SQ-1 thru 3**

7.2 Item Quantity "Boxes" and Format

The various "boxes" used for each type of summary are contained in the FDOT Engineering/CADD Systems Software. Each box is identified by the appropriate Form Number required for the Computation Book. The arrangement of these "boxes" on the sheet is dependent on the number used and the size each one must be to contain all of the necessary information.

On contracts with multiple Financial Project ID's or federal aid and non-federal aid quantities, provisions shall be made to tabulate and summarize their respective quantities.

Standard notes (see **Exhibit 7-1**) shall be shown under the appropriate box.

Applicable pay item notes, listed in **Exhibit 7-1**, shall also be included on this sheet.

7.3 Box Culvert Data Sheet

The structural design of box culverts may be done by one of two computer programs. The first program (PSTDN55) designs the culvert based on the details shown on **Index 290** of the **Roadway and Traffic Design Standards**. When this is used, the program output (data sheets) showing the concrete and steel quantities shall be transferred to a graphics design file and placed on a normally formatted plan sheet. The plan sheet shall be placed in the contract plans directly behind the Summary of Quantities Sheet(s).

The second program is the LRFD Box Culvert Program. When this is used, **Index 290**

does not apply The program generates detail plan sheets, with quantities, for constructing culverts These sheets should be placed together, behind the drainage structure sheets in the contract plans

Standard Notes for Summary of Quantities Sheet

Below are standard notes which should be used on the summary of quantities sheet, as applicable

1 (Under Summary of Earthwork)

Earthwork has been calculated using the _____ base option. If another option is constructed, there shall be no revision to the earthwork quantities for which payment is made by plan quantity.

Pay Item Notes

- 1 102- 1- Includes approximately _____ SY of Temporary Pavement
- 2 104- 10- 1 Based on replacement every 3 months
- 3 104- 13- 1 Based on replacement every 12 months
- 4 110- 86- All salvageable material designated to be delivered by the contractor shall be delivered to

(Provide address of nearest FDOT Maintenance Yard)
- 5 331- 2
or 334-1 Includes _____ TN for turnouts, connections to existing drives, streets, etc , as directed by the Engineer
- 6 400- 1- 15 Includes _____ CY for miscellaneous construction, as directed by the Engineer

Exhibit 7-1, Sheet 1 of 3

- 7 536- 73- (To be used for the removal of existing guardrail when FDOT Maintenance wants materials)
- Existing guardrail to be dismantled and stockpiled within the right of way in areas designated by the Engineer for removal by FDOT maintenance forces
- 8 538- 1- This is to include replacement of _____ panels, _____ regular posts and _____ special posts which have been determined to be non-salvageable. Additional posts and panels determined to be non-salvageable during resetting shall be paid for under Section 538-5 of the Specifications
- 9 Temporary Grassing When required by the project design, these items shall be included in the cost of the Permanent Grassing items. A pay item note should show the approximate quantities. For example
- 570- 1- Includes approximately _____ SY Seeding for temporary grassing
- 570- 2- Includes approximately _____ SY Seed and Mulch for temporary grassing
- 570- 3- Includes approximately _____ lbs Grass Seed (Permanent Type) for temporary grassing
- 570- 4- Includes approximately _____ Tons Mulch Material for temporary grassing
- 570- 5- Includes approximately _____ Tons Fertilizer for temporary grassing
- 570- 9- Includes approximately _____ Gallons Water for temporary grassing
- 570- 10- Includes approximately _____ lbs Grass Seed (Quick Growing) for temporary grassing
- 575- 1- Includes approximately _____ SY Sodding for temporary grassing

Exhibit 7-1, Sheet 2 of 3

- 10 570- 5- Based on _____ applications
- 11 639- 2- 1 Payment shall be based on the linear feet of a single conductor
- 12 The following pay item note should be shown in the Roadway Plans
- 710- The totals shown on the Summary of Roadway Pay Items include the quantities for pavement markings used for Traffic Control Pavement Markings (as shown in the Roadway Plans) and for final pavement markings (as shown on the Signing and Pavement Marking Plans)
- The following pay item note should be shown on the Signing and Pavement Markings Tabulation of Quantities Sheet
- 710- All pavement markings shall be paint unless otherwise noted in the plans The quantities for pavement markings indicated in the Signing and Pavement Marking Plans are included in the quantities for Pavement Markings shown in the Summary of Roadway Pay Items

Exhibit 7-1, Sheet 3 of 3

Chapter 8

SUMMARY OF DRAINAGE STRUCTURES AND OPTIONAL MATERIALS TABULATION

- 8.1 Summary of Drainage Structures 8-1
 - 8.1.1 Sheet Setup and Data 8-1
- 8.2 Optional Materials Tabulation 8-3

Chapter 8

SUMMARY OF DRAINAGE STRUCTURES AND OPTIONAL MATERIALS TABULATION

8.1 Summary of Drainage Structures

The summary of drainage structures sheet shows the location, size, length, number and type of drainage structures used in a project. The sheet format is available in the FDOT Engineering/CADD Systems Software. Specific levels and fonts which shall be used are given in the FDOT CADD Production Criteria Guide.

For an illustration of the summary of drainage structures sheet, see **Exhibit SDS-1**.

8.1.1 Sheet Setup and Data

A summary of drainage structures shall be prepared and included in the plans. The structures shall be listed by structure number in numerical order. The location of each structure shall be identified by station along the construction centerline (**Exhibit SDS-1**).

For cross drains, and storm sewer the summary of drainage structures shall be tabulated by structure number, providing the station, size, length and incidental quantities appropriate for the material detailed in the plans. Optional culvert material will be provided and a tabulation form shall be prepared and included (see **Section 8.2**).

Various drainage elements shall be shown in columns. This information shall be obtained from drainage structure sheets or plan-profile sheets. The order in which the elements are listed should be as follows:

- Pipe Sizes for
 - Cross Drains
 - Storm Sewer
 - Gutter Drain
- Curb Inlets
- Manholes
- Junction Boxes
- Ditch Bottom Inlets
- Gutter Inlets

- Flared End Sections
- Mitered End Sections
- Sod
- Class of Concrete
- Reinforcing Steel
- Rip Rap

The "Description" column shall be used to specify the type of structure, the outgoing pipe and the end treatment of that pipe, if applicable


The remarks column shall contain all special notes pertaining to the structure. The "Final Quantity" line is for construction to use and shall be left blank

On smaller projects the summary of quantities and the summary of drainage structures may be combined on one sheet

It is recommended that structure numbers be established using the convention shown in the exhibits and described as follows


- 1 For simple cross-drains, one structure number is appropriate for the inlet and outlet treatments and the pipe

Example #1 (cross drain w/o median inlet)



- 2 For complex cross drains, it is suggested that the first and all intermediate structure numbers identify the hydraulically upper end treatment and pipe. The last structure number should identify the hydraulically upper end treatment, pipe and hydraulically lower end treatment

Example #2 (Double pipe CD and median inlet)



8.2 Optional Materials Tabulation

An optional materials tabulation shall be prepared and included in the plans (see **Exhibits SDS-2 and SDS-3**) The sheet format is available in the FDOT Engineering Systems Software

As a minimum, the optional pipe material tabulation should include size, thickness or class, corrugation requirements, if necessary, and protective coating, if any Additional information such as structure number, design service life (DSL), length, and flow line information may be included

The general notes shown on the exhibits are also required

Chapter 9

PROJECT LAYOUT

9.1	General	9-1
9.2	Alignment Sheet Sequence	9-1
9.3	Survey Reference Points	9-2
9.4	General Notes	9-2

Chapter 9

PROJECT LAYOUT

9.1 General

The project layout sheet (or sheets) shows the horizontal alignment and plan or plan-profile sheet sequence and numbering for the project. This is an optional sheet, to be included in the plans set at the discretion of the district. The project layout sheet can prove to be of great advantage for large or complicated projects involving large interchanges with a number of diverging routes. If included in the plans set, this sheet should also show all survey reference points and list all general notes applicable to the project.

The layout sheet shall be prepared on a standard plan format sheet in the FDOT Engineering/CADD Systems Software. Scale shall be such that clarity and legibility are preserved. North arrow and scale shall be shown at a point of maximum visibility on the sheet. For large, complicated projects, more than one sheet may be required to clearly depict all required information. Appropriate match lines shall be shown if more than one sheet is required.

9.2 Alignment Sheet Sequence

Complete project alignment with baseline of survey and/or centerline of construction shall be shown. Edge of pavements shall be shown if scale permits. Outlines of the plan, or plan-profile sheets shall be superimposed on the alignment to depict the sheet sequence with relation to the alignment stationing. Each sheet outline shall contain the appropriate plan sheet number. The order of plan/plan-profile sheet numbering shall be as follows:

- Mainline (for widely separated roadways, the right roadway in the direction of stationing takes precedence)
- Crossroads
- Ramps
- Frontage roads
- Access roads

Beginning and ending stations for project, construction and ramps shall be flagged and labeled, including equations and/or exceptions.

9.3 Survey Reference Points

Generally, survey reference points should be shown on the project layout sheet just beneath the alignment sheet sequence plan or where other space allows. Baseline survey and reference points, with all ties, shall be clearly indicated. Complete length of survey baseline between two consecutive reference points need not be shown. Each reference point shall be clearly labeled, beginning at the first reference point within the limits of the project, and progressing in the direction of stationing. Usually, reference points need not be drawn to any particular scale, but distances and angles shown shall be proportionate. Care should be taken to ensure that clarity and legibility are maintained.

9.4 General Notes

When the layout sheet is included in the plans set, applicable general notes should be included on the layout sheet instead of the first plan-profile sheet to help simplify the plan-profile sheets.

For a list of general notes, refer to **Exhibit 10-1** in **Chapter 10** of this Volume.

Chapter 10

ROADWAY PLAN AND ROADWAY PLAN-PROFILE

10.1	General	10-1
10.2	Roadway Plan Portion	10-1
10.2.1	Centerline	10-1
10.2.2	Horizontal Curves	10-3
10.2.3	Existing Topography	10-3
10.2.4	Reference Data	10-4
10.2.5	Construction and Project Limits	10-4
10.2.6	Drainage Structures and Bridges	10-5
10.2.7	Plan Layout	10-5
10.3	Roadway Profile Portion	10-7
10.3.1	General Data ..	10-7
10.3.2	Vertical Alignment	10-8
10.3.3	Grades	10-8
10.3.4	Superelevation and Special Profiles	10-9
10.3.5	Other Profile Features	10-9
10.4	General Notes for Plan/Plan-Profile Sheets	10-10
Exhibit 10-1	General Notes for Roadway Plan and Roadway Plan-Profile Sheets	10-11

Chapter 10

ROADWAY PLAN AND ROADWAY PLAN-PROFILE

10.1 General

The roadway plan sheet shows the project's complete horizontal alignment. The plan-profile sheet shows the project's complete horizontal and vertical alignments. Various roadway elements such as pavement width, medians, paved shoulders, curbs, drainage elements, tapers, turn provisions, and intersecting roadways, are also shown on these sheets.

Roadway plan and roadway plan-profile sheets shall be prepared on standard formatted sheets that are contained in the FDOT Engineering/CADD Systems Software Plotting. Plotting should typically be done at a horizontal scale of 1" = 40' or 1" = 50' for urban jobs. For rural jobs, the scale should typically be from 1" = 100' or 1" = 200' horizontally, depending on the project specific details.

If a project layout sheet is not included in the plans set, provision shall be made on the first plan-profile sheet to show applicable general notes. Refer to **Exhibit 10-1** for a list of general notes.

10.2 Roadway Plan Portion

10.2.1 Centerline

The baseline survey and/or centerline of construction should be centered in the plan portion of the sheet, with stationing running from left to right. When alignment includes horizontal curves, the centerline should be positioned on the sheet to avoid breaks or match lines (except at the beginning or end of the sheet).

A "tick" mark shall be placed on the upper side of the centerline at every station. In addition, intermediate ticks shall be placed as shown in **Figure 10.1**. Intermediate ticks should be about half the length of those at each station.

Station numbers should be placed close to tick marks for scales up to and including 1" = 50' and outside the R/W lines for smaller scales.




Figure 10.1

In cases where the construction centerline does not coincide with the survey baseline, the construction centerline shall be identified with complete alignment data and ties to the survey baseline. However, the construction centerline need not be shown when it is uniformly offset from the survey baseline for the entire length of the project, and is shown on the typical sections. All station equations shall be included. These include equations occurring on the survey baseline and those equating survey baseline and construction centerline.

A north arrow and scale shall be shown at a point of maximum visibility, preferably in the upper right portion of the plan view.

10.2.2 Horizontal Curves

PC and PT points of horizontal curves shall be indicated by small circles. Short radial lines shall be drawn from these points and identified. PI's shall be noted by the use of a small triangle with a short section of tangent on either side. Care must be taken in the clipping of plan sheets to properly orient the horizontal curves within the plan view. In cases where the curve extends over more than one sheet, the curve data shall be repeated on each sheet showing the curve.

Complete curve data shall be shown for each horizontal curve using the following format:

CURVE DATA

PI (Station)
Δ (Delta Angle with Direction)
D (Degree of Curve)
T (Tangent Length)
L (Length of Curve)
R (Radius Length)
PC (Station)
PT (Station)
e (Superelevation Rate)

10.2.3 Existing Topography

All existing topography shall be shown. Existing roads, streets, drives, buildings, underground and overhead utilities, walls, curbs, pavements, fences, railroads, bridges, drainage structures and similar items shall be plotted and labeled. Streams, ponds, lakes, wooded areas, ditches and all other physical features shall also be shown.

All existing utilities shall be shown on the plan and noted by an appropriate symbol (see the **Roadway and Traffic Design Standards, Index 002** and the FDOT Engineering/CADD Systems Software for standard symbols) If the type of utility pipe is unknown it should be labeled as such Existing gasoline storage tanks within limits of topographical survey shall be located and illustrated

10.2.4 Reference Data

Bearings, in the direction of stationing, shall be shown for all tangent sections

Station equivalencies, angles with mainline centerline and/or bearings in the direction of stationing of the crossroad shall be shown for all roads and streets intersecting or crossing the project

All the survey reference points shall be shown (if layout sheet is not included in plans set) at locations removed from the centerline

If section lines or city limits are encountered within the limits of the project, the intersection shall be tied by station and angle/bearings to the baseline of survey

10.2.5 Construction and Project Limits

Proposed construction and project limits shall be indicated in the plans The limits to be flagged and stationed are

- 1 Begin and end of project, and begin and end of construction where construction limits are other than project limits If plans cover more than one project, the limits of each shall be clearly identified by station and Financial Project ID Limits identification shall be shown both in plan and in profile

It is the responsibility of the Engineer of Record (EOR) to set the project and construction limits If the plans cover more than one project or are part of a corridor improvement, the project limits should be at the beginning of the full typical sections, with any construction (transitions, etc) outside these limits being within the construction limits Examples of types of work that may fall within construction limits but outside project limits are feathering, friction course, guardrail, drainage work and signing and marking work

- 2 The limits of project breakdown necessary for separation of length and quantities for federal aid and non-federal aid projects
- 3 The limits of each type of construction classification where more than one type is involved, such as, new construction, resurfacing, bridge work, widening, and milling
- 4 The begin and end of exceptions and equations

10.2.6 Drainage Structures and Bridges

Proposed cross drain pipes and box culverts shall be indicated in the plan by a symbol and identified by a drainage structure number. Cross drain pipe sizes and lengths shall be shown. (Box culvert lengths shall be shown on the drainage structure sheets)

Box culverts (single or multiple) of 20 feet total span or more between inside faces of end supports, measured along the center of the roadway, shall be designated as bridge culverts and shall be identified by both a bridge number and a drainage structure number. The beginning and ending stations (outside wall to outside wall) shall be flagged.

Proposed bridges and approach slabs shall be shown by simple outline. Bridges shall be identified by bridge number and their beginning and ending stations noted by station flags. The beginning and ending stations of approach slabs shall be noted.

A short section of lateral ditch/outfall centerline shall be shown, when appropriate, on the roadway plan-profile sheet, together with a note referring to lateral ditch/outfall sheets for details.

The proposed drainage system is indicated by showing storm sewer pipes with a single line, and the outline of inlets, manholes and junction boxes. The outline of structure bottoms may be shown at the designer's discretion. The pipe size and length between structures shall be given. Structure numbers shall be provided for inlets, manholes, junction boxes and special structures.

10.2.7 Plan Layout

- 1 Right of way lines shall be shown. Right of way shall be dimensioned only if the applicable typical section shows a varying dimension from the baseline or centerline. Dimensions of the R/W line shall be from the centerline or baseline, if survey and construction lines are parallel, otherwise it shall be dimensioned from the construction centerline.

- 2 The showing of detailed information regarding median openings or intersections should be avoided when they are of a type which can be detailed and grouped on a separate sheet. When this is the case, median openings and intersections shall be identified by station location.
- 3 At locations along the alignment where traveled way dimensions change, or begin to change, the station and dimensions of the traveled way shall be shown.
- 4 Curb, curb and gutter, traffic separators, sidewalks, curb ramps, retaining walls, etc shall be shown. Driveways shall be shown as required by **Section 1.8 of Volume I**.
- 5 Stations of return points, shall be shown in tabular form or shown on the plan, unless shown on an intersection detail sheet. Offsets shall also be shown, if not governed by a typical.
- 6 Station of radius points of traffic separator or median curb at median openings shall be shown in the plan. Elevation of these points shall also be shown if not shown in the intersection details sheet or unobtainable in plans.
- 7 Control radii for traffic turns that set median nose locations shall be indicated, unless shown on the intersection detail sheet.
- 8 Station of end of curb and gutter at side street intersections, (when end is not at a return point) shall be shown with proposed gutter grade elevation of these points.
- 9 Limits of pavement and grading at side street intersections shall be indicated.
- 10 When incidental construction extends beyond the right of way lines, construction easements or license agreements may be required and should be shown on the plan sheets.
- 11 Limits of wetlands shall be shown based on permit or regulatory requirements.
- 12 All utilities shall be shown in the plan. All major utilities that have been field verified (see *Level "A" locates*, **Chapter 5 of Volume I**) shall be labeled in accordance with the following symbol:
 V_{vh} = Verified Vertical Elevation and Horizontal Location

- 13 All traffic monitoring sites on or within one-half mile of the project shall be identified with the following notation

Traffic Monitoring Site Number (XXXX)
Roadway Identifying Number (RCI Section #) Milepost (XX XXX)
Site includes vehicle detectors in roadway and pedestal, pole or base mounted cabinet, buried cable, and solar power unit on right of way

Inquiries about monitoring sites should be addressed to the Traffic Data Section Manager of the Transportation Statistics Section, Office of Planning

10.3 Roadway Profile Portion

10.3.1 General Data

Preformatted plan-profile sheets are located in the FDOT Engineering/CADD Systems Software. The grid portion of each sheet is used for plotting the project profile. The standard grid pattern for the profile portion of the sheet is five lines per inch, both in the horizontal and vertical. This will accommodate most scales. An optional grid with four lines per inch is available. This sheet may be used if approved by the district.

The horizontal scale for the profile portion of the sheet shall be the same as that used for the plan portion. A graphic scale should be shown just above the profile grid on the right of each sheet. Station numbers shall be placed across the bottom of the sheet just above the title block. Intervals for profile stations shall be the same as those in the plan view.

Vertical elevation datum selected shall be such that the profile will not crowd either the upper or lower limits of the profile format. A general guideline is the vertical scale should be 10% of the horizontal grid. Elevation datum shall be shown on both the left and right sides of the sheet in the space provided adjacent to the grid.

The existing ground line profile shall be shown and labeled. Existing ground line elevations shall be noted vertically, just above the station numbers at each end of the sheet only.

All high water elevations affecting base clearance or roadway grades shall be shown and labeled.

Benchmark data shall normally be given just below the upper margin of the profile portion. However, if space permits, it may be placed in the plan portion just above the upper profile margin at the appropriate corresponding station. Refer to **Exhibit PP-2** for correct format.

Station equations and exceptions shall be shown. Begin and end stations of project, construction, bridge and bridge culverts shall also be shown.

10.3.2 Vertical Alignment

The proposed profile grade shall be shown and labeled. Vertical curve PC's and PT's shall be indicated by small circles and PI's by a small triangle with short sections of tangent shown on each side. Percents of grade to 3 significant decimal places shall be shown on the tangent line (zeros need not be shown). Vertical lines shall be extended from the PC and PT points and a dimension line placed between these lines indicating the length of the vertical curve. The PC and PT stations and elevations shall be indicated on the vertical lines.

For vertical curves, the profile grade elevations shall be given on even stations and at appropriate intervals. The elevations shall be placed between the dimension line and the grade line. The curve length, dimension lines and the profile grade elevations shall be placed above the grade line for sag vertical curves and below the grade line for crest vertical curves. The dimensions and elevations shall be placed reasonably near the grade line whenever possible. The PI station and elevation shall be noted, lettered vertically above the PI symbol for crest curves and below for sag curves.

The profile grade elevation of the beginning and ending station of each sheet shall be shown vertically just above the grade line, except when the beginning or ending station on the sheet is on a vertical curve.

10.3.3 Grades

Percents of grades to 3 decimal places shall be indicated for each tangent section on every sheet (trailing zeros need not be shown). When two tangent grades intersect and no vertical curve is required the PI station and elevation shall be labeled vertically, using the same criteria as for vertical curves.

10.3.4 Superelevation and Special Profiles

For non-standard superelevated sections of the project, the begin and end superelevation stations should be indicated on the profile with a note "For Superelevation details see sheet _____" (special profiles sheet)

Other special profiles which can not be clearly shown on the plan-profile sheets shall be referenced in a similar manner to non-standard superelevated sections. For additional information regarding special profiles see **Chapter 11**

10.3.5 Other Profile Features

For rural construction projects, special ditches shall be indicated in the profile and labeled Percent of ditch grade and a beginning or ending ditch PI with elevation and station plus shall be shown. For multi-lane divided projects, three special ditch grades (right and left roadway ditches and median ditch) sometimes occur at the same location. In such cases it may be advantageous to show the median ditch at a convenient location on the sheet with a separate elevation datum.

Uniform ditches of non-standard depth should be indicated by a dimension line in the lower portion of the grid and noted as a special ditch with location and depth, or they should be indicated by flagging the DPI's at each end with station elevation and side. Standard depth ditches are not shown.

Special gutter grades shall be shown in profile for cases where the gutter grades are not controlled by the typical section and no "special profiles" are included in the plans set.

Prolongations of gutter profile grades across street intersections shall be included on plan-profile sheets if an inlet is not provided before the intersection.

Storm sewer pipe, inlets and manholes along the main line shall be shown. Pipes shall be noted by size. Proposed structures may be shown by structure number only. Flow line elevations shall be shown for all pipes entering and leaving the structure.

Proposed cross drain pipes and culverts shall be plotted. The section shall be shown at the correct location and elevation of the proposed structure crossing the centerline of construction. Cross drains shall be identified by structure number only.

Where the project overpasses a road or railroad, the cross section template of the road/railroad under the bridge shall be shown at the appropriate location in profile

All field-located (Level "A"), major underground utilities, as defined in **Chapter 5 of Volume I**, shall be shown to scale in profile and labeled in accordance with the following symbol

V_{vh} = Verified Vertical Elevation and Horizontal Location

10.4 General Notes for Roadway Plan and Roadway Plan-Profile Sheets

General notes for the project shall be placed on the left portion of the first plan-profile sheet if a project layout sheet is not included in the plans set, otherwise, they shall be included on the layout sheet See **Exhibit 10-1** for a list of General Notes required

General Notes for Roadway Plan and Roadway Plan-Profile Sheets

The bench mark datum used for the plans (whether NGVD-29, NAVD 88 or other) shall be noted in the first General Note. Other notes are as follows:

- 1 Buildings to be removed by others, unless otherwise noted
- 2 Existing drainage structures within construction limits shall (be removed/remain) unless otherwise noted
- 3 (When there are no utility adjustment sheets in the plans, the notes shown in **Exhibit 20-1** shall be included here as part of the general notes)
- 4 (If there are no drainage structure sheets in the plans, the following notes shall be included in the general notes, if applicable)
 - a Special attention is directed to the fact that portions of some drainage structures extend into the stabilized portion of the roadbed and extreme caution will be necessary in stabilization operations at these locations
 - b (To be used when there are cross drain pipe and/or storm sewer pipe and optional materials are provided for one or both)

Some/All of the drainage structures have optional culvert materials. When optional materials are allowed, one of the optional materials has been used as the basis of the pay quantities. The material selected as the basis of pay quantities is identified on the Tabulation of (Cross Drain, Storm Sewer, or Cross Drain/Storm Sewer) Optional Materials Sheet. All options are described and design and installation information for each option is provided on this sheet.
- 5 Any public land corner within the limits of construction is to be protected. If a corner monument is in danger of being destroyed and has not been properly referenced, the Engineer should notify the District Location Surveyor, without delay, by telephone.
- 6 Existing driveways within the limits of this project are to be replaced at the same location and width, unless otherwise shown in the plans.

Exhibit 10-1

Chapter 11

SPECIAL PROFILES

11.1 General	11-1
11.2 Intersections	11-1
11.3 Curb Returns	11-2
11.4 Ramps	11-2
11.5 Spline Grade	11-2
11.6 Superelevation	11-3
11.7 At-Grade Railroad Crossings	11-3

Chapter 11

SPECIAL PROFILES

11.1 General

The special profiles sheet shows profiles of pavement edges or gutter flow lines. Special profiles occur at street intersections, ramp termini, curb returns, railroad crossings and roadway or bridge sections requiring special superelevation details. Vertical transitions between roadways and bridges may also require special profiling. All of these areas require special analysis and design to ensure a safe, efficient, well drained, and smooth roadway/bridge system. The special profiles sheet shall show details at close intervals and at a scale large enough to clearly identify all construction details within these areas.

11.2 Intersections

In addition to normal profile grade lines, supplemental profiles and sections at intersections may be necessary to define edge of pavement profiles. Sections showing pavement surface elevations shall be shown for nose points and other critical locations. It is important to develop accurate profiles and sections at locations of curbed channelization to ensure proper drainage.

When plan-profile format is used for intersection details, the profile's horizontal scale shall be the same as that for the plan portion. A vertical scale of 1" = 2' for the profile portion is recommended as it enables intermediate elevations to be determined from the profile with reasonable accuracy. The existing ground line and/or curb line shall be as called for in the FDOT CADD Production Criteria Guide.

For intersections detailed on a plan only format, the profile and sections shall be shown on a separate grid sheet. The standard cross section sheet, available in the FDOT Engineering/CADD Systems Software, should be used. This sheet features a standard grid of five lines per inch, both in the vertical and horizontal. The vertical scale can be altered to ten lines per inch by utilizing a toggle feature in the CADD software.

For street intersections of municipal projects, a scale of 1" = 20' horizontally and 1" = 2' vertically, or 1" = 50' horizontally and 1" = 5' vertically is recommended.

11.3 Curb Returns

Curb return profiles show the profiles of the gutter flow line from the PC to the PT point of the return at an intersection

Curb return profiles shall be shown on a grid format. They shall be included in the plans set if the required information cannot clearly be shown on the plan-profile sheet or intersection detail sheet, or if extreme grades are involved, rendering the standard curb return profiles (**Index 303** of the *Roadway and Traffic Design Standards*) inadequate

Standard scale used should be 1" = 20' horizontally and 1" = 2' vertically. Other scales may be used provided all construction details are clearly and legibly shown. Each return profile shall be identified and its PC and PT stations shown. Elevations should be shown at appropriate intervals and low and high spots shall be identified by location and elevation.

11.4 Ramps

Ramp profile grades shall be developed along the baseline of each ramp. A profile of the edge of the pavement opposite the baseline shall also be shown. These profiles shall be shown on a grid format. Data required to be shown shall be similar to that required for roadway profile (**Chapter 10**)

Recommended scales for ramp profiles are 1" = 20' horizontally and 1" = 2' vertically, or 1" = 40' or 50' horizontally and 1" = 4' or 5' vertically

Sections at nose points are required. They may be shown using a scale of 1" = 20' horizontally and 1" = 2' vertically

11.5 Spline Grade

Intersections of ramp pavement with mainline pavement and other sections of pavement within special superelevated zones need special attention, not only during the design phase of the project, but also during construction. Hence, all construction details pertaining to these areas should be clearly and accurately shown in the plans.

Spline grades are often used to show the interconnection and interrelation of the edges of pavement with the mainline edge of pavement. This profile proves to be especially helpful if the mainline pavement is superelevated or within the superelevation transition zone.

A spline grade shall show the elevations at intervals of 20 to 100 feet, depending on the scale. Elevations shall be shown for the outer edge of mainline pavement and inner and outer edges of the ramp pavement at the nose areas.

Grades of the three pavement edges shall be shown on a grid format. Recommended scales are 1"=20' horizontally, 1"=2' vertically, or 1"= 40' or 50' horizontally and 1"= 4' or 5' vertically.

Grades of each pavement edge shall be joined by smooth splines or simple curves. The three grade profiles shall be clearly labeled and all equality stations indicated. Nose stations shall be flagged and labeled. Scale shall be indicated in close proximity of the profile and shall be clearly visible.

11.6 Superelevation

The standard superelevation details (**Indexes 510 and 511** of the *Roadway and Traffic Design Standards*) may be used for projects which include simple curves. For projects which include reverse curves, or compound curves, or any other situation requiring special superelevation not covered in the standards, the superelevation diagram shall be shown in the plans. Special profile details may be used to design superelevation on multilane facilities, when a simple diagram will not be sufficient.

Complete profile grade line and right and left edges of pavement within the superelevation zone shall be shown on the grid format. A scale of 1"= 20' horizontally and 1"= 2' vertically is recommended for clarity. The begin and end superelevation stations shall be labelled and indicated by a solid vertical line at the appropriate station. A horizontal dimension line shall be utilized to indicate a section in full superelevation.

11.7 At-Grade Railroad Crossings

In addition to normal profile grade lines, supplemental profiles for at-grade railroad crossings may be necessary to define lane lines, edges of pavement, and/or gutter flow lines. It is important to develop accurate profiles to ensure proper drainage.

For at-grade railroad crossings that cannot be adequately detailed on the plan-profile sheets, the profiles shall be shown on a separate grid format. A horizontal scale of 1" = 20' and a vertical scale of 1" = 2' is recommended.

Chapter 12

BACK-OF-SIDEWALK PROFILES

12.1 General	12-1
12.2 Sheet Set Up	12-1
12.3 Required Information	12-1

Chapter 12

BACK-OF-SIDEWALK PROFILES

12.1 General

Back-of-sidewalk profiles are used to establish the profile grade and therefore play an important role in plan preparation, especially if the project site is located in a built-up urban area. Profiles help ensure the constructability of the project within the right of way without excessive disturbance or rework of adjoining properties. Back-of-sidewalk profiles are also used for checking of storm water trapped behind the sidewalks and as a major input for establishing centerline grade profiles.

Grades shown on this sheet are at the back of the proposed sidewalk, and grades shown on roadway plan-profile sheets are at the profile grade line (PGL) denoted on the typical section.

The inclusion of the back-of-sidewalk profiles in the plans set is optional - at the discretion of the district. Work sheets may be required with phase reviews.

12.2 Sheet Set Up

Back-of-sidewalk profiles shall be prepared on standard cross section format. For simple projects which do not involve many cross streets or driveways, the sheet may be divided horizontally to maximize usage. Stationing shall progress from left to right and top to bottom. Match lines shall be stationed. Care should be taken to preserve clarity and legibility.

12.3 Required Information

Profiles for use in establishing back-of-sidewalk grades consist of existing profiles along the back edge of each proposed sidewalk. The existing profiles shall be shown so as to distinguish between the profiles for the right and left sidewalk, and in accordance with the FDOT CADD Production Criteria Guide.

The standard scales are 1" = 100' horizontally and 1" = 5' vertically. This combination works well for projects having few locations where back-of-sidewalk grades would be critical. It may be advantageous to use a vertical scale of 1" = 2' and a horizontal scale of 1" = 50' for projects located in business and commercial areas, or where greater clarity is required. Elevation datum shall be shown on both sides of the sheet, with station numbers below the profile.

Limits of existing pavement, such as parking areas and drives, which should be matched as closely as possible, shall be identified on all sidewalk profiles. The centerline for each intersecting street and driveway shall be indicated with a vertical line at the proper station and the street name and station noted. Intersecting streets and driveways on the right shall be shown below the profile, and those on the left above the profile.

At each station, as well as locations of significant drainage, arrows shall be drawn to indicate the slope of ground at the outer edges of the sidewalk.

Drainage arrows shall be placed below the profile line for the right profile and above the profile line for the left profile. Arrows pointing outwards from the profile indicate drainage away from the project, while arrows pointing inwards indicate drainage to the project.

Floor elevations for buildings shall be indicated by a horizontal line drawn at the floor elevation between the building limits. The numeric elevation shall be shown, as well as the offset (distance and side) from centerline of project to the face of the building. Entrances to buildings, elevations of top of existing major utilities (as defined in **Chapter 5 of Volume I**), and water table elevation may be shown when appropriate.

Once the proposed back-of-sidewalk profile has been developed, percents of grade, PI stations and elevations shall be shown. Vertical curves, if any, shall be dimensioned. Elevations along vertical curves are not required. Stations for begin and end project, exceptions, and back-of-sidewalk special profiles shall be flagged and labeled. Mainline station equations within the limits of the sidewalk profile shall also be flagged and labeled.

The difference in elevation between the profile grade and back-of-sidewalk profile grade shall be noted on the sheet. Superelevation notes, if applicable, shall also be noted on the sheet.

Chapter 13

INTERSECTION AND INTERCHANGE DETAILS/LAYOUTS

13.1 General	13-1
13.2 Intersections	13-1
13.3 Interchanges	13-2
13.3.1 Geometric Layout	13-2
13.3.2 Ramp Terminal Details	13-4
13.3.3 Cross Section Pattern Sheet	13-5
Figure 13.1	13-3

Chapter 13

INTERSECTION AND INTERCHANGE DETAILS/LAYOUTS

13.1 General

These sheets provide layouts and details for intersections and interchanges, with consideration for turning and weaving movements of vehicular traffic. For a safe and efficient roadway system (including provisions for bicycles and pedestrians), these areas must be designed with special attention to channelization, turning movements, signalization, drainage and vertical alignment. The various design details shall be shown explicitly for accurate construction.

Intersection and interchange layout sheets shall show all necessary details and geometric controls/access management features, including channelization, tapers, turn lanes, special drainage, and grading. The sheets shall be prepared on a standard plan format using a scale large enough to show details clearly and legibly.

13.2 Intersections

Intersection details shall be shown on separate plan sheet format if they cannot be shown clearly on the plan-profile sheet format.

In cases of simple, non-signalized intersections covering relatively small areas, regular plan-profile format may be used. The intersection layout shall be placed, using an appropriate scale, in the plan portion, and the necessary profile grades in the profile portion.

For larger, more complicated intersections involving channelization, signalization or tapered connections, the layout shall be placed on a standard plan format. Match lines should be used when more than one sheet is required.

The profiles shall be presented separately on a grid format. (See **Chapter 11 - Special Profiles**)

Existing topography need not be shown on these details if it is shown elsewhere in the plans. Information given is generally the same as in the plan portion. Pavement edges,

R/W lines, curb and gutter, channelizing and median curbs, driveways, drainage structures, pavement dimensions, radii and appropriate notes shall be included

All intersection layouts shall be dimensioned, stationed adequately, and shall include all pertinent construction notes and alignment data. Design speed data shall be given when appropriate. Widths of turning lanes and turning paths shall be checked for possible encroachments or conflicts.

A north arrow and scale shall be shown at a point of maximum visibility on the plan. The scale used shall be sufficient to cover all necessary details, preferably 1" = 40'. The scale shall not be smaller than 1" = 50'.

13.3 Interchanges

13.3.1 Geometric Layout

Interchange layouts shall be prepared on a standard plan format. The entire interchange shall be placed on one sheet when possible, using a scale not smaller than 1" = 400'. In cases of large cloverleaf or directional interchanges, more than one sheet may be required. Appropriate match lines shall be shown.

Layouts shall be dimensioned and completely stationed, with all alignment data and construction notes included. All curves shall be assigned a number and curve data presented in a tabular form. It is preferred that the tabular curve and coordinate data be placed on the same sheet as the interchange layout.

Interchange ramps shall be identified by the use of letters or a combination of letters and numbers. The recommended practice for assigning ramp names is as follows:

Ramps in the first left quadrant along mainline stationing should be assigned first. Name assignments shall progress in a counterclockwise direction around the interchange (see **Figure 13.1**). For projects with two or more interchanges, continue name assignments with the next letter and in same counter clockwise direction noted above.

Ramp baselines are usually located on the right edge of the pavement with relation to the direction of traffic, and shall be clearly indicated. Stationing of ramps should be in the same direction as the project.




Figure 13.1

A topographic worksheet for all interchanges is required and will be considered as the preliminary layout of the interchange. This worksheet shall be prepared on a standard plan format on a scale not smaller than 1" = 400'. The following information shall be shown:

- 1 All topography, such as existing roads, property lines, utilities, buildings, driveways, etc
- 2 Preliminary interchange geometrics and proposed right of way limits
- 3 Drainage right of way and easements
- 4 Proposed reconstruction of the crossroad, and all access roads and frontage roads within the interchange
- 5 Frontage roads should be assigned a unique alpha or numeric designation to avoid confusion with ramp nomenclature
- 6 Contours, unless the terrain is relatively flat
- 7 Traffic diagram with AADT, DHV, K, D and T values
- 8 The length of speed change lanes
- 9 Design speed for ramps and crossroads
- 10 Proposed bridge limits
- 11 Pavement transitions
- 12 Limits of construction along the crossroad

The contract plans set shall include the following interchange sheets:

- 1 Interchange geometric layout
- 2 Interchange drainage map
- 3 Interchange topographic map
- 4 Interchange cross section pattern sheet
- 5 Ramp terminal details
- 6 Ramp cross sections

13.3.2 Ramp Terminal Details

Details of ramp terminals with mainline and crossroads shall be shown on separate plan sheets. The scale used shall not be smaller than 1" = 50'. Standard scale 1" = 40' is preferred. Complete details of the terminal shall be shown including:

Curve data

Station equality and horizontal tie to mainline or crossroad at critical ramp locations

Turning radii, taper/transition lengths, curb/curb and gutter (if any)
Channelization (if any)
Ramp and crossroad intersection station and angle
Median nose data (if any)
Limits of construction
R/W
Limited Access R/W and fence location
Drainage structures
Spot elevations (as needed)
Roadway dimensions
Station pluses and offsets

13.3.3 Cross Section Pattern Sheet

The cross section pattern sheet shows the entire interchange layout including frontage and access roads, if any, with location and extent of proposed cross sections. This information is of special importance for projects involving new interchanges located in rural, undeveloped areas. Information to be shown shall include

North arrow and scale
Interchange layout
Access and frontage roads (if any)
Centerline construction and baseline survey
Ramp base lines
Stationing along mainline, crossroads, ramps, access and frontage roads
PC and PT points by symbol
Bridge outline
Cross section pattern

This sheet shall be prepared on a standard plan format. The scale shall be such that the complete interchange is shown on one plan sheet, with care taken to ensure clarity and legibility. Normal scale is 1" = 400'. North arrow and scale shall be located at a point of maximum visibility.

Chapter 14

DRAINAGE STRUCTURES

14.1 General	14-1
14.2 Required Information	14-1
14.3 Utility Conflicts	14-2
14.4 Sheet Set Up	14-3
Exhibit 14-1 Drainage Structure Notes	14-4

Chapter 14

DRAINAGE STRUCTURES

14.1 General

Drainage structure sheets show the drainage structures, their location, cross section, flow line elevations of all weirs or slots, top of grates, culverts and top of manhole elevations, and similar data. Drainage structure sheets also show the vertical relationships of the entire drainage system. During the process of design/placement of the drainage structures, potential conflicts with existing or proposed utilities shall be identified and resolved early, thereby avoiding costly time delays during the construction phases.

All projects require the plotting of drainage structures. When only cross drains are to be constructed or modified, drainage structures may be plotted on the cross section sheets. Otherwise drainage structures should be plotted on separate drainage structure sheets, utilizing the cross section sheet cell available in the FDOT Engineering/CADD Systems Software (see **Exhibit DS-2**).

14.2 Required Information

The existing ground line for rural projects shall be shown at the location of the structure, with the existing elevation placed immediately below the ground line at the survey baseline. No existing structures shall be shown except those to be incorporated into the proposed drainage system or otherwise modified. These shall be shown and their flow line elevations noted. Where storm sewers run laterally or diagonally across the project, the drawing should show the pipe cover.

The roadway template and proposed structures shall be shown, with the proposed profile grade elevation placed above the grade point. The structure shall be located by station and offset to the centerline of construction. Flow line information shall be provided at each structure and at each culvert end. Structures are to be plotted in detail according to the applicable index of the *Roadway and Traffic Design Standards*, with walls, grates, tops, pipes, etc. shown.

Cross drain sections shall include the size and length for each proposed structure.

Sections for skewed cross drains shall be depicted along the centerline of the structure.

Clear zone distances are to be measured at right angles to the traffic lane for all structures

All structure locations should be checked and R/W shown where the R/W may have potential impact on construction of a structure

For each drainage structure, all necessary information shall be shown by note, including, as appropriate size, end treatment and flow lines, as well as structure, index and station number. The note shall be placed as close to the structure as possible, preferably below the plotted structure. Elevations shall be given for manhole tops, and ditch bottom inlet grates and slots. Grate elevations for shoulder gutter and edge of pavement elevations for curb and gutter inlets shall be shown.

Alternate "G" or other special grate treatment shall be included with the inlet note. Additional details, such as special bedding, 36" manhole rings, etc., shall be indicated. Flow direction arrows shall be shown.

Material options shall be shown on the Optional Material Tabulation Sheet (See **Exhibits SDS-2 and SDS-3** at the back of **Chapter 8** of this volume)

If existing structures are to be filled and/or plugged and are to remain in place, they should be shown in the plans with an appropriate note.

Applicable notes to be shown on the first drainage structure sheet are given in **Exhibit 14-1**.

14.3 Utility Conflicts

All major underground utilities, as defined in **Chapter 5 of Volume I**, shall be plotted in conjunction with the structures so that conflicts may be detected during design, and to alert construction forces of potential conflicts.

In the case of longitudinal pipes, a section should be plotted for each location of a crossing of any major underground line.

Utilities that have been verified (Level A locate) shall be noted and plotted to scale in the appropriate locations on the Drainage Structure Sheets, Cross Section Sheets and bridge foundation plans. These utilities should be labeled with the following symbol:

V_{vh} = Verified Vertical Elevation and Horizontal Location

14.4 Sheet Set Up

Structures should be plotted as sections along the centerline of the structure. They should be shown on a standard cross section format with the sections spaced sufficiently apart to avoid overlapping of structures or notes. Beginning at the bottom of the sheet, the sections should be shown successively by stations and should be numbered sequentially, from the beginning to the end of the project. The structure number and location station should be shown near the right border of the sheet.

If a structure must be shown out of order, a note shall be placed in the correct sequence, referring to the sheet where the structure is shown. The scale shall be the same as that used for roadway cross sections, with the centerline of construction placed near the center of the sheet.

Drainage Structure Notes

These notes, when required, are to be placed on the first drainage structure sheet

- 1 Special attention is directed to the fact that portions of some drainage structures extend into the stabilized portion of the roadbed and extreme caution will be necessary in stabilization operations at these locations
- 2 (To be used when there are Cross Drain Pipe and/or Storm Sewer Pipe and optional materials are provided for one or both)

Some/All of the drainage structures have optional culvert materials. When optional materials are allowed, one of the optional materials has been used as the basis of the pay quantities. The material selected as the basis of pay quantities is identified on the Tabulation of (Cross Drain, Storm Sewer, or Cross Drain/Storm Sewer) Optional Materials Sheet. All options are described and design and installation information for each option is provided on the Tabulation of Optional Materials Sheet.

Exhibit 14-1

Chapter 15

LATERAL DITCH/OUTFALLS RETENTION/DETENTION AND MITIGATION AREAS

15.1	General	15-1
15.2	Lateral Ditch/Outfall	15-1
15.2.1	Plan Portion	15-1
15.2.2	Profile Portion	15-2
15.2.3	Typical Section	15-2
15.2.4	Ditch Cross Sections	15-2
15.3	Retention or Detention Areas	15-3
15.3.1	Pond Detail Sheet	15-3
15.3.2	Typical Section	15-4
15.3.3	Pond Cross Sections	15-4
15.4	Mitigation Areas	15-4

Chapter 15

LATERAL DITCH/OUTFALLS RETENTION/DETENTION AND MITIGATION AREAS

15.1 General

Drainage systems that convey storm water from the roadway may be made up of many components such as inlets, manholes, pipes, ditches, and retention/detention areas. Usually, these systems require additional right of way and/or easements.

Mitigation areas, although not usually a component of the highway drainage system, may have drainage components in them.

If space permits, drainage components adjacent to the roadway may be shown on the roadway plan-profile sheets. Drainage components not adjacent to the roadway may require separate plan view sheets. In either case, profile views and/or cross sections may also be needed to provide enough detail to construct the components.

Plans for drainage components can generally be grouped into three categories:

- Lateral ditch/outfalls
- Retention/detention areas
- Mitigation areas

15.2 Lateral Ditch/Outfall

Lateral ditch plans and profiles shall be prepared on a standard plan-profile format using a horizontal scale of 1" = 100'. However, if storm drain construction is proposed for a portion of the ditch, a scale of 1" = 40' or 1" = 50' may be used.

15.2.1 Plan Portion

Data presentation in the plan portion shall be oriented so that the lateral ditch/outfall centerline is parallel to the long side of the sheet. Information shall be shown in a manner similar to that described in **Chapter 10 - Roadway Plan and Roadway Plan-Profile**.

Right of way (or easement) alignment data and topography shall be shown in the plan portion. An alignment tie between the lateral ditch/outfall and the project shall also be shown. The north arrow and graphic scale shall be placed at the proper location on the sheet (refer to **Chapter 10**)

15.2.2 Profile Portion

The profile portion shall be prepared in the same manner as the profile portion of the roadway plan-profile sheets (**Chapter 10**). Existing ground line profiles, high water elevations, underground utilities, bench mark information and elevation datum shall be shown as described for roadway plan-profiles.

Where the lateral ditch/outfall survey baseline does not follow the flow line of the existing ditch or channel, the existing ditch or channel profile shall be shown with a broken line and identified.

If storm drain construction is proposed along a lateral ditch/outfall, the proposed structures shall be plotted on the drainage structures sheets, or in the lateral ditch/outfall profile. Structures shown in the profile will include flow line, structure numbers, pipe or culvert sizes, and utilities (if applicable).

The normal water elevation of the receiving system shall be indicated and labeled.

15.2.3 Typical Section

A typical section showing the width of proposed clearing and grubbing, right of way, ditch bottom width and side slopes shall be shown on the lateral ditch plan and profile sheet. This section does not need to be to scale, but shall be dimensionally proportionate. If the width of clearing and grubbing is variable for a lateral ditch/outfall, the various widths and their respective station limits shall be noted below the typical section.

15.2.4 Ditch Cross Sections

Lateral ditch cross section sheets are included in the plans. These sheets show the right of way required, the extent of clearing and grubbing required and the amount of earthwork.

Lateral ditch cross sections shall be prepared in a manner similar to that of roadway cross sections (**Chapter 18**) The scale, generally, should be 1" = 10', vertical and horizontal. Regardless of the horizontal scale used, the vertical scale shall always be 1" = 10'.

Often it is possible to place two or more columns of ditch cross sections on one sheet. They shall be plotted with the stationing progressing from the bottom of the sheet to the top, and from left to right.

Usually, soil surveys are made along the lateral ditch only when a large amount of material is expected to be excavated.

Guidance given in **Roadway Cross Sections (Chapter 18)** shall be applicable equally to lateral ditch cross sections.

15.3 Retention or Detention Areas

15.3.1 Pond Detail Sheet

The retention or detention pond, including the outlet structure, is usually the end point of the drainage system for a particular project. The retention/detention pond detail sheet shall show the pond in plan view, with station and offset ties to the project centerline of construction. The plan view shall also include the following:

- Locations of pond sections
- Side slopes and base dimensions
- Bottom and top elevations
- Location of maintenance berm
- Fence and gate locations
- Right of way
- Pond drainage structures with structure numbers
- Soil boring locations, and
- Any other necessary data pertaining to the pond

The pond sections shall show the bottom width and elevation, side slopes, normal water depth, if applicable, as well as soil borings. A minimum of two (2) sections, taken in directions perpendicular to each other, shall be shown.

15.3.2 Typical Section

A typical section is required when the pond sections do not represent the *typical* design features of the pond. Following is a list of appropriate information to be shown on the typical section:

- Limits of clearing and grubbing
- Typical side slopes
- Bottom and top elevations
- Details of maintenance berm
- Fence location
- Right of way
- Water level information
- Vegetation requirements

The typical section does not need to be to scale, but shall be dimensionally proportionate. It should be shown on the pond detail sheet, if room allows, or on a separate sheet when necessary.

15.3.3 Pond Cross Sections

Pond cross sections shall be prepared in a manner similar to that for roadway cross sections (**Chapter 18**). As with lateral ditches, the standard scale is 1" = 10' vertical. The standard horizontal scale is also 1" = 10', although another scale may be used if necessary.

If material is to be excavated from the pond, the data from the soil survey sheet shall be shown on the cross sections.

Guidance given in **Roadway Cross Sections (Chapter 18)** shall be applicable to pond cross sections.

15.4 Mitigation Areas

If construction details for mitigation areas are included in the plans, follow the requirements for retention/detention areas.

CHAPTER 16

SPECIAL DETAILS

16.1 General 16-1

CHAPTER 16

SPECIAL DETAILS

16.1 General

Special details sheets are usually included in the plans set if the project contains areas which require special attention to some construction elements. Construction details that are not covered in the *Roadway and Traffic Design Standards* booklet or elsewhere in the plans set shall be shown on the special details sheet.

This sheet shall be prepared on a standard plan format. Any convenient scale may be used, provided the information shown is clear and legible. Details shown shall be clear, legible, labeled, complete in all respects and should be adequately cross-referenced in the plans set.

Chapter 17

SOIL SURVEY

17.1 General	17-1
17.2 Roadway Soil Survey	17-1
17.2.1 Method of Compilation and Presentation	17-1
17.3 Other Soil Surveys	17-2

Chapter 17

SOIL SURVEY

17.1 General

The soil survey sheet, essentially a soil test analysis sheet, depicts the various types of soils encountered within the limits of the project. This sheet also shows the classification, mechanical properties and recommended usage of those soils. A preformatted CADD sheet can be found in the FDOT Engineering/CADD Systems Software.

Soils having identical characteristics shall be assigned to the same stratum and group for identification and recommendation purposes. The test analysis sheet shall be signed by the responsible Engineer.

17.2 Roadway Soil Survey

17.2.1 Method of Compilation and Presentation

Upon completion of the proposed typical section, and after placing alignment, proposed grades and existing utilities on the plan-profile sheets and preliminary sections, prints of these sheets shall be utilized for determining the location and depth of borings for the sampling of soils for testing and classifications. These classification and test results, including pH, resistivity, sulfides and chlorides shall be shown on the test analysis sheet. Date and weather conditions at the time of sampling shall also be shown. Refer to **Exhibit SS-1** for an example of soil survey sheet.

After completion of soils testing, the boring data shall be shown on cross sections by columns approximately 1/4 inch wide below the ground line at test sample locations. Stratum limits and numbers shall be shown inside the column. This information shall be transmitted to the appropriate responsible materials engineer for verification. One hard copy of the soils information, including cross sections with soils information, shall be retained in the Soils Engineer's Record.

17.3 Other Soil Surveys

Soil surveys other than those for roadway plans are required for various plans components Included in these are soil surveys/borings for retention/detention ponds, overhead sign structures, high mast poles and traffic signal mast arms

Soil survey sheets generated for such components are generally located in the plans set with the other details and information for each component Requirements for the soil survey sheets are similar to those prepared for the roadway soil survey, showing such things as the location of test holes, various strata encountered, soil properties, classification and recommended usage

Chapter 18

ROADWAY CROSS SECTIONS

18.1 General 18-1

18.2 Required Information 18-1

18.3 Sheet Set Up 18-2

Chapter 18

ROADWAY CROSS SECTIONS

18.1 General

Cross sections depict the existing ground conditions, including all manmade features, as sections perpendicular to the respective stations along a survey baseline or construction centerline. The proposed cross-sectional outline of the new facility with all its functional elements is also shown on cross sections. Standard cross section sheets shall be used for showing roadway cross sections. The preformatted sheet cell is located in the FDOT Engineering/CADD Systems Software. This sheet features a standard grid of five lines per inch, both in the vertical and horizontal. The vertical scale can be altered to ten lines per inch by utilizing a toggle feature in the CADD software.

The recommended vertical scale is 1" = 10'. The horizontal scale shall be such that the entire roadway R/W is shown on the sheet (generally 1' = 10' or 1' = 20'), but shall not be smaller than 1" = 40' horizontal. If the entire R/W cannot be shown on one sheet, more sheets may be utilized and appropriate match lines shall be shown with referenced sheet numbers. The scale shall be shown at the bottom right corner of the sheet above the title box.

18.2 Required Information

Existing ground lines shall be shown and the existing elevation at the centerline shall be noted just below the ground line at the centerline. The station number of the section shall be indicated opposite the ground line on the right side of the sheet and location baseline of survey indicated along the top and bottom of the sheet. Lines parallel to the baseline of survey should show station equivalencies to the baseline of survey.

The surface, as well as the below ground portions of existing features such as pavements, curbs and sidewalks, shall be shown.

Existing parallel underground utilities which lie within the horizontal limits of the project shall be shown along with verification notation for those locations which have been verified. Utilities that have been verified should be labeled as shown in **Section 14.3 of Chapter 14**. Small distribution or service lines need not be drafted.

Soil data and water table shall be shown on cross sections as described in **Section 17.2.1** of **Chapter 17**. If it is determined that an organic or plastic material must be removed below the finished grading template, the lower limits of removal of organic or plastic material will be shown to determine the area and volume of subsoil excavation

The proposed roadway template shall be shown. The proposed profile grade elevation shall be placed vertically or at an angle to the horizontal, just above the profile grade line. Special ditch elevations shall also be shown.

Station equations shall be shown, even though a cross section may not be plotted at that point. For ramp cross sections equivalent mainline stations shall also be shown.

The right of way limits shall be symbolically shown for each cross section.

The begin and end stations for project, construction, exceptions, bridge/bridge culvert and the toe of slope under the bridge shall be shown. The beginning and ending earthwork stations shall be shown.

On projects with grade separations, intersections, interchanges, etc., the earthwork shall be totaled on the last cross section sheet for each of the above and noted as to the station in which the earthwork is included on the project cross sections. Earthwork quantities shall be indicated in the appropriate columns on the right side of the sheet. Earthwork summaries shall be shown on the last cross section sheet of each roadway, ramp, etc. The grand total shall be tabulated in the Summary of Earthwork and shown on the Summary of Quantities Sheet.

The order of assembling the cross sections in the plans set shall be

- Mainline
- Side streets
- Ramps

18.3 Sheet Set Up

Cross sections shall be shown on a standard preformatted cross section sheet (available in the FDOT Engineering/CADD Systems Software) with stations increasing from the bottom to the top of the sheet. Usually, only one column of sections shall be placed on a sheet.

Sections shall be centered on the sheet with the survey baseline or the construction centerline placed vertically in the center. In cases where additional lanes are to be constructed adjacent to existing lanes, centering the sections will depend upon the location of the survey line and the side on which the new construction is to be placed. Sections shall be oriented such that the complete ultimate section will be approximately centered on the sheet. When the centerlines of construction and survey are not parallel, the distance between the two at each cross section shall be shown.

As many sections as possible shall be placed on a sheet with sections being spaced to avoid overlapping. The soil profile should be checked for possible unsuitable material below existing ground which may cause overlapping of sections.

When right of way is narrow enough and a horizontal scale of 1" = 20' is used, two columns of cross sections may be placed on a sheet. Cross section placement progresses from the left to the right as well as from the bottom to the top of the sheet. The sheet shall be set up to provide earthwork columns for each column of sections.

For additional information on cross sections see **Chapter 3 of Volume I**

CHAPTER 19

WORK ZONE TRAFFIC CONTROL

19 1	General	19-1
19 2	Required Information	19-1
19 3	Levels of Complexity to be Anticipated for Traffic Control Plans	19-2
19 3 1	Level I	19-2
19 3 2	Level II	19-2
19 3 3	Level III	19-3
19 4	Format	19-3

CHAPTER 19

WORK ZONE TRAFFIC CONTROL

19.1 General

A Traffic Control Plan (TCP) will accompany all plans for a construction project. The TCP is the final document that summarizes the considerations and investigations made in the development of a comprehensive plan for maintaining traffic through a work zone.

The TCP is used to describe the actions to be taken by the contractor to minimize traffic impacts while conveying traffic safely through a work zone. The traffic control plans may include, but are not limited to, general notes, phase notes, phase typical sections, phase plan-profile sheets, special details, and temporary cross-sections.

19.2 Required Information

Specific traffic control plans are required on all projects. The information provided on the traffic control plans may consist of nothing more than notes and references to the **Roadway and Traffic Design Standards, Series 600** or may be as elaborate as detailed individual phase layouts using profile sheets and interchange and intersection layout sheets. Information shall be provided to inform the contractor of the following:

- location of the centerline, pavement edge, curb line, shoulder,
- placement of temporary pavement markings,
- lane configurations,
- locations of work zone signs and any other temporary work zone traffic control device (including variable message signs, advanced warning arrow panels, barriers, crash cushions, temporary signals, etc),
- layouts and placement of channelizing devices,
- work to be accomplished during the individual phases of construction,
- lane closures and other restrictions that apply,
- regulatory speed limits for each phase,
- project specific requirements such as school zones, railroads, waterborne vessels, etc

When a project requires more than one phase of construction, the traffic control plans should address each individual phase.

19.3 Levels of Complexity to be Anticipated for Traffic Control Plans

The following guidelines have been developed to assist in determining the level of detail and complexity that may be required for a project

19.3.1 Level I

Application - Simple projects where method of construction is straight forward (Examples RRR, Enhancements, Resurfacing, Minor Widening)

Components of the TCP

General Notes (including references to the applicable indexes in the *Roadway and Traffic Design Standards*)

Phase Typical Section(s)

Special Details - MINIMAL - where unique situations for the project exist

19.3.2 Level II

Application - Moderately complex Construction projects, such as reconstruction of roadways (Examples Urban or rural widening projects, Projects with Diversions or Detours)

Components of the TCP

General Notes

Phase Notes (including references to the applicable indexes in the *Roadway and Traffic Design Standards*)

Phase Typical Section(s)

Detailed plan sheets (when an index in the *Roadway and Traffic Design Standards* does not apply)

Cross Sections as determined necessary (Example diversions, temporary drainage, temporary bridge structure)

Special Details - As necessary for constructability (Example temporary drainage, slope requirements due to diversions, temporary signalization, railroad work, etc)

19.3.3 Level III

Application - Complex projects

Components of the TCP

General Notes

Phase Notes (including any references to the applicable standard indexes)

Phase Typical Section(s)

Detailed Plan Sheets

Cross Sections

Special Details may include - Temporary Drainage, Temporary Signalization, Intersection Details, etc

19.4 Format

TCP's will be prepared on standard plan sheet format. A scaled drawing is not always required, however, clarity and legibility are critical. When scaled drawings are required, the scale shall not be less than 1" = 100' for plan sheets and 1" = 40' for special details. Levels, fonts and line weights shall be in accordance with the FDOT CADD Production Criteria Guide.

Tools are available in FDOT Engineering/CADD Systems Software to assist in the development of Traffic Control Plans.

Chapter 20

UTILITY ADJUSTMENTS

20.1 General 20-1

20.2 Required Information 20-1

20.3 Sheet Format 20-1

Exhibit 20-1 General Notes for Utility Adjustments 20-3

Chapter 20

UTILITY ADJUSTMENTS

20.1 General

The purpose of utility adjustment sheets is to provide coordination between the contractor and the affected utility companies. These sheets show the contractor the approximate locations of existing, proposed and relocated utilities, and thus aid the contractor in avoiding possible conflicts or damage to the utilities involved.

20.2 Required Information

Locations of all existing and proposed utilities within the project limits shall be shown on the plans.

All proposed and relocated utilities shall be clearly shown on the plan using lines and standard utility symbols, and shall be labeled (see **Index No. 002** of the *Roadway and Traffic Design Standards* and the FDOT CADD Production Criteria Guide). Disposition of all existing utilities shall be clearly indicated for example "To Be Removed", "To Be Adjusted", "To Be Relocated", "To Remain", etc. All proposed utilities shall be appropriately labeled.

Applicable general notes shall also be shown on the first utility adjustment sheet (see **Exhibit 20-1**).

20.3 Sheet Format

The utility adjustment sheets shall be prepared from CADD files generated for the plan or plan-profile sheets. Levels, fonts and line weights shall be in accordance with the FDOT CADD Production Criteria Guide.

Information and graphic data which is not necessary for utility adjustment sheets may be removed by turning off the appropriate level(s) on which the data is stored. This will help ensure that information pertinent to utility adjustments is more easily seen. However, the utility adjustment sheets shall show the following information as a minimum:

- (1) Baseline and/or centerline of survey
- (2) Curb and gutter or edge of pavement
- (3) Drainage structures (existing and proposed)
- (4) Right-of-way lines
- (5) Station numbers
- (6) Street names
- (7) Location of existing utilities
- (8) Disposition of existing utilities, and
- (9) Location of new or relocated utilities

General Notes for Utility Adjustments

The following notes shall be placed on the first Utility Adjustment Sheet (If there are no utility adjustment sheets in the plans, these notes shall be included in the General Notes shown on **Exhibit 10-1**)

- 1 The location(s) of the utilities shown in the plans (including those designated V_v , V_h and V_{vh}) are based on limited investigation techniques and should be considered approximate only. The verified locations/elevations apply only at the points shown. Interpolations between these points have not been verified.

- 2 Utility Owners

Companies

Telephone Numbers

(Note: If there is a traffic-monitoring site on the project or within ½ mile of the construction, the Transportation Statistics Office in Tallahassee shall be added to the list of utility owners. The contact person is the Traffic Data Section Manager. Refer to **Chapter 10, Section 10.2.7, Item No. 12** for plan requirements involving traffic-monitoring sites.)

Exhibit 20-1

Chapter 21

SELECTIVE CLEARING AND GRUBBING

21.1 General	21-1
21.2 Required Information and Sheet Set Up	21-1
21.3 Standard Symbols and Notes	21-1

Chapter 21

SELECTIVE CLEARING AND GRUBBING

21.1 General

Selective clearing and grubbing plans show the extent and type of clearing operation required within the project right of way limits. This information may be shown on the plan-profile sheet, if no substantial clutter of the sheet results. Otherwise, selective clearing and grubbing shall be shown on a separate plan sheet.

21.2 Required Information and Sheet Set Up

When separate selective clearing and grubbing sheets are required, they shall be shown on a standard plan format. Complete existing topography shall be shown together with centerline of construction with stationing, R/W lines and limits of construction. The type of selective clearing and grubbing operation to be performed shall be clearly shown by symbol (refer to **Section 21.3**).

A north arrow and graphic scale shall be placed at a point of maximum visibility on the sheet. Any convenient scale may be used provided clarity and legibility are preserved. However, it is recommended that the selective clearing and grubbing plans be prepared at the same scale as the roadway plan-profile sheets. Appropriate match lines shall be used when necessary.

For an illustration of a selective clearing and grubbing sheet, see **Exhibit SCG-2**.

21.3 Standard Symbols and Notes

The amount and type of notes required for selective clearing and grubbing will vary depending on the project. It may be desirable to provide a separate detail sheet in the plans to display the notes, symbols and details which are applicable to the project. An example of such a sheet is given in **Exhibit SCG-1**.

All areas that are not included in one of the selective clearing and grubbing categories, as shown on the detail sheet or elsewhere in the plans, shall be standard clearing and grubbing

Undesirable exotic pest plants, including Australian Pine, Brazilian Pepper, Malaleuca and Chinese Tallow trees, as well as Cogon grass should be labeled to be totally removed, regardless of size or location within the project limits.

Chapter 22

MISCELLANEOUS STRUCTURES PLANS

22.1 General	22-1
22.2 Approach Slabs	22-1
22.3 Retaining Walls (Cast in Place, Proprietary, Temporary)	22-1

Chapter 22

MISCELLANEOUS STRUCTURES PLANS

22.1 General

Miscellaneous structures not included in the bridge plans shall be included in the appropriate component plans. This includes box culvert details, high mast lighting supports, traffic mast arm supports, signal strain poles, overhead sign supports, rest area structures or buildings, barrier walls (traffic or sound), retaining walls and toll facilities.

For guidelines on structural detailing, refer to the *Structures Detailing Manual (Topic No. 625-020-200)*

22.2 Approach Slabs

As of the July, 1999 letting, approach slab details sheets are included in the structures plans. However, some roadway elements may need to be carried onto the approach slab, and in these cases special attention must be given to clarifying in the plans which elements are to be included as part of the roadway.

The stabilization required under the approach slabs shall be paid for using the standard roadway pay item and the quantity included in the roadway plans. In addition, roadway elements such as guardrail, earthwork, sidewalks, approach slab surfacing, etc., which are part of the roadway approaches to the bridge and which interface with the approach slabs areas, will also be included and paid for in the roadway quantities.

22.3 Retaining Walls (Cast in Place, Proprietary, Temporary)

When cast in place retaining walls other than standard gravity walls are required, complete design and construction details, including pay items and quantities are required in the contract plans. The same is true for steel or concrete sheet piles for either permanent or temporary retaining walls.

Proprietary walls are handled differently than cast in place, steel and concrete sheet pile

retaining walls. A set of control plan details must be developed for retaining walls. (See **Chapter 30, Volume I** for a discussion concerning the requirements for control plan details.)

On projects with bridges the control plan details shall be included in the bridge plans. When there are no bridge plans the control plan details shall be included in the appropriate component plans. Examples of control plan details are included as exhibits at the back of this chapter.

Standard drawings from the preapproved wall companies are included in the **Roadway and Traffic Design Standards** (available as Interim Index Drawings).

Chapter 23

SIGNING AND PAVEMENT MARKING PLANS

23.1	General	23-1
23.2	Key Sheet	23-2
23.3	Tabulation of Quantities and Pay Item Notes	23-2
23.4	General Notes	23-2
23.5	Plan Sheets	23-3
23.5.1	Format and Scale	23-3
23.5.2	Required Information	23-3
23.6	Guide Sign Worksheet	23-4
23.7	Sign Supports	23-4
23.7.1	Multi-Post Signs	23-4
23.7.2	Overhead Sign Cross Section and Support Structure	23-4
23.8	Typical Pavement Marking Sheet	23-5
23.9	Plans for Thermoplastic Markings	23-5
Exhibit 23-1	Standard Notes for Signing and Pavement Marking Plans	23-6

Chapter 23

SIGNING AND PAVEMENT MARKING PLANS

23.1 General

Signing and pavement marking plans are usually a component set of plans. Projects with minor signing and pavement markings may include these features on sheets in the roadway plan set or detailed on roadway sheets. When prepared as component plans they shall be assembled as a separate plans set complete with a key sheet, tabulation of quantities and all other signing and pavement marking sheets. The sheets shall be numbered consecutively with the sheet numbers prefixed by the letter S.

A complete set of signing and pavement marking plans shall include the following sheets:

- Key Sheet
- Tabulation of Quantities
- Plan Sheets
- Guide Sign worksheet (if required)
- Overhead Sign Cross Section Sheet (if required)
- Overhead Sign Support Design (if required)
- Foundation Details (if required)
- Boring Data Sheets (if required)

Pavement marking material on projects which include new asphalt surfaces will generally be paint, rather than thermoplastic. This is based on the requirement of a 90 day curing period for new asphalt. Thermoplastic markings on these projects must be placed using a separate contract. Exceptions must be coordinated with the District Construction Office.

Section 23.9 provides guidance for preparation of separate plans for Thermoplastic markings.

Thermoplastic may be called for in the plans on those projects which are exclusively of concrete pavement surfaces.

23.2 Key Sheet

The key sheet is the first sheet in the set and shall be prepared on a standard key sheet format as described in **Chapter 3**. Contract plans set information, location map and length of project box are not required on this sheet when shown on the lead key sheet. A complete index of signing and pavement marking plans shall be shown on the left side of the sheet. The date of the governing ***Standard Specifications for Road and Bridge Construction*** and ***Roadway and Traffic Design Standards*** shall be inserted in a note at the lower left corner of the key sheet.

Other data, including name, consultant contract number and vendor number of the firm (when plans are prepared by a consultant) shall be shown as described in **Chapter 3**.

23.3 Tabulation of Quantities and Pay Item Notes

The tabulation of quantities sheet shall be prepared on the standard plan format and shall show quantities, standard sign numbers, pay item numbers and size of sign for all pay items. The sign size is not required if shown in the plans sheets. Pay items shall be listed in numerical order and quantities shall be tabulated per sheet. Provisions shall be made to show the original and final quantities. Pay item notes shall also be shown on this sheet (see **Exhibit 23-1**).

On contracts with multiple Financial Project ID's or federal aid and non-federal aid quantities, provisions shall be made to tabulate and summarize their respective quantities.

23.4 General Notes

General notes pertaining to signing and pavement markings may be shown on a separate plan format sheet. This sheet shall be placed behind the tabulation of quantities in the plans assembly. On minor projects, general notes may be combined with the tabulation of quantities sheet.

23.5 Plan Sheets

23.5.1 Format and Scale

The plan sheets shall be prepared on a standard plan format. The scale shall be such that all details are clear and legible. See the requirements of **Section 10.1** as a guide. For simple projects, or sections of a project, it may be possible to "stack" two plans on one sheet, one below the other. Stationing shall progress from left to right and top to bottom. Clarity and legibility shall be preserved in all cases.

A north arrow and scale shall be shown at a point of maximum visibility on the sheet. If two plans are "stacked" on one sheet, then each plan portion shall contain a north arrow and scale.

23.5.2 Required Information

The basic information pertaining to roadway geometrics and project limits required on the signing and pavement marking plan sheets is the same as that required on the plan portion of the plan-profile sheets (**Chapter 10**). Topography and construction details need not be shown. Utilities, drainage, lighting, sidewalks, driveways, landscape features, etc. shall be checked for conflicts. Those that may cause conflicts with sign placement shall be shown.

All pavement markings shall be clearly shown and labeled with their widths, color and spacing specified. Either the begin and end pavement marking stations, with offset or the begin pavement marking station with offset and the total length of roadway for pavement marking shall be shown. The location of raised pavement markers and delineators shall be indicated by specifying the type, color, spacing, and limits of application by stations.

All regulatory, warning and directional signs shall be shown at the proper locations. Each sign face shall be shown in close proximity to its respective sign with a leader line connecting the sign location and sign face. Each sign face shall be oriented on the plan sheet to be read as viewed from the direction of travel along the roadway. The location of all signs shall be indicated by station or kilometer point/milepost.

The pay item number and standard sign designation, or assigned number if non-standard, shall be shown for each sign.

Any signs to be mounted on signal span wires should be shown and listed on the signalization plan for illustration and placement purposes. Sign details should be included.

on the signing plans

Begin and end stations shall be shown

23.6 Guide Sign Worksheet

The sign face, with the complete message layout with legend spacing (vertical and horizontal), margins, border widths and corner radii shall be shown on the guide sign worksheet

For multi-support roadside signs, cross sections are not required in the plans set, but the support data (size and average length) for each sign shall be tabulated on the guide sign worksheet

This sheet should be prepared on the standard plan sheet format to any convenient scale that will preserve clarity and legibility. The number of signs which may be shown on a single sheet depends on the sign size and complexity. The format of the sheet is flexible as long as the information listed above is shown. The output from the Transoft *GuidSign* Program or a similar format may be used for the sheet

23.7 Sign Supports

23.7.1 Multi-Post Signs

Standard foundations for multi-post signs are provided in the *Roadway and Traffic Design Standards*. These foundations are based on the sign support size. However, the post size and length are not included in the *Roadway and Traffic Design Standards* and must be included as a part of the design and shown in the plans

23.7.2 Overhead Sign Cross Section and Support Structure

The sign cross section sheet shows the location of overhead sign(s) in cross section. A standard profile format should be utilized. The cross section of the roadway at the sign location shall be shown and fully dimensioned. The recommended scale for the cross section is 1" = 10' horizontally and vertically

For overhead signs, the design of the support truss, columns and foundations, along with

the boring data information, shall be included in the signing and marking plans. The **Structures Design Office Standard Drawings (Topic No. 625-020-300)** should be used. **S-2004**, a Semi-Standard for cantilever sign supports, is used with 2001, 2002 and 2003, **S-2012**, a Semi-Standard for truss sign supports, is used with 2011. These standards include the information noted above and should be completed by the Structures Design Engineer of Record and inserted as a sheet in the plans.

A computer program for the design of overhead cantilever sign structures and a program for the design of overhead span sign structures are available. The programs were developed by the Structures Design Office and may be downloaded from the Structures Design web site.

The design of the attachment system for signs mounted on bridge structures shall be the responsibility of the Structures Design Engineer of Record. The design shall be included in the structures plans if bridge work is included in the project. If bridge work is not in the project, design details shall be included in the signing and pavement marking plans.

23.8 Typical Pavement Marking Sheet

For simple projects, or sections of a project, it may be possible to show signing and pavement marking plan details schematically using straight-line format and typical markings. All signs shall be properly identified and shown at their graphic location on the straight-line diagram. Pavement markings shall be shown and labeled on a typical marking plan.

23.9 Plans for Thermoplastic Markings

As discussed under **Section 23.1**, placement of thermoplastic markings on most projects will require a separate contract to be let after original construction (and striping with paint) is complete. For convenience and economy several projects may be let under one contract.

As a minimum, contract plans will consist of a Key Sheet, Summary of Pay Items, Tabulation of Quantities and details about the areas to be marked. This will include any changes in pavement markings which may have occurred since completion of the original project. The scope and final content of the plans shall be as directed by the district.

Standard Notes for Signing and Pavement Marking Plans

The following pay item note should be shown on the Signing and Pavement Marking Plans Tabulation of Quantities Sheet

- 710- All pavement markings shall be paint unless otherwise noted in the plans
The quantities for pavement markings indicated in the Signing and Pavement Marking Plans are included in the quantities for Pavement Markings shown in the Summary of Roadway Pay Items

Exhibit 23-1

Chapter 24

SIGNALIZATION PLANS

24.1	General	24-1
24.2	Key Sheet	24-1
24.3	Tabulation of Quantities and Standard Notes	24-2
24.4	General Notes	24-2
24.5	Plan Sheets	24-2
	24.5.1 Format and Scale	24-2
	24.5.2 Required Information	24-3
24.6	Interconnect/Communication Plan	24-4
24.7	Mast Arm Sheets	24-4
24.8	Monotube Sheets	24-7

Chapter 24

SIGNALIZATION PLANS

24.1 General

Signalization Plans are usually a component set of plans. Projects with minor signalization may include these features on sheets in the roadway plans set or on the roadway sheets. When prepared as component plans they shall be assembled as a separate plans set complete with a key sheet, tabulation of quantities and all other relevant signal sheets. The sheets shall be numbered consecutively with the sheet numbers prefixed by the letter T.

The signalization plans show the construction details, electrical circuits, signal phasing and other relevant data.

A complete set of signalization plans shall include the following sheets:

- Key Sheet
- Tabulation of Quantities
- Plan Sheets
- Mast Arm Details (if required)
- Foundation Details - Mast Arms (if required)
- Boring Data Sheets - Mast Arms (if required)

24.2 Key Sheet

The key sheet is the first sheet in the component plans set and shall be prepared as described in **Chapter 3**. The location map, length of project box and contract plans set information are not required on this sheet when shown on the lead key sheet. The index of signalization plans shall be shown on the left of the sheet. The date of the governing ***Standard Specifications for Road and Bridge Construction*** and ***Roadway and Traffic Design Standards*** shall be inserted in a note below the Index of Plan Sheets. Other data, including name, consultant contract number and vendor number of the firm (when plans are prepared by a consultant), shall be shown as described in **Chapter 3**.

24.3 Tabulation of Quantities and Standard Notes

The tabulation of quantities sheet lists the item numbers, description and quantity of materials. This sheet shall be placed behind the key sheet in plans assembly.

The tabulation of quantities sheet shall follow the key sheet. Pay item numbers shall be listed in numerical order. Provisions shall be made to show the original and final quantities per sheet. Pay item notes and general notes that refer to item numbers, description of work to be performed and quantity estimates shall also be shown on this sheet. If space is limited, notes may be shown on the General Notes Sheet.

On contracts with multiple Financial Project ID's, or federal-aid and non-federal-aid quantities, provisions shall be made to tabulate and summarize their respective quantities.

24.4 General Notes

The general notes sheet lists special signal design information such as controller operations, loop installations, signal heads, interconnect cable, and computer interface that is generally not covered in the FDOT Standard Specifications, Supplement or Special Provisions. This sheet shall be placed behind the tabulation of quantities in the plans assembly. On minor projects, general notes may be combined with the tabulation of quantities sheet.

24.5 Plan Sheets

24.5.1 Format and Scale

Signalization Plans shall be prepared on standard plan format at a scale large enough to show all details clearly and legibly. The recommended scale is 1" = 40' or 1" = 50'. Usually, the complete intersection shall be shown on one plan sheet. However, for large intersections more sheets may be used with appropriate match lines. A north arrow and scale shall be shown at a point of maximum visibility on the sheet.

24.5.2 Required Information

The basic information requirements include roadway geometrics, street names, construction stationing or milepost, curb and gutter, drainage inlets, sidewalks and right of way lines as similarly required on the plan portion of the roadway plan-profile sheets. Those underground and overhead utilities, signing structures, and lighting structures that may cause construction conflicts with signal components shall be shown. All locations, including existing trees, should be checked for potential conflicts.

The plan sheet shall also show

- Signal head locations with directional arrows and movements (movements 2 and 6 shall be the major streets)
- Details of signal heads in tabular form with pay item numbers
- Phasing diagram/signal operating plan
(NOTE: If the SOP conforms to the *Index No. 17870* of the *Roadway and Traffic Design Standards*, then the reference to the index is all that is required. For all other operating plans, the plan shall be shown)
- Signal controller timing chart
- Loop detectors
- Electrical service location.
- Location of signal poles and span wires (ground elevation and elevation of roadway crown)
- Signal wire signs
- Pedestrian signals
- Turning radii
- Median nose locations
- Location of "stop bars" and pedestrian crosswalks
- Coordination unit-timing chart
- Lane lines with directional arrows

All equipment shown on the plan shall be clearly labeled and their respective pay item numbers and quantity indicated.

A separate signalization plan shall be prepared for each signalized intersection included in the construction project.

Any span wire or mast arm mounted signs shall be coordinated with the appropriate signing and pavement marking plans to avoid duplication.

The sign details for signs must be included on the signalization plans, if signing and pavement markings are not included in the plans package.

24.6 Interconnect/Communication Plan

The interconnect/communication plan is required when signal equipment is being coordinated with other signal installations or with a computerized system. The interconnect/communication plan shows pictorially the placement of interconnect/communication cable, either underground or aerial, and tabulates all related interconnect quantities. The interconnect/communication plan sheet shall indicate all signal poles, service poles, and/or joint-use poles to which interconnect/communication cable will be attached.

The interconnect/communication plan shall be prepared on standard plan format. Unless otherwise approved, the preferred scale of the interconnect/communication plan shall be 1" = 100' for underground cable, and 1" = 200' for aerial cable. For simple projects, or sections of a project, "stacking" two plans on one sheet is generally permitted if clarity and legibility are maintained. Stationing shall progress from left to right and top to bottom.


A north arrow and scale shall be shown at a point of maximum visibility on the sheet. If two plans are "stacked" on one sheet, each plan portion shall contain a north arrow and scale.

The basic plan information requirements include roadway schematic, showing cross streets and driveways, cable information, pole location, pole number, utility pole identification number, pay item number and quantity.

24.7 Mast Arm Sheets

The Mast Arm Tabulation Sheet, completed by the signal designer, and the Standard Mast Arm Assemblies Design Table, **Structures Standard Drawings S-1700**, completed by the structures designer, will be included in the plans. These and the applicable **Interim Standard Indexes** are the only plan sheets required for mast arm assemblies which meet the Department's Standard and are included on the Qualified Products List. The structures data table may be placed on a signal plan sheet, if space permits. Mast arm assemblies which do not meet the mast arm standard will require a special design. The completed Table of Signal Structures Variables, **Structures Standard Drawings S-1710**, will be included in the plans for special designs.

The following instructions are for use with the mast arm tabulation sheet.



- 1 Each mast arm assembly is identified by a unique ID number
- 2 Dimensions 1-5 are for signals and dimensions A-E are for signs Record the distance from the edge of the pole, at ground level, to the center of the signal or sign
- 3 Signals may be mounted vertically or horizontally Indicate the mounting in the appropriate column in the table.
- 4 The entire line for arm #2 and the space for the angle between dual arms are left blank for single arm assemblies
- 5 All arms and poles will be galvanized. If a color is required, indicate the color in the table, otherwise leave blank
- 6 Starting at the pole, select the signals and/or signs that match the configuration you are tabulating. The spaces representing the signs or signals not used will be blank Example 1. if no sign is located between the pole and signal 1, the spaces for Sign A would be blank. Example 2: A configuration for three signals and one sign between signal 1 and signal 2 - Only the spaces for signals 1, 2, 3 and sign B would be completed; the others will be blank
- 7 Record the number of sections in each signal head in the space following the distance to that head
- 8 Record the height and width of each sign in the space following the distance to the sign

24.8 Monotube Sheets

The Monotube Tabulation Sheet, completed by the signal designer, and the Standard Monotube Signal Structure Design Table, **Structures Standard Drawings S-1720**, completed by the structures designer will be included in the plans. These and the applicable **Interim Standard Indexes** are the only plan sheets required for mast arm assemblies which meet the Department's Standard and are included on the Qualified Products List. The structures data table may be placed on a signal plan sheet, if space permits. Monotube assemblies which do not meet the mast arm standard will require a special design. The Structures Design Engineer will provide all design details for a special design to be included in the plans. Shop drawings will be required for a special design.

Chapter 25

LIGHTING PLANS

25.1 General	25-1
25.2 Key Sheet	25-1
25.3 Tabulation of Quantities and Standard Notes	25-2
25.4 Pole Data and Legend Sheet	25-2
25.5 Plan Sheets	25-3
25.5.1 Format and Scale	25-3
25.5.2 Required Information	25-3
25.6 Foundations and Boring Detail Sheets	25-4

Chapter 25

LIGHTING PLANS

25.1 General

Lighting Plans are usually a component set of plans. Projects with minor lighting may include these features on sheets in the roadway plan set or detailed on the roadway plans. When prepared as component plans they shall be assembled as a separate plans set complete with a key sheet, tabulation of quantities and all other relevant lighting sheets. The sheets shall be numbered consecutively with the sheet numbers prefixed by the letter L.

The lighting plans shall show the construction details, electrical circuits, pole data, conduits, service points, luminaires, foundations, boring details and other relevant data.

A complete set of lighting plans shall include the following sheets:

- Key Sheet
- Tabulation of Quantities
- Pole Data and Legend Sheet
- Plan Sheets or Layout Sheets
- Foundation Details - High Mast (if required)
- Boring Data Sheets - High Mast (if required)

25.2 Key Sheet

The key sheet is the first sheet in the component plans set and shall be prepared as described in **Chapter 3**. The location map, length of project box and contract plans set information are not required on this sheet when shown on the lead key sheet. Index of lighting plans shall be shown on the left of the sheet. The date of the governing ***Standard Specifications for Road and Bridge Construction*** and ***Roadway and Traffic Design Standards*** shall be inserted in a note below the index of plan sheets. Other data, including name, consultant contract number and vendor number of the firm (when plans are prepared by a consultant), shall be shown as described in **Chapter 3**.

25.3 Tabulation of Quantities and Standard Notes

The tabulation of quantities sheet lists the item numbers, description and quantity of materials. This sheet shall be placed behind the key sheet in plans assembly.

The tabulation of quantities sheet shall follow the key sheet. Pay item numbers shall be listed in numerical order. Provisions shall be made to show the original and final quantities per sheet.

On contracts with multiple Financial Project ID's, or federal-aid and non-federal-aid quantities, provisions shall be made to tabulate and summarize their respective quantities.

Pay item notes and standard notes that refer to item numbers shall also be shown on this sheet. General notes shall be shown on a separate plan format sheet. This sheet shall be placed behind the tabulation of quantities in the plans assembly. On minor projects, general notes may be combined with the tabulation of quantities sheet.

25.4 Pole Data and Legend Sheet

The pole data sheet shall be prepared on a standard plan format and shall include details and notes pertaining to pole placement and construction.

This sheet shall provide a listing of each pole by pole number. The following information shall also be given for each pole:

- Circuit Number
- Roadway Station and Offset
- Arm Length
- Luminaire Wattage
- Mounting Height
- Pay Item Number

The pay item number will indicate if the pole is a standard pole or a special design. Two pay item numbers are utilized, one for standard poles and one for non-standard poles.

The design values for light intensities and uniformity ratios shall be shown together with a legend and description of the symbols used on the plan sheets.

25.5 Plan Sheets

25.5.1 Format and Scale

The plan sheets shall be prepared on a standard plan format. The scale shall be such that all details are clear and legible. However, the scale shall not be smaller than 1" = 100'. For simple projects, or for narrow sections of a project, it may be possible to "stack" two plans on one sheet, one below the other. Stationing shall progress from left to right and top to bottom. Clarity and legibility shall be preserved in all cases.

A north arrow and scale shall be shown at a point of maximum visibility on the sheet. If two plans are "stacked" on one sheet, each plan portion shall contain a north arrow and scale.

25.5.2 Required Information

The basic information pertaining to roadway geometrics and project limits required on the lighting plan sheets is the same as that required on the plan portion of the roadway plan-profile sheets. Topography and construction details need not be shown. Utilities, drainage, signal structures, sign structures, landscape features, sidewalks, driveways, etc. shall be checked for conflicts. Those that may cause conflicts shall be shown.

The lighting layout shall be shown on the plan format. This shall be accomplished by symbols which represent poles, conduits and service points. The symbols used shall be in accordance with the requirements of the FDOT Engineering/CADD Systems Software and shall be used throughout the plans. A flag or note shall be used to identify conduit runs with conductor size or numbers different than that shown on the pole data sheet legend.

The beginning and ending of the lighting limits shall be shown on the appropriate plan sheet(s). The symbols for poles shall be shown at the correct baseline or centerline station and the approximate offset from the roadway noted.

The poles shall be flagged and specific information for each pole shall be shown. The pole number, baseline or centerline station, circuit number and offset from baseline or centerline (for high mast) shall be shown.

The service point locations shall be shown on the plan sheets as determined through utility negotiations. **Index No. 17504** of the *Roadway and Traffic Design Standards* provides details for the service point. The service point shall be shown at the location where it is to be installed. The following information is not covered on the index and must be shown on

the plan sheet

Description--voltages, phases, etc Ex. 240/480 Volt, 3 wire, Overhead
Breaker sizes--The main breaker size and the number of branch circuits and the
breaker size of each

25.6 Foundations and Boring Detail Sheets

The foundation design for standard conventional poles is shown in the *Roadway and Traffic Design Standards, Index 17515, Sheet 3 of 8* and *Index 17503* for non-standard conventional poles. These foundations do not need to be shown in the plans. Foundations for high mast poles are not in the Standards and must be designed by the responsible structures design engineer of record.

Plans showing the foundation details and boring data for high mast poles shall be included in the lighting plans.

Chapter 26

LANDSCAPE PLANS

26.1 General	26-1
26.2 Key Sheet	26-1
26.3 Tabulation of Quantities	26-2
26.4 Details Sheet	26-2
26.5 Planting and Irrigation Plan Sheets	26-2
26.5.1 Format and Scale	26-2
26.5.2 Requirements for Planting Plan Sheets	26-3
26.5.3 Requirements for Irrigation Plan Sheets	26-4

Chapter 26

LANDSCAPE PLANS

26.1 General

Landscape plans are usually a component set of plans. Projects with minor or typical landscaping may include these features on separate sheets in the roadway plans set or features may be detailed on roadway plans sheets. When prepared as component plans they shall be assembled as a separate plans set complete with a key sheet, tabulation of quantities and all other relevant landscape sheets. The sheets shall be numbered consecutively with the sheet numbers prefixed by the letters LD.

A complete set of landscape plans shall include the following:

- Key sheet
- Tabulation of Quantities
- Planting Sheets
- Irrigation Layout
- Details Sheet
- Other relevant plan sheets as outlined in this chapter

Additional information regarding landscape plans may be found in the *Florida Highway Landscape Guide* and the *Highway Landscape, Beautification, and Plan Review Procedure (Topic No. 650-050-001)*. Standard landscape symbols are contained in the FDOT Engineering/CADD Systems Software.

As stated in **Chapter 481, Part II Florida Statutes** and **Rule Chapter 61G10-11.010 (2)**:
"All plans, specifications or reports, including all permit documents, prepared or issued by the registered landscape architect and filed for public record shall be signed by the registered landscape architect, dated and stamped with his seal."

26.2 Key Sheet

The key sheet is the first sheet in the component plans set and shall be prepared as described in **Chapter 3**. The location map, length of project box and contract plans set information are not required if shown on the lead key sheet. The index of landscape plans shall be shown on the left of the sheet. The date of the governing **Standard**

Specifications for Road and Bridge Construction and Roadway and Traffic Design Standards shall be inserted in a note below the Index of Landscape Plans. Other data, including name, consultant contract number and vendor number of the firm (when plans are prepared by a consultant) shall be shown as described in **Chapter 3**.

26.3 Tabulation of Quantities

The tabulation of quantities sheet shall be prepared on a standard plan format and shall show all pay items, the breakdown of plants or materials within each pay item as applicable, the quantities of each, and the total quantities for all pay items. Pay items shall be listed in numerical order. Plant quantities may be tabulated by sheet either on this or on a separate sheet of "Quantities by Sheet".

Notes referring to specific pay items should be shown on this sheet. Notes of a more general nature may be shown on this sheet or on the details sheet.

The tabulation of quantities sheet or a similar sheet should also be utilized to tabulate the materials required for the construction of irrigation systems.

On contracts with multiple Financial Project ID's or federal aid and non-federal aid quantities, provisions shall be made to tabulate and summarize their respective quantities.

26.4 Details Sheet

This sheet shall show all details which are applicable to the project. General notes and additional landscape and/or irrigation detail drawings may also be shown on this sheet.

26.5 Planting and Irrigation Plan Sheets

26.5.1 Format and Scale

Plan sheets shall be prepared on a standard plan sheet format. The scale shall be such that all details are clear and legible. However, the scale shall not be smaller than 1" = 100'. For simple projects, or narrow sections of a project, it may be possible to "stack" two plans on one sheet, one below the other. Stationing shall progress from left to right and top to bottom. Clarity and legibility shall be preserved in all cases.

A north arrow and graphic scale shall be shown, as applicable, at a point of maximum visibility on the sheet. If two plans are "stacked" on one sheet, each plan portion shall contain a north arrow and scale.

26.5.2 Requirements for Planting Plan Sheets

The base information required is as follows:

- Project Centerline
- Edge of Pavement (edge of traffic lanes)
- Curbs or Curb and Gutter
- Drainage Structures
- Guardrails
- Right of way and/or Limited Access Fence Line
- Sidewalks or other planned or existing structures
- Lighting, signs and signal poles
- Intersections and driveways
- Overhead and Underground Utility Locations
- Clear Zone/Horizontal Clearance (should be plotted or safety setback distances noted frequently on each plan sheet)
- Vegetation Management Zones for permitted outdoor advertising signs
- Canopy limits and location of existing vegetation
- Limits of clear sight (**Index No. 546** of the *Roadway and Traffic Design Standards*)

All plants shall be located on the plans, with the following information provided in the plant schedule:

- Common name
- Botanical name, including variety or cultivar
- Quantity
- Size when installed (height, spread, container size, clear trunk, multi-trunk, caliper, etc.)
- Maximum maintained or typical mature height, spread and trunk diameter (6 inches above the ground) of normal mature specimens

26.5.3 Requirements for Irrigation Plan Sheets

These sheets shall be prepared using the planting plan sheets (devoid of unnecessary text and labeling) and shall contain all details and information pertaining to the irrigation system

Chapter 27

UTILITY JOINT PARTICIPATION AGREEMENT PLANS

27.1 General	27-1
27.2 Key Sheet	27-2
27.3 Tabulation of Quantities	27-2
27.4 Plan Sheets	27-2

Chapter 27

UTILITY JOINT PARTICIPATION AGREEMENT PLANS

27.1 General

Most utility adjustment work is performed by the utility owners or their contractor. In some cases it is advantageous to the FDOT and Utility to include the utility work as part of the roadway contract. In such cases the FDOT will enter into an agreement with a Utility for this purpose. These agreements are called Joint Participation Agreements or JPA's. The highway contractor is required to construct or relocate the specified utilities in accordance with the plans and special provisions developed by the Utility and incorporated as part of the bid package. More than one utility plans set may be included. For example, the contract plans may include separate plans for a gas utility and a water utility. It is also possible for the utilities to combine their individual facilities into one plans set and supply them to the FDOT. It is essential that the Engineer of Record (EOR) be aware which method is to be used. This is necessary because reimbursable costs and quantities must be separated and identified in each utility project.

Occasionally utility work may extend outside the normal construction limits of the project. When this is the case the limits of the utility work shall be shown or noted on the plans.

For JPA's, the utility plans shall be prepared in the same basic format as FDOT plans and as a separate plans set. The plans shall contain the following:

- Key Sheet
- Tabulation of Quantities
- Plan-Profile Sheets
- Cross Sections (as required)
- Detail Sheets (as required)

The plans shall also reflect any special technical or relocation agreement provisions. In some cases it may not be practical or reasonable to develop separate plans sets for incidental construction under a JPA. The EOR should consult with the District Utility Engineer to determine the requirements in these cases. For further guidance, the FDOT's *Utility User's Handbook* and the *JPA Handbook* should be used.

27.2 Key Sheet

The key sheet, which shall be the first sheet in the set, shall be prepared on a standard key sheet format as described in **Chapter 3** of this volume. Contract plans set information, location map and length of project box are not required if shown on the lead key sheet (usually roadway). An index of plan sheets shall be shown on the left side of the utility plans key sheet. The date of the governing **Standard Specifications for Road and Bridge Construction** and **Roadway and Traffic Design Standards** shall be inserted in a note at the lower left corner of the key sheet.

In the Financial Project ID, the phase number 56 indicates reimbursable work, and 52 indicates non-reimbursable work. All other data shall be as described in **Chapter 3** of this volume.

27.3 Tabulation of Quantities

The tabulation of quantities sheet shall be prepared in standard FDOT format and should show any quantities tabulated for location, size, quantity, etc. Standard notes referring to item numbers shall also be shown on this sheet or on plan sheets.

Summary of pay item sheets will be prepared as noted in **Chapter 4**.

27.4 Plan Sheets

Utility plans shall show full construction details for all utilities to be relocated or constructed by the contractor as covered by the JPA Agreement. A plan-profile sheet format should be utilized where appropriate. All underground utilities shall be shown in the plan portion, and those which equal or exceed 4" shall also be shown in the profile portion. All above ground Utilities shall be shown in the plan portion (inclusive of underground connections).

When the construction limits are restricted such as when a power line is above and near a sanitary or water facility, either the facility (overhead lines) must be identified and shown in profile, or the minimum available vertical clearances, along with the type facility, stated on the plans. Applicable project information shall be shown similar to that described in **Chapter 10**. Utilities to be relocated or constructed shall be shown in plan and profile and in accordance with the FDOT Engineering/CADD Systems Software. When practical, the scale used should be the same as that used for the roadway plan-profile sheets.

COMPONENTS OF CONTRACT PLANS SET

- ROADWAY PLANS
- SIGNING AND PAVEMENT MARKING PLANS
- SIGNALIZATION PLANS
- LANDSCAPE PLANS
- ARCHITECTURAL PLANS
- STRUCTURE PLANS

EXAMPLE ONLY: CONTRACT PLANS SET
MAY NOT CONTAIN ALL OF THE
LISTED COMPONENTS/SHEETS

A DETAILED INDEX APPEARS ON THE
KEY SHEET OF EACH COMPONENT

INDEX OF ROADWAY PLANS

SHEET NO	SHEET DESCRIPTION
1	KEY SHEET
2	SUMMARY OF PAY ITEMS
3	DRAINAGE MAP
4	TYPICAL SECTIONS
5	TYPICAL SECTION DETAILS
6	SUMMARY OF QUANTITIES
8 - 14	BOX CULVERT DATA SHEETS
15	SUMMARY OF DRAINAGE STRUCTURES
16	PROJECT LAYOUT
17	ROADWAY PLAN-PROFILES
18 - 22	SPECIAL PROFILES
23 - 24	INTERSECTION LAYOUT/DETAIL
25	DRAINAGE STRUCTURES
26 - 32	LATERAL DITCH PLAN-PROFILES
33	LATERAL DITCH CROSS SECTIONS
34	SPECIAL DETAILS
35	ROADWAY SOIL SURVEY
36	CROSS SECTIONS
37	TRAFFIC CONTROL PLANS
48	UTILITY ADJUSTMENTS
53	SELECTIVE CLEARING AND GRUBBING
54	
55	
56	

GOVERNING STANDARDS AND SPECIFICATIONS
FLORIDA DEPARTMENT OF TRANSPORTATION
ROADWAY AND TRAFFIC DESIGN STANDARDS
REVISED JANUARY, ... AND
STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE
CONSTRUCTION DATED
AS AMENDED BY CONTRACT DOCUMENTS

REVISIONS

- FINANCIAL PROJECT ID 000001-52 01
- Roadway Sheets 1, 6, 7 & 13 (Revised 3-30-86)
- Signing & Pavement Marking Sheets 5, 2 & 3 (Revised 3-30-86)
- Plan Stationing Sheets 1, 1 & 12 (Revised 11-30-86)
- Roadway Sheets 14 & 35 (Revised 3-31-97)
- Summary of Pay Items (Revised 3-31-97)



FINANCIAL PROJECT ID 000001-52 04

- Roadway Sheets 1, 8 & 10 (Revised 3-31-97)
- Structure Sheets 8, 1 & C, 1 thru C, 10 (Revised 11-30-97)

**STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION**

CONTRACT PLANS

FINANCIAL PROJECT ID 000001-52-01
(FEDERAL FUNDS)
BAY COUNTY (460001)
STATE ROAD NO. 220



ROADWAY SHOP DRAWINGS
TO BE SUBMITTED TO

NAME(S) AND ADDRESS(ES) OF
ENGINEER(S) RESPONSIBLE FOR REVIEW
OF SHOP DRAWINGS WHEN REQUIRED

PLANS PREPARED BY

NAME ADDRESS CONTRACT NUMBER AND
VENDOR NUMBER OF THE CONSULTANT FIRM
WHEN THE PLANS ARE PREPARED BY
A CONSULTANT

NOTE THIS PROJECT TO BE LET TO CONTRACT
WITH FINANCIAL PROJECT ID 000001-52 04
NOTE THE SCALE OF THESE PLANS MAY
HAVE CHANGED DUE TO REPRODUCTION

LENGTH OF PROJECT

	LINE FT	MILES
ROADWAY	63,677.10	12.060
BRIDGES	329.42	0.062
EXCEPTIONS	64,006.52	12.122
GROSS LENGTH OF PROJ	64,006.52	12.122

KEY SHEET REVISIONS

DATE	BY	REVISIONS
3-95	JEM	Revised location of contract phone

ROADWAY PLANS
ENGINEER OF RECORD:

P-E NO

EXHIBIT KS-1
Date 1/11/00

FISCAL SHEET
YEAR NO

COMPONENTS OF CONTRACT PLANS SET

- ROADWAY PLANS
- SIGNING AND PAVEMENT MARKING PLANS
- SIGNALIZATION PLANS
- LIGHTING PLANS
- LANDSCAPE PLANS
- ARCHITECTURAL PLANS
- STRUCTURE PLANS

EXAMPLE ONLY: CONTRACT PLANS SET
MAY NOT CONTAIN ALL OF THE
LISTED COMPONENTS/SHEETS




A DETAILED INDEX APPEARS ON THE
KEY SHEET OF EACH COMPONENT

INDEX OF ROADWAY PLANS

SHEET NO	SHEET DESCRIPTION
1	KEY SHEET
2 - 2A	SUMMARY OF PAY ITEMS
3	DRAINAGE MAP
4 - 5	TYPICAL SECTIONS
6	TYPICAL SECTION DETAILS
7	SUMMARY OF QUANTITIES
8 - 14	BOX CULVERT DATA SHEETS
15 - 16	SUMMARY OF DRAINAGE STRUCTURES
17	PROJECT LAYOUT
18 - 22	ROADWAY PLAN-PROFILES
23 - 24	SPECIAL PROFILES
25	INTERSECTION LAYOUT/DETAIL
26 - 32	DRAINAGE STRUCTURES
33	LATERAL DITCH PLAN-PROFILES
34	LATERAL DITCH CROSS SECTIONS
35	SPECIAL DETAILS
36	ROADWAY SOIL SURVEY
37 - 47	CROSS SECTIONS
48 - 52	TRAFFIC CONTROL PLANS
53 - 57	UTILITY ADJUSTMENTS
58 - 62	SELECTIVE CLEANING AND GRUBBING

**STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
CONTRACT PLANS**

FINANCIAL PROJECT ID 000001-1-52-01
STATE PROJECT NO. 46001-3502
(FEDERAL FUNDS)
BAY COUNTY
STATE ROAD NO. 220



ROADWAY SHOP DRAWINGS
TO BE SUBMITTED TO:

NAME(S) AND ADDRESS(ES) OF
ENGINEER(S) RESPONSIBLE FOR REVIEW
OF SHOP DRAWINGS WHEN REQUIRED

PLANS PREPARED BY:

NAME ADDRESS CONTRACT NUMBER AND
VENDOR NUMBER OF THE CONSULTANT FIRM
WHEN THE PLANS ARE PREPARED BY
A CONSULTANT

NOTE THIS PROJECT TO BE LET TO CONTRACT
WITH FINANCIAL PROJECT ID 00000-1-52-04
NOTE: THE SCALE OF THESE PLANS MAY
HAVE CHANGED DUE TO REPRODUCTION

LENGTH OF PROJECT

	LINE FT	MILES
ROADWAY	63,677.10	121.650
BRIDGES	329.42	0.062
NET LENGTH OF PROJ	64,006.52	121.712
EXCEPTIONS		
GROSS LENGTH OF PROJ	64,006.52	121.712

KEY SHEET REVISIONS

DATE	BY	DESCRIPTION
3-96	JRM	Revised sequence of contract plans

REVISIONS
FINANCIAL PROJECT ID 000001-1-52-01
Roadway Sheets 1, 6, 7 & 13 (Revised 3, 30, 96)
Signing & Pavement Marking Sheets 5-2 & 5-3 (Revised 3-30-96)
Signalization Sheets T 1 & T-2 (Revised 11, 30, 96)
Roadway Sheets H & 31 (Revised 3-30-97)
Summary of Pay Items (Revised 3, 31, 97)

FINANCIAL PROJECT ID 000001-1-52-04
Roadway Sheets 1, 6 & 10 (Revised 3, 31, 97)
Structure Sheets B 1 & C 1 thru C-10 (Revised 11, 30, 97)

FDOT PROJECT MANAGER

ROADWAY PLANS
ENGINEER OF RECORD

P-E NO

FISCAL YEAR	
SHEET NO	

EXHIBIT **KS-2**
Date 1/1/00

99000 3011

A S L P T C	ITEM NUMBER	SUMMARY OF BRIDGE	PAY ITEMS		QUANTITY TOTAL
			UH FA NON PART	UH FA NON PART	
1	110 3	CONCRETE REMOVAL OF EXISTING	LS	1 000	000
2	400 7	BRIDGE FLOOR GROOVING	LS	2839 000	2839 000
3	400 14B	TRAFFIC RAILING (F81) (BARRIER)	LF	2454 000	2454 000
4	415 1	REINFORCING STEEL (SUPERSTRUCTURE)	LB	427932 000	427932 000
5	415 2	CONCRETE (SUPERSTRUCTURE)	LC	4885 000	4885 000
6	455 3	PILING DRIVEN (PRESTRESSED CONCRETE (118 50))	LF	5512 000	5512 000
7	455 4	PILE W/ PREFORMED (118 1)	EA	8 000	8 000
8	455 17	PILE W/ PREFORMED (118 1)	EA	8 000	8 000
9	455 85 11	PILE EXTRACTION (0 50 PENETRATION) (18 50))	EA	4 000	4 000
10	455 115	PILE REDRIVE	EA	4 000	4 000
11	455 140	TEST PILES (PNEUMATIC)	EA	138 000	138 000
12	455 141	TEST PILES DRIVEN	EA	1287 000	1287 000
13	530 3	RIPRAP (RUBBLE)	TH	2834 000	2834 000
14	530 4	CONCRETE CLASS II	EA	1088 000	1088 000
15	400 4	CONCRETE CLASS IV	EA	319 000	319 000
16	400 5	CONCRETE CLASS IV (SUBSTRUCTURE)	EA	319 000	319 000

NOTE IDENTIFIES ITEMS NORMALLY REQUIRING SHOP DRAWINGS CONTRACTOR SHALL DETERMINE OTHER ITEMS REQUIRING SHOP DRAWINGS

99000 3011

A S L P T C	ITEM NUMBER	SUMMARY OF ROADWAY	PAY ITEMS		QUANTITY TOTAL
			UH FA NON PART	UH FA NON PART	
1	101 1	MOBILIZATION	LS	1 000	1 000
2	102 1	PAVING TRAFFIC	LS	1 000	1 000
3	102 2	SPECIAL DETOUR	LS	1 000	1 000
4	102 70 11	BARRIER WALL (TEMP) (F81) (STANDARD) (CONCRETE)	LF	3871 000	3871 000
5	102 70 21	BARRIER WALL (TEMP) (RELISTANDARD) (CONCRETE)	LF	3871 000	3871 000
6	102 70 31	CONCRETE (TEMP) (TYPES 1 11 W 8 DRUM)	EA	71000 000	71000 000
7	102 60	WORK ZONE SIGNS	EA	71610 000	71610 000
8	102 76	PANELS ARROW ADVANCE WARNING	EA	2604 000	2604 000
9	102 79	LIGHTS (TEMP BARR WALL) (QUANTITY TYPE C STEADY BURN) (ED)	EA	25068 000	25068 000
10	102 81	IMPACT ATTEN VEHIC (TEMP) (GREAT C2)	EA	2 000	2 000
11	102 85 1	MAT OR STRAW BALED	EA	5 000	5 000
12	110 7	MATERIAL (TYPE 111)	EA	2988 000	2988 000
13	120 1	EXCAVATION REGULAR	EA	8395 000	8395 000
14	120 4	STABILIZATION TYPE B	EA	35340 000	35340 000
15	120 5	BASE GROUP (M)	EA	10308 000	10308 000
16	285 715	BASE OPTIONAL	EA	53075 000	53075 000
17	300 3	BITUMINOUS MATERIAL (TACK COAT)	EA	3182 000	3182 000
18	317 70 40	MILLING EXISTING ASPHALT PAVT (1 1/2 AVG DEPTH) (57)	EA	348792 000	348792 000
19	317 70 40	MILLING EXISTING ASPHALT PAVT (1 1/2 AVG DEPTH) (57)	EA	3182 000	3182 000
20	317 5	ASPH CONC FRICT COURSE (INC RUBBER) (60/87/57 FC 2)	EA	40201 000	40201 000
21	319 1	ASPHALT PAVEMENT MISCELLANEOUS	EA	94 000	94 000
22	325 1	CONCRETE (PARTIAL)	EA	8 000	8 000
23	425 1	INLET (OT BOT) (TYPE 0)	EA	4 000	4 000
24	425 1	INLET (OT BOT) (TYPE 0)	EA	34 000	34 000
25	425 1	INLET (OT BOT) (TYPE 0)	EA	182 000	182 000
26	425 1	INLET (OT BOT) (TYPE 0)	EA	303 000	303 000
27	430 171 25	PIPE STORM SEWER CULV (OPTIONAL MATERIAL) (15 0)	LF	141 000	141 000
28	430 171 25	PIPE STORM SEWER CULV (OPTIONAL MATERIAL) (18 1)	LF	339 000	339 000
29	430 171 25	PIPE STORM SEWER CULV (OPTIONAL MATERIAL) (24 1)	LF	448 000	448 000
30	430 171 38	PIPE STORM SEWER CULV (OPTIONAL MATERIAL) (36 1)	LF	270 000	270 000
31	430 171 40	PIPE STORM SEWER CULV (OPTIONAL MATERIAL) (42 1)	LF	122 000	122 000
32	430 172 33	PIPE CROSS DRAIN CULV (OPTIONAL MATERIAL) (30 1)	LF	350 000	350 000
33	524 1	DITCH PAVEMENT CONCRETE (4 THICK)	EA	560 000	560 000
34	524 2	GUARDRAIL (ROUNDED)	EA	5906 000	5906 000
35	524 3	GUARDRAIL (RECTANGULAR)	EA	492 000	492 000
36	536 1	ANCHORAGE ASSEMBLY TYPE II	EA	250436 000	250436 000
37	536 5	ANCHORAGE ASSEMBLY TYPE MELT	EA	4 000	4 000
38	570 2	SEEDING AND MULCHING (PERMANENT TYPE)	EA	191 100	191 100
39	570 4	MULCH MATERIAL	EA	22 000	22 000
40	570 5	FERTILIZER	EA	309 000	309 000
41	570 6	WATER FOR GRASSING	EA	309 000	309 000
42	575 1	SOODING	EA	30856 000	30856 000
43	575 3	SOODING	EA	35 791	35 791
44	710 21	TRAFFIC STRIPE SKIP (WHITE) (BLACK/BLUE) (6 1)	EA	71 582	71 582

EXHIBIT SPI-1
Date 1/1/00
SHEET 1 of 2

STATE OF FLORIDA		DEPARTMENT OF TRANSPORTATION	
ROAD NO	COUNTY	FINANCIAL PROJECT ID	
SUMMARY OF PAY ITEMS			
DATE	DESCRIPTION	DATE	BY
REVISIONS			
DESCRIPTION	DATE	BY	DESCRIPTION

99000 3011

SUMMARY OF ROADWAY		CONTRACT ITEMS CONTINUED		QUANTITY	
ITEM NUMBER	ITEM	UNIT	PAID	TOTAL	TOTAL
1 710 29	REFLECTIVE PAINT (ISLAND NOSE)(WHITE)	SY	3245 000		3245 000

NOTE IDENTITIES ITEMS NORMALLY REQUIRING SHOP DRAWINGS CONTRACTOR SHALL DETERMINE OTHER ITEMS REQUIRING SHOP DRAWINGS

99000 3011

SUMMARY OF SIGNING		PAY ITEMS		QUANTITY	
ITEM NUMBER	ITEM	UNIT	PAID	TOTAL	TOTAL
1 700 40	1 SIGN SINGLE POST	EA	159 000		159 000
1 700 41	1 SIGN DOUBLE POST	EA	11 000		11 000
1 700 42	1 SIGN MOUNT POST	EA	15 000		15 000
1 700 46	1 SIGN EXISTING (REMOVAL)	EA	152 000		152 000
1 700 46 12	1 SIGN EXISTING (REMOVAL) (MULTI POST)	EA	6 000		6 000
1 706 1	1 SIGN MOUNT SIGN UNIT	EA	88 000		88 000
1 711 3	1 PAVEMENT MESSAGE (ELECTRO LUMINOUS)	EA	2456 000		2456 000
1 711 4	1 DIRECTIONAL ARROW (THERMOPLASTIC)	EA	45 000		45 000
1 711 5	1 DIRECTIONAL ARROW (THERMOPLASTIC) (WHITE)	EA	15 653		15 653
3 711 25 241	TRAFFIC STRIPE SOLID(THERMOPLASTIC WHITE) (24 1)	LF	3186 000		3186 000
3 711 27 51	TRAFFIC STRIPE SOLID(THERMOPLASTIC WHITE) (6 1)	LF	1335 000		1335 000
			22 096		22 096

NOTE IDENTITIES ITEMS NORMALLY REQUIRING SHOP DRAWINGS CONTRACTOR SHALL DETERMINE OTHER ITEMS REQUIRING SHOP DRAWINGS

EXHIBIT SPI-2
Date 11/1/00
SHEET 2 of 2

STATE OF FLORIDA		DEPARTMENT OF TRANSPORTATION		FINANCIAL PROJECT ID	
ROAD NO	COUNTY				
SUMMARY OF PAY ITEMS					
SHEET NO					


REVISIONS		DATE	BY	DESCRIPTION

DATE TIME NAME ADDRESS/CITY/STATE/ZIP


2-LANE (2-WAY)
ARTERIAL/COLLECTOR
NEW CONSTRUCTION
RURAL
WITH DESIGNATED OR
UNDESIGNATED BIKE LANE
DESIGN SPEED 55 MPH
OR GREATER
WITH PROTECTED
20 YR AADT OF 1500
OR GREATER

DESIGNATED BIKE LANES SHALL BE LABELED
ON TYPICAL UNDESIGNATED BIKE LANES
SHOULD NOT BE LABELED ON TYPICAL

NOTE
HEIGHT OF FILL IS THE VERTICAL DISTANCE
FROM THE EDGE OF THE OUTSIDE TRAVEL LANE
TO TOE OF FRONT SLOPE



SHOULDER PAVEMENT DETAIL
EXHIBIT TYP-1
Date 1/1/00



TYPICAL SECTION
SR 10 (U.S. 90-A)
STA. 10+00.00 TO STA. 267+34.89

TRAFFIC DATA
CURRENT YEAR = 1998 AADT = 6800
ESTIMATED OPENING YEAR = 2000 AADT = 7600
ESTIMATED DESIGN YEAR = 2020 AADT = 15000
K = 6 / D = 55 / T = 2 / (24 HOUR)
DESIGN HOUR T = 1 /
DESIGN SPEED = 45 MPH

NEW CONSTRUCTION

OPTIONAL BASE GROUP B WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC C) (200 LBS/SY)
AND FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

SHOULDER PAVEMENT

OPTIONAL BASE GROUP I WITH
FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

TRAFFIC DATA IS REQUIRED TO BE NOTED FOR
CURRENT YEAR OPENING YEAR AND DESIGN YEAR
POSTED SPEED (MPH) IS OPTIONAL


FOR STANDARD TYPICAL SECTION NOTES
REFER TO EXHIBIT 6-1, THIS CHAPTER

REVISIONS		DATE	BY	DESCRIPTION

STATES OF FLORIDA	
DEPARTMENT OF TRANSPORTATION	
ROAD NO.	FINANCIAL PROJECT ID

TYPICAL SECTION	
SHEET NO.	

4 LANE
ARTERIAL/COLLECTOR
NEW CONSTRUCTION
DIVIDED
RURAL
WITH DESIGNATED OR
UNDESIGNATED BIKE LANE
WITH PROJECTED
20 YR AADT OF 1500
OR GREATER
DESIGN SPEED GREATER
THAN 50 MPH



THE AREA DISTURBED BY
CONSTRUCTION VARIES

NOTE
HEIGHT OF FILL IS THE VERTICAL DISTANCE
FROM THE EDGE OF THE OUTSIDE TRAVEL LANE
TO TOE OF FRONT SLOPE

OPTIONAL BASE GROUP 9 WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC DI (350 LBS/SY)
AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)

OPTIONAL BASE GROUP 1 WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC DI (50 LBS/SY)
AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)

TRAFFIC DATA

CURRENT YEAR = 1998 AADT = 22300
ESTIMATED OPENING YEAR = 2000 AADT = 23300
ESTIMATED DESIGN YEAR = 2020 AADT = 51500
K = 9/ D = 56/ T = 10/ (24 HOUR)
DESIGN HOUR T = 5/
DESIGN SPEED = 70 MPH

**TYPICAL SECTION
SR 500**

STA. 63+65.42 TO STA. 328+65.14

NEW CONSTRUCTION

OPTIONAL BASE GROUP 9 WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC DI (350 LBS/SY)
AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)


SHOULDER PAVEMENT

OPTIONAL BASE GROUP 1 WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC DI (50 LBS/SY)
AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)

DESIGNATED BIKE LANES SHALL BE LABELED
ON TYPICAL UNDESIGNATED BIKE LANES
SHOULD NOT BE LABELED ON TYPICAL

TRAFFIC DATA IS REQUIRED TO BE
NOTED FOR CURRENT YEAR
OPENING YEAR, AND DESIGN YEAR
POSTED SPEED (MPH) IS OPTIONAL

FOR STANDARD TYPICAL SECTION NOTES
REFER TO EXHIBIT 6-1 THIS CHAPTER



AT THE CONTRACTOR'S OPTION
THIS AREA MAY BE CONSTRUCTED
OF OPTIONAL BASE MATERIAL
AT NO ADDITIONAL COMPENSATION

SHOULDER PAVEMENT DETAIL

EXHIBIT TYP-2
Date 1/1/00

DATE	BY	DESCRIPTION	REVISIONS

STATE OF FLORIDA	DEPARTMENT OF TRANSPORTATION
ROAD NO.	COUNTY
FINANCIAL PROJECT ID	


TYPICAL SECTION

SHEET NO

5-LANE ARTERIAL/COLLECTOR NEW CONSTRUCTION UNDIVIDED URBAN WITH DESIGNATED OR UNDESIGNATED BIKE LANE MINIMUM RIGHT OF WAY DESIGN SPEED 40 MPH OR LESS WITH PROJECTED 20 YR AADT OF 1500 OR GREATER

5-LANE SECTIONS ARE TO INCLUDE SECTIONS OF RAISED OR RESTRICTIVE MEDIUM SEE PPM TABLE 2.2.1

DESIGNATED BIKE LANES SHALL BE LABELED ON TYPICAL UNDESIGNATED BIKE LANES SHOULD NOT BE LABELED ON TYPICAL



** IF LIMITS OF CONSTRUCTION EXCEEDS RIGHT OF WAY, A PROPERTY AGREEMENT IS REQUIRED

* SEED AND MULCH SOD OR SEED

FOR STANDARD TYPICAL SECTION NOTES REFER TO EXHIBIT 6-1, THIS CHAPTER

EXHIBIT TYP-3
Date 1/11/00

TYPICAL SECTION
SR 00 (DUVAL STREET)
STA. 252+12.00 TO STA. 323+19.42

NEW CONSTRUCTION

OPTIONAL BASE GROUP 8 WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC B) (150 LBS/SY)
AND FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

TRAFFIC DATA

CURRENT YEAR = 1998 AADT = 9800
ESTIMATED OPENING YEAR = 2000 AADT = 10600
ESTIMATED DESIGN YEAR = 2020 AADT = 14000
K = 6 / D = 35 / T = 2 / (24 HOURS)
DESIGN HOUR T = 1 /
DESIGN SPEED = 45 MPH

TRAFFIC DATA IS REQUIRED TO BE NOTED FOR CURRENT YEAR OPENING YEAR AND DESIGN YEAR POSTED SPEED (MPH) IS OPTIONAL

DATE	BY	DESCRIPTION	REVISIONS

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO. _____ COUNTY _____ FINANCIAL PROJECT ID _____

TYPICAL SECTION

SHEET NO

5-LANE ARTERIAL/COLLECTOR NEW CONSTRUCTION UNDIVIDED URBAN WITH DESIGNATED OR UNDESIGNATED BIKE LANE DESIGN SPEED 40 MPH OR LESS WITH PROJECTED 20 YR AADT OF 1500 OR GREATER

** IF LIMITS OF CONSTRUCTION EXCEEDS RIGHT OF WAY, A PROPERTY AGREEMENT IS REQUIRED

* SEED SEED AND MULCH SOD OR SEED SOD

FOR STANDARD TYPICAL SECTION NOTES REFER TO EXHIBIT 6-1 THIS CHAPTER


EXHIBIT TYP-4
Date 1/1/00

SHEET NO

TYPICAL SECTION

5-LANE SECTIONS ARE TO INCLUDE SECTIONS OF RAISED OR RESTRICTIVE MEDIUM SEE PPM TABLE 2.2.1

DESIGNATED BIKE LANES SHALL BE LABELED ON TYPICAL UNDESIGNATED BIKE LANES SHOULD NOT BE LABELED ON TYPICAL



TYPICAL SECTION
SR 00 (MATTHEWS STREET)
STA. 202+42.00 TO STA. 263+29.68
NEW CONSTRUCTION

OPTIONAL BASE GROUP 8 WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC BI (150 LBS/SY)
AND FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

TRAFFIC DATA
CURRENT YEAR = 1998 AADT = 20819
ESTIMATED OPENING YEAR = 2003 AADT = 24000
ESTIMATED DESIGN YEAR = 2023 AADT = 24000
K = 9 / 0 = 60 / 2 = 2 / 124 HOUR
DESIGN HOUR T = 2 /
DESIGN SPEED = 40 MPH

TRAFFIC DATA IS REQUIRED TO BE NOTED FOR CURRENT YEAR OPENING YEAR AND DESIGN YEAR POSTED SPEED (MPH) IS OPTIONAL

REVISIONS		DATE	BY	DESCRIPTION

STATE OF FLORIDA	ROAD NO	FINANCIAL PROJECT ID
DEPARTMENT OF TRANSPORTATION	COUNTY	

4-LANE
ARTERIAL
NEW CONSTRUCTION
DIVIDED
URBAN
WITH DESIGNATED OR
UNDESIGNATED BIKE LANE
DESIGN SPEED 45 MPH OR LESS

** IF LIMITS OF CONSTRUCTION
EXCEED RIGHT OF WAY A
PROPERTY AGREEMENT IS REQUIRED


* SEED
SEED AND MULCH
SOD OR SEED
SOD

FOR STANDARD TYPICAL SECTION NOTES
REFER TO EXHIBIT 6-1 THIS CHAPTER

EXHIBIT TYP-5
Date 1/1/00

SHEET
NO

TYPICAL SECTION



TYPICAL SECTION

SR 00 (WILSON STREET)
STA. 98+40.00 TO STA. 202+33.00

NEW CONSTRUCTION

OPTIONAL BASE GROUP 9 WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC B) (150 LBS/SY)
AND FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

TRAFFIC DATA

CURRENT YEAR = 1998 ADOT = 22800
ESTIMATED OPENING YEAR = 2000 ADOT = 25800
ESTIMATED DESIGN YEAR = 2020 ADOT = 30600
K = 6 / D = 55 / T = 27 (24 HOUR)
DESIGN HOUR T = 1/
DESIGN SPEED = 45 MPH

TRAFFIC DATA IS REQUIRED TO BE
NOTED FOR CURRENT YEAR, OPENING
YEAR AND DESIGN YEAR. IS OPTIONAL
POSTED SPEED (MPH) IS OPTIONAL

REVISIONS		DESCRIPTION	
DATE	BY	DESCRIPTION	DATE


STATE OF FLORIDA	DEPARTMENT OF TRANSPORTATION
ROAD NO	FINANCIAL PROJECT ID
COUNTY	

*****STANDARD DRAWING NO. 222 *****ADOT PROJECT FILE NO. *****

6-LANE
ARTERIAL
NEW CONSTRUCTION
DIVIDED
URBAN
WITH DESIGNATED OR
UNDESIGNATED BIKE LANE
DESIGN SPEED 45 MPH OR LESS

** IF LIMITS OF CONSTRUCTION
EXCEED RIGHT OF WAY A
PROPERTY AGREEMENT IS REQUIRED

DESIGNATED BIKE LANES SHALL BE LABELED
ON TYPICAL UNDESIGNATED BIKE LANES
SHOULD NOT BE LABELED ON TYPICAL



TYPICAL SECTION
SR 00 (JACKSON STREET)
STA. 101+21.00 TO STA. 221+44.00

NEW CONSTRUCTION

OPTIONAL BASE GROUP 9 WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC C) (200 LBS/SY)
AND FRICTION COURSE FC-5 (160 LBS/SY) (RUBBER)

TRAFFIC DATA

CURRENT YEAR = 1998 AADT = 22800
ESTIMATED OPENING YEAR = 2000 AADT = 25000
ESTIMATED DESIGN YEAR = 2020 AADT = 30600
K = 67 D = 55 T = 27 (24 HOUR)
DESIGN HOUR T = 1/
DESIGN SPEED = 45 MPH

TRAFFIC DATA IS REQUIRED TO BE
NOTED FOR CURRENT YEAR, OPENING
YEAR AND DESIGN YEAR

* SEED AND MULCH,
SOD OR SEED
SOD

FOR STANDARD TYPICAL SECTION NOTES
REFER TO EXHIBIT 6-1 THIS CHAPTER

EXHIBIT TYP-6
Date 1/11/00

REVISIONS		DESCRIPTION		DATE	
NO.	BY	DESCRIPTION	DATE	BY	DATE

STATES OF FLORIDA		DEPARTMENT OF TRANSPORTATION	
ROAD NO.	COUNTY	FINANCIAL PROJECT ID	

TYPICAL SECTION


SHEET NO

DESIGNATED BIKE LANES SHALL BE LABELED ON TYPICAL, UNDESIGNATED BIKE LANES SHOULD NOT BE LABELED ON TYPICAL

EXISTING 2-LANE (2-WAY) ARTERIAL/COLLECTOR MILLING AND RESURFACING NO CROSS SLOPE CORRECTION REQUIRED UNDIVIDED RURAL (WITH DESIGNATED OR UNDESIGNATED BIKE LANE EXISTING) WITH PROJECTED 20 YR AADT OF 1500 OR GREATER

SOME PROJECTS MAY REQUIRE SHOULDER WORK WHEN REQUIRED THIS SHOULD BE IDENTIFIED ON THE TYPICAL SECTION SHEET

FOR STANDARD TYPICAL SECTION NOTES REFER TO EXHIBIT 6-1 THIS CHAPTER



TYPICAL SECTION

SR 00

STA. 10+53.00 TO STA. 130+77.00
STA. 206+82.28 TO STA. 368+41.21

TRAFFIC DATA
STA. 10+53.00 TO STA. 130+77.00
CURRENT YEAR = 1998 AADT = 9670
ESTIMATED OPENING YEAR = 2000 AADT = 11900
ESTIMATED DESIGN YEAR = 2010 AADT = 20200
K = 10 / D = 60 / T = 77 (24 HOUR)
DESIGN HOUR T = 3 /
DESIGN SPEED = 55 MPH

MILL EXISTING ASPHALT PAVEMENT (2 AVG DEPTH)

RESURFACING

TYPE SP STRUCTURAL COURSE (TRAFFIC BI (200 LBS/SY) AND FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

SHOULDER PAVEMENT RESURFACING

FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

SHOULDER PAVEMENT DETAIL




EXHIBIT TYP-7
Date 1/1/00

REVISIONS		STATE OF FLORIDA	
DATE	BY	DESCRIPTION	FINANCIAL PROJECT ID

ROAD NO.	COUNTY

DEPARTMENT OF TRANSPORTATION

--

--

--

--

TYPICAL SECTION

SHEET NO

EXISTING
2 LANE (2-WAY)
ARTERIAL/COLLECTOR
WIDENING
MILLING AND RESURFACING
UNDIVIDED
RURAL
CONST. 5' SHOULDER
PAVEMENT OR BIKE LANE
WITH PROJECTED 20 YR
AADT OF 1500 OR GREATER
DESIGN SPEED GREATER
THAN 50 MPH

THE AREA DISTURBED BY CONSTRUCTION VARIES

NOTE
HEIGHT OF FILL IS THE VERTICAL DISTANCE
FROM THE EDGE OF THE OUTSIDE TRAVEL LANE
TO TOE OF FRONT SLOPE


FOR STANDARD TYPICAL SECTION NOTES
REFER TO EXHIBIT 6-1 THIS CHAPTER

* SEE SHEET 2 OF 2 FOR WIDENING
AND SHOULDER PAVEMENT DETAIL

EXHIBIT TYP-8
Date 1/1/00

SHEET 1 OF 2

TYPICAL SECTION



TYPICAL SECTION
SR 000

STA. 20+25.00 TO STA. 48+16.56
STA. 57+82.78 TO STA. 93+41.21

TRAFFIC DATA
STA. 20+25.00 TO STA. 48+16.56
CURRENT YEAR = 1998 AADT = 8700
ESTIMATED OPENING YEAR = 2000 AADT = 9200
ESTIMATED DESIGN YEAR = 2020 AADT = 23600
K = 10 / D = 36 / T = 5 / (24 HOUR)
DESIGN HOUR T = 3 /
DESIGN SPEED = 55 MPH

STA. 57+82.78 TO STA. 93+41.21
CURRENT YEAR = 1998 AADT = 6835
ESTIMATED OPENING YEAR = 2000 AADT = 6600
ESTIMATED DESIGN YEAR = 2020 AADT = 17200
K = 10 / D = 65 / T = 7 / (24 HOUR)
DESIGN HOUR T = 3 /
DESIGN SPEED = 55 MPH

MILLING
MILL EXISTING ASPHALT PAVEMENT (2' AVG DEPTH)
RESURFACING
TYPE SP STRUCTURAL COURSE (TRAFFIC C) (150 LBS/SY)
AND FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)
WIDENING
OPTIONAL BASE GROUP II WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC C) (300 LBS/SY)
AND FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

DESIGNATED BIKE LANES SHALL BE LABELED
ON TYPICAL UNDESIGNATED BIKE LANES
SHOULD NOT BE LABELED ON TYPICAL


TRAFFIC DATA IS REQUIRED TO BE NOTED FOR
CURRENT YEAR, OPENING YEAR AND DESIGN YEAR

REVISIONS		STATE OF FLORIDA	
DATE	DESCRIPTION	DEPARTMENT OF TRANSPORTATION	FINANCIAL PROJECT ID
BY	DATE	ROAD NO	COUNTY

DESIGNER'S NAME AND ADDRESS
DATE
PROJECT NO

DESIGNATED BIKE LANES SHALL BE LABELED ON TYPICAL UNDESIGNATED BIKE LANES SHOULD NOT BE LABELED ON TYPICAL

THE NEED FOR STABILIZATION IN THE SHOULDER AREA ON FRRR PROJECTS IS SITE SPECIFIC AND NOT ALWAYS REQUIRED THE USE OF STABILIZING IN NARROW TRENCH WIDENING STRIPS IS NOT RECOMMENDED GENERALLY SEE THE FLEXIBLE PAVEMENT DESIGN MANUAL FOR FURTHER CRITERIA



* NOTE
ACTUAL WIDTH OF BASE WIDENING MAY VARY DUE TO ACTUAL PAVEMENT WIDTH CONTRACTOR MAY ELECT TO PLACE UNIFORM BASE WIDENING AT NO ADDITIONAL COST

WIDENING & SHOULDER PAVEMENT DETAIL

WIDENING

OPTIONAL BASE GROUP II WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC CI (300 LBS/SY) AVG
FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

SHOULDER PAVEMENT

OPTIONAL BASE GROUP I WITH
FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

FOR STANDARD TYPICAL SECTION NOTES REFER TO EXHIBIT 6-J THIS CHAPTER

EXHIBIT TYP-8A
Date 1/1/00


SHEET 2 OF 2

TYPICAL SECTION

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO. COUNTY FINANCIAL PROJECT ID

SHEET NO

4 LANE
ARTERIAL/COLLECTOR
MILLING & RESURFACING
CROSS SLOPE CORRECTION
BY MILLING
CONST. 5 SHLDR PAV T
DIVIDED
RURAL
DRAINAGE IMPROVEMENTS
SAFETY IMPROVEMENTS
WITH DESIGNATED BIKE LANE
UNDESIGNATED BIKE LANE
WITH PROJECTED
20 YR AADT OF 1500
OR GREATER
DESIGN SPEED 45 MPH
OR GREATER



DEPTH AND WIDTH VARY
SEE CROSS SECTIONS

DESIGNATED BIKE LANES SHALL BE LABELED
ON TYPICAL UNDESIGNATED BIKE LANES
SHOULD NOT BE LABELED ON TYPICAL

TRAFFIC DATA
CURRENT YEAR = 1998 AADT = 18000
ESTIMATED OPENING YEAR = 2000 AADT = 20000
ESTIMATED DESIGN YEAR = 2002 AADT = 30800
K = 11/ D = 58/ T = 21/ (24 HOUR)
DESIGN HOUR T = 11/
DESIGN SPEED = 60 MPH
POSTED SPEED = 55 MPH

TRAFFIC DATA IS REQUIRED TO BE NOTED FOR
CURRENT YEAR, OPENING YEAR, AND DESIGN YEAR
POSTED SPEED (MPH) IS OPTIONAL

* WHEN CROSS SLOPE CORRECTION IS NECESSARY
SPECIAL MILLING AND LAYERING DETAILS MUST
BE PROVIDED TO SUPPLEMENT TYPICAL SECTION
THE NEED FOR AND LOCATION OF PROFILE GRADE
POINTS WILL DEPEND ON SITE SPECIFIC CONDITIONS

NOTE
HEIGHT OF FILL IS THE VERTICAL DISTANCE
FROM THE EDGE OF THE OUTSIDE TRAVEL LANE
TO TOE OF FRONT SLOPE

Y THE AREA DISTURBED BY CONSTRUCTION VARIES
FOR STANDARD TYPICAL SECTION NOTES
REFER TO EXHIBIT 6-1 THIS CHAPTER

FOR MILLING AND RESURFACING DETAILS SEE
TYPICAL SECTION DETAILS SHEET 2 AND 3

EXHIBIT TYP-9
Date 1/1/00

SHEET 1 OF 3

TYPICAL SECTION

STA. 204+34.58 TO STA. 288+95.16

TYPICAL SECTION
SR 500
MILLING
RESURFACING
SHOULDER PAVEMENT

MILL EXISTING ASPHALT PAVEMENT (1/2" AVG DEPTH)
RESURFACING
TYPE SP STRUCTURAL COURSE (TRAFFIC E) (300 LBS/SY AVG)
AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)


OPTIONAL BASE GROUP 1 WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC E) (150 LBS/SY AVG)
AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)

MILL EXISTING ASPHALT PAVEMENT (2" AVG DEPTH)
RESURFACING
TYPE SP STRUCTURAL COURSE (TRAFFIC E) (350 LBS/SY AVG)
AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)

SHOULDER PAVEMENT
OPTIONAL BASE GROUP 1 WITH
TYPE SP STRUCTURAL COURSE (TRAFFIC E) (150 LBS/SY AVG)
AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)


REVISIONS		DESCRIPTION	
DATE	BY	DATE	DESCRIPTION

STATES OF FLORIDA	DEPARTMENT OF TRANSPORTATION
COUNTY	FINANCIAL PROJECT ID
ROAD NO	



• WHEN CROSS SLOPE CORRECTION IS NECESSARY SPECIAL MILLING AND LAYERING DETAILS MUST BE PROVIDED TO SUPPLEMENT TYPICAL SECTION. THE NEED FOR AND LOCATION OF PROFILE GRADE POINTS WILL DEPEND ON SITE SPECIFIC CONDITIONS

EXAMPLE OF CROSS SLOPE CORRECTION BY MILLING



FOR STANDARD TYPICAL SECTION NOTES REFER TO EXHIBIT 6-1, THIS CHAPTER

STA. 204+34.58 TO STA. 288+95.6

TYPE SP (150 LBS/SY)

RESURFACING DETAIL

EXHIBIT TYP-9A
Date 1/1/00


SHEET 2 OF 3

REVISIONS		DESCRIPTION		DATE		BY	
NO.	DATE	DESCRIPTION	DATE	BY	DESCRIPTION	DATE	BY


STATE OF FLORIDA	DEPARTMENT OF TRANSPORTATION
ROAD NO.	COUNTY
FINANCIAL PROJECT NO.	

TYPICAL SECTION DETAILS

SHEET NO



MILLING DETAIL



RESURFACING DETAIL

WHEN CROSS SLOPE CORRECTION IS NECESSARY SPECIAL MILLING AND LAYERING DETAILS MUST BE PROVIDED TO SUPPLEMENT TYPICAL SECTION

WHEN CROSS SLOPE CORRECTION IS NECESSARY SPECIAL MILLING AND LAYERING DETAILS MUST BE PROVIDED TO SUPPLEMENT TYPICAL SECTION THE NEED FOR AND LOCATION OF PROFILE GRADE POINTS WILL DEPEND ON SITE SPECIFIC CONDITIONS

FOR STANDARD TYPICAL SECTION NOTES REFER TO EXHIBIT 6-1, THIS CHAPTER

TRAFFIC LEVEL E ON THIS TYPICAL REQUIRES COARSE GRADED MIXES

SUGGESTED CONSTRUCTION SEQUENCES SHOWN OTHER SEQUENCES THAT MEET SPECIFICATIONS, THICKNESS AND CROSS SLOPE REQUIREMENTS MAY BE CONSIDERED BY THE ENGINEER

STA 316+53 67 TO STA 527+82 00

EXHIBIT TYP-9B
DOB 1/1/01


SHEET 3 OF 3

TYPICAL SECTION DETAILS

STATE OF FLORIDA	FINANCIAL PROJECT ID
DEPARTMENT OF TRANSPORTATION	ROAD NO
COUNTY	FINANCIAL PROJECT ID

DATE	BY	DESCRIPTION

DATE	BY	DESCRIPTION



4 LANE INTERSTATE SYSTEM NEW CONSTRUCTION DIVIDED RURAL WITH PROJECTED 20 YR AADT OF 600 OR GREATER DESIGN SPEED 70 MPH

NOTE HEIGHT OF FILL IS THE VERTICAL DISTANCE FROM THE EDGE OF THE OUTSIDE TRAVEL LANE TO TOE OF FRONT SLOPE

1:6 FOR FILLS TO 5'
 1:6 TO EDGE OF CLEAR ZONE & 1:4 FOR FILLS 5' TO 10'
 1:6 TO EDGE OF CLEAR ZONE & 1:3 FOR FILLS 10' TO 20'
 1:2 (WITH GUARDRAIL FILLS OVER 20')

TYPICAL SECTION SR 8

STA 567+25.67 TO STA 1056+84.35

NEW CONSTRUCTION

- OPTIONAL BASE GROUP 9 WITH
- TYPE SP STRUCTURAL COURSE (TRAFFIC D) (400 LBS/SY) AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)
- MEDIAN SHOULDER PAVEMENT
- OPTIONAL BASE GROUP 1 WITH
- TYPE SP STRUCTURAL COURSE (TRAFFIC D) (150 LBS/SY) AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)
- OUTSIDE SHOULDER PAVEMENT
- OPTIONAL BASE GROUP 1 WITH
- TYPE SP STRUCTURAL COURSE (TRAFFIC B) (150 LBS/SY) AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)

TRAFFIC DATA

CURRENT YEAR = 1998 AADT = 22300
 ESTIMATED OPENING YEAR = 2000 AADT = 23300
 ESTIMATED DESIGN YEAR = 2020 AADT = 5500
 K = 9 A D = 56 / T = 10 / (24 HOUR)
 DESIGN HOUR T = 5 A
 DESIGN SPEED = 70 MPH

TRAFFIC DATA IS REQUIRED TO BE NOTED FOR CURRENT YEAR, OPENING YEAR, AND DESIGN YEAR POSTED SPEED (MPH) IS OPTIONAL

FOR STANDARD TYPICAL SECTION NOTES REFER TO EXHIBIT 6-1, THIS CHAPTER

EXHIBIT TYP-10
 Date 7/1/01


REVISIONS		DATE	BY	DESCRIPTION
NO.	DESCRIPTION			

STATE OF FLORIDA		DEPARTMENT OF TRANSPORTATION	
ROAD NO.	COUNTY	FINANCIAL PROJECT ID	

TYPICAL SECTIONS

DATE 7/1/01

SHEET NO



**TYPICAL SECTION
RAMP "C"
STA 623+28 64 TO STA 629+13 78
(TWO LANE RAMP)**

- NEW CONSTRUCTION
- OPTIONAL BASE GROUP 9 WITH TYPE SP STRUCTURAL COURSE (TRAFFIC D) (200 LBS/SY) AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)
- LEFT SHOULDER PAVEMENT
- OPTIONAL BASE GROUP 1 WITH TYPE SP STRUCTURAL COURSE (TRAFFIC D) (200 LBS/SY) AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)
- RIGHT SHOULDER PAVEMENT
- OPTIONAL BASE GROUP 1 WITH TYPE SP STRUCTURAL COURSE (TRAFFIC B) (200 LBS/SY) AND FRICTION COURSE FC-5 (80 LBS/SY) (RUBBER)

18 FOR FILLS TO 5
18 TO EDGE OF CLEAR ZONE & 14 FOR FILLS 5 TO 10
18 TO EDGE OF CLEAR ZONE & 13 FOR FILLS 10 TO 20
12 (WITH GUARDRAIL FILLS OVER 20)

NOTE
HEIGHT OF FILL IS THE VERTICAL DISTANCE FROM THE EDGE OF THE OUTSIDE TRAVEL LANE TO TOE OF FRONT SLOPE

FOR STANDARD TYPICAL SECTION NOTES REFER TO EXHIBIT 6-1, THIS CHAPTER

SHOULDER PAVEMENT & SHOULDER GUTTER DETAIL
MAINLINE AND MULTILANE RAMPS

EXHIBIT TYP-12
Date 7/1/01

DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION

STATES OF FLORIDA	
DEPARTMENT OF TRANSPORTATION	
ROAD NO.	FINANCIAL PROJECT ID

RAMP TYPICAL SECTION	
SHEET NO.	DATE

SUMMARY OF SODDING

LOCATION STA TO STA	SIDE	P			F			FIELD BOOK REFERENCE
		L	W	SY	L	W	SY	
570+00 - 580+62	MED	1062	133	157				
570+00 - 574+57	RT	457	133	68				
575+45 - 576+80	RT	135	133	20				
576+80 - 579+95	RT	315	56	1960				
579+95 - 580+62	RT	67	32	238				
580+62 - 586+37	MED	575	133	85				
580+62 - 586+37	RT	575	133	85				
SB 1-00								
570+00 - 580+62	MED	1062	133	157				
570+00 - 574+57	LT	457	133	68				
575+45 - 577+25	LT	180	133	27				
577+25 - 580+34	LT	309	48	1648				
580+34 - 580+62	LT	28	37	115				
580+62 - 586+37	MED	575	133	85				
580+62 - 586+37	LT	575	133	85				
RAMP A								
182+99 - 187+24	LT	425	133	63				
180+87 - 187+74	RT	667	133	102				
RAMP B								
276+62 - 281+75	LT	513	133	76				
274+47 - 280+29	RT	582	133	86				
RAMP C								
382+45 - 386+88	RT	443	133	65				
381+95 - 388+30	LT	635	133	94				
RAMP D								
481+05 - 485+63	LT	458	133	68				
480+64 - 487+31	RT	667	133	99				
DRAINAGE STRUCTURES								
PAVED DITCHES								
TOTAL				6536				

SUMMARY OF SIDEDRAIN & MITERED END SECTIONS

LOCATION STA TO STA	SIDE	PIPE LENGTH (LF)										
		MES (EA)	15	MES (EA)	18	MES (EA)	24	MES (EA)	30"	MES (EA)	36	
150+10 - 150+50	RT	40	2									
160+85 - 161+21	LT				36	2						
176+35 - 176+78	LT								42	2		
181+46 - 181+98	RT							52	2			
192+46 - 192+82	LT	36	2									
194+50 - 195+14	RT										64	2
TOTAL		76	4	36	2	52	2	42	2	64	2	

EXHIBIT SQ-1
Date 1/1/00

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION	ROAD NO	COUNTY	FINANCIAL PROJECT ID	SHEET NO
SUMMARY OF QUANTITIES				

SUMMARY OF DITCH PAVEMENT AND SODDING

LOCATION	STA TO STA	SIDE	RIPRAP (SAND CEMENT)		RIPRAP (RUBBLE)		CONCRETE		SODDING		REMARKS	FIELD BOOK REFERENCE
			P	F	P	F	P	F	P	F		
	128+17	LT	21.6									
	128+52	RT	24.2									
	137+12 (S-2)	LT					26		8			
	156+14 (S-6)	LT					30		9			
	158+00 (S-7)	LT/RT					96		42			
	161+20 (S-9)	LT					40		10			
	168+40 (S-12)	RT					108		12			
	172+87 (S-15)	RT					56		10			
	180+12 (S-17)	LT					20		8			
	182+57 (S-20)	RT					20		7			
	TOTAL		45.8				396		106			

SUMMARY OF GUARDRAIL

LOCATION	STATION	SIDE	GUARDRAIL (LF)		ROADWAY DOUBLE FACE		END ANCHORAGE ASSEMBLIES (EA)		REMARKS	FIELD BOOK REFERENCE
			ROADWAY	FLARED	PARALLEL	TYPE II	TYPE CRT			
	FROM 600+50	RT	87.5							
	TO 604+37									
	FROM 600+10	LT	125.0							
	TO 604+35									
	FROM 602+25	RT	100.0							
	TO 603+25									
	FROM 600+50	MED			275.0					
	TO 604+25									
	FROM 604+25	RT	62.5							
	TO 604+87									
	FROM 602+45	LT	75.0							
	TO 603+20									
	FROM									
	TO									
	TOTAL		450		275		3	7		

EXHIBIT SQ-2
Date 1/1/00

SHEET NO

SUMMARY OF QUANTITIES

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO
COUNTY
FINANCIAL PROJECT ID

DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION

STR NO	QTY	SIZE (Inches)	PLOTTED	MATERIAL & THICKNESS	FL	FL	REMARKS
1	100	18	X	REP CLASS II			
2	100	18	X	REP CLASS II			
3	100	15	X	REP CLASS II		7.0	
4	100	36	X	REP CLASS II SRASP 14 GA SRASP 16 GA SRASP 18 GA		5.7	
5	100	15	X	REP CLASS II		7.7	
6	100	36	X	REP CLASS II SRASP 14 GA SRASP 16 GA SRASP 18 GA		6.4	
7	100	36	X	REP CLASS II		6.5	
8	100	42	X	REP CLASS II		7.9	
9	100	30	X	REP CLASS II		6.8	
10	100	18	X	REP CLASS II SRASP 14 GA SRASP 16 GA SRASP 18 GA		7.2	
11	100	18	X	REP CLASS II		7.6	
12	100	24	X	REP CLASS III		10.3	
13	100	30	X	REP CLASS II		10.4	
14	50	30	X	REP CLASS III SRASP 14 GA SRASP 16 GA SRASP 18 GA CPE PVC CSP 18 GAL BIT COATED		5.0	
15	50	30	X	REP CLASS III		5.9	
16	50	30	X	REP CLASS III		5.9	
17	50	30	X	REP CLASS III		5.9	
18	50	30	X	REP CLASS III		5.9	
19	50	30	X	REP CLASS III		5.9	
20	50	30	X	REP CLASS III		5.9	
21	50	30	X	REP CLASS III		5.9	
22	50	30	X	REP CLASS III		5.9	
23	50	30	X	REP CLASS III		5.9	
24	50	30	X	REP CLASS III		5.9	
25	50	30	X	REP CLASS III		5.9	
26	50	30	X	REP CLASS III		5.9	
27	50	30	X	REP CLASS III		5.9	
28	50	30	X	REP CLASS III		5.9	
29	50	30	X	REP CLASS III		5.9	
30	50	30	X	REP CLASS III		5.9	
31	50	30	X	REP CLASS III		5.9	
32	50	30	X	REP CLASS III		5.9	
33	50	30	X	REP CLASS III		5.9	
34	50	30	X	REP CLASS III		5.9	
35	50	30	X	REP CLASS III		5.9	
36	50	30	X	REP CLASS III		5.9	
37	50	30	X	REP CLASS III		5.9	
38	50	30	X	REP CLASS III		5.9	
39	50	30	X	REP CLASS III		5.9	
40	50	30	X	REP CLASS III		5.9	
41	50	30	X	REP CLASS III		5.9	
42	50	30	X	REP CLASS III		5.9	
43	50	30	X	REP CLASS III		5.9	
44	50	30	X	REP CLASS III		5.9	
45	50	30	X	REP CLASS III		5.9	
46	50	30	X	REP CLASS III		5.9	
47	50	30	X	REP CLASS III		5.9	
48	50	30	X	REP CLASS III		5.9	
49	50	30	X	REP CLASS III		5.9	
50	50	30	X	REP CLASS III		5.9	

GENERAL NOTES

- The Contractor may use any of the optional pipe materials tabulated for a given structure. Only the material options tabulated for a given structure can be used.
- Adjustment to the bid quantities, prices and payment will not be allowed due to increase or decrease in structure size, shape, length, width, or depth. The Contractor shall be responsible for accommodating the use of an optional pipe material. The Contractor shall be responsible for any adjustments required to relieve utility conflicts which arise from the use of an optional material other than the plotted option.
- Adjustment to the bid quantities, prices and payment will not be allowed due to increased or decreased excavation, bedding, borrow, backfilling, materials, special installation requirements or disposal of excess materials. The Contractor shall be responsible for any adjustments required to accommodate the use of an optional pipe material. The Contractor shall be responsible for any adjustments due to differences in end treatment size or types, pipe length, alternate joining and connecting materials, saddles, cradles, filler fabrics, shoring or similar features due to the use of an optional material other than the plotted option.
- If adjustments are required due to plan errors or omissions or authorized field changes, the Contractor shall pay the material elected by the Contractor would be used to establish new pay quantities.
- The Contractor shall notify the Department in writing as to which optional pipe materials he chooses to use at the preconstruction conference. Once identified the Contractor may not change pipe material selected without the approval of the Engineer.

THIS EXAMPLE SHOULD BE USED WHEN PIPE FLOW LINES, AND/OR SIZES FOR INDIVIDUAL OPTIONS ARE NOT THE SAME (SEE STRUCTURE NOS 14, 14-A, OR WHEN NUMEROUS EXCEPTIONS OCCUR)

EXHIBIT SDS-2
Date 1/1/00

DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO COUNTY FINANCIAL PROJECT ID

**OPTIONAL MATERIALS
TABULATION**

SHEET NO

REVISIONS

STR NO	DIST	VEANS	SIZE (feet)	PLOTTED	MATERIAL & THICKNESS	FL	FL AS BUILT	REMARKS
1	00	18	Y		RCP CLASS II			
2	00	18	Y		RCP CLASS II			
3	00	15	Y		RCP CLASS II	7.0		
4	00	36	Y		RCP CLASS II	5.7		
					SNAP 12 GA			
					SNAP 16 GA			
5	00	15	Y		RCP CLASS II	7.7		
					SNAP			
6	00	36	Y		RCP CLASS II	6.4	5.7	
					SNAP 12 GA			
					SNAP 16 GA			
7	00	36	Y		RCP CLASS II	6.5	6.4	
8	00	42	Y		RCP CLASS II	7.9	7.7	
					SNAP			
9	00	30	Y		RCP CLASS II	6.8	6.5	
					SNAP 12 GA			
					SNAP 16 GA			
10	00	18	Y		RCP CLASS II	7.8	7.2	
					SNAP 12 GA			
					SNAP 16 GA			
11	00	18	Y		RCP CLASS II	8.0	7.6	
					SNAP 12 GA			
					SNAP 16 GA			
12	00	24	Y		RCP CLASS III			ENDWALL
13	00	24	Y		RCP CLASS II	8.1	8.3	
					ASPA 14 GA			
14	50	30	Y		RCP CLASS III	6.0	5.9	
					SNAP 12 GA			
					SNAP 16 GA			
					CPE			
					CAP 16 GA	5.8	5.8	
					CSP 16 GA BIT COATED	5.9	5.9	
14A	50	30	Y		RCP CLASS III	5.9	5.8	
					ASPA 14 GA			

EXHIBIT SDS-2a
Date 7/1/01

DATE	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO. COUNTY FINANCIAL PROJECT ID

OPTIONAL MATERIALS
TABULATION

06/20/2001 05:33:24 AM User:Vpms\Gpita_mcd\Vol_T\Opt\Case2_2.dwg SHEET NO

GENERAL NOTES

- The Contractor may use any of the optional pipe materials tabulated for a given structure. Only the material options tabulated for a given structure can be used.
- Adjustment to the bid quantities, prices and payment will not be allowed due to increase or decrease in structure size, shape, length, width, depth or necessary construction necessary to accommodate the use of an optional pipe material other than the plotted option, likewise there will be no added or reduced compensation for structure alterations required to relieve utility conflicts which arise from the use of an optional material other than the plotted option.
- Adjustment to the bid quantities, prices and payment will not be allowed due to increased or decreased excavation, bedding, borrow, backfilling, connection, special installation requirements or disposal of excess materials due to use of any of the pipe optional materials. Likewise, adjustment in the quantities, prices and payment will not be allowed due to differences in end treatment size or types, pipe length, alternate joining and connecting materials, saddles, cradles, filter fabrics, splicing or similar failures due to the use of an optional material other than the plotted option.
- If adjustments are required due to plan errors or omissions or authorized field changes, the plotted material and not the material elected by the Contractor would be used to establish new pay quantities.
- The Contractor shall notify the Department in writing as to which optional pipe materials he chooses to use at the preconstruction conference. Once approved by the Engineer, they may not change pipe material selected without the approval of the Engineer.
- Pipe shapes other than round (Elliptical/Arch) are summarized and paid for using equivalent round pipe diameter.

THIS EXAMPLE SHOULD BE USED WHEN PIPE FLOW LINES, AND/OR SIZES FOR INDIVIDUAL OPTIONS ARE NOT THE SAME (SEE STRUCTURE NO 14) OR WHEN NUMEROUS EXCEPTIONS OCCUR

GENERAL NOTES

- 1 The Contractor may use any of the optional pipe materials tabulated for a given structure. Only the material options tabulated for a given structure can be used.
- 2 Adjustment to the bid quantities, prices and payment will not be allowed due to increase or decrease in structure size, shape, length, width, depth or accessory construction necessary to accommodate the use of an optional pipe material other than the plotted option. Likewise there will be no added or reduced compensation for structure alterations required to relieve utility conflicts which arise from the use of an optional material other than the plotted option.
- 3 Adjustment to the bid quantities, prices and payment will not be allowed due to increased or decreased excavation, bedding, backfilling, compaction, special installation requirements or disposal of excess materials due to use of any of the pipe optional materials. Likewise, adjustment in the quantities, prices and payment will not be allowed due to differences in end treatment size or types, pipe length, alternate joining or connecting materials, saddles, cradles, filler fabrics, shoring or similar features due to the use of an optional material other than the plotted option.
- 4 If adjustments are required due to plan errors or omissions or authorized field changes, the plotted material and not the material elected by the Contractor would be used to establish new pay quantities.
- 5 The Contractor shall notify the Department in writing as to which optional pipe materials he chooses to use at the preconstruction conference. Once identified, the Contractor may not change pipe material selected without the approval of the Engineer.


THIS EXAMPLE SHOULD BE USED WHEN MATERIAL OPTIONS ARE THE SAME FOR THE DIFFERENT PIPE SIZES AND WHEN LIMITED EXCEPTIONS ARE NOTED

STRUCTURE	SIZE (Inches)	MATERIAL	PLOTTED	LT/RS	REMARKS
	18	RCP CLASS II SRAP 14 GA	X		
	18	RCP CLASS II SRAP 16 GA	X		
	18	RCP CLASS II SRAP 18 GA			
	18	RCP CLASS II SRAP 20 GA			
	24	RCP CLASS III SRAP 16 GA	X		
	24	RCP CLASS III SRAP 18 GA			
	24	RCP CLASS III SRAP 20 GA			
	30	RCP CLASS III SRAP 18 GA	X		
	30	RCP CLASS III SRAP 20 GA			
	36	RCP CLASS II SRAP 14 GA	X		
	36	RCP CLASS II SRAP 16 GA			
	36	RCP CLASS II SRAP 18 GA			
	36	RCP CLASS II SRAP 20 GA			

EXHIBIT SDS-3
Date 1/1/00

STATE OF FLORIDA		SHEET NO	
DEPARTMENT OF TRANSPORTATION		NO	
ROAD NO	COUNTY	PROJECT ID	
OPTIONAL MATERIALS TABULATION			
REVISIONS		DESCRIPTION	
DATE	BY	DATE	DESCRIPTION

REPRODUCTION OF THIS DOCUMENT IS PROHIBITED



CURVE DATA
 PI STA = 228+27.59
 Delta = 8° 47' 42" RI
 L = 1,000.00'
 R = 870.56'
 L = 5729.59'
 PC STA = 223+86.97
 PT STA = 232+86.97
 P = 0.026

DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION
12/17				210		
121.95				215		
121.85				220		
121.66				225		
120.97				230		
120.01				235		

EXHIBIT PP-2
 Date 1/1/00

STATES OF FLORIDA
 DEPARTMENT OF TRANSPORTATION

ROAD NO. HILLSBOROUGH & HILLSBOROUGH
 S R 999

FINANCIAL PROJECT ID
 239655-9 52 08 & 239655 9 52 08

SHEET NO. 235

PLAN-PROFILE

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
MATERIALS AND RESEARCH

DATE OF SURVEY 2/15/95 - 5/11/95
SURVEY MADE BY HARLEOOR TESTING COMPANY
SUBMITTED BY LARRY BALLARD, P.E.

FINANCIAL PROJECT ID #

DISTRICT 3
ROAD NO S.R. 29
COUNTY HOUSTON

CROSS SECTION SOIL SURVEY FOR THE DESIGN OF ROADS

SURVEY BEGINS STA 400+00 SURVEY ENDS STA 554+00

STRATUM NO	ORGANIC CONTENT		SIEVE ANALYSIS RESULTS										ATTENBERG LIMITS (%)			CORROSION TEST RESULTS		
	NO OF TESTS	% ORGANIC	NO OF TESTS	10 MESH	40 MESH	60 MESH	100 MESH	200 MESH	NO OF TESTS	LIQUID LIMIT	PLASTIC INDEX	AAASHO GROUP	NO OF TESTS	RESISTIVITY OHM-CM	CHLORIDE ppm	SULFATES ppm	PH	
1																		
2	4	58.87	93.77	82.59	55.44	10.3												
3	7	35.25	100.94	94.86	71.65	45.34	21.15											
4	3	15.19	100.84	91.71	90.60	82.53	45.37	4	38.25	9.5	A 4							
5	3		100.99	98.96	86.75	34.30												
6	3	18.24	20.60															
7	3	100.92	92.88	79.73	69.60	55.51	3	61.55	53.38	A 7								
8	3	15.20	20.56	100.99	96.97	80.77	15.10											

ROCK BASE ASPHALTIC CONCRETE

SUBGRADE (GRAP & TAN SAND W/TRACE SILT L.R. & SHELU

FILL (DARK BROWN SAND W/SOME SILT & TRACE L.R.)

GRAP AND BROWN SILTY SAND W/TRACE CLAY AND L.R.

TAN AND LIGHT GRAY SILTY SAND W/SOME CLAY AND TRACE SHELL

MUCK (DARK BROWN SILTY SAND W/SOME CLAY

YELLOW AND GRAY SILTY SAND CLAY

MUCK (BROWN SAND W/SOME ORGANIC AND TRACE SHELL

STRATA BOUNDARIES ARE APPROXIMATE MAKE FINAL CHECK AFTER GRADING

W - WATER TABLE ENCOUNTERED

GNE - GROUND WATER NOT ENCOUNTERED

EMBANKMENT AND SUBGRADE MATERIAL

STRATA BOUNDARIES ARE APPROXIMATE MAKE FINAL CHECK AFTER GRADING

W - WATER TABLE ENCOUNTERED

GNE - GROUND WATER NOT ENCOUNTERED

The material from Stratum Number 1 is Rock Base under Asphaltic Concrete

The material from Stratum Number 2 appears satisfactory for use in the embankment when utilized in accordance with Index 505

The material from Stratum Number 3 appears satisfactory for use in the embankment when utilized in accordance with Index 505

retain excess moisture and be difficult to dry and compact. It should be used in the embankment above the water level existing at the time of construction

This material may not be used in the subgrade portion of the roadbed due to its organic content

The material from Stratum Numbers 4 and 5 are plastic materials and shall be removed in accordance with Index 500. They may be placed above the existing water level at the time of construction

to within 4 feet of the proposed base. They should be placed uniformly in the lower portion of the embankment for some distances along the project rather than full depths for short distances

The material from Stratum Numbers 6 and 8 is ORGANIC/A-8 material and shall be removed in accordance with Index 500

The material from Stratum Number 7 is Highly Plastic material and shall be removed in accordance with Index 500. It may be used within the project limits

as indicated in Index 505 only when excavated within the project limits and is not to be used when obtained from outside the project limits

EXHIBIT SS-1
Date 1/1/00


REVISIONS		DATE BY		DESCRIPTION	

STATE OF FLORIDA	DEPARTMENT OF TRANSPORTATION
ROAD NO	COUNTY
FINANCIAL PROJECT ID	

ROADWAY SOILS SURVEY	
----------------------	--

SHEET NO	
----------	--

* Existing structure 1 refers to the structure being replaced or modified. Structures 2, 3 & 4 refer to the immediate upstream and downstream structures. Structures 5 through 10 refer to the hydraulics of the proposed structure.



REFERENCE	EXISTING STRUCTURES	PROPOSED STRUCTURE
FOUNDATION	(1.1) Timber	(1.2) Concrete
OVERALL LENGTH	135	200
PIER SPACING	5.0	20.0
TYPE CONSTRUCTION	Timber	Concrete
AREA OF OPENING @ D/F	1000	1000
BRIDGE WIDTH	20	20
ELEV. LOW MEMBER	40.35	38.32

HYDRAULIC DESIGN DATA

NOTE: The hydraulic data is shown for informational purposes only to indicate the flood discharge and water surface elevations which may be anticipated in the event of a flood. The actual hydraulic data is to be determined by the user of this data after the completion of the project which cannot be obtained.

STAGE ELEV. (ft)	DESIGN FLOOD	BASE FLOOD	OVERTOPPING AT GREATEST FLOOD
39.7	3300	3300	39.32
39.2	3300	3300	4.0
38.8	3300	3300	0.2
38.3	3300	3300	500

NUMBERS	PIER INFORMATION	LONG TERM SCOUR ELEV.	Worst Case (500 yr FREQ) 1.00	PIER 1.00	PIER 1.00	PIER 1.00
1	4.00x20.00	N/A	27.6	27.6	27.6	27.6
2	4.00x20.00	N/A	27.6	27.6	27.6	27.6
3	4.00x20.00	N/A	27.6	27.6	27.6	27.6
4	4.00x20.00	N/A	27.6	27.6	27.6	27.6
5	4.00x20.00	N/A	27.6	27.6	27.6	27.6


HYDRAULIC RECOMMENDATIONS

1. BEGIN BRIDGE STATION 45+58.00
2. END BRIDGE STATION 47+22.00
3. CLEARANCE ABOVE HIGH WATER 33.0 VERT. HORIZ. 33.0 DRIFT HORIZ. 33.0 VERT. 2.0 ABOVE EL. 38.32
4. ABUTMENTS RUBBLE GRADE, BANK TO BANK
5. DECK DAMAGED. Spacing is contained in plan view. Pier spacing by limit of bench bridge.


STATES OF FLORIDA
 DEPARTMENT OF TRANSPORTATION
 ROAD NO. _____ COUNTY _____ FINANCIAL PROJECT ID _____

EXHIBIT BHD-1
 Date 1/1/00

SHEET NO _____



This sheet has been included in the plans for documentation
 DO NOT USE FOR CONSTRUCTION PURPOSES



DATE	BY	DESCRIPTION
45		
46		
47		
48		

*** For abutments that are not split-through delete the unnecessary standard wording and describe the recommended abutment configuration

** Describe the pier size and type or refer to the appropriate details in the bridge plans if the space provided is not adequate place the information in the plan or profile view

BRIDGE NO _____

STATES OF FLORIDA
 DEPARTMENT OF TRANSPORTATION

ROAD NO. _____ COUNTY _____ FINANCIAL PROJECT ID _____

EXHIBIT BHD-1
 Date 1/1/00

SHEET NO _____


BRIDGE HYDRAULIC
 RECOMMENDATIONS

STATES OF FLORIDA
 DEPARTMENT OF TRANSPORTATION

ROAD NO. _____ COUNTY _____ FINANCIAL PROJECT ID _____

SELECTIVE CLEARING AND GRUBBING - GENERAL NOTES

- DESIGNATES AREAS TO REMAIN NATURAL NO CLEARING OR GRUBBING IN THESE AREAS NO EQUIPMENT SHALL ENTER THESE AREAS NO STAGING, STORAGE OR DUMPING IN THIS AREA
- DESIGNATES AREAS WHERE TREES AND STUMPS OVER 3 IN DIAMETER SHALL BE CUT FLUSH WITH THE GROUND OR REMOVED, AND ALL UNDERGROWTH IS TO REMAIN NATURAL NO EQUIPMENT SHALL ENTER THESE AREAS THAT WOULD IN ANY WAY DAMAGE THE PLANT MATERIAL TO REMAIN NO STAGING, STORAGE OR DUMPING IN THIS AREA
- DESIGNATES AREAS WHERE TREES OF 3 IN DIAMETER OR GREATER ARE TO REMAIN AND ALL UNDERGROWTH IS TO BE REMOVED ONLY RUBBER TIRE EQUIPMENT SHALL ENTER THESE AREAS, AND REMAINING TREES SHALL BE PROTECTED FROM ROOT AND TRUNK DAMAGE NO STAGING, STORAGE OR DUMPING IN THIS AREA
- DESIGNATES AREAS WHERE THE TYPE AND EXTENT OF CLEARING AND GRUBBING SHALL BE DETERMINED BY THE ENGINEER ACCORDING TO FIELD CONDITIONS
- DESIGNATES AREAS THAT SHALL REMAIN NATURAL WHEN, IN THE OPINION OF THE ENGINEER, ADEQUATE AND DESIRABLE NATURAL VEGETATION OR GRASS EXIST WHERE THIS TYPE VEGETATION DOES NOT EXIST, ONLY HARROWING DISKING LEVELING, AND/OR CLEAN-UP SHALL BE UNDERTAKEN, TO A DEGREE SUFFICIENT TO PREPARE THE AREA FOR GRASSING OPERATIONS
- AREAS WHERE EQUIPMENT IS NOT ALLOWED AND OTHER LOCATIONS, AS DIRECTED BY THE ENGINEER, MUST BE PROTECTED BY TREE GUARDS THE LOCATION FOR TREE GUARDS SHALL BE SHOWN IN THE PLANS




ALL OTHER AREAS NOT INCLUDED IN ONE OF THE ABOVE CATEGORIES, OR THOSE DESIGNATED BY THE TYPICAL SECTIONS, SHALL BE STANDARD CLEARING AND GRUBBING WHERE UNFORSEEN SITE CONDITIONS EXIST. ADJUSTMENTS OR EXCEPTIONS MAY BE MADE TO THE ABOVE PROCEDURE AT THE DIRECTION OF THE ENGINEER

FINISH SOIL LAYER - GENERAL NOTES

STOCKPILING OF FINISH SOIL LAYER MATERIAL IS TO BE DONE ONLY IN AREAS REQUIRING STANDARD CLEARING AND GRUBBING AND/OR AREAS DESIGNATED AS TYPE 5 (SEE SELECTIVE CLEARING AND GRUBBING - GENERAL NOTES)


TYPE 4 AREAS MAY BE USED FOR STOCKPILING OF FINISH SOIL LAYER MATERIAL ONLY WHERE SUCH AREAS HAVE BEEN CLEARED, AT THE DIRECTION OF THE ENGINEER DURING CONSTRUCTION OPERATIONS

SUFFICIENT AREA HAS BEEN DESIGNATED SO THAT ALL STOCKPILING MAY BE DONE IN ACCORDANCE WITH THE REQUIREMENTS LISTED ABOVE



SOIL INFORMATION DETAIL
EXPLANATION OF SYMBOLS & SOIL TEXTURE ABBREVIATIONS

265



NO STRIP WHICH MAY BE CLEARED FOR FENCE CONSTRUCTION WITH SELECTED DESIRABLE TREES ALLOWED TO REMAIN, AS DIRECTED BY THE ENGINEER

AT THE DIRECTION OF THE ENGINEER, DIAGONAL PATH MAY BE CUT IN AREAS TO REMAIN NATURAL AS SHOWN ABOVE, FOR THE REMOVAL OF TIMBER AND STUMPS FROM THE AREA CLEARED FOR FENCE CONSTRUCTION

ACCESS FOR FENCE CONSTRUCTION
(APPLIES TO ALL TYPES OF SELECTIVE CLEARING AND GRUBBING)

EXHIBIT SCG-1
Date 1/1/00

REVISIONS		DESCRIPTION	
DATE	BY	DATE	BY

STATE OF FLORIDA	DEPARTMENT OF TRANSPORTATION
COUNTY	FINANCIAL PROJECT ID
ROAD NO	

SELECTIVE CLEARING AND GRUBBING

SHEET NO




EXHIBIT SCG-2
Date 1/1/00

SHEET NO

SELECTIVE CLEARING AND GRUBBING


STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO. _____
COUNTY _____
FINANCIAL PROJECT ID _____

DATE _____ BY _____


DESCRIPTION _____

DATE _____ BY _____

DESCRIPTION _____




Provide concrete wedge for guardrail attachment. See roadway standards.




PLAN

- NOTES**
- For Top of Casing Elevations see sheet W 6
 - Top of footing embedment depth shall be a minimum of 1'-6" (See Sheet W 1 for details)
 - Provide 3/4" open joints in Traffic Rolling Barrier at a maximum of 50 ft intervals
 - Indicates Soil Boring. See Sheets B 8 thru B 12a for boring data
 - CPT sounding locations are not shown. See sheets B 12b thru B 12g for CPT data
 - For Additional Information regarding Drainage Structures and Utility Locations See Roadway Plans



**ELEVATION - WALLS IA AND IB
(REFLECTED VIEW)**



ELEVATION - WALL IC


EXHIBIT CP-2
Date 1/1/00

REVISIONS		DESCRIPTION		DATE		BY	
NO.	DATE	DESCRIPTION	BY	DATE	BY	DATE	BY

DESIGNED BY	DATE	ENGINEER OF RECORD
CHECKED BY		
DESIGNED BY		
CHECKED BY		
APPROVED BY		

FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	PROJECT NO.
RETAINING WALL NO 1		

SHEET NO.




HORIZONTAL CURVE DATA


PI Sta = 28+50.87
 Δ = 4 28 13 RI
 D = 1 02 54
 T = 200.23
 R = 420.25
 PCC Sta = 26+40.64
 PT Sta = 30+60.89

STATE PLANE COORDINATES

PCC N E
 PI (Not Available)
 PT



**ELEVATION - WALLS 2A AND 2B
(REFLECTED VIEW)**



ELEVATION - WALL 2C

- NOTES:**
- For Top of Coping Elevations see sheet W 6
 - Top of footing embedment depth shall be a minimum of 1' 6" Use Sheet W 1 for details
 - Provide 1/4" open joints in Traffic Retaining Barrier at a maximum of 90 ft intervals
 - ⊕ indicates Soil Boring. See Sheets B 8 thru B 12a for boring data
 - CPT sounding locations are not shown. See Sheets B 12a thru B 12g for CPT data
 - For Additional Information regarding Drainage Structures and Utility Locations See Roadway Plans

EXHIBIT CP-3
Date 1/1/00

REVISIONS		DATE		DESCRIPTION		BY		CHECKED BY		DATE		REVISIONS	

DESIGNED BY	DATE	ENGINEER OF RECORD	DATE
CHECKED BY			


FLORIDA DEPARTMENT OF TRANSPORTATION		PROJECT NO.	
COUNTY			

RETAINING WALL NO. 2		SHEET NO.	
----------------------	--	-----------	--



WALL NO. 1A

PGI Flyover Station	Exposed Face of Wall 1A Offset from PGI Flyover (ft.)	Top of Coping Elevation @ Wall 1A (ft.)
13 95 00	34 958	224 800
14 00 00	34 958	224 969
14 05 00	34 958	225 503
14 10 00	34 958	226 037
14 15 00	34 958	226 609
14 20 00	34 958	227 181
14 25 00	34 958	227 753
14 30 00	34 958	228 325
14 35 00	34 958	228 897
14 40 00	34 958	229 469
14 45 00	34 958	230 041
14 50 00	34 958	230 613
15 00 00	34 958	231 185
15 05 00	34 958	231 757
15 10 00	34 958	232 329
15 15 00	34 958	232 901
15 20 00	34 958	233 473
15 25 00	34 958	234 045
15 30 00	34 958	234 617
15 35 00	34 958	235 189
15 40 00	34 958	235 761
15 45 00	34 958	236 333
15 50 00	34 958	236 905
15 55 00	34 958	237 477
16 00 00	34 958	238 049
16 05 00	34 958	238 621
16 10 00	34 958	239 193
16 15 00	34 958	239 765
16 20 00	34 958	240 337
16 25 00	34 958	240 909
16 30 00	34 958	241 481
16 35 00	34 958	242 053
16 40 00	34 958	242 625
16 45 00	34 958	243 197
16 50 00	34 958	243 769
16 55 00	34 958	244 341
17 00 00	34 958	244 913
17 05 00	34 958	245 485
17 10 00	34 958	246 057
17 15 00	34 958	246 629
17 20 00	34 958	247 201
17 25 00	34 958	247 773
17 30 00	34 958	248 345
17 35 00	34 958	248 917
17 40 00	34 958	249 489
17 45 00	34 958	250 061
17 50 00	34 958	250 633
17 55 00	34 958	251 205
18 00 00	34 958	251 777
18 05 00	34 958	252 349
18 10 00	34 958	252 921
18 15 00	34 958	253 493
18 20 00	34 958	254 065
18 25 00	34 958	254 637
18 30 00	34 958	255 209
18 35 00	34 958	255 781
18 40 00	34 958	256 353
18 45 00	34 958	256 925
18 50 00	34 958	257 497
18 55 00	34 958	258 069
19 00 00	34 958	258 641
19 05 00	34 958	259 213
19 10 00	34 958	259 785
19 15 00	34 958	260 357
19 20 00	34 958	260 929
19 25 00	34 958	261 501
19 30 00	34 958	262 073
19 35 00	34 958	262 645
19 40 00	34 958	263 217
19 45 00	34 958	263 789
19 50 00	34 958	264 361
19 55 00	34 958	264 933
20 00 00	34 958	265 505
20 05 00	34 958	266 077
20 10 00	34 958	266 649
20 15 00	34 958	267 221
20 20 00	34 958	267 793
20 25 00	34 958	268 365
20 30 00	34 958	268 937
20 35 00	34 958	269 509
20 40 00	34 958	270 081
20 45 00	34 958	270 653
20 50 00	34 958	271 225
20 55 00	34 958	271 797
21 00 00	34 958	272 369
21 05 00	34 958	272 941
21 10 00	34 958	273 513
21 15 00	34 958	274 085
21 20 00	34 958	274 657
21 25 00	34 958	275 229
21 30 00	34 958	275 801
21 35 00	34 958	276 373
21 40 00	34 958	276 945
21 45 00	34 958	277 517
21 50 00	34 958	278 089
21 55 00	34 958	278 661
22 00 00	34 958	279 233
22 05 00	34 958	279 805
22 10 00	34 958	280 377
22 15 00	34 958	280 949
22 20 00	34 958	281 521
22 25 00	34 958	282 093
22 30 00	34 958	282 665
22 35 00	34 958	283 237
22 40 00	34 958	283 809
22 45 00	34 958	284 381
22 50 00	34 958	284 953
22 55 00	34 958	285 525
23 00 00	34 958	286 097
23 05 00	34 958	286 669
23 10 00	34 958	287 241
23 15 00	34 958	287 813
23 20 00	34 958	288 385
23 25 00	34 958	288 957
23 30 00	34 958	289 529
23 35 00	34 958	290 101
23 40 00	34 958	290 673
23 45 00	34 958	291 245
23 50 00	34 958	291 817
23 55 00	34 958	292 389
24 00 00	34 958	292 961
24 05 00	34 958	293 533
24 10 00	34 958	294 105
24 15 00	34 958	294 677
24 20 00	34 958	295 249
24 25 00	34 958	295 821
24 30 00	34 958	296 393
24 35 00	34 958	296 965
24 40 00	34 958	297 537
24 45 00	34 958	298 109
24 50 00	34 958	298 681
24 55 00	34 958	299 253
25 00 00	34 958	299 825
25 05 00	34 958	300 397
25 10 00	34 958	300 969
25 15 00	34 958	301 541
25 20 00	34 958	302 113
25 25 00	34 958	302 685
25 30 00	34 958	303 257
25 35 00	34 958	303 829
25 40 00	34 958	304 401
25 45 00	34 958	304 973
25 50 00	34 958	305 545
25 55 00	34 958	306 117
26 00 00	34 958	306 689
26 05 00	34 958	307 261
26 10 00	34 958	307 833
26 15 00	34 958	308 405
26 20 00	34 958	308 977
26 25 00	34 958	309 549
26 30 00	34 958	310 121
26 35 00	34 958	310 693
26 40 00	34 958	311 265
26 45 00	34 958	311 837
26 50 00	34 958	312 409
26 55 00	34 958	312 981
27 00 00	34 958	313 553
27 05 00	34 958	314 125
27 10 00	34 958	314 697
27 15 00	34 958	315 269
27 20 00	34 958	315 841
27 25 00	34 958	316 413
27 30 00	34 958	316 985
27 35 00	34 958	317 557
27 40 00	34 958	318 129
27 45 00	34 958	318 701
27 50 00	34 958	319 273
27 55 00	34 958	319 845
28 00 00	34 958	320 417
28 05 00	34 958	320 989
28 10 00	34 958	321 561
28 15 00	34 958	322 133
28 20 00	34 958	322 705
28 25 00	34 958	323 277
28 30 00	34 958	323 849
28 35 00	34 958	324 421
28 40 00	34 958	324 993
28 45 00	34 958	325 565
28 50 00	34 958	326 137
28 55 00	34 958	326 709
29 00 00	34 958	327 281
29 05 00	34 958	327 853
29 10 00	34 958	328 425
29 15 00	34 958	328 997
29 20 00	34 958	329 569
29 25 00	34 958	330 141
29 30 00	34 958	330 713
29 35 00	34 958	331 285
29 40 00	34 958	331 857
29 45 00	34 958	332 429
29 50 00	34 958	333 001
29 55 00	34 958	333 573
30 00 00	34 958	334 145
30 05 00	34 958	334 717
30 10 00	34 958	335 289
30 15 00	34 958	335 861
30 20 00	34 958	336 433
30 25 00	34 958	337 005
30 30 00	34 958	337 577
30 35 00	34 958	338 149
30 40 00	34 958	338 721
30 45 00	34 958	339 293
30 50 00	34 958	339 865
30 55 00	34 958	340 437
31 00 00	34 958	341 009
31 05 00	34 958	341 581
31 10 00	34 958	342 153
31 15 00	34 958	342 725
31 20 00	34 958	343 297
31 25 00	34 958	343 869
31 30 00	34 958	344 441
31 35 00	34 958	345 013
31 40 00	34 958	345 585
31 45 00	34 958	346 157
31 50 00	34 958	346 729
31 55 00	34 958	347 301
32 00 00	34 958	347 873
32 05 00	34 958	348 445
32 10 00	34 958	349 017
32 15 00	34 958	349 589
32 20 00	34 958	350 161
32 25 00	34 958	350 733
32 30 00	34 958	351 305
32 35 00	34 958	351 877
32 40 00	34 958	352 449
32 45 00	34 958	353 021
32 50 00	34 958	353 593
32 55 00	34 958	354 165
33 00 00	34 958	354 737
33 05 00	34 958	355 309
33 10 00	34 958	355 881
33 15 00	34 958	356 453
33 20 00	34 958	357 025
33 25 00	34 958	357 597
33 30 00	34 958	358 169
33 35 00	34 958	358 741
33 40 00	34 958	359 313
33 45 00	34 958	359 885
33 50 00	34 958	360 457
33 55 00	34 958	361 029
34 00 00	34 958	361 601
34 05 00	34 958	362 173
34 10 00	34 958	362 745
34 15 00	34 958	363 317
34 20 00	34 958	363 889
34 25 00	34 958	364 461
34 30 00	34 958	365 033
34 35 00	34 958	365 605
34 40 00	34 958	366 177
34 45 00	34 958	366 749
34 50 00	34 958	367 321
34 55 00	34 958	367 893
35 00 00	34 958	368 465
35 05 00	34 958	369 037
35 10 00	34 958	369 609
35 15 00	34 958	370 181
35 20 00	34 958	370 753
35 25 00	34 958	371 325
35 30 00	34 958	371 897
35 35 00	34 958	372 469
35 40 00	34 958	373 041
35 45 00	34 958	373 613
35 50 00	34 958	374 185
35 55 00	34 958	374 757
36 00 00	34 958	375 329
36 05 00	34 958	375 901
36 10 00	34 958	376 473
36 15 00	34 958	377 045
36 20 00	34 958	377 617
36 25 00	34 958	378 189
36 30 00	34 958	378 761
36 35 00	34 958	379 333
36 40 00	34 958	379 905
36 45 00	34 958	380 477
36 50 00	34 958	381 049
36 55 00	34 958	381 621
37 00 00	34 958	382 193
37 05 00	34 958	382 765
37 10 00	34 958	383 337
37 15 00	34 958	383 909
37 20 00	34 958	384 481
37 25 00	34 958	385 053
37 30 00	34 958	385 625
37 35 00	34 958	386 197
37 40 00	34 958	386 769
37 45 00	34 958	387 341
37 50 00	34 958	387 913
37 55 00	34 958	388 485
38 00 00	34 958	389 057
38 05 00	34 958	389 629
38 10 00	34 958	390 201
38 15 00	34 958	390 773
38 20 00	34 958	391 345
38 25 00	34 958	391 917
38 30 00	34 958	392 489
38 35 00	34 958	393 061
38 40 00	34 958	393 633
38 45 00	34 958	394 205
38 50		

BEGIN MSE WALL
STA. 659+63.30, IT -8 (LTJ)



PLAN VIEW TEMP MSE WALL NOS 1 & 2



EXPANDED ELEVATION VIEWS (TEMP MSE WALL NOS 1 & 2, LOOKING AT FRONT FACE OF WALL)


EXHIBIT CP-7
Date 1/1/00

REVISIONS		DATE		BY		CHECKED BY		APPROVED BY		ENGINEER OF RECORD		FLORIDA DEPARTMENT OF TRANSPORTATION		PROJECT NO.		SHEET NO.	
TEMPORARY RETAINING WALL SYSTEM																	


EXHIBIT CP-8
Date 1/1/00

DATE		REVISIONS		DESCRIPTION		DRAWN BY		CHECKED BY		DESIGNED BY		APPROVED BY		NAMES		DUTIES		ENGINEER OF RECORD		FLORIDA DEPARTMENT OF TRANSPORTATION		PROJECT NO.		PROJECT NAME		SHEET NO.	

EXPANDED ELEVATION VIEWS (TEMP. MSE WALL NOS. 3 & 4. LOOKING AT FRONT FACE OF WALL)



PLAN VIEW TEMP. MSE WALL NOS. 3 & 4



COMPONENTS OF CONTRACT PLANS SET

- ROADWAY PLANS
- SIGNING AND PAVEMENT MARKING PLANS
- SIGNALIZATION PLANS
- LIGHTING PLANS
- LANDSCAPE PLANS
- ARCHITECTURAL PLANS
- STRUCTURE PLANS

EXAMPLE ONLY
 CONTRACT PLANS SET ARE NOT CONTAIN ALL
 OF THE LISTED COMPONENTS/SHEETS


A DETAILED INDEX APPEARS ON THE
 KEY SHEET OF EACH COMPONENT

**STATE OF FLORIDA
 DEPARTMENT OF TRANSPORTATION
 CONTRACT PLANS**

FINANCIAL PROJECT ID 196058-1-52-01
 (FEDERAL FUNDS)
 MANATEE COUNTY (I3160)
 STATE ROAD NO 70

INDEX OF ROADWAY PLANS

- | SHEET NO | SHEET DESCRIPTION |
|----------|---------------------------------------|
| 1 | KEY SHEET |
| 2 - 2A | SUMMARY OF PAY ITEMS |
| 3 | DRAINAGE MAP |
| 4 - 5 | TYPICAL SECTIONS |
| 6 | SUMMARY OF QUANTITIES |
| 7 | BOX CULVERT DATA SHEETS |
| 8 - 14 | SUMMARY OF DRAINAGE STRUCTURES |
| 15 - 16 | PROJECT LAYOUT |
| 17 | ROADWAY PLAN-PROFILES |
| 18 - 22 | SPECIAL PROFILES |
| 23 - 24 | INTERSECTION LAYOUT/DETAIL |
| 25 | DRAINAGE STRUCTURES |
| 26 - 32 | LATERAL DITCH PLAN-PROFILES |
| 33 | LATERAL DITCH CROSS SECTIONS |
| 34 | SPECIAL DETAILS |
| 35 | ROADWAY SOIL SURVEY |
| 36 | CROSS SECTIONS |
| 37 - 49 | STORM WATER POLLUTION PREVENTION PLAN |
| 50 - 52 | TRAFFIC CONTROL PLANS |
| 53 - 57 | UTILITY ADJUSTMENTS |
| 58 - 62 | SELECTIVE CLEARING AND GRUBBING |
| 63 - 67 | |



EQUATION
 PT STA 132 + 52.25 E CONST BK *
 STA 32 + 50.03 SURVEY AH *
 STA 132 + 50.03 E CONST AH *


GOVERNING STANDARDS AND SPECIFICATIONS
 FOR THE DESIGN OF TRANSPORTATION
 ROADWAY AND TRAFFIC CONTROL STANDARDS
 DATED JANUARY 2000 AND
 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE
 CONSTRUCTION DATED 2000
 AS MERGED BY CONTRACT DOCUMENTS

REVISIONS
 FINANCIAL PROJECT ID 196058-1-52-01
 Drawing & Revision No. 1 of 15 (Revised 3/15/00)
 Specification Sheets T 1 & 2 (Revised 3/15/00)
 Summary of Pay Items (Revised 3/15/00)
 FINANCIAL PROJECT ID 196058-1-52-01
 Drawing Sheet 05 39 of 39 (Revised 3/15/00)
 Specification Sheets T 1 & 2 (Revised 3/15/00)

PROJECT LENGTH IS BASED ON E CONSTRUCTION

LENGTH OF PROJECT	
LINEAR FEET	MILES
ROADWAY	3461.54
BRIDGES	NA
NET LENGTH OF PROJECT	3461.54
EXCEPTIONS	NA
GROSS LENGTH OF PROJECT	3461.54

FOOT PROJECT MANAGER THOMAS DILFER



ROADWAY SHOP DRAWINGS
 TO BE SUBMITTED TO
 HARRY GILMER JR PE
 HILL & DALE ENGINEERING INC
 P O BOX 2651
 TAMPA FLORIDA 33755


PLANS PREPARED BY
 HILL & DALE ENGINEERING INC
 P O BOX 2651
 TAMPA FLORIDA 33755
 CONTRACT NO C-800
 VENDOR NO 38

NOTE THIS PROJECT TO BE LET TO CONTRACT
 WITH FINANCIAL PROJECT ID 196058-1-52-02
 NOTE THE SCALE OF THESE PLANS MAY
 HAVE CHANGED DUE TO REPRODUCTION

ROADWAY PLANS
 ENGINEER OF RECORD HARRY GILMER JR
 PE NO 606655

FISCAL YEAR	01	SHEET NO	1
-------------	----	----------	---

EXHIBIT EX-KS-1
 Date: 7/1/01



TYPICAL SECTION
SR 70 (EVAN FRANCIS BLVD)
STA 120+25.69 TO STA 154+85.00

NEW CONSTRUCTION

OPTIONAL BASE GROUP 9 WITH
 TYPE SP STRUCTURAL COURSE (TRAFFIC C) (200 LBS/SY)
 AND FRICTION COURSE FC-6 (160 LBS/SY) (RUBBER)

TRAFFIC DATA
 CURRENT YEAR = 1998 ADOT = 22,950
 ESTIMATED OPENING YEAR = 2000 ADOT = 26,070
 ESTIMATED DESIGN YEAR = 2020 ADOT = 30,600
 K = 6 / D = 55 / T = 2 / (24 HOUR)
 DESIGN HOUR T = 1 /
 DESIGN SPEED = 45 MPH



EXHIBIT EX-TYP
 Date 7/1/01

REVISIONS		DESCRIPTION	
DATE	BY	DATE	DESCRIPTION

STATE OF FLORIDA		FINANCIAL PROJECT ID	
DEPARTMENT OF TRANSPORTATION		196058-1-52-01	
ROAD NO	COUNTY	MANATEE	
70			

HILL & DALE ENGINEERING INC		STATE OF FLORIDA	
P.O. BOX 955		DEPARTMENT OF TRANSPORTATION	
TAMPA, FLORIDA 33755			
P.E. LICENSE NO. 60865			

TYPICAL SECTION		SHEET NO
		4



DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION
127+00						
128+00						
129+00						
130+00						
131+00						
132+00						
133+00						
134+00						

FOR SPECIAL PROFILES LT & RT
SEE SPECIAL PROFILES SHEETS

EXHIBIT EX-PP-1
Date 7/1/01

STATES OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO 70
COUNTY MANATEE
FINANCIAL PROJECT ID 186058-1-52-01

HILL & DALE ENGINEERING INC
P O BOX 265
TAMPA FLORIDA 33755
P E LICENSE NO 506655

PLAN-PROFILE
SR 70 (EVAN FRANCIS BLVD)

SHEET NO 19

FOR MEDIAN DETAILS
 STA 142+00 TO STA 147+00
 SEE INTERSECTION LAYOUT/DETAIL SHEET






EXHIBIT EY-PP-3
 Date 7/1/01

DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION
141+00				142+00		
142+00				143+00		
143+00				144+00		
144+00				145+00		
145+00				146+00		
146+00				147+00		
147+00				148+00		

STATES OF FLORIDA
 DEPARTMENT OF TRANSPORTATION
 ROAD NO 70
 COUNTY MANATEE
 FINANCIAL PROJECT ID 196058-1-52-01

HILL & DALE ENGINEERING INC
 P.O. BOX 2851
 TAMPA, FLORIDA 33755
 P.E. LICENSE NO 506655

SR 70 (EVAN FRANCIS BLVD.)
 SHEET NO 21



DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION
148+00				149+00		
148+00				150+00		
151+00				152+00		
153+00				154+00		
155+00				155+00		

EXHIBIT EX-PP-3
Date 7/1/01

STATES OF FLORIDA
 DEPARTMENT OF TRANSPORTATION
 COUNTY: MANATEE
 ROAD NO: 70
 PROJECT ID: 96058-1-52-01
 PROJECT NAME: SR 70 (EVAN FRANCIS BLVD.)
 SHEET NO: 22




EXHIBIT EX-XS-1
Date 7/1/01

Regular Exc	Embankment
A	V
152	15
554	59
147	17
491	59
118	15
441	42

DATE	BY	DESCRIPTION

HILL & DALE ENGINEERING INC P O BOX 2651 TAMPA, FLORIDA 33755 PE LICENSE NO 606655	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD NO 70	COUNTY MANATEE
FINANCIAL PROJECT ID 196058-1-52-01	

CROSS SECTIONS

SHEET NO
40

06/06/00 11:40:11 AM 9 540004 EXHIBITS 7000 PROJECT DIRECTOR W O R T M G




EXHIBIT EX-XS-2
Date 7/1/01

Regular Exc	Exc	Embankment
165	585	16
151	563	9
153	565	8
		23


DATE	BY	DESCRIPTION

STATE OF FLORIDA	DEPARTMENT OF TRANSPORTATION
ROAD NO. 70	COUNTY MANATEE
FRANCIS PROJECT ID 196059-1-52-01	

HILL & DALE ENGINEERING INC
P.O. BOX 2651
TAMPA, FLORIDA 33755
PE LICENSE NO. 606655

REVISIONS	DATE	BY	DESCRIPTION

CROSS SECTIONS
SHEET NO. 41



DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION

HILL & DALE ENGINEERING INC P O BOX 2651 TAMPA, FLORIDA 33755 PE LICENSE NO 606655		STATES OF FLORIDA DEPARTMENT OF TRANSPORTATION	
ROAD NO 70	COUNTY MANATEE	FINANCIAL PROJECT ID 196050-1-52-01	

CROSS SECTIONS		SHEET NO 42
----------------	--	----------------

Regular Exc A	Exc V	Embankment A	V
121	359	180	
73	42		41
125	367	9	94
	549		47

EXHIBIT EX-XS-3
Date 7/1/01

EQUATION:
STA 132+52.26 E CONST BK =
STA 38+40.03 E SURVEY AH =
STA 132+50.03 E CONST AH =

SCALE: 1" = 20' HORIZ
1" = 10' VERT

06/02/08 11:26:17 AM A:\SUPPORT\EXHIBITS\000 PROJECT DIRECTOR\1100117186\00000001.dwg





EXHIBIT EX-XS-4
Date 7/1/01

Regular	Exc	Embankment
A	V	A
84	230	82
40	167	48
50	317	124
		563

DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION

HILL & DALE ENGINEERING INC P O BOX 2651 TAMPA, FLORIDA 33755 PE LICENSE NO 606655	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION	SHEET NO 43
ROAD NO 70	COUNTY MANATEE	FINANCIAL PROJECT ID 196058-1-52-01

Scale 1" = 20' Horiz
1" = 10' Vert



REGULAR EXC		EMBANKMENT	
A	V	A	V
220		0	
197		0	
685		26	
173		14	
706		44	

EXHIBIT EX-XS-6
Date 7/1/01

DATE	BY	DESCRIPTION

HILL & DALE ENGINEERING INC
P O BOX 2651
TAMPA, FLORIDA 33755
PE LICENSE NO 606655

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO 70
COUNTY MANATEE
FINANCIAL PROJECT ID 196058-1-52-01

CROSS SECTIONS

SHEET NO 45




EXHIBIT EXXS-7
Date 7/11/01

DATE	DESCRIPTION	BY	DATE	DESCRIPTION	BY

HILL & DALE ENGINEERING INC P O BOX 2851 TAMPA, FLORIDA 33755 PE LICENSE NO 606655	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION	SHEET NO 46
ROAD NO 70	COUNTY MANATEE	FINANCIAL PROJECT ID 196058-1-52-01
CROSS SECTIONS		





EXHIBIT EX-XS-8
Date 7/1/01

Regular Exc		Embankment	
A	V	A	V
90		10	
58	274	46	104
263		19	
84		18	
406		56	

REVISIONS		DESCRIPTION		DATE	BY

HILL & DALE ENGINEERING INC P O BOX 2651 TAMPA, FLORIDA 33755 PE LICENSE NO 606655		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION	FINANCIAL PROJECT ID 196058-1-52-01
ROAD NO 70	COUNTY MANATEE	CROSS SECTIONS	

DATE	BY	SHEET NO
		47



DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION

120	80	40	0	40	80	120
99	95	72	300	99	95	72
A	V	A	V	A	V	A
Regular Exc.	Exc.	Embankment				

HILL & DALE ENGINEERING INC P O BOX 2651 TAMPA, FLORIDA 33755 PE LICENSE NO 608655		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION FINANCIAL PROJECT ID ROAD NO 70 COUNTY MANATEE PROJECT ID 196059-1-52-01	
---	--	---	--

EXHIBIT EX-XS-9 Date 7/1/01		SHEET NO 48
--------------------------------	--	----------------

CROSS SECTIONS

1" = 20' HORIZ
1" = 10' VERT

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
CONTRACT PLANS


FINANCIAL PROJECT ID 196058-1-52-01
 (FEDERAL FUNDS)
 MANATEE COUNTY (13160)
 STATE ROAD NO 70

SIGNING AND PAVEMENT MARKING PLANS

INDEX OF SIGNING AND PAVEMENT MARKING PLANS

SHEET NO	SHEET DESCRIPTION
S-1	KEY SHEET
S-2	TABULATION OF QUANTITIES
S-3 THRU S-7	SIGNING AND PAVEMENT MARKING SHEETS
S-8	GUIDE SIGN WORK SHEET

NOTE: SHEET S-3 IS NOT INCLUDED IN EXHIBITS



PLANS PREPARED BY
 HERSHEL ENGINEERING INC
 P.O. BOX 8825
 CLEVELAND FLA 32335
 CONTRACT NO. C-4879
 VENDOR NO. 45

NOTE THE SCALE OF THESE PLANS MAY
 HAVE CHANGED DUE TO REPRODUCTION

GOVERNING STANDARDS AND SPECIFICATIONS
 FLORIDA DEPARTMENT OF TRANSPORTATION
 STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION
 DATED JANUARY 2000 AND
 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE
 CONSTRUCTION DATED 2000
 AS AMENDED BY CONTRACT DOCUMENTS

EXHIBIT EX-S-KS
 Date 7/1/01


KEY SHEET REVISIONS	
DATE	DESCRIPTION

SIGNING AND PAVEMENT MARKING PLANS
 ENGINEER OF RECORD
 FRED S. HERSHEL
 PE NO 6790

FISCAL YEAR	01	SHEET NO	S-1
-------------	----	----------	-----

FOOT PROJECT MANAGER STEWART J. ERVING

1"=50'



MATCH LINE STA 127+00 & CONST

MATCH LINE STA 134+00 & CONST

EXHIBIT EX-S-P2
Date 7/1/01

REVISIONS		DESCRIPTION	DATE	BY
DATE	BY			

HERSHEL ENGINEERING INC P O BOX 8825 CLEWISTON FLA 32335 PE LICENSE NO 06790		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION FINANCIAL PROJECT ID	SHEET NO
ROAD NO 70	COUNTY MANATEE	PROJECT NO P60058-1-52-01	S-4

SIGNING AND PAVEMENT MARKINGS

DATE: 7/1/01



1"=50'




EXHIBIT EX-S-P3
DATE 7/1/01

REVISIONS		DESCRIPTION	
DATE	BY	DATE	DESCRIPTION

HERSHEL ENGINEERS INC P.O. BOX 8825 CLEWISTON FLA 32555 PE LICENSE NO 067901		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD NO 70 COUNTY MANATEE FINANCIAL PROJECT ID B6058-1-52-01	
---	--	--	--

SHEET NO	5-5
----------	-----

DATE 7/1/01

SHEET NO 5-5




EXHIBIT EX-S-P4
Date 7/1/01

REVISIONS		DESCRIPTION	
DATE	BY	DATE	DESCRIPTION

HERSHEL ENGINEERING INC P.O. BOX 8825 CLEWISTON FLA 32355 PE LICENSE NO 067591		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION FINANCIAL PROJECT ID	
ROAD NO	70	COUNTY	MANATEE
PROJECT NO	196058-1-52-01		

SHEET NO	S-6
SIGNING AND PAVEMENT MARKINGS	




EXHIBIT EX-S-P5
Date 7/1/01

SHEET NO		S-7									
SIGNING AND PAVEMENT MARKINGS											
STATE OF FLORIDA		COUNTY									
DEPARTMENT OF TRANSPORTATION		MANATEE									
ROAD NO	70	FINANCIAL PROJECT ID	190058-1-52-01								
HERSHEL ENGINEERING, INC		PE LICENSE NO 067301									
P.O. BOX 8825		CLEWISTON, FLA 32335									
<table border="1"> <thead> <tr> <th>DATE</th> <th>BY</th> <th>DESCRIPTION</th> <th>REVISIONS</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>				DATE	BY	DESCRIPTION	REVISIONS				
DATE	BY	DESCRIPTION	REVISIONS								

NOTES: SEE PLAN

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

CONTRACT PLANS


FINANCIAL PROJECT ID 196058-1-52-01
(FEDERAL FUNDS)
MANATEE COUNTY (13160)
STATE ROAD NO 70

SIGNALIZATION PLANS

INDEX OF SIGNALIZATION PLANS

SHEET NO	SHEET DESCRIPTION
T-1	KEY SHEET
T-2	TABULATION OF QUANTITIES
T-3 & T-4	SIGNALIZATION PLAN SHEETS
T-5	MAST ARM TABULATION SHEET

NO. 9
SHEET T-3 IS NOT INCLUDED IN EXHIBITS



PLANS PREPARED BY

HERSHEL ENGINEERING INC
P.O. BOX 8825
CLEWISTON FLA 32315
CONTRACT NO. C-0679
VENDOR NO. 45

NOTE THE SCALE OF THESE PLANS MAY
HAVE CHANGED DUE TO REPRODUCTION

GOVERNING STANDARDS AND SPECIFICATIONS
FLORIDA DEPARTMENT OF TRANSPORTATION
POLYGRAPHIC DESIGN STANDARDS
DATED JANUARY 2000
STANDARDS SPECIFICATIONS FOR ROAD AND BRIDGE
CONSTRUCTION DATED 2000
AS AMENDED BY CONTRACT DOCUMENTS

EXHIBIT EX-TKS-1
Date 7/1/01

KEY SHEET REVISIONS	DATE	BY	DESCRIPTION

SIGNALIZATION PLANS
ENGINEER OF RECORD

JEREMY S. HERSHEL
PE NO 6730

FISCAL YEAR	SHEET NO
01	T-1

FOOT PROJECT MANAGER STEWART J. ERVING

TABULATION OF QUANTITIES

PIV ITEM NO	DESCRIPTION	UNIT	SHEET NUMBERS																TOTAL THIS SHEET		GRAND TOTAL		REF SHEET
			T-3		T-4		F-1		F-2		F-3		F-4		F-5		F-6		PLAN	FINAL	PLAN	FINAL	
			PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL					
620-1-1	GROUNDING ELECTRODE (FURNISH & INSTALL)	LF		250														250			250		
630-1-1	CONDUIT (ABOVE GROUND)	LF		30														30			30		
630-1-2	CONDUIT (UNDERGROUND)	LF		492														492			492		
630-1-3	CONDUIT (UNDER PAVEMENT)	LF		8														8			8		
632-7-1	SIGNAL CABLE	PI		1														1			1		
635-1-1	PULL AND JUNCTION BOXES	EA		11														11			11		
639-1-22	ELECTRICAL POWER SERVICE	AS		1														1			1		
639-2-1	ELECTRICAL SERVICE WIRE	LF		75														75			75		
644-4-112	CONCRETE STRAIN POLE	EA		1														1			1		
649-12-002	MAST ARM ASSEMBLY	EA		1														1			1		
649-13-003	MAST ARM ASSEMBLY	EA		2														2			2		
649-14-004	MAST ARM ASSEMBLY	EA		1														1			1		
650-51-311	TRAFFIC SIGNAL	AS		8														8			8		
653-171	PEDESTRIAN SIGNALS	AS		2														2			2		
653-172	PEDESTRIAN SIGNALS	AS		1														1			1		
660-1-103	INDUCTIVE LOOP DETECTOR (2 CHANNEL)	EA		6														6			6		
660-2-101	LOOP ASSEMBLY (TYPE A)	AS		6														6			6		
660-2-102	LOOP ASSEMBLY (TYPE B)	AS		1														1			1		
660-2-105	LOOP ASSEMBLY (TYPE E)	AS		1														1			1		
660-2-106	LOOP ASSEMBLY (TYPE F)	AS		2														2			2		
665-11	PEDESTRIAN DETECTOR	EA		3														3			3		
670-13-000	ACTUATED SOLID STATE CONTROLLER ASSEMBLY	EA		1														1			1		

SHEET T-3 IS NOT INCLUDED IN EXHIBITS

Note: Quantities and items shown are for sheet exhibits only and do not reflect the total quantities and items for a complete signalization project.

EXHIBIT EX-TQ-1
Date 7/1/01

DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION

HERSHEL ENGINEERING INC
P.O. BOX 8825
CLEWISTON FLA 32355
PE LICENSE NO 067901

STATES OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO 70
COUNTY MANATEE
FINANCIAL PROJECT ID 196058-1-52-01

TABULATION OF QUANTITIES

SHEET NO T-2





EXHIBIT EY-T-P2
Date 7/1/01



SIGNAL HEAD DETAIL

CONTROLLER OPERATIONS

- 1 MAJOR STREET IS SR 70 (EVAN FRANCIS BLVD), PHASE 1 (MOVEMENTS 2 AND 6), AND MINOR STREET IS N LILA AVE., PHASE 2 (MOVEMENTS 4 AND 8)
- 2 STANDARD SIGNAL OPERATING PLAN NO. 1 WITH THE FOLLOWING:
 - (A) CONCURRENTLY ACTIVATED PEDESTRIANS FOR MOVEMENTS 2 (P2) AND MOVEMENT 8 (P8) THE FORCE OF PEDESTRIAN CLEARANCE INTERVAL FOR P8 DURING THE TIMING OF PEDESTRIAN CLEARANCE INTERVAL FOR P2
 - (B) SIGNAL SHALL OPERATE ON SCHOOL DAYS FROM 7:45 AM TO 8:50 AM AND FROM 3:10 PM TO 3:55 PM, AND SHALL OPERATE IN A FLASHING MODE DURING ALL OTHER TIMES
 - (C) EIGHT-PHASE CONTROLLER TO OPERATE AS 2-PHASE

DETECTORS FOR LOOPS

LOOP	NO OF NEW DETS	NO OF EXIST DETS	DELAY TIME (SEC)
L-2	3	1	
L-2A	1	1	
L-4	1	1	
L-6A	1	1	
L-8	1	1	

CONTROLLER TIMINGS

TIMING FUNCTION	1	2
MOVEMENT NUMBER	2	6
MINIMUM GREEN	15	15
EXTENSION	5	5
MAXIMUM GREEN 1	30	30
MAXIMUM GREEN 2	3	3
YELLOW CLEARANCE	3	3
ALL RED	2	2
PEDESTRIAN WALK	9	9
PED CLEARANCE	18	18
RECALL	MIN	MIN

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

HERSHEL ENGINEERING INC
P.O. BOX 8825
CLEWISTON FLA 32355
PE LICENSE NO 067901

ROAD NO 70
COUNTY MANATEE
FINANCIAL PROJECT ID 196058-1-52-01

SIGNALIZATION

SHEET NO T-4

DATE 7/1/01

**STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION**

CONTRACT PLANS

FINANCIAL PROJECT ID 196058-1-52-01
(FEDERAL FUNDS)
MANATEE COUNTY (13160)
STATE ROAD NO 70


LIGHTING PLANS

INDEX OF LIGHTING PLANS

SHEET NO	SHEET DESCRIPTION
L-1	KEY SHEET
L-2	TABULATION OF QUANTITIES
L-3	PILE DATA AND LEGEND
L-4	LIGHTING DETAILS
L-5 thru L-9	LIGHTING PLAN SHEETS

Note
SHEET L-5 IS NOT INCLUDED IN EXHIBITS

GOVERNING STANDARDS AND SPECIFICATIONS
FLORIDA DEPARTMENT OF TRANSPORTATION
ROADWAY AND TRAFFIC DESIGN STANDARDS
REVISIONS THROUGH 2000 AND
STANDARDS SPECIFICATIONS FOR ROAD AND BRIDGE
CONSTRUCTION DATED 2000
AS AMENDED BY CONTRACT DOCUMENTS



PLANS PREPARED BY
HERSHEL ENGINEERING INC
P. O. BOX 8825
CLEARWATER FL 32615
CONTRACT NO. C 0879
VENDOR NO. 45

NOTE THE SCALE OF THESE PLANS MAY
HAVE CHANGED DUE TO REPRODUCTION

EXHIBIT EX-LKS-1
Date 7/1/01

DATE	BY	DESCRIPTION

LIGHTING PLANS
ENGINEER OF RECORD
JEREMY S. HERSHEL
PE NO. J 08730A

FISCAL YEAR	01
SHEET NO	L-1

FDOT PROJECT MANAGER STEWART J. ERVING

TABLATION OF QUANTITIES

PART ITEM NO	DESCRIPTION	UNIT	SHEET NUMBERS												TOTAL THIS SHEET		GRAND TOTAL		REF SHEET	
			L-5		L-6		L-7		L-8		L-9		PLAN	FINAL	PLAN	FINAL	PLAN	FINAL		
			PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL		
555-1-I	DIRECTIONAL BORE (LESS THAN 6')	LF			III		316					115		100			642		642	
620-1-I	GROUNDING ELECTRODE (FURNISH & INSTALL)	LF		10			70					130		90			500		500	
715-1-1/3	CONDUCTOR (FURNISH & INSTALL) (INSULATED NO 6)	LF		3525			4755					4355		3537			16182		16182	
715-2-1/4	CONDUIT (FURNISH & INSTALL UNDERGROUND) (PVC SCHEDULE 40) (1/2")	LF		1264			1249					1340		1097			4750		4750	
715-1-II	LOAD CENTER (FURNISH & INSTALL) (SECONDARY VOLTAGE)	EA		0			1					0		0			1		1	
715-14-II	PULL BOX (FURNISH & INSTALL) (ROADSIDE) (MOULDED)	EA		II			16					13		10			50		50	
715-500-1	POLE CABLE DISTRIBUTION SYSTEM (CONVENTIONAL)	EA		7			9					9		8			33		33	
715-621-222	LIGHTING POLE COMPLETE (ALUMINUM STANDARD) (FURNISH & INSTALL) (MOUNTING HEIGHT 40')	EA		7			9					9		8			33		33	

SHEET L-5 IS NOT INCLUDED IN EXHIBITS

Note: Quantities And Items Shown Are For Sheet Exhibits Only And Do Not Reflect The Total Quantities And Items For A Complete Lighting Project

EXHIBIT EX-LQ-1
DATE 7/1/01

DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION
HERSHEL ENGINEERING INC P O BOX 8825 CLEVISTON FLA 32355 PE LICENSE NO 067901			STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD NO 70 COUNTY MANATEE FINANCIAL PROJECT ID P96058-1-52-01			
TABULATION OF QUANTITIES						SHEET NO L-2

POLE DATA

POLE NO	CIRCUIT	STATION & OFFSET	DIST OR ARR	LUMINAIRE WATTAGE	MOUNTING HEIGHT	POLE SETBACK FROM TRAVEL LANE	PAY ITEM	FINAL
1	A-I	127+63 61.5 LI £ Const	10	250	40	10	715-612-222	
2	A-III	128+50 61.5 RI £ Const	10	250	40	10	715-612-222	
3	A-I	129+45 61.5 LI £ Const	10	250	40	10	715-612-222	
4	A-III	130+35 61.5 RI £ Const	10	250	40	10	715-612-222	
5	A-I	131+25 61.5 LI £ Const	10	250	40	10	715-612-222	
6	A-III	132+15 61.5 RI £ Const	10	250	40	10	715-612-222	
7	A-I	133+05 61.5 LI £ Const	10	250	40	10	715-612-222	
8	A-III	134+00 61.5 RI £ Const	10	250	40	10	715-612-222	
9	A-I	135+00 61.5 LI £ Const	10	250	40	10	715-612-222	
10	A-III	136+00 61.5 RI £ Const	10	250	40	10	715-612-222	
11	A-I	137+00 61.5 LI £ Const	10	250	40	10	715-612-222	
12	A-III	138+00 61.5 RI £ Const	10	250	40	10	715-612-222	
13	A-I	139+00 61.5 LI £ Const	10	250	40	10	715-612-222	
14	A-III	140+00 61.5 RI £ Const	10	250	40	10	715-612-222	
15	A-I	141+00 61.5 LI £ Const	10	250	40	10	715-612-222	
16	A-III	142+00 61.5 RI £ Const	10	250	40	10	715-612-222	
17	A-I	143+00 61.5 LI £ Const	10	250	40	10	715-612-222	
18	A-III	144+00 61.5 RI £ Const	10	250	40	10	715-612-222	
19	A-I	145+00 61.5 LI £ Const	10	250	40	10	715-612-222	
20	A-III	146+00 61.5 RI £ Const	10	250	40	10	715-612-222	
21	A-I	147+00 61.5 LI £ Const	10	250	40	10	715-612-222	
22	A-III	148+00 61.5 RI £ Const	10	250	40	10	715-612-222	
23	A-I	149+00 61.5 LI £ Const	10	250	40	10	715-612-222	
24	A-III	150+00 61.5 RI £ Const	10	250	40	10	715-612-222	
25	A-I	151+00 61.5 LI £ Const	10	250	40	10	715-612-222	
26	A-III	152+00 61.5 RI £ Const	10	250	40	10	715-612-222	
27	A-I	153+00 61.5 LI £ Const	10	250	40	10	715-612-222	
28	A-III	154+00 61.5 RI £ Const	10	250	40	10	715-612-222	
29	A-I	155+00 61.5 LI £ Const	10	250	40	10	715-612-222	
30	A-III	156+00 61.5 RI £ Const	10	250	40	10	715-612-222	
31	A-I	157+00 61.5 LI £ Const	10	250	40	10	715-612-222	
32	A-III	158+00 61.5 RI £ Const	10	250	40	10	715-612-222	
33	A-I	159+00 61.5 LI £ Const	10	250	40	10	715-612-222	
34	A-III	160+00 61.5 RI £ Const	10	250	40	10	715-612-222	
35	A-I	161+00 61.5 LI £ Const	10	250	40	10	715-612-222	
36	A-III	162+00 61.5 RI £ Const	10	250	40	10	715-612-222	
37	A-I	163+00 61.5 LI £ Const	10	250	40	10	715-612-222	
38	A-III	164+00 61.5 RI £ Const	10	250	40	10	715-612-222	
39	A-I	165+00 61.5 LI £ Const	10	250	40	10	715-612-222	
40	A-III	166+00 61.5 RI £ Const	10	250	40	10	715-612-222	

NOTE
POLES 1-8 ARE NOT INCLUDED IN EXHIBITS

CONVENTIONAL LIGHTING DESIGN CRITERIA		HIGH MAST LIGHTING DESIGN CRITERIA (N/A)	
Average Initial Intensity	1.5 F C	Average Initial Intensity	--- 10 --- F C
Uniformity Ratio Avg /Min	4.1 Or Less	Uniformity Ratio Avg /Min	3.1 Or Less
Max /Min	10.1 Or Less	Max /Min	10.1 Or Less
Wind Speed	90 MPH	Wind Speed	MPH

LEGEND

SYMBOLS



DESCRIPTION

250 Watt High Pressure Sodium Luminaire, Designed For Medium Semi-Cutoff Type III Distribution
Integral Auto-Regulator Type Ballast Wired For 480 Volt Operation
Single Arm Pole (Mounting Height 40 Feet) Use GE Curve 7321 Or Equal

Size 1/2 Schedule 40 PVC Conduit With THW Or THWN Conductors inside (Conduit And Conductor Size As Shown On Plan Sheets Run One (1) No 6 AWG Copper Bond Conductor (TW Green Insulation) inside Conduit With Other Conductors

Size 2 Schedule 40 PVC Conduit Or Equal, Directional Bored Under Pavement With THW Or THWN Conductors inside Conduit And Conductor Size As Shown On Plan Sheets Extend Conduit Beyond Edge Of Pavement To Pull Boxes Run One (1) No 6 AWG Copper Bond Conductor (TW Green Insulation) inside Conduit With Other Conductors

Distribution Point For Specifications See Index No 17504 Of Roadway And Traffic Design Standards


Pull Box For Specifications See Section 635 Of The Standard Specifications For Road And Bridge Construction And The Minimum Specifications For Traffic Control Signal Devices

EXHIBIT EX-LPD-1
Date 7/1/01


DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION

STATE OF FLORIDA	DEPARTMENT OF TRANSPORTATION	ROAD NO	COUNTY	MANATEE	PROJECT ID	96058-1-52-01
POLE DATA AND LEGEND						SHEET NO
						L-3

HEARSHEL ENGINEERING INC	P O BOX 8825	CLEWISTON FLA 32355	PE LICENSE NO 067901
--------------------------	--------------	---------------------	----------------------




POLE SLAB DETAIL




POLE SLAB DETAIL

NOTES

- 1 The pole slab details shown on this sheet are for those areas where R/W and/or slopes prevent the use of the standard slab detail, as shown on index No 17500
- 2 For pole locations in or adjacent to the sidewalk, concrete slabs are to be paid for as Concrete Sidewalk 4 (thick)
- 3 All poles not located in sidewalk area, are standard poles for pull boxes and shall be installed as per Standard Index No 17500, sheet 2 of 3



POLE INSTALLATION FOR CUT SECTIONS



POLE INSTALLATION FOR FILL SECTIONS

* Slopes in various locations are to be adjusted to accommodate installation of poles. Dress slopes 1' back of pole slab. See typical installation details for these adjustments.

EXHIBIT EX-LD-1
Date 7/1/01

DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION

HERSHEL ENGINEERING INC
P O BOX 8825
CLEWISTON FLA 32355
PE LICENSE NO 06790

STATE OF FLORIDA	DEPARTMENT OF TRANSPORTATION
ROAD NO	FINANCIAL PROJECT ID
70	MMATEE 19058-1-52-01

LIGHTING DETAILS

SHEET NO
L-4




EXHIBIT EX-L-P2
Date 7/1/01

REVISIONS		DESCRIPTION	DATE	BY
DATE	BY			

HERSHIEL ENGINEERING INC P O BOX 8825 CLEWISTON FLA 32355 PE LICENSE NO 06790		STATES OF FLORIDA DEPARTMENT OF TRANSPORTATION	
ROAD NO 70	COUNTY MANATEE	FINANCIAL PROJECT ID R6058-1-52-01	SHEET NO 1-6

03/10/02 PM A:\MVP\PROJECTS\200 PROJECT DIRECTOR\... 8 1 1 6
Lighting.mxd




EXHIBIT EX-L-P3
 Date 7/1/01

REVISIONS		DESCRIPTION	
DATE	BY	DATE	BY

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		ROAD NO 70	
COUNTY MANATEE		FINANCIAL PROJECT ID 196058-1-52-01	

HERSHEL ENGINEERING INC P.O. BOX 8625 CLEMATON FLA 32355 PE LICENSE NO 68790		SHEET NO L-7	
---	--	-----------------	--




EXHIBIT EX-L-P5
Date 7/1/01

REVISIONS		DESCRIPTION	
DATE	BY	DATE	DESCRIPTION

HERSHEL ENGINEERING INC P O BOX 8825 CLEWISTON FLA 32355 PE LICENSE NO 067901		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION FINANCIAL PROJECT ID ROAD NO 70 COUNTY MANATEE PROJECT NO 196058-1-52-01	
--	--	---	--

LIGHTING PLAN

SHEET NO
L-9

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION


CONTRACT PLANS

FINANCIAL PROJECT ID 196058-1-52-01
 (FEDERAL FUNDS)
 MANATEE COUNTY (13160)
 STATE ROAD NO 70

LANDSCAPING PLANS

INDEX OF LANDSCAPE PLANS
 SHEET NO SHEET DESCRIPTION
 LS-1 KEY SHEET
 LS-2 and LS-3 TABULATION OF QUANTITIES
 LS-4 thru LS-10 LANDSCAPE PLANS

SHEET LS-4 NOT INCLUDED IN EXHIBITS



LOCATION OF PROJECT

PLANS PREPARED BY
 MOYLL LANDSCAPE DESIGN, INC
 13465 S W 127th ST, SUITE 400
 MIAMI, FLORIDA 33186
 CONTRACT NO. C-3089
 VENDOR NO. 88

NOTE THE SCALE OF THESE PLANS MAY
 HAVE CHANGED DUE TO REPRODUCTION

COVERING STANDARDS AND SPECIFICATIONS
 FOR DESIGN, CONSTRUCTION,
 MAINTENANCE AND TRAFFIC DESIGN STANDARDS
 DATED JANUARY 2000 AND
 STANDARDS SPECIFICATIONS FOR ROAD AND BRIDGE
 CONSTRUCTION DATED 2000
 AS AMENDED BY CONTRACT DOCUMENTS

EXHIBIT EX-LS-KS
 Date 7/1/01

DATE	BY	DESCRIPTION

LANDSCAPE PLANS
 ENGINEER OF RECORD KELENE MOYLL PE

P.E. NO. 00000

FISCAL YEAR	SHEET NO
	LS-1

FDOT PROJECT MANAGER

TABLATION OF QUANTITIES

PAY ITEM NO	SYM	DESCRIPTION	SIZE	UNIT	SHEET NUMBERS												TOTAL THIS SHEET		REF SHEET
					LS-4		LS-5		LS-6		LS-7		LS-8		PLAN	FINAL	PLAN	FINAL	
					PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL					
502-2	OP	GROUND COVERS	1 GALLON TO LESS THAN 5 GALLON CONTAINERS	M															
	OP	BLANDET FLOWER (CALLIPALMA PULCHELLA)	5 SPREAD BINIMUM	M															
	IES	DUNE SUNFLOWER (HELIANTHUS DEBILIS)	5 SPREAD BINIMUM	M															
	LED	EVERGREEN GIANT (LOROP EUSCARI EVERGREEN GIANT)	9 SPREAD BINIMUM	M															
	JVA	AZTEC GRASS (VARIATED GIANT)	9 SPREAD BINIMUM	M															
502-2	RI	SHRUBS	1 GALLON TO LESS THAN 5 GALLON CONTAINERS	M															
	RI	INDIA HANTHORNE (RAPHIOLEPIS INDICA ALBA)	13 SPREAD BINIMUM	M															
502-3	SHRUBS	5 GALLON CONTAINER 19 TO 27 HT		M															
	WC	WAX MYRTLE (MYRTA CERIFERA)	25 HT BINIMUM	M															
	NO	OLEANDER (NERIUM OLEANDER PINK)	25 HT BINIMUM	M															
503-4	TREES	15 GAL CONTAINER OR LARGER 8 TO 20 HT		M															
	AE	EAST PALATKA HOLLY (ILEX ATTENUATA EAST PALATKA)	100 GALLON 11 HT 6 SPREAD 3/4 TO 4 CALIPER	M															
	UR	MATCHEZ GRAPE MYRTLE (LAGERSTROEMIA INDICA MATCHEZ)	15 GAL 11 HT 6 SPREAD 9 CLEAR TRUNKS	M															
	QVI	HERITAGE LIVE OAK (QUERCUS VIRGINIANA HERITAGE)	1 1/2 CALIPER TRUNKS 3 TO 7 TRUNKS	M															
			45 GALLON 11 HT 5 SPREAD 2 1/2 TO 3 CALIPER	M															
			8 CLEAR TRUNK	M															
504-4	SP	SINGLE TRUNK PALMS	8 TO 20 CLEAR TRUNK	M															
	SP	SABAL PALM (SABAL PALMETTO)	12 CLEAR TRUNK SHOWN IN PLANS	M															
	SP	SABAL PALM (SABAL PALMETTO)	16 CLEAR TRUNK SHOWN IN PLANS	M															
	SP	SABAL PALM (SABAL PALMETTO)	20 CLEAR TRUNK SHOWN IN PLANS	M															

SHEET LS-4 IS NOT INCLUDED IN EXHIBITS

Note Quantities And Items Shown Are For Sheet Exhibits Only And Do Not Reflect The Total Quantities And Items For A Complete Landscape Project

EXHIBIT EX-LSQ-1
Date: 7/1/01

DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION

MCQUILL LANDSCAPE DESIGN INC
15455 SW 37th ST, SUITE 100
MIAMI FLORIDA 33166
P.E. NO 00000

STATS OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO. 70
COUNTY MAWA TEE
FINANCIAL PROJECT ID: 090058-1-52-01

TABLATION OF QUANTITIES
SHEET NO. LS-2

TABULATION OF QUANTITIES

PAY ITEM NO	SYM	DESCRIPTION	SIZE	UNIT	SHEET NUMBERS												TOTAL THIS SHEET	GRAND TOTAL	REF SHEET
					LS-9		LS-10		FLAN		FINAL		PLAN		FINAL				
					PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL			
502-2		GROUND COVERS	1 GALLON TO LESS THAN 5 GALLON CONTAINERS	PI													800		
	GP	BLANKET FLOWER (CALLIPALMA RUCHELLAU)	6 SPREAD MINIMUM	PI													6750		
	MS	DAVE SUNEFLOWER (HELIANTHUS DEBILIS)	6 SPREAD MINIMUM	PI													6/200		
	LEG	EYE BROODER GIANT (LINDOPE MUSCARI EYE BROODER GIANT)	9 SPREAD MINIMUM	PI	2200														
	LVA	AZTEC GRASS (LINDOPE MUSCARI AZTEC)	9 SPREAD MINIMUM	PI													3,363		
502-2	RI	SHRUBS	1 GALLON TO LESS THAN 5 GALLON CONTAINERS	PI	270												270		
		INDIA HAWTHORNE (RAPHANOLEPIS INDICA ALBA)	13 SPREAD MINIMUM	PI													270		
502-3	UC	SHRUBS	5 GALLON CONTAINER 19 TO 27" HT	PI													56		
	NO	WAX MYRTLE (IMRICA CERIFERA)	25 HT MINIMUM	PI															
		ORLEANDER (NERIUM OLANDER PINK)	25 HT MINIMUM	PI															
503-4		TREES	15 GAL CONTAINER OR LARGER 8 TO 20 HT	PI															
	ME	EAST PALMATA HOLLY (EAST PALMATA)	200 GALLON II HT 8 SPREAD 3/8 TO 4 CALIPER	PI	6												6		
	UM	MATCHZ CRPE MYRTLE (LARGESTRAMEIA INDICA MATCHZ)	65 GAL II HT 6 SPREAD 8 CLEAR TRUNKS	PI	6												6		
	0/H	HERITAGE LIVE OAK (QUERCUS VIRGINIANA HERITAGE)	1 1/2 CALIPER TRUNKS 3 TO 7 TRUNKS	PI													3		
			45 GALLON II HT 6 SPREAD 2 1/2 TO 3 CALIPER	PI													3		
			6 CLEAR TRUNK	PI															
504-4	SP	SINGLE TRUNK PALMS	8 TO 20 CLEAR TRUNK	PI													10		
	SP	SABAL PALM (SABAL PALMETTO)	12 CLEAR TRUNK SHOWN IN PLANS	PI													10		
	SP	SABAL PALM (SABAL PALMETTO)	16 CLEAR TRUNK SHOWN IN PLANS	PI													4		
	SP	SABAL PALM (SABAL PALMETTO)	20 CLEAR TRUNK SHOWN IN PLANS	PI													1		

Note: Quantities And Items Shown Are For Sheet Exhibits Only And Do Not Reflected The Total Quantities And Items For A Complete Landscape Project



EXHIBIT EX-LSQ-2
Date: 7/1/01

DATE	BY	DESCRIPTION	REVISED	DATE	BY	DESCRIPTION

MCQUILL LANDSCAPE DESIGN INC
13465 S W 137th ST, SUITE 100
MIAMI, FLORIDA 33166
P E NO 00000

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO 70
COUNTY MANATEE
FINANCIAL PROJECT ID 196058-1-52-01

TABULATION OF QUANTITIES
SHEET NO LS-3



Symbol	Botanical Nomenclature	Common Name
HES	<i>Ilex attenuata</i>	East Palatka
LMA	<i>Lirioden muscarif</i>	Aztec grass
IAE	<i>Ilex attenuata</i>	East Palatka holly
QVH	<i>Quercus virginiana</i>	Heritage live oak
SP	<i>Sabal palmetto</i>	Cabbage palm

Legend

- Exist Tree
- Proposed Tree
- Proposed Ground Cover
- HC Horizontal Clearance
- Limit of Clear Sight
- Proposed Single Arm Pole Distribution Point and Pole Box
- Proposed Conduit
- Proposed Plant Quantity and Spacing



Plant locations may be adjusted in the field by the Engineer due to unforeseen on site conditions

EXHIBIT EX-LS-02
DATE: 1/7/01

REVISIONS		DESCRIPTION	
DATE	BY	DATE	BY

MODULI LANDSCAPE DESIGN, INC 13455 S.W. 137th St., SUITE 100 MIAMI, FLORIDA 33166 P.E. NO. 00000		STATES OF FLORIDA DEPARTMENT OF TRANSPORTATION FINANCIAL PROJECT ID ROAD NO. 70 COUNTY MANATEE PROJECT NO. 196058-1-52-01	SHEET NO. LS-5
---	--	--	-------------------

LANDSCAPE PLAN



Symbol	Botanical Nomenclature	Common Name
GP	<i>Gaillardia pulchella</i>	Blanket flower
HES	<i>Helianthus scaberrimus</i>	Dune sun flower
LEG	<i>Liriodendron muscari</i>	Evergreen giant lily
LMA	<i>Liriodendron muscari</i>	Aztec grass
MC	<i>Myrica carifera</i>	Wax myrtle
LIN	<i>Lagerstroemia indica</i>	Butterfly tree
SP	<i>Sabal palmetto</i>	Cabbage palm

Legend	
	Existing Tree
	Proposed Tree
	Proposed Ground Cover
	MC-Horizontal Clearance
	Limit of Clear Sight
	Proposed Single Arm Pole
	Distribution Point and Full Box
	Proposed Curbcut
	Proposed Plant Quantity and Spacing

Plant locations may be adjusted in the field by the Engineer due to unforeseen on site conditions

EXHIBIT EX-15-P3
Date: 7/1/01


REVISIONS		DESCRIPTION	
DATE	BY	DATE	BY

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO. 70
COUNTY MANATEE
FINANCIAL PROJECT ID #96058-1-52-01

McGILL LANDSCAPE DESIGN INC
13455 S.W. 137th St. SUITE 100
MIAMI FLORIDA 33166
P.E. NO. 00000

LANDSCAPE PLAN

SHEET NO. LS-6



Legend

	Existing Tree
	Proposed Tree
	Proposed Ground Cover
	MC Horizontal Clearance
	Limit of Clear Sight
	Proposed Slope Area, Pole, Distribution Point, and Rain Box
	Proposed Curb
	Proposed Plant Quantity and Spacing

Symbol	Botanical Nomenclature	Common Name
LEG	Liriodendron tulipifera	Evergreen gladiolus
MC	Myrica carolinensis	Wax myrtle
NO	Neuraphis glabra	Orange
OH	Quercus virginiana	Heritage live oak
SP	Sabal palmetto	Cabbage palm

Plant spacings may be adjusted in the field by the Engineer due to variations in site conditions.

EXHIBIT EX-15-P4
Date: 7/2/01


SHEET NO
LS-7

LANDSCAPE PLAN

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
ROAD NO. 70
COUNTY MANATEE
FINANCIAL PROJECT ID: 196058-1-52-01

MCQUILL LANDSCAPE DESIGN INC
13465 SW 157TH ST SUITE 100
MIAMI, FLORIDA 33166
P.E. NO. 00000

DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION



Symbol	Botanical Nomenclature	Common Name
LEG	<i>Liriodendron tulipifera</i>	Evergreen plant
LIN	<i>Lagerströmia indica</i>	Craps myrtle

Symbol	Legend
(Tree symbol)	Exist Tree
(Tree symbol)	Proposed Tree
(Dashed line)	Proposed Driveway
(Dashed line)	NC Horizontal Clearance
(Dashed line)	Limit Of Clear Sight
(Dashed line)	Proposed Stage-Arm Pile
(Dashed line)	Distribution Point and Pull Box
(Dashed line)	Proposed Conduit
(Dashed line)	Proposed Plant Quantity and Spacing

Plant locations may be adjusted in the field by the Engineer due to unforeseen on site conditions





EXHIBIT EX-15-PS
Date: 7/1/00

SHEET NO
LS-8

LANDSCAPE PLAN

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
COUNTY: MANATEE
ROAD NO: 70
MANATEE PROJECT ID: 198055-1-52-01


MOULL LANDSCAPE DESIGN, INC
13455 SW 13TH ST, SUITE 100
MIAMI, FLORIDA 33186
P.E. NO. 00000

DATE	BY	DESCRIPTION	REVISIONS	DATE	BY	DESCRIPTION

Symbol	Botanical Nomenclature	Common Name
LEG	<i>Liriodendron muscari</i> , <i>Evergreen giant</i>	Evergreen giant liriodendron
RI	<i>Raphiopholis indica</i>	Dwarf India hawthorn
IAE	<i>Ilex attenuata</i> , <i>East Palatka</i>	East Palatka holly
LIN	<i>Lagerstroemia indica</i> , <i>Natchez</i>	Crape myrtle

Plant locations may be adjusted in the field by the Engineer due to unforeseen on site conditions

Legend	
	Existing Tree
	Proposed Tree
	Proposed Ground Cover and Scrub
	10' Horizontal Clearance
	Limit of Clear Sight
	Proposed Single Arm Pole Distribution Point and Pull Box
	Proposed Conduit
	Proposed Plant Quantity and Spacing



WES CARSON ELEMENTARY SCHOOL




EXHIBIT EX-45-P6
Date: 7/1/01



SHEET NO	LS-9
----------	------

LANDSCAPE PLAN

STATE OF FLORIDA	FINANCIAL PROJECT ID
DEPARTMENT OF TRANSPORTATION	B6058-1-52-01
ROAD NO	COUNTY
70	MANATEE

MCULL LANDSCAPE DESIGN, INC
13465 S.W. 137th St. Suite 100
MIAMI, FLORIDA 33166
PE NO 00000

REVISIONS	
DATE	DESCRIPTION



Legend	
	Existing Tree
	Proposed Tree
	Proposed Ground Cover and Scrub
	NC Horizontal Clearance
	Limit of Clear Sight
	Proposed Single Arm Pole Distribution Pole and Pull Bar
	Proposed Conduit
	Proposed Plant Quantity and Spacing

EXHIBIT EX-LS-P7
Date: 7/1/01

REVISIONS		DESCRIPTION	
DATE	BY	DATE	DESCRIPTION

STATE OF FLORIDA		STATE OF FLORIDA	
DEPARTMENT OF TRANSPORTATION		DEPARTMENT OF TRANSPORTATION	
ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
70	MANATEE	B605B-1-52-01	

MCDULL LANDSCAPE DESIGN INC		LANDSCAPE PLAN	
13455 S.W. 137th ST. SUITE 100		SHEET NO.	
MIAMI FLORIDA 33166		LS-10	
P.E. NO. 00000			