

PICTORIAL VIEWS OF GUARDRAIL APPROACH TRANSITIONS AND CONNECTIONS FOR BRIDGE TRAFFIC RAILING BARRIER (VERTICAL FACE RETROFIT) DETAIL E


Date: 12-31-02


	-					
	FINANCIAL	PROJE	ECT ID	STATE	PROJ. NO.	SHEET NO.
THE SEALED RECORD		TERIM	STANDAF	RD IN ENG	LISH UNITS	7
HIS STANDARD IS ON E IN THE ROADWAY GN OFFICE.	APF	LICAB	LE TO DE UBLISHED	SIGN STA	NDARDS	/
on office.						
STATE OF FLOR	IDA DEPART	TMENT	OF TRA	NSPORTA	TION	
	GUAR	DR	AIL			
INTERIM STAND	ARD				ay Design Engineer	
05./- 25 OF 25 ARE		т то		V Roadw	ay Design Engineer	


SHEET NOS. I - 25 OF 25 ARE A SUPPLEMENT TO INDEX NO. 400 (SHEET I3 OF 32) OF THE DESIGN STANDARDS, BOOKLET DATED JANUARY 2002.


DES


APPROVED BY							
V Roadway Design Engineer							
REVISION NO.	SHEET NO.	INDEX NO.					
	20 of 25	0400					











THRIE-BEAM RETROFIT NOTES

I. See Structures indexes for bridge thrie-beam traffic railing barrier retrofits.

2. Trailing end guardrail to be paid for under the contract unit price for the parent roadway guardrail; end measure includes length of end anchorage assembly; additional payment made for end anchorage assembly. No additional payment for connecting roadway thrie-beam to bridge thrie-beam retrofit.

> PICTORIAL VIEWS OF GUARDRAIL TRAILING END CONNECTIONS FOR BRIDGE TRAFFIC RAILING BARRIER RETROFITS

DETAIL E

Date: 12-31-02

	FINANCIAL	PROJECT ID	STATE PROJ. NO.	SHEET NO.
ý				
	phe .	11 LOCOTION SET DICOLOGIA TILO FOR ADDI TILO FOR ADDI TILO FOR ADDI TILO FOR ADDI A	These Posts Soch Stop Se Dorocch And	
	Defuirer	77		
, which is a second sec	ing mine Of			
Ĩ	De De	Com Blog Or		
4	-7	The Ma	hese	
	<	or Thops	Ne Posts	
		1/ Location ron Biocts May 1// Sis Fre May ron Appro- 1// Sis Sis Appro- 1// Sis	Por Slop Bend	
	ŴŴ	₽ I	OCH AND	
			∕o <sub>€</sub>	
XX		MIN.		
~ ``			Ş	
	$\overline{}$	1	C C	
	$\sim$ ,			
	$\nabla_{\lambda}$	OFF.		
		· Ci		
8 <sub>0.</sub>				
Borrier				
X				
1~				
NROS				
-				
				ן ר
DR VERTICAL FAC	E BARR	IER RETF	ROFITS	
nsions Are Required Beyo	nd The Tra	nilina End Of	Bridaes	
I Face Traffic Railing Bar	riers, Guar	drail Connecti	ons To The	
Be By SPECIAL END SHOE				
TERMINAL CONNECTOR F	or Thrie-E	seam Guardrai	I Extensions.	
Are To Be Constructed C	ommensurat	e With That	Shown For	
Retrofit GUARDRAIL TRAIL				
Except Payment Will Be M				
horage Assembly,EA.,For ridge Traffic Railing Barri	-	the thrie-Be	am lerminal	
	C/.			
THE SEALED RECORD THIS STANDARD IS ON			RD IN ENGLISH UNITS	
FILE IN THE ROADWAY DESIGN OFFICE.			SIGN STANDARDS IN ENGLISH UNITS.	/
DESIGN OFFICE.				'
STATE OF FLOR		MENT OF TPA		
STATE OF FLUR.	ULLAU			
	GUAR	DRAIL		
		· · · <b>-</b>		
INTERIM STAND	ARD	APPROVED	BY AND	1/
		<u> </u>	Roadway Design Engineer	<u>K_</u>
SHEET NOS. 1 - 25 OF 25 ARE A INDEX NO. 400 (SHEET 13 OF 32	A SUPPLEMEN ) OF THE DE	T TÓ SIGN REVISION N	O. SHEET NO. INC	EX NO.
STANDARDS, BOOKLET DATED JA			25 of 25 04	100 I