

Index 5215 Traffic Railing/Noise Wall Trench Footing (Rev. 07/13)

Design Criteria

See Instructions for [Index 5210](#) and/or [Index 5211](#).

Design Assumptions and Limitations

Use this Standard with Index 5210 and/or 5211 when the Traffic Railing / Noise Wall (8'-0") and/or (14'-0") is installed on a trench footing.

Project specific details are required for the use of 10'-0" and 12'-0" tall Traffic Railing / Noise Walls. Base these details on Indexes 5210 and 5211.

Plan Content Requirements

See Instructions for [Index 5210](#) and/or [Index 5211](#).

Include project specific details for 10'-0" and 12'-0" tall Traffic Railing / Noise Walls.

Payment

| Item number | Item description | Unit Measure |
|--------------------|---|---------------------|
| 521-72-20 | Shoulder Concrete Barrier Wall, F Shaped, With 8' Noise Wall | LF |
| 521-72-21 | Shoulder Concrete Barrier Wall, F Shaped, With 10' Noise Wall | LF |
| 521-72-22 | Shoulder Concrete Barrier Wall, F Shaped, With 12' Noise Wall | LF |
| 521-72-23 | Shoulder Concrete Barrier Wall, F Shaped, With 14' Noise Wall | LF |

See also Instructions for [Index 5210](#) and/or [Index 5211](#).