




6/24/2013 4:19:28 PM sm970re C:\projects\standards\structures\current\ready\4release\2014B00K\21100-1of3.dgn



**TYPICAL SECTION THRU STRIP SEAL EXPANSION JOINT**  
 (Begin or End Concrete Girder Bridge shown,  
 Intermediate Supports and Steel Girder Bridge similar.  
 Reinforcing Steel and Girder details not shown for clarity.)



**MOVEMENT SCHEMATIC**




**SHOP SPLICE DETAIL**

**GENERAL NOTES:**


1. Furnish Strip Seal Expansion Joint Systems in accordance with Specification Section 458.
2. Shape of Edge Rail shown is representative, minor variations depending on manufacturer are permitted.
3. Recess the Edge Rail below the concrete surface in accordance with Specification Section 458.
4. Refer to the Expansion Joint Data Table in the Structures Plans for joint movement and Dimension A.
5. Refer to Specification Section 458 for installation and fabrication requirements.

LAST REVISION 07/01/13	REVISION	DESCRIPTION:	 <b>FDOT 2014 DESIGN STANDARDS</b>	<b>STRIP SEAL EXPANSION JOINT</b>	INDEX NO. <b>21100</b>	SHEET NO. <b>1 of 3</b>
---------------------------	----------	--------------	---	-----------------------------------	---------------------------	----------------------------


C:\projects\standards\structures\current\ready\4release\2014B00K\21100-2of3.dgn  
 sm970re  
 4:19:32 PM  
 6/24/2013




PARTIAL PLAN VIEW OF SKEWED JOINTS




PARTIAL PLAN VIEW OF JOINTS SKEWED GREATER THAN 6°




PARTIAL SECTION ALONG Q JOINT AT FIELD BUTT JOINT LOCATION (CROWNED DECK OR SLAB SHOWN)




PARTIAL PLAN VIEW OF NONSKEWED JOINTS



PARTIAL PLAN VIEW OF NONSKEWED JOINTS & JOINTS SKEWED 6° OR LESS




PARTIAL SECTION ALONG Q JOINT THRU TRAFFIC SEPARATOR




PARTIAL SECTION ALONG Q JOINT

JOINT TREATMENT AT HIGH SIDE OF DECK WITH SLOPE ≥ 2%  
 (Sidewalk Cover Plate where applicable not shown for clarity)





PARTIAL SECTION ALONG Q JOINT

JOINT TREATMENT AT LOW SIDE OF DECK & HIGH SIDE OF DECK WITH SLOPE < 2%  
 (Sidewalk Cover Plate where applicable not shown for clarity)




UPTURN DETAIL (TYPICAL AT TRAFFIC BARRIERS AND PARAPETS)


LAST REVISION 01/01/11	REVISION	DESCRIPTION:	 <b>FDOT 2014 DESIGN STANDARDS</b>	<b>STRIP SEAL EXPANSION JOINT</b>	INDEX NO. 21100	SHEET NO. 2 of 3




PARTIAL PLAN VIEW OF SKEWED JOINTS




PARTIAL PLAN VIEW



PARTIAL PLAN VIEW OF NONSKEWED JOINTS




PARTIAL SECTION ALONG Q JOINT



PARTIAL SECTION ALONG Q JOINT

RAISED SIDEWALK DETAIL


FLUSH SIDEWALK DETAIL




SECTION A-A

\* Distance from Q Sleeve Anchor to edge of concrete is 2 inches minimum, 3 inches maximum.


C:\projects\standards\structures\current\ready\4release\2014BOOK\21100-3of3.dgn sm970re 4:19:34 PM 6/24/2013

LAST REVISION	07/01/13	DESCRIPTION:	 <b>FDOT 2014 DESIGN STANDARDS</b>	<b>STRIP SEAL EXPANSION JOINT</b>	INDEX NO. <b>21100</b>	SHEET NO. <b>3 of 3</b>
---------------	----------	--------------	---	-----------------------------------	---------------------------	----------------------------


C:\projects\standards\structures\current\ready\4release\2014B00K\21110-1of2.dgn  
sm970re  
4:19:37 PM  
6/24/2013




PARTIAL SECTION ALONG Q JOINT  
JOINT TREATMENT AT HIGH SIDE OF  
DECK WITH SLOPES 2% OR GREATER



PARTIAL SECTION ALONG Q JOINT,  
JOINT TREATMENT AT TRAFFIC SEPARATOR




PARTIAL SECTION ALONG Q JOINT  
JOINT TREATMENT AT LOW SIDE OF DECK OR  
HIGH SIDE OF DECK WITH SLOPES < 2%




TYPICAL SECTION THRU JOINT

GENERAL NOTES:


1. Furnish Poured Joint With Backer Rod Expansion Joint Systems in accordance with Specification Section 458 and 932.
2. Submit shop drawings for Sidewalk Cover Plates showing all materials and project specific details and dimensions.
3. Refer to Specification Section 458 for installation and construction requirements.
4. Refer to the Structures Plans, Poured Expansion Joint Data Table for Dim. A @ 70° F.

LAST REVISION 01/01/11	REVISION	DESCRIPTION:	 <b>FDOT 2014 DESIGN STANDARDS</b>	<b>POURED JOINT WITH BACKER ROD EXPANSION JOINT SYSTEM</b>	INDEX NO. <b>21110</b>	SHEET NO. <b>1 of 2</b>
---------------------------	----------	--------------	---	--	---------------------------	----------------------------


C:\projects\standards\structures\current\ready\4release\2014BOOK\21110-2of2.dgn  
 sm970re  
 4:19:39 PM  
 6/24/2013




PARTIAL PLAN VIEW OF SKEWED JOINTS



PARTIAL PLAN VIEW




PARTIAL PLAN VIEW OF NON-SKEWED JOINTS




PARTIAL SECTION ALONG Q-JOINT

FLUSH SIDEWALK DETAIL




PARTIAL SECTION ALONG Q-JOINT

RAISED SIDEWALK DETAIL



NOTE:  
 Sleeve Anchors are required at the two outside corners of the Sidewalk Cover Plate. Space Sleeve Anchors uniformly between the corner anchors.

SECTION A-A

LAST REVISION	07/01/13	DESCRIPTION:	 <b>FDOT 2014 DESIGN STANDARDS</b>	<b>POURED JOINT WITH BACKER ROD EXPANSION JOINT SYSTEM</b>	INDEX NO. <b>21110</b>	SHEET NO. <b>2 of 2</b>
---------------	----------	--------------	--	--	---------------------------	----------------------------