

**BID SOLICITATION NOTICE – District 1**  
**FLORIDA DEPARTMENT OF TRANSPORTATION**  
**CONSTRUCTION AND MAINTENANCE PROGRAMS**  
801 North Broadway Avenue Bartow, Florida 33830

Bartow, FL  
February 18, 2020  
Advertisement No. 01

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <http://www.fdot.gov/contracts> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <http://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 11:00 AM Local Time on **Thursday, March 19, 2020.**

Bid totals for each bid submitted will be read aloud for those present and will be available at 11:00 AM **March 19, 2020** in the Procurement Services Conference Room, Bartow, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: [contracts.admin@dot.state.fl.us](mailto:contracts.admin@dot.state.fl.us) or call telephone number (863)519-2559. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain>, select district then click on appropriate date.

**DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST**

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: [www.fdot.gov/contracts/d1](http://www.fdot.gov/contracts/d1), click "[Letting and Project Information](#)" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

**-----NOTE-----**

**Proposals will not be issued after 11:00 AM Local Time on Wednesday, March 18, 2020 .**

**Document Ordering Information**

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

**To Place An Order**

- A current State of Florida Vendor Number is required prior to first-time registration; please visit [http://dms.myflorida.com/egovernment\\_tools/myflorida\\_marketplace](http://dms.myflorida.com/egovernment_tools/myflorida_marketplace) for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

**PREQUALIFICATION**

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

## **PREQUALIFIED CONTRACTORS CURRENT CAPACITY**

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) [http://www.fdot.gov/contracts/PreQual\\_Info/prequalified.shtm](http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm) to the Department every 30 calendar days.

## **CONFLICT OF INTEREST**

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

## **SCRUTINIZED COMPANIES**

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

## **BID REJECTION**

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

## **PROTEST RIGHTS**

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <http://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

### **INSURANCE**

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. **BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.**

### **ADDENDA**

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: [www.fdot.gov/contracts/d1](http://www.fdot.gov/contracts/d1), click "[Letting and Project Information](#)" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda will be acknowledged when submitting Bids.**

### **BID QUESTIONS**

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of the State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address:

<https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal>.

### **PROPOSAL GUARANTY**

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <http://www.surety2000.com> for Surety2000 or <http://www.insurevision.com> for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

### **EXECUTION OF CONTRACT**

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

**Important Note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

### **DBE PARTICIPATION**

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance (EOC)** system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <https://www.fdot.gov/equalopportunity/eoc.shtm>

### **DEBARMENT/SUSPENSION**

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

### **MANDATORY PRE-BID CONFERENCE**

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

### **LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS**

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

### **FIRST TIME BIDDERS**

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: [https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae\\_2](https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2)

### **POSTING NOTICE**

The bid tabulation and intent to award will be posted on **April 02, 2020** or **April 16, 2020** at [www.fdot.gov/contracts/d1](http://www.fdot.gov/contracts/d1), click the "**Letting and Project Information**" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

### **AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)**

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and

disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link: [http://www.fdot.gov/contracts/cpp\\_online\\_ordering/bidder\\_assist.shtm](http://www.fdot.gov/contracts/cpp_online_ordering/bidder_assist.shtm) , the Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

#### **MINIMUM WAGE**

The minimum wage for all hours worked in Florida is available at <http://www.floridajobs.org>.

#### **EMAIL SUBSCRIPTION LIST**

To get on the e-mail subscription list, go to <http://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <http://www.fdot.gov/contracts/distco.shtm>.

#### **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5).Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation  
Notice to Contractors Index**

Published: February 18, 2020

Letting ID: 01200319

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the March 19, 2020 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E1S49		19602275201(*) 19602275202 19602275601	MANATEE
13	E1S50		44525715201(*)	POLK
15	E1S51		44002715201(*)	SARASOTA
18	E1S58		44112115201(*)	SARASOTA
19	E1S59		44112315201(*)	SARASOTA
21	E1T57-R0		43629715205(*)	CHARLOTTE, COLLIER, LEE, MANATEE, SARASOTA
27	E1T58-R0		43629715204(*)	DESOTO, GLADES, HARDEE, HENDRY, HIGHLANDS, OKEECHOBEE, POLK
33	E1T59-R0		43272717287(*)	POLK
35	E1T60-R0		43274417246(*)	GLADES, HENDRY
36	E1T61-R0		43272817289(*)	MANATEE, SARASOTA
38	E1T62-R0		43272817288(*)	MANATEE, SARASOTA
39	E1T63		43272917248(*)	LEE

**Proposal Note Codes:**

*Note: (\*) indicates lead project*

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

Letting: 01200319                      Call Order: 001      Proposal: E1S49                      District:01

Counties: MANATEE

Road Name: SR 64 at Grey Hawk Blvd. Intersection Improvements

Limits: 13050000

Project(s): 19602275201(\*)                      Federal Aid No: N/A

Project(s): 19602275202                      Federal Aid No: N/A

Project(s): 19602275601                      Federal Aid No: N/A

Total Roadway Length:	1.704 Miles	Contract Days:	300
Total Bridge Length:	0.000 Miles	Letting Date:	03/19/20
Total Proposal Length:	1.704 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	15 Days

Proposal Budget Estimate: \$4,819,488.17

Please read the full advertisement

**Description:**

The improvements under this Contract consist of base work, milling & resurfacing, drainage improvements, curb and gutter, sidewalk, traffic signals, lighting, signing and pavement marking, utility improvements and other incidental construction on SR 64 in Manatee County from MP 9.806 to MP 10.374.

**Call Order: 001 Proposal: E1S49**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Roadway</b>				
	0101- 1-	MOBILIZATION (19602275201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (19602275201)	LS	1.000
	0102- 2- 1	SPECIAL DETOUR 1 (19602275201)	LS	1.000
	0102- 2- 2	SPECIAL DETOUR 2 (19602275201)	LS	1.000
	0102- 4-	PEDESTRIAN SPECIAL DETOUR (19602275201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	16.000
	0102- 60-	WORK ZONE SIGN	ED	18,319.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	177.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	2,231.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	15,607.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	3,808.000
	0102- 74- 7	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	LF	10,923.000
	0102- 75- 1	TEMPORARY SEPARATOR, F&I REMOVE	LF	5,747.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	341.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	586.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	3.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	942.000
	0104- 10- 3	SEDIMENT BARRIER	LF	4,160.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	2.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	7.000
	0107- 1-	LITTER REMOVAL	AC	113.620
	0107- 2-	MOWING	AC	90.100

**Call Order: 001 Proposal: E1S49**

ALT	Item	Description	Unit	Quantity
	0110- 1- 1	CLEARING & GRUBBING (19602275201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (19602275202)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	3,316.000
	0120- 1-	REGULAR EXCAVATION	CY	8,091.000
	0120- 6-	EMBANKMENT	CY	11,470.000
	0160- 4-	TYPE B STABILIZATION	SY	15,935.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	1,430.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	13,511.000
	0327- 70- 4	MILLING EXIST ASPH PAVT, 3" AVG DEPTH	SY	166.000
	0327- 70- 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	6,765.000
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	1,134.800
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	338.400
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	1,095.200
	0350- 30- 13	CONCRETE PAVEMENT FOR ROUNDABOUT APRON, 12" DEPTH	SY	434.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	9.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	4.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	1.000
	0425- 1-545	INLETS, DITCH BOTTOM, TYPE D, PARTIAL	EA	1.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	1.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	2.000
	0425- 2- 43	MANHOLES, P-7, PARTIAL	EA	1.000
	0425- 5-	MANHOLE, ADJUST	EA	1.000
	0425- 8-	DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST	EA	2.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	84.000
	0430-174-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD	LF	104.000
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD	LF	999.000
	0430-175-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"S/CD	LF	214.000
	0430-175-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 18"S/CD	LF	99.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	5.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	3.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	4.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	2.000
	0430-984-625	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD	EA	2.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	32.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	4,634.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	1,830.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	288.000
	0520- 2- 8	CONCRETE CURB, TYPE RA	LF	368.000
	0520- 5- 11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	396.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	11.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	2,799.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	503.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	16.000
	0527- 2-	DETECTABLE WARNINGS	SF	474.000



**Call Order: 001 Proposal: E1S49**

ALT	Item	Description	Unit	Quantity
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	135.800
	0531- 1- 8	IMPERMEABLE POND LINER, PROJECT 196022-7-52-01	SY	223.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	23,500.000
	0591- 1- 9	IRRIGATION SLEEVE, 6" DIAMETER, PROJECT NUMBER 196022-7-52-01	LF	92.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	4.893
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.242
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	860.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	306.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	822.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.860
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.144
	0710- 11-144	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-2 DOTTED EXTENSION LINE FOR ROUNDABOUT, 12"	GM	0.104
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	22.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	52.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	4.679
	0919-528- 1	DIRECTIONAL INDICATORS, PROJECT 196022-7-52-01	SF	69.000
	0999- 16-	PARTNERING, DO NOT BID (19602275201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (19602275201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (19602275202)	LS	1.000
<b>Section 0002 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	36.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	2.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	13.000
	0700- 2- 11	MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	6.000
	0700- 2- 12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	2.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	2.000
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	2.000
	0706- 1- 1	RAISED PAVEMENT MARKER, TYPE B WITHOUT FINAL SURFACE MARKINGS	EA	134.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (19602275201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (19602275202)	LS	1.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	608.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.159
	0711- 11-144	THERMOPLASTIC, STANDARD, WHITE, 2-2 DOTTED EXTENSION LINE, 12" FOR ROUNDABOUT	GM	0.052
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	8.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	23.000

**Call Order: 001 Proposal: E1S49**

ALT	Item	Description	Unit	Quantity
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	1,048.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,096.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	14.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	28.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	1.921
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.383
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.497
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.011
<b>Section 0003 Lighting</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	1,625.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	2,020.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	39.000
	0715- 1- 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	20,101.000
	0715- 1- 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	8,020.000
	0715- 4- 13	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT	EA	6.000
	0715- 4- 14	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT	EA	1.000
	0715- 4- 15	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 50' MOUNTING HEIGHT	EA	16.000
	0715- 4- 22	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE SPECIAL FOUNDATION, 35' MOUNTING HEIGHT	EA	1.000
	0715- 4- 23	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE SPECIAL FOUNDATION, 40' MOUNTING HEIGHT	EA	2.000
	0715- 4- 25	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE SPECIAL FOUNDATION, 50' MOUNTING HEIGHT	EA	1.000
	0715- 4- 70	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	11.000
	0715- 5- 31	LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE	EA	1.000
	0715- 7- 21	LOAD CENTER, REWORK, SECONDARY VOLTAGE	EA	1.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	5.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	27.000
<b>Section 0004 Signalization</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	1,642.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	3,435.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	116.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	140.000
	0633- 1-123	FIBER OPTIC CABLE, F&I, UNDERGROUND,49-96 FIBERS	LF	3,595.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	10.000
	0633- 2- 32	FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	12.000

**Call Order: 001 Proposal: E1S49**

ALT	Item	Description	Unit	Quantity
	0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	2.000
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	2.000
	0633- 3- 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	1.000
	0634- 4-153	SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX	PI	1.000
	0634- 5- 1	FIBERGLASS INSULATOR, FURNISH & INSTALL	LF	20.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	25.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	6.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	1.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	1.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	2,142.000
	0641- 2- 11	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL	EA	1.000
	0641- 2- 18	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VIII	EA	4.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	8.000
	0649- 21- 1	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 30'	EA	1.000
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40'	EA	1.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	8.000
	0650- 1- 16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	2.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	8.000
	0654- 2- 11	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION	AS	16.000
	0654- 2- 15	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWER, MAST ARM MOUNT RRFB SIGN ASSEMBLY	AS	2.000
	0654- 2- 16	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWER, POLE MOUNT RRFB SIGN ASSEMBLY	AS	1.000
	0660- 3- 11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	EA	1.000
	0660- 3- 12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	2.000
	0660- 4- 11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	1.000
	0660- 4- 12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	4.000
	0660- 6-121	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT	EA	1.000
	0660- 6-122	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	1.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	8.000
	0670- 5-110	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA	AS	1.000
	0682- 1-113	ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, HIGH DEFINITION	EA	1.000

**Call Order: 001 Proposal: E1S49**

ALT	Item	Description	Unit	Quantity
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
	0685- 1- 13	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET	EA	1.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	2.000
	0700- 5- 22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	4.000
<b>Section 0005 Utilities</b>				
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (19602275601)	LS	1.000
	1050- 16-002	UTILITY PIPE,REMOVE & DISPOSE, 2-4.9"	LF	426.000
	1050- 16-004	UTILITY PIPE,REMOVE & DISPOSE, 8-19.9"	LF	3,993.000
	1050- 16-005	UTILITY PIPE,REMOVE & DISPOSE, 20-49.9"	LF	655.000
	1050- 31-104	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, CASING/CONDUIT, 4"	LF	434.000
	1050- 31-208	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 8"	LF	791.000
	1050- 31-212	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 12"	LF	80.000
	1050- 42-212	UTILITY PIPE- HIGH DENSITY POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 12"	LF	1,180.000
	1050- 61-112	UTILITY PIPE- STEEL, FURNISH & INSTALL, CASING, 12"	LF	140.000
	1050- 61-120	UTILITY PIPE- STEEL, FURNISH & INSTALL, CASING, 20"	LF	155.000
	1055- 51-108	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 8"	EA	18.000
	1055- 51-212	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 12"	EA	8.000
	1055- 51-508	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL, CAP/PLUG, 8"	EA	6.000
	1055- 51-536	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL CAP/PLUG, 36"	EA	8.000
	1080- 23-112	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 12"	EA	1.000
	1080- 23-130	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 30"	EA	1.000
	1080- 23-142	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 42"	EA	1.000
	1080- 24-104	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 4"	EA	1.000
	1080- 24-108	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 8"	EA	4.000
	1080- 24-500	UTILITY FIXTURE, VALVE ASSEMBLY, ADJUST/MODIFY	EA	12.000
	1080- 29-104	UTILITY FIXTURE, MECHANICAL JOINT RESTRAINT, FURNISH & INSTALL, 4"	EA	12.000
	1080- 29-108	UTILITY FIXTURE, MECHANICAL JOINT RESTRAINT, FURNISH & INSTALL, 8"	EA	40.000
	1080- 29-112	UTILITY FIXTURE, MECHANICAL JOINT RESTRAINT, FURNISH & INSTALL, 12"	EA	12.000
	1080- 33-104	UTILITY FIXTURE, PLUG VALVE, FURNISH AND INSTALL 4"	EA	1.000
	1080- 33-112	UTILITY FIXTURE, PLUG VALVE, FURNISH AND INSTALL 12"	EA	1.000
	1644-116- 09	FIRE HYDRANT, STANDARD, F&I, 3 WAY, 2 HOSE, 1 PUMPER, 8"	EA	2.000
	1644-900-	FIRE HYDRANT, REMOVE	EA	1.000

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

---

Letting:	01200319	Call Order:	002	Proposal:	E1S50	District:	01
Counties:	POLK						
Road Name:	Miscellaneous Construction on SR 600 (US 17/US 92)						
Limits:	16050000						
Project(s):	44525715201(*)	Federal Aid No:	N/A				
Total Roadway Length:	0.043 Miles	Contract Days:	45				
Total Bridge Length:	0.000 Miles	Letting Date:	03/19/20				
Total Proposal Length:	0.043 Miles	Contract Execution Days:	10				
		Special Start Date:	N/A				
		Aquis/Flexible Start Time:	15 Days				
Proposal Budget Estimate:	\$302,422.17						

Please read the full advertisement

Description:

The improvements under this Contract consist of base work, curb and gutter, sidewalk, signing and pavement marking, utility improvements and other incidental construction on SR 600 (US 17/92) in Polk County from MP 9.548 to MP 9.591.

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

**Call Order: 002 Proposal: E1S50**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Roadway</b>				
	0101- 1-	MOBILIZATION (44525715201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44525715201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	480.000
	0102- 60-	WORK ZONE SIGN	ED	2,770.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	1,350.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	50.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	177.000
	0104- 10- 3	SEDIMENT BARRIER	LF	450.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	2.000
	0107- 1-	LITTER REMOVAL	AC	1.150
	0107- 2-	MOWING	AC	1.040
	0110- 1- 1	CLEARING & GRUBBING (44525715201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	79.000
	0120- 1-	REGULAR EXCAVATION	CY	1,365.000
	0120- 6-	EMBANKMENT	CY	824.000
	0145- 2-	GEOSYNTHETIC REINFORCED FOUNDATION OVER SOFT SOIL	SY	1,060.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	1,091.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	1,060.000
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	97.600
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	73.200
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	140.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	47.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	786.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44525715201)	LS	1.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	9.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.085
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.112
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44525715201)	LS	1.000

## Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting:	01200319	Call Order: 003	Proposal: E1S51	District:01
Counties:	SARASOTA			
Road Name:	SR 758 Drainage Improvements			
Limits:	17080000			
Project(s):	44002715201(*)	Federal Aid No: N/A		
Total Roadway Length:	0.113 Miles	Contract Days:	80	
Total Bridge Length:	0.000 Miles	Letting Date:	03/19/20	
Total Proposal Length:	0.113 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	75 Days (Aqui Time)	
Proposal Budget Estimate:	\$349,307.20			

Please read the full advertisement

**Description:**

The improvements under this Contract consist of drainage improvements, milling and resurfacing, full depth pavement reconstruction, signing and pavement marking, sidewalks, and shoulder treatment on SR 758 (Higel Avenue), from Little Pond Lane to Somerset Drive in Sarasota County.

BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at <http://www.fdot.gov/equalopportunityoffice/bdi.shtm>

For more information about bidding on BDI projects, please see the training guide located at <http://www.cmdp-bgp.com/bdi-projects.html>

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at: <http://www.fdot.gov/contracts/forms/forms.shtm>

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to: [fdot.bdi@dot.state.fl.us](mailto:fdot.bdi@dot.state.fl.us).

All Sublet work must be contracted to a small business or businesses as defined by the Department. The subcontractor must also submit a notarized Small Business Affidavit Form provided by the Department prior to the start of work.

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid unless bidder is prequalified in the projects major work type, per Rule 14-22, Florida Administrative Code.

Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the "File Attachment Upload" folder in the Expedite application.

BDI Reference Sheet may be found at: <http://www.fdot.gov/equalopportunityoffice/bdi.shtm>

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashiers Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09.

### Call Order: 003 Proposal: E1S51

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Roadway</b>				
	0101- 1-	MOBILIZATION (44002715201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44002715201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	33.000

**Call Order: 003 Proposal: E1S51**

ALT	Item	Description	Unit	Quantity
	0102- 4-	PEDESTRIAN SPECIAL DETOUR (44002715201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	1,520.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	960.000
	0102- 74- 7	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	LF	10.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	8.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	188.000
	0104- 10- 3	SEDIMENT BARRIER	LF	1,422.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	25.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	21.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	2.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	2.000
	0107- 1-	LITTER REMOVAL	AC	1.610
	0107- 2-	MOWING	AC	1.340
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44002715201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44002715201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	44.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	6.000
	0120- 1-	REGULAR EXCAVATION	CY	167.000
	0120- 6-	EMBANKMENT	CY	13.000
	0160- 4-	TYPE B STABILIZATION	SY	148.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	222.000
	0285-710-	OPTIONAL BASE, BASE GROUP 10	SY	104.000
	0327- 70- 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	SY	77.000
	0327- 70- 5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH	SY	260.000
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	33.200
	0337- 7- 82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	18.800
	0400- 1- 2	CONCRETE CLASS I, ENDWALLS	CY	2.300
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	4.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	1.000
	0430-175-112	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 12"S/CD	LF	18.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	399.000
	0430-880- 01	FLAP GATES, 0-24"	EA	1.000
	0430-886- 24	MANATEE GRATE FOR 24" PIPE, UNHINGED	EA	1.000
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	514.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	22.000
	0530- 1-	RIPRAP, SAND-CEMENT	CY	2.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	1,064.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	0.053
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.053
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44002715201)	LS	1.000
<b>Section 0002 Signing</b>				
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44002715201)	LS	1.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.053



**Call Order: 003 Proposal: E1S51**

---

ALT	Item	Description	Unit	Quantity
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.053

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

---

Letting: 01200319 Call Order: 004 Proposal: E1S58 District:01  
Counties: SARASOTA  
Road Name: Bold Landscaping along SR93/ I-75 at Jacaranda Blvd.  
Limits: 17075000  
Project(s): 44112115201(\*) Federal Aid No: N/A  
Total Roadway Length: 0.900 Miles Contract Days: 830  
Total Bridge Length: 0.000 Miles Letting Date: 03/19/20  
Total Proposal Length: 0.900 Miles Contract Execution Days: 10  
Special Start Date: N/A  
Aquis/Flexible Start Time: 60

Proposal Budget Estimate: \$615,600.00

Please read the full advertisement

Description:

The work under this Contract consist of installation and establishment of landscaping along SR 93 / I-75 at Jacaranda Blvd in Sarasota County.

LANDSCAPING EXPERTISE REQUIRED: For this Contract, the contractor or Contract Project Manager is required to have at least five (5) years experience in active performance of roadway landscape work or be Prequalified with the Department in "Landscaping".

\*\*Experience Form Required\*\*

---

**Call Order: 004 Proposal: E1S58**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Landscape / Peripheral</b>				
	0999- 2-	LUMP SUM CONTRACT, ALTERNATIVE BIDDING (44112115201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44112115201)	LS	1.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

---

Letting: 01200319 Call Order: 005 Proposal: E1S59 District:01  
Counties: SARASOTA  
Road Name: Landscaping along SR 93/ I-75 at North Sumter Blvd.  
Limits: 17075000  
Project(s): 44112315201(\*) Federal Aid No: N/A  
Total Roadway Length: 0.494 Miles Contract Days: 830  
Total Bridge Length: 0.000 Miles Letting Date: 03/19/20  
Total Proposal Length: 0.494 Miles Contract Execution Days: 10  
Special Start Date: N/A  
Aquis/Flexible Start Time: 60

Proposal Budget Estimate: \$615,600.00

Please read the full advertisement

**Description:**

The work under this Contract consist of Installation and Establishment of Landscaping along SR 93 / I-75 at North Sumter Boulevard.

**LANDSCAPING EXPERTISE REQUIRED:**

For this Contract, the contractor or Contract Project Manager is required to have at least five (5) years experience in active performance of roadway landscape work or be Prequalified with the Department in "Landscaping".

**\*\*Experience Form Required\*\***

**BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at <http://www.fdot.gov/equalopportunityoffice/bdi.shtm>**

For more information about bidding on BDI projects, please see the training guide located at <http://www.cmdp-bgp.com/bdi-projects.html>

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at: <http://www.fdot.gov/contracts/forms/forms.shtm>

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to: [fdot.bdi@dot.state.fl.us](mailto:fdot.bdi@dot.state.fl.us).

All Sublet work must be contracted to a small business or businesses as defined by the Department. The subcontractor must also submit a notarized Small Business Affidavit Form provided by the Department prior to the start of work.

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid unless bidder is prequalified in the projects major work type, per Rule 14-22, Florida Administrative Code.

Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the "File Attachment Upload" folder in the Expedite application.

BDI Reference Sheet may be found at: <http://www.fdot.gov/equalopportunityoffice/bdi.shtm>

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashiers Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09.

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

---

**Call Order: 005 Proposal: E1S59**

---

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Landscape / Peripheral</b>				
	0999- 2-	LUMP SUM CONTRACT, ALTERNATIVE BIDDING (44112315201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44112315201)	LS	1.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 01200319 Call Order: 006 Proposal: E1T57-R0 District:01  
 Counties: CHARLOTTE, COLLIER, LEE, MANATEE, SARASOTA  
 Road Name: Signing, Concrete & Pavement Markings Install & Maint.-SOUTH  
 Limits: Midpoint  
 Project(s): 43629715205(\*) Federal Aid No: N/A  
 Total Roadway Length: 0.000 Miles Contract Days: 365  
 Total Bridge Length: 0.000 Miles Letting Date: 03/19/20  
 Total Proposal Length: 0.000 Miles Contract Execution Days: 10  
 Special Start Date: N/A  
 Aquis/Flexible Start Time:

Proposal Budget Estimate: \$700,000.00

Please read the full advertisement

**Description:**

The work under this Contract consists of Traffic Operations Signing, Concrete, and Pavement Markings Installation and Maintenance (South) in Charlotte, Collier, Lee, Manatee & Sarasota Counties.

**Call Order: 006 Proposal: E1T57-R0**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 TRAFFIC CONTROL DEVICES CONTROL (MH)</b>				
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	100.000
	0520- 2- 1	CONCRETE CURB, TYPE A	LF	50.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	50.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	50.000
	0520- 2- 8	CONCRETE CURB, TYPE RA	LF	50.000
	0520- 5- 11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	50.000
	0520- 5- 12	TRAFFIC SEPARATOR CONCRETE-TYPE I, 6' WIDE	LF	50.000
	0520- 5- 16	TRAFFIC SEPARATOR CONCRETE- TYPE I, 8.5' WIDE	LF	50.000
	0520- 5- 21	TRAFFIC SEPARATOR - CONCRETE, TYPE II, 4' WIDE	LF	50.000
	0520- 5- 22	TRAFFIC SEPARATOR - CONCRETE, TYPE II, 6' WIDE	LF	50.000
	0520- 5- 26	TRAFFIC SEPARATOR CONCRETE- TYPE II, 8.5' WIDE	LF	50.000
	0520- 5- 41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	50.000
	0520- 5- 42	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE	LF	50.000
	0520- 5- 46	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 8.5' WIDE	LF	50.000
	0520- 5- 51	TRAF SEP CONC, TYPE V, 4' WIDE	LF	50.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	25.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	50.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	50.000
	0527- 2-	DETECTABLE WARNINGS	SF	50.000
	0546- 72- 2	GROUND-IN RUMBLE STRIPS, 8" CYLINDRICAL	GM	8.000
	0546- 72- 3	GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL	GM	8.000
	0570- 1- 1	PERFORMANCE TURF	SY	50.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	2.000
	0650- 1- 16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	2.000

**Call Order: 006 Proposal: E1T57-R0**

ALT	Item	Description	Unit	Quantity
	0650- 1- 50	VEHICULAR TRAFFIC SIGNAL, INSTALL	AS	2.000
	0654- 2- 21	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION	AS	6.000
	0654- 2- 22	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	4.000
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	25.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	10.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	7.000
	0700- 1- 14	SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF	AS	3.000
	0700- 1- 18	SINGLE POST SIGN, F&I GROUND MOUNT, IN-STREET FLEXIBLE POST SIGN	AS	1.000
	0700- 1- 21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	1.000
	0700- 1- 22	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF	AS	1.000
	0700- 1- 31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	2.000
	0700- 1- 32	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	AS	1.000
	0700- 1- 40	SINGLE POST SIGN, INSTALL	AS	3.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	2.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	5.000
	0700- 1- 74	SINGLE POST SIGN, F&I CUSTOM, 31+ SF	AS	1.000
	0700- 2- 11	MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	1.000
	0700- 2- 12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	3.000
	0700- 2- 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	3.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	3.000
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	4.000
	0700- 2- 16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	3.000
	0700- 2- 17	MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF	AS	2.000
	0700- 2- 18	MULTI- POST SIGN, F&I GROUND MOUNT, 301-400 SF	AS	2.000
	0700- 2- 50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	1.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	10.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	2.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	1.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	1.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	1.000
	0700- 3-105	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF	EA	1.000
	0700- 3-106	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF	EA	2.000
	0700- 3-107	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 201-300 SF	EA	1.000
	0700- 3-108	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 301-400 SF	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	3.000
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	1.000
	0700- 3-204	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	EA	1.000
	0700- 3-205	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	EA	2.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	2.000

**Call Order: 006 Proposal: E1T57-R0**

ALT	Item	Description	Unit	Quantity
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	2.000
	0700- 3-208	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 301-400 SF	EA	1.000
	0700- 3-209	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 401-500 SF	EA	1.000
	0700- 3-210	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 501-600 SF	EA	1.000
	0700- 3-211	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 601 SF AND GREATER	EA	1.000
	0700- 3-301	SIGN PANEL, FURNISH & INSTALL BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	EA	1.000
	0700- 3-302	SIGN PANEL, FURNISH & INSTALL BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	EA	1.000
	0700- 3-403	SIGN PANEL, INSTALL, 21-30 SF	EA	3.000
	0700- 3-405	SIGN PANEL, INSTALL, 51-100 SF	EA	1.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	1.000
	0700- 3-502	SIGN PANEL, RELOCATE, 12-20 SF	EA	1.000
	0700- 3-503	SIGN PANEL, RELOCATE, 21-30 SF	EA	1.000
	0700- 3-504	SIGN PANEL, RELOCATE, 31-50 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	2.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	3.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	1.000
	0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF	EA	2.000
	0700- 3-605	SIGN PANEL, REMOVE, 51-100 SF	EA	1.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	1.000
	0700- 3-607	SIGN PANEL, REMOVE, 201-300 SF	EA	1.000
	0700- 3-608	SIGN PANEL, REMOVE, 301-400 SF	EA	1.000
	0700- 3-609	SIGN PANEL, REMOVE, 401-500 SF	EA	1.000
	0700- 3-610	SIGN PANEL, REMOVE, 501-600 SF	EA	1.000
	0700- 3-611	SIGN PANEL, REMOVE, 601 SF AND GREATER	EA	1.000
	0700- 3-624	SIGN PANEL, REMOVE, UP TO 50 SF WITH LIGHTING	EA	1.000
	0700- 3-625	SIGN PANEL, REMOVE, 51-100 SF WITH LIGHTING	EA	1.000
	0700- 3-626	SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING	EA	3.000
	0700- 3-627	SIGN PANEL, REMOVE PANEL, 201-300 SF WITH LIGHTING	EA	1.000
	0700- 3-628	SIGN PANEL, REMOVE PANEL, 301-400 SF WITH LIGHTING	EA	1.000
	0700- 3-629	SIGN PANEL, REMOVE PANEL, 401-500 SF WITH LIGHTING	EA	1.000
	0700- 3-630	SIGN PANEL, REMOVE PANEL, 501-600 SF WITH LIGHTING	EA	1.000
	0700- 3-631	SIGN PANEL, REMOVE PANEL, 601 SF AND GREATER WITH LIGHTING	EA	1.000
	0700- 6- 21	HIGHLIGHTED SIGN, F&I GROUND MOUNT- SOLAR POWERED, UP TO 12 SF	AS	1.000
	0700- 6- 22	HIGHLIGHTED SIGN, F&I GROUND MOUNT- SOLAR POWERED, 12-20 SF	AS	1.000
	0700- 6- 50	HIGHLIGHTED SIGN, RELOCATE	AS	1.000
	0700- 6- 60	HIGHLIGHTED SIGN, REMOVE	AS	1.000
	0700- 11-222	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWERED, ELECTRONIC REGULATORY SIGN, 12-20 SF	AS	1.000
	0700- 11-231	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, SPEED FEEDBACK, UP TO 12 SF	AS	1.000
	0700- 11-232	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, SPEED FEEDBACK, 12-20 SF	AS	1.000

**Call Order: 006 Proposal: E1T57-R0**

ALT	Item	Description	Unit	Quantity
	0700- 11-241	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT-SOLAR POWER, ELECT WARNING W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-251	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT-SOLAR POWE, ELECT REGULATORY W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-261	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT-SOLAR POWE, SPEED FEEDBACK W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-500	ELECTRONIC DISPLAY SIGN, RELOCATE	AS	1.000
	0700- 11-600	ELECTRONIC DISPLAY SIGN, REMOVE- GROUND MOUNT	AS	1.000
	0700- 11-700	ELECTRONIC DISPLAY SIGN, REMOVE- OVERHEAD MOUNT	AS	1.000
	0700- 12- 21	SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, ONE BEACON	AS	2.000
	0700- 12- 22	SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, TWO BEACONS	AS	1.000
	0700- 12- 31	SIGN BEACON, F&I OVERHEAD MOUNT, ONE BEACON	AS	3.000
	0700- 12- 32	SIGN BEACON, F&I OVERHEAD MOUNT, TWO BEACONS	AS	1.000
	0700- 12- 60	SIGN BEACON, REMOVE BEACON- SIGN TO REMAIN	AS	1.000
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	5.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	5.000
	0701- 17-101	PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, WHITE, SOLID,6"	GM	2.000
	0701- 17-201	PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SOLID,6"	GM	2.000
	0701- 17-221	PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SKIP,6"	GM	2.000
	0701- 18-101	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6"	GM	2.000
	0701- 18-201	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6"	GM	2.000
	0701- 18-221	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SKIP,6"	GM	2.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	25.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	1.000
	0705- 11- 3	DELINEATOR, FLEXIBLE HIGH VISABILITY MEDIAN	EA	1.000
	0705- 11- 4	DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48"	EA	1.000
	0706- 1- 1	RAISED PAVEMENT MARKER, TYPE B WITHOUT FINAL SURFACE MARKINGS	EA	50.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	10.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	10.000
	0710- 11-331	PAINTED PAVEMENT MARKINGS, STANDARD,BLACK, SKIP, 6"	GM	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	400.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	25.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	150.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	25.000



**Call Order: 006 Proposal: E1T57-R0**

ALT	Item	Description	Unit	Quantity
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	8.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	25.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	25.000
	0711- 12-121	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6" FOR MAINTENANCE USE	LF	25.000
	0711- 12-122	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 8" FOR MAINTENANCE USE	LF	150.000
	0711- 12-123	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT- MAINTENANCE USE ONLY	LF	325.000
	0711- 12-124	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	100.000
	0711- 12-125	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 24" FOR STOP LINE OR CROSSWALK, MAINTENANCE USE ONLY	LF	250.000
	0711- 12-131	THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6"	GM	0.500
	0711- 12-160	THERMOPLASTIC, REFURBISH, WHITE, MESSAGE	EA	2.000
	0711- 12-170	THERMOPLASTIC, REFURBISH, WHITE, ARROWS	EA	5.000
	0711- 12-221	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6" MAINTENANCE USE ONLY	LF	150.000
	0711- 12-222	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 8" MAINTENANCE USE ONLY	LF	25.000
	0711- 12-224	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	25.000
	0711- 12-231	THERMOPLASTIC, REFURBISHMENT, YELLOW, SKIP, 6"	GM	0.500
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	25.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	125.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	1.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	1.000
	0711- 14-560	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA	1.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	2.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	0.100
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.100
	0711- 15-133	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.100
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.500
	0711- 15-231	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6"	GM	0.100
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.200
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.100
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.100
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	0.050
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.100

**Call Order: 006 Proposal: E1T57-R0**

ALT	Item	Description	Unit	Quantity
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	500.000
	0713-107-	PREFORMED/PERMANENT TAPE, REMOVE	SF	25.000
	E700- 30- 2	SIGN PANEL OVERLAY, MULTI POST	SF	50.000
	E700- 30- 3	SIGN PANEL OVERLAY, OVERHEAD	SF	50.000
	E700- 46- 31	REPAIR EXISTING SIGN (SINGLE POST)	AS	2.000
	E700- 94- 2	BREAKAWAY SIGN SUPPORT FOUNDATION (REMOVE)	EA	12.000
	E706- 1- 32	REFLECTIVE PAVEMENT MARKER (REMOVE)(CLASS B)	EA	30.000
	E706- 1- 42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	110.000
	E711- 3- 1	PAVEMENT MESSAGES (THERMOPLASTIC)	SF	25.000

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

Letting: 01200319 Call Order: 007 Proposal: E1T58-R0 District:01  
 Counties: DESOTO, GLADES, HARDEE, HENDRY, HIGHLANDS, OKEECHOBEE, POLK  
 Road Name: Signing, Concrete & Pavement Markings Install & Maint.-NORTH  
 Limits: Midpoint  
 Project(s): 43629715204(\*) Federal Aid No: N/A  
 Total Roadway Length: 0.000 Miles Contract Days: 365  
 Total Bridge Length: 0.000 Miles Letting Date: 03/19/20  
 Total Proposal Length: 0.000 Miles Contract Execution Days: 10  
 Special Start Date: N/A  
 Aquis/Flexible Start Time:

Proposal Budget Estimate: \$700,000.00

Please read the full advertisement

**Description:**

The work under this Contract consists of Traffic Operations Signing, Concrete, and Pavement Markings Installation and Maintenance (North) in Polk, Desoto, Glades, Hardee, Hendry, Highlands & Okeechobee.

**Call Order: 007 Proposal: E1T58-R0**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 TRAFFIC CONTROL DEVICES CONTROL (MH)</b>				
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	100.000
	0520- 2- 1	CONCRETE CURB, TYPE A	LF	50.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	50.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	50.000
	0520- 2- 8	CONCRETE CURB, TYPE RA	LF	50.000
	0520- 5- 11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	50.000
	0520- 5- 12	TRAFFIC SEPARATOR CONCRETE-TYPE I, 6' WIDE	LF	50.000
	0520- 5- 16	TRAFFIC SEPARATOR CONCRETE- TYPE I, 8.5' WIDE	LF	50.000
	0520- 5- 21	TRAFFIC SEPARATOR - CONCRETE, TYPE II, 4' WIDE	LF	50.000
	0520- 5- 22	TRAFFIC SEPARATOR - CONCRETE, TYPE II, 6' WIDE	LF	50.000
	0520- 5- 26	TRAFFIC SEPARATOR CONCRETE- TYPE II, 8.5' WIDE	LF	50.000
	0520- 5- 41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	50.000
	0520- 5- 42	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE	LF	50.000
	0520- 5- 46	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 8.5' WIDE	LF	50.000
	0520- 5- 51	TRAF SEP CONC, TYPE V, 4' WIDE	LF	50.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	25.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	50.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	50.000
	0527- 2-	DETECTABLE WARNINGS	SF	50.000
	0546- 72- 2	GROUND-IN RUMBLE STRIPS, 8" CYLINDRICAL	GM	8.000
	0546- 72- 3	GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL	GM	8.000
	0570- 1- 1	PERFORMANCE TURF	SY	50.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	2.000
	0650- 1- 16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	2.000

**Call Order: 007 Proposal: E1T58-R0**

ALT	Item	Description	Unit	Quantity
	0650- 1- 50	VEHICULAR TRAFFIC SIGNAL, INSTALL	AS	2.000
	0654- 2- 21	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION	AS	6.000
	0654- 2- 22	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	4.000
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	25.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	10.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	7.000
	0700- 1- 14	SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF	AS	3.000
	0700- 1- 18	SINGLE POST SIGN, F&I GROUND MOUNT, IN-STREET FLEXIBLE POST SIGN	AS	1.000
	0700- 1- 21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	1.000
	0700- 1- 22	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF	AS	1.000
	0700- 1- 31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	2.000
	0700- 1- 32	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	AS	1.000
	0700- 1- 40	SINGLE POST SIGN, INSTALL	AS	3.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	2.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	5.000
	0700- 1- 74	SINGLE POST SIGN, F&I CUSTOM, 31+ SF	AS	1.000
	0700- 2- 11	MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	1.000
	0700- 2- 12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	3.000
	0700- 2- 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	3.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	3.000
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	4.000
	0700- 2- 16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	3.000
	0700- 2- 17	MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF	AS	2.000
	0700- 2- 18	MULTI- POST SIGN, F&I GROUND MOUNT, 301-400 SF	AS	2.000
	0700- 2- 50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	1.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	10.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	2.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	1.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	1.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	1.000
	0700- 3-105	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF	EA	1.000
	0700- 3-106	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF	EA	2.000
	0700- 3-107	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 201-300 SF	EA	1.000
	0700- 3-108	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 301-400 SF	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	3.000
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	1.000
	0700- 3-204	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	EA	1.000
	0700- 3-205	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	EA	2.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	2.000

**Call Order: 007 Proposal: E1T58-R0**

ALT	Item	Description	Unit	Quantity
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	2.000
	0700- 3-208	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 301-400 SF	EA	1.000
	0700- 3-209	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 401-500 SF	EA	1.000
	0700- 3-210	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 501-600 SF	EA	1.000
	0700- 3-211	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 601 SF AND GREATER	EA	1.000
	0700- 3-301	SIGN PANEL, FURNISH & INSTALL BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	EA	1.000
	0700- 3-302	SIGN PANEL, FURNISH & INSTALL BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	EA	1.000
	0700- 3-403	SIGN PANEL, INSTALL, 21-30 SF	EA	3.000
	0700- 3-405	SIGN PANEL, INSTALL, 51-100 SF	EA	1.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	1.000
	0700- 3-502	SIGN PANEL, RELOCATE, 12-20 SF	EA	1.000
	0700- 3-503	SIGN PANEL, RELOCATE, 21-30 SF	EA	1.000
	0700- 3-504	SIGN PANEL, RELOCATE, 31-50 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	2.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	3.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	1.000
	0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF	EA	2.000
	0700- 3-605	SIGN PANEL, REMOVE, 51-100 SF	EA	1.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	1.000
	0700- 3-607	SIGN PANEL, REMOVE, 201-300 SF	EA	1.000
	0700- 3-608	SIGN PANEL, REMOVE, 301-400 SF	EA	1.000
	0700- 3-609	SIGN PANEL, REMOVE, 401-500 SF	EA	1.000
	0700- 3-610	SIGN PANEL, REMOVE, 501-600 SF	EA	1.000
	0700- 3-611	SIGN PANEL, REMOVE, 601 SF AND GREATER	EA	1.000
	0700- 3-624	SIGN PANEL, REMOVE, UP TO 50 SF WITH LIGHTING	EA	1.000
	0700- 3-625	SIGN PANEL, REMOVE, 51-100 SF WITH LIGHTING	EA	1.000
	0700- 3-626	SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING	EA	3.000
	0700- 3-627	SIGN PANEL, REMOVE PANEL, 201-300 SF WITH LIGHTING	EA	1.000
	0700- 3-628	SIGN PANEL, REMOVE PANEL, 301-400 SF WITH LIGHTING	EA	1.000
	0700- 3-629	SIGN PANEL, REMOVE PANEL, 401-500 SF WITH LIGHTING	EA	1.000
	0700- 3-630	SIGN PANEL, REMOVE PANEL, 501-600 SF WITH LIGHTING	EA	1.000
	0700- 3-631	SIGN PANEL, REMOVE PANEL, 601 SF AND GREATER WITH LIGHTING	EA	1.000
	0700- 6- 21	HIGHLIGHTED SIGN, F&I GROUND MOUNT- SOLAR POWERED, UP TO 12 SF	AS	1.000
	0700- 6- 22	HIGHLIGHTED SIGN, F&I GROUND MOUNT- SOLAR POWERED, 12-20 SF	AS	1.000
	0700- 6- 50	HIGHLIGHTED SIGN, RELOCATE	AS	1.000
	0700- 6- 60	HIGHLIGHTED SIGN, REMOVE	AS	1.000
	0700- 11-222	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWERED, ELECTRONIC REGULATORY SIGN, 12-20 SF	AS	1.000
	0700- 11-231	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, SPEED FEEDBACK, UP TO 12 SF	AS	1.000
	0700- 11-232	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, SPEED FEEDBACK, 12-20 SF	AS	1.000

**Call Order: 007 Proposal: E1T58-R0**

ALT	Item	Description	Unit	Quantity
	0700- 11-241	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT-SOLAR POWER, ELECT WARNING W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-251	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT-SOLAR POWE, ELECT REGULATORY W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-261	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT-SOLAR POWE, SPEED FEEDBACK W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-500	ELECTRONIC DISPLAY SIGN, RELOCATE	AS	1.000
	0700- 11-600	ELECTRONIC DISPLAY SIGN, REMOVE- GROUND MOUNT	AS	1.000
	0700- 11-700	ELECTRONIC DISPLAY SIGN, REMOVE- OVERHEAD MOUNT	AS	1.000
	0700- 12- 21	SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, ONE BEACON	AS	2.000
	0700- 12- 22	SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, TWO BEACONS	AS	1.000
	0700- 12- 31	SIGN BEACON, F&I OVERHEAD MOUNT, ONE BEACON	AS	3.000
	0700- 12- 32	SIGN BEACON, F&I OVERHEAD MOUNT, TWO BEACONS	AS	1.000
	0700- 12- 60	SIGN BEACON, REMOVE BEACON- SIGN TO REMAIN	AS	1.000
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	5.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	5.000
	0701- 17-101	PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, WHITE, SOLID,6"	GM	2.000
	0701- 17-201	PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SOLID,6"	GM	2.000
	0701- 17-221	PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SKIP,6"	GM	2.000
	0701- 18-101	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6"	GM	2.000
	0701- 18-201	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6"	GM	2.000
	0701- 18-221	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SKIP,6"	GM	2.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	25.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	1.000
	0705- 11- 3	DELINEATOR, FLEXIBLE HIGH VISABILITY MEDIAN	EA	1.000
	0705- 11- 4	DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48"	EA	1.000
	0706- 1- 1	RAISED PAVEMENT MARKER, TYPE B WITHOUT FINAL SURFACE MARKINGS	EA	50.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	10.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	10.000
	0710- 11-331	PAINTED PAVEMENT MARKINGS, STANDARD,BLACK, SKIP, 6"	GM	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	400.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	25.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	150.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	25.000

**Call Order: 007 Proposal: E1T58-R0**

ALT	Item	Description	Unit	Quantity
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	8.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	25.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	25.000
	0711- 12-121	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6" FOR MAINTENANCE USE	LF	25.000
	0711- 12-122	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 8" FOR MAINTENANCE USE	LF	150.000
	0711- 12-123	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT- MAINTENANCE USE ONLY	LF	325.000
	0711- 12-124	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	100.000
	0711- 12-125	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 24" FOR STOP LINE OR CROSSWALK, MAINTENANCE USE ONLY	LF	250.000
	0711- 12-131	THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6"	GM	0.500
	0711- 12-160	THERMOPLASTIC, REFURBISH, WHITE, MESSAGE	EA	2.000
	0711- 12-170	THERMOPLASTIC, REFURBISH, WHITE, ARROWS	EA	5.000
	0711- 12-221	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6" MAINTENANCE USE ONLY	LF	150.000
	0711- 12-222	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 8" MAINTENANCE USE ONLY	LF	25.000
	0711- 12-224	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	25.000
	0711- 12-231	THERMOPLASTIC, REFURBISHMENT, YELLOW, SKIP, 6"	GM	0.500
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	25.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	125.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	1.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	1.000
	0711- 14-560	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA	1.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	2.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	0.100
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.100
	0711- 15-133	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.100
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.500
	0711- 15-231	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6"	GM	0.100
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.200
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.100
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.100
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	0.050
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.100

**Call Order: 007 Proposal: E1T58-R0**

ALT	Item	Description	Unit	Quantity
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	500.000
	0713-107-	PREFORMED/PERMANENT TAPE, REMOVE	SF	25.000
	E700- 30- 2	SIGN PANEL OVERLAY, MULTI POST	SF	50.000
	E700- 30- 3	SIGN PANEL OVERLAY, OVERHEAD	SF	50.000
	E700- 46- 31	REPAIR EXISTING SIGN (SINGLE POST)	AS	2.000
	E700- 94- 2	BREAKAWAY SIGN SUPPORT FOUNDATION (REMOVE)	EA	12.000
	E706- 1- 32	REFLECTIVE PAVEMENT MARKER (REMOVE)(CLASS B)	EA	30.000
	E706- 1- 42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	110.000
	E711- 3- 1	PAVEMENT MESSAGES (THERMOPLASTIC)	SF	25.000



**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 01200319 Call Order: 008 Proposal: E1T59-R0 District:01  
 Counties: POLK  
 Road Name: Miscellaneous Concrete in Polk County  
 Limits: Midpoint  
 Project(s): 43272717287(\*) Federal Aid No: N/A  
 Total Roadway Length: 0.000 Miles Contract Days: 365  
 Total Bridge Length: 0.000 Miles Letting Date: 03/19/20  
 Total Proposal Length: 0.000 Miles Contract Execution Days: 10  
 Special Start Date: N/A  
 Aquis/Flexible Start Time:

Proposal Budget Estimate: \$270,000.00

Please read the full advertisement

Description:

The work under this Contract consists of Miscellaneous Concrete in Polk County.

**Call Order: 008 Proposal: E1T59-R0**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 ASPHALT REPAIR (MANUAL) (TN)</b>				
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	2.000
	0353- 70-	CONCRETE PAVEMENT SLAB REPLACEMENT	CY	175.000
	0425- 15- 41	INLET TOP, REPAIR, CURB INLET	EA	2.000
	0425- 15- 42	INLET TOP, REPAIR, DITCH BOTTOM INLET	EA	2.000
	0425- 15- 51	INLET TOP, REPLACE, CURB INLET	EA	2.000
	0425- 15- 52	INLET TOP, REPLACE, DITCH BOTTOM INLET	EA	2.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	25.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	50.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	50.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	20.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	20.000
	0430-175-140	PIPE CULVERT, OPT MATERIAL, ROUND, 40"S/CD	LF	20.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	15.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	15.000
	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	15.000
	0430-175-160	PIPE CULVERT, OPT MATERIAL, ROUND, 60"S/CD	LF	15.000
	0430-963- 1	PVC PIPE FOR BACK OF SIDEWALK, 4"	LF	5.000
	0430-982-123	MITERED END SECTION, OPTIONAL ROUND, 15" CD	EA	1.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	1.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	2.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	2.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	5.000
	0430-982-140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	2.000
	0430-982-141	MITERED END SECTION, OPTIONAL ROUND, 48" CD	EA	1.000
	0430-982-142	MITERED END SECTION, OPTIONAL ROUND, 54" CD	EA	1.000
	0430-982-143	MITERED END SECTION, OPTIONAL ROUND, 60" CD	EA	1.000

**Call Order: 008 Proposal: E1T59-R0**

ALT	Item	Description	Unit	Quantity
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	150.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	100.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	100.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	50.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	50.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	150.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	150.000
	0524- 1- 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	150.000
	0524- 1- 4	CONCRETE DITCH PAVEMENT, NON REINFORCED, 6"	SY	150.000
	0524- 1- 29	CONCRETE DITCH PAVEMENT, 4", REINFORCED	SY	20.000
	0524- 1- 49	CONCRETE DITCH PAVEMENT, 6", REINFORCED	SY	10.000
	0524- 2- 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	10.000
	0524- 2- 4	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 6"	SY	20.000
	0527- 2-	DETECTABLE WARNINGS	SF	20.000
	E110- 70-	REMOVAL OF FLEXIBLE PAVEMENT	SY	10.000
	E425- 73- 3	FRAME AND GRATE (F&I)	EA	1.000
	E425- 73- 4	RESET EXISTING FRAME AND GRATE	EA	1.000
	E425- 73- 7	MANHOLE FRAME & COVER	EA	1.000
	E425- 73- 8	MANHOLE COVER	EA	1.000
	E570- 5-	FERTILIZER	TN	1.000
	E570- 9- 1	WATER FOR GRASS & PLANTS	MG	1.000
	E575- 1-	SODDING	SY	250.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 01200319 Call Order: 009 Proposal: E1T60-R0 District:01  
 Counties: GLADES, HENDRY  
 Road Name: Shoulder Repair with Sod Installation in Glades & Hendry Co.  
 Limits: Midpoint  
 Project(s): 43274417246(\*) Federal Aid No: N/A  
 Total Roadway Length: 0.000 Miles Contract Days: 365  
 Total Bridge Length: 0.000 Miles Letting Date: 03/19/20  
 Total Proposal Length: 0.000 Miles Contract Execution Days: 10  
 Special Start Date: N/A  
 Aquis/Flexible Start Time:

Proposal Budget Estimate: \$200,000.00

Please read the full advertisement

Description:

The work under this Contract consists of Shoulder Repairs with Sod Installation in Glades and Hendry Counties.

**Call Order: 009 Proposal: E1T60-R0**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 REPAIRING NON-PAVED SHLDRS (MANUAL) (SY)</b>				
	0120- 6-	EMBANKMENT	CY	750.000
	E570- 5-	FERTILIZER	TN	1.630
	E570- 9- 1	WATER FOR GRASS & PLANTS	MG	660.000
	E575- 1-	SODDING	SY	39,000.000
	E577- 70-	SHOULDER REWORK	SY	33,000.000
	E577- 70- 1	REWORKING SHOULDERS (SPOT REPAIRS)	SY	4,000.000
	E577- 70- 2	REWORKING UTILITY STRIPS	SY	2,000.000

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

Letting: 01200319 Call Order: 010 Proposal: E1T61-R0 District:01  
 Counties: MANATEE, SARASOTA  
 Road Name: Miscellaneous Concrete & Drainage Repairs  
 Limits: Midpoint  
 Project(s): 43272817289(\*) Federal Aid No: N/A  
 Total Roadway Length: 0.000 Miles Contract Days: 365  
 Total Bridge Length: 0.000 Miles Letting Date: 03/19/20  
 Total Proposal Length: 0.000 Miles Contract Execution Days: 10  
 Special Start Date: N/A  
 Aquis/Flexible Start Time:

Proposal Budget Estimate: \$240,271.00

Please read the full advertisement

Description:

The work under this Contract consists of Miscellaneous Concrete and Drainage Repairs in Manatee & Sarasota Counties.

**Call Order: 010 Proposal: E1T61-R0**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 ASPHALT REPAIR (MANUAL) (TN)</b>				
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	5.000
	0121- 70- 2	FLOWABLE FILL, MAINTENANCE CONTRACTS ONLY	CY	50.000
	0125- 3-	SELECT BEDDING MATERIAL	CY	200.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	5.000
	0400- 0- 11	CONCRETE CLASS NS, GRAVITY WALL	CY	1.000
	0400- 1- 2	CONCRETE CLASS I, ENDWALLS	CY	2.000
	0401- 70- 5	RESTORE SPALLED AREAS, CONTRACTORS OPTION	CF	2.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	50.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	1.000
	0425- 1-544	INLETS, DITCH BOTTOM, TYPE D, J BOT, >10'	EA	1.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	1.000
	0425- 1-552	INLETS, DT BOT, TYPE E, >10'	EA	2.000
	0425- 7-	MANHOLE COVER- REPLACE	EA	1.000
	0425- 11-	MODIFY EXISTING DRAINAGE STRUCTURE	EA	1.000
	0425- 14- 1	GRATE FOR EXISTING DRAINAGE STRUCTURE, FURNISH AND INSTALL	SF	1.000
	0425- 15- 41	INLET TOP, REPAIR, CURB INLET	EA	1.000
	0425- 15- 42	INLET TOP, REPAIR, DITCH BOTTOM INLET	EA	1.000
	0425- 15- 45	INLET TOP, REPAIR, REINFORCED INLET TOP	EA	5.000
	0425- 15- 51	INLET TOP, REPLACE, CURB INLET	EA	1.000
	0425- 82-	REPLACE GRATE	EA	1.000
	0430-174-115	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 15"SD	LF	24.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	120.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	80.000
	0430-174-130	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 30"SD	LF	14.000
	0430-174-136	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 36"SD	LF	8.000

**Call Order: 010 Proposal: E1T61-R0**

ALT	Item	Description	Unit	Quantity
	0430-174-142	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 42"SD	LF	8.000
	0430-984-123	MITERED END SECTION, OPTIONAL ROUND, 15" SD	EA	14.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	17.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	10.000
	0430-984-133	MITERED END SECTION , OPTIONAL ROUND, 30" SD	EA	2.000
	0430-984-138	MITERED END SECTION , OPTIONAL ROUND, 36" SIDE DRAIN	EA	2.000
	0430-984-140	MITERED END SECTION , OPTIONAL ROUND, 42" SD	EA	2.000
	0430-990-	MITERED END SECT, REPLACE GRATE	EA	2.000
	0430-991- 1	MITERED END SECT, REPLACE SLAB- MAINTENANCE USE ONLY	CY	2.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	30.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	100.000
	0520- 1- 12	CONCRETE CURB & GUTTER, TYPE F WITH SPECIAL GUTTER PROFILE	LF	300.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	50.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	10.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	150.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	100.000
	0524- 1- 29	CONCRETE DITCH PAVEMENT, 4", REINFORCED	SY	20.000
	0524- 1- 49	CONCRETE DITCH PAVEMENT, 6", REINFORCED	SY	20.000
	0524- 2- 29	CONCRETE SLOPE PAVEMENT, 4", REINFORCED	SY	50.000
	0524- 2- 49	CONCRETE SLOPE PAVEMENT, 6", REINFORCED	SY	40.000
	0527- 2-	DETECTABLE WARNINGS	SF	50.000
	0530- 1-	RIPRAP, SAND-CEMENT	CY	10.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	6.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	1.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	1.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	1.000
	0635- 2- 30	PULL & SPLICE BOX, INSTALL	EA	1.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	15.000
	E110- 70-	REMOVAL OF FLEXIBLE PAVEMENT	SY	5.000
	E425- 73- 3	FRAME AND GRATE (F&I)	EA	1.000
	E425- 73- 4	RESET EXISTING FRAME AND GRATE	EA	1.000
	E425- 73- 7	MANHOLE FRAME & COVER	EA	1.000
	E430- 17- 99	PIPE REMOVAL	LF	8.000
	E570- 9- 1	WATER FOR GRASS & PLANTS	MG	400.000
	E575- 1-	SODDING	SY	425.000

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

Letting: 01200319 Call Order: 011 Proposal: E1T62-R0 District:01

Counties: MANATEE, SARASOTA

Road Name: Maintenance of Traffic in Manatee & Sarasota Counties

Limits: Midpoint

Project(s): 43272817288(\*) Federal Aid No: N/A

Total Roadway Length:	0.000 Miles	Contract Days:	365
Total Bridge Length:	0.000 Miles	Letting Date:	03/19/20
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	

Proposal Budget Estimate: \$80,000.00

Please read the full advertisement

Description:

The work under this Contract consists of Maintenance of Traffic in Sarasota and Manatee Counties.

**Call Order: 011 Proposal: E1T62-R0**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 TRAFFIC CONTROL DEVICES CONTROL (MH)</b>				
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	50.000
	0102- 60-	WORK ZONE SIGN	ED	2,000.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	50.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	50.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	50.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	50.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	50.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	50.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	20.000
	0102-909-	TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS	DA	40.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	10.000
	E102- 10-	OFF-DUTY LAW ENFORCEMENT OFFICER	MH	50.000
	E102- 20-	PORTABLE LIGHTING UNIT (MAST MOUNTED)	ED	2.000
	E102- 74- 9	TRAFFIC CONES	ED	2,000.000
	E102- 97- 1	TRUCK MOUNTED ATTENUATOR (TEMPORARY)	ED	100.000
	E102-100-	MOT MAINTENANCE SERVICES	HR	200.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 01200319      Call Order: 012      Proposal: E1T63      District:01

Counties: LEE

Road Name: Performance Highway Lighting Maintenance in Lee Co.

Limits: Midpoint

Project(s): 43272917248(\*)

Federal Aid No: N/A

Total Roadway Length: 0.000 Miles      Contract Days: 1825

Total Bridge Length: 0.000 Miles      Letting Date: 03/19/20

Total Proposal Length: 0.000 Miles      Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$100,000.00

Please read the full advertisement

Description:

The work under this Contract consist of Performance Highway Lighting Maintenance in Lee County.

**Call Order: 012 Proposal: E1T63**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 HIGHWAY LIGHTING MAINTENANCE (MH)</b>				
	E999- 10- 32	PERFORMANCE CONTRACT: PERIODIC PAYMENTS FOR LUMP SUM CONTRACT	EA	60.000