BID SOLICITATION NOTICE – District 1 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

801 North Broadway Avenue Bartow, Florida 33830

Bartow, FL June 20, 2023 Advertisement No. 1

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: http://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at http://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 11:00 AM Local Time on Thursday, July 20, 2023.

Bid totals for each bid submitted will be read aloud for those present and will be available at 11:00 AM July 20, 2023 in the Procurement Services Conference Room, Bartow, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (863)519-2559. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d1, click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

----NOTE----

Proposals will not be issued after 11:00 AM Local Time on Wednesday, July 19, 2023.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <u>CPP.Web (fdot.gov)</u> There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit http://dms.myflorida.com/egovernment_tools/myflorida_marketplace for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
 Department of Transportation at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/.
 Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at http://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d1, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged when submitting Bids.

BID QUESTIONS

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of the State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address:

https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal.

Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit http://www.surety2000.com for Surety2000 or

https://www.tinubu.com for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e., DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae 2

POSTING NOTICE

The bid tabulation and intent to award will be posted on August 08, 2023 or August 22, 2023 at www.fdot.gov/contracts/d1, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964**, **42 USC 2000d to 2000d-4 and related authorities**, **Title 49**, **Code of Federal Regulations**, **U.S. Department of Transportation**, **Subtitle A**, **Office of the Secretary**, **Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link:

http://www.fdot.gov/contracts/cpp_online_ordering/bidder_assist.shtm, the Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at http://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to http://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to http://www.fdot.gov/contracts/distco.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: June 20, 2023

Letting ID: 01230720

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the July 20, 2023 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E1U16		44742915201(*)	POLK
12	E1U89		44198415201(*)	SARASOTA
13	E1V22		44620615201(*)	HARDEE
15	E1V23		44743415201(*)	POLK
20	E1W10		44744115201(*)	POLK
23	E1W24		41304275201(*)	CHARLOTTE
24	E1W45-R0		43272917297(*)	LEE

Proposal Note Codes:

Letting: 01230720 Call Order: 001 Proposal: E1U16 District:01

Counties: POLK
Road Name: SR 600
Limits: 16020000

Project(s): 44742915201(*) Federal Aid No: N/A

Total Roadway Length: 2.405 Miles Contract Days: 225

Total Bridge Length: 0.000 Miles Letting Date: 07/20/23

Total Proposal Length: 2.405 Miles Contract Execution Days:

Special Start Date: N/A

Aquis/Flexible Start Time: 120 Days (Aqui Time)

Proposal Budget Estimate: \$7,125,161.85

Please read the full advertisement

Description:

The improvements under this Contract consist of milling and resurfacing, pavement widening, cross slope correction, driveway reconstruction, drainage improvements, signal improvements, lighting improvements, and signing and pavement markings along SR 600 (US 92)from West of Jersey Road to West of SR 555 (US 17) in Polk County.

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44742915201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44742915201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	120.000
	0102- 60-	WORK ZONE SIGN	ED	13,395.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	39,567.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	200.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	245.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	478.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	225.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	200.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	450.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	450.000
	0104- 10- 3	SEDIMENT BARRIER	LF	37,515.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	355.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	2.000
	0104 - 18-	INLET PROTECTION SYSTEM	EA	12.000
	0107- 1-	LITTER REMOVAL	AC	320.720
	0107- 2-	MOWING	AC	302.080
	0110- 1- 1	CLEARING & GRUBBING (44742915201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	1,020.000
	0120- 1-	REGULAR EXCAVATION	CY	2,431.000
	0120- 6-	EMBANKMENT	CY	1,698.100
	0160- 4-	TYPE B STABILIZATION	SY	21,368.000

		Can Order. 001 110posai. E1010		
ALT	Item	Description	Unit	Quantity
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	9,438.000
	0285-702-	OPTIONAL BASE, BASE GROUP 02	SY	738.000
	0285-705-	OPTIONAL BASE, BASE GROUP 05	SY	49.000
	0285-710-	OPTIONAL BASE, BASE GROUP 10	SY	727.000
	0286- 1-	TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS	SY	631.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	10,989.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	36,648.000
	0327- 70- 20	MILLING EXISTING ASPHALT PAVEMENT, 3 3/4" AVG DEPTH	SY	49,925.000
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	14,914.000
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	3,847.300
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	13.600
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	3.000
	0425- 1-525	INLETS, DITCH BOTTOM, TYPE C, PARTIAL	EA	3.000
	0425- 82-	REPLACE GRATE	EA	5.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	90.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	4.000
	0430-174-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD	LF	102.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	30.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	132.000
	0430-982-123	MITERED END SECTION, OPTIONAL ROUND, 15" CD	EA	4.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	1.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	5.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	1.000
	0430-984-625	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD	EA	4.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	5,453.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	163.000
	0524- 1-29	CONCRETE DITCH PAVEMENT, 4", REINFORCED	SY	58.000
	0527- 2-	DETECTABLE WARNINGS	SF	105.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	25,731.000
	0570- 1- 3	PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010	SY	6,283.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	982.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	5.533
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.146
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	630.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	112.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	300.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	4.690
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.410
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	1.000

		Call Order: 001 Proposal: E1016		
ALT	Item	Description	Unit	Quantity
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	52.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	3.954
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	82.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.808
	0999 - 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44742915201)	LS	1.000
Sectio	n 0002 Signing			
	0546-72-3	GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL	GM	6.886
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	85.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	28.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	5.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	19.000
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	1.000
	0700- 2-14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	1.000
	0700- 2-15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	2.000
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	4.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	67.000
	0704- 1- 1	TUBULAR MARKER, DURABLE, 36" WHITE POST	EA	1.000
	0704- 1- 2	TUBULAR MARKER, DURABLE, 36" YELLOW POST	EA	24.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	18.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,460.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	8.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	502.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44742915201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	629.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	112.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	262.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.434
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	1.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	82.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	82.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.835
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	536.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	6.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	6.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	5.527
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.146

		Call Order: 001 Proposal: E1016		
ALT	Item	Description	Unit	Quantity
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	4.690
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	3.833
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"	GM	0.021
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.027
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.085
Section	0003 Lighting			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	151.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	8.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	30.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	3,254.000
	0715- 7-12	LOAD CENTER, F&I, PRIMARY VOLTAGE	EA	1.000
	0715- 61-100	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 30' MOUNTING HEIGHT, 0' ARM LENGTH	EA	6.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	6.000
ection	n 0004 Signalizat	ion		
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	940.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	545.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	18.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	8.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	4.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	6.000
	0650- 1-16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	2.000
	0650- 1-19	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION CLUSTER, 1 WAY	AS	1.000
	0650- 1-60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	8.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	8.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	2.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	12.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	5.000
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	8.000
	0671- 2-40	TRAFFIC CONTROLLER, MODIFY	EA	1.000
	0682- 1-113	ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, HIGH DEFINITION	EA	1.000

ALT	ltem	Description	Unit	Quantity
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000

Letting: 01230720 Call Order: 002 Proposal: E1U89 District:01

Counties: SARASOTA

Road Name: Installation and Establishment of Landscaping

Limits: 17075000

Project(s): 44198415201(*) Federal Aid No: N/A

Total Roadway Length:1.709 MilesContract Days:840Total Bridge Length:0.000 MilesLetting Date:07/20/23Total Proposal Length:1.709 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time: 60 Calendar Days

Proposal Budget Estimate: \$900,000.00

Please read the full advertisement

Description:

The work under this Contract consists of Installation and Establishment of Landscaping at I-75 (SR 93) at North Toledo Blade Boulevard Interchange.

		•		
ALT	Item	Description	Unit	Quantity
Section 0001	LANDSCAF	PE AREA MAINTENANCE (SY)		
0999	- 2-	LUMP SUM CONTRACT, ALTERNATIVE BIDDING	LS	1.000
0999	- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID	LS	1.000

Letting: 01230720 Call Order: 003 Proposal: E1V22 District:01

Counties: HARDEE
Road Name: SR 64
Limits: 06030000

Project(s): 44620615201(*) Federal Aid No: N/A

Total Roadway Length:3.307 MilesContract Days:180Total Bridge Length:0.000 MilesLetting Date:07/20/23Total Proposal Length:3.307 MilesContract Execution Days:10

Aquis/Flexible Start Time: 60 Days (Aqui Time)

N/A

Special Start Date:

Proposal Budget Estimate: \$4,835,264.23

Please read the full advertisement

Description:

The improvements under this Contract consist of milling and resurfacing, base work, drainage improvements, and signing and pavement marking work on State Road 64 from Prescott Road to Morgan Grice Road in Hardee County.

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44620615201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44620615201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (44620615201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	95.300
	0102- 60-	WORK ZONE SIGN	ED	7,920.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	7,280.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	392.000
	0102-909-	TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS	DA	360.000
	0104- 10- 3	SEDIMENT BARRIER	LF	9,006.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	1,126.000
	0104 - 18-	INLET PROTECTION SYSTEM	EA	42.000
	0107- 1-	LITTER REMOVAL	AC	174.490
	0107- 2-	MOWING	AC	149.650
	0110- 1- 1	CLEARING & GRUBBING (44620615201)	LS	1.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	8.000
	0120- 1-	REGULAR EXCAVATION	CY	313.200
	0120- 6-	EMBANKMENT	CY	1,151.200
	0160- 4-	TYPE B STABILIZATION	SY	1,673.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	1,307.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	216.000
	0286- 1-	TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS	SY	450.000
	0327- 70- 4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	23,751.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	19,862.000
	0327-70-7	MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH	SY	20,005.000

ALT	Item	Description	Unit	Quantity
/ \L I	0327- 70- 23	MILLING EXISTING ASPHALT PAVEMENT, 6" AVG DEPTH	SY	2,628.000
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	9,396.800
	0337- 7-93	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, HIGH POLYMER	TN	5,459.900
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	275.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	98.000
	0430-174-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD	LF	78.000
	0430-174-224	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 24"SD	LF	50.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	24.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	14.000
	0430-984-625	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD	EA	2.000
	0430-984-629	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 24" SD	EA	2.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	14.600
	0530- 74-	BEDDING STONE	TN	10.500
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	7,168.000
	0570- 1- 3	PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010	SY	10,307.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	6.474
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	2.392
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	2.760
	0999 - 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44620615201)	LS	1.000
Sectio	n 0002 Signing			
	0546-72-3	GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL	GM	9.613
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	24.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	5.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	20.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	17.000
	0705-10-2	OBJECT MARKER, TYPE 2	EA	1.000
	0705- 10- 3	OBJECT MARKER, TYPE 3	EA	8.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	695.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44620615201)	LS	1.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	151.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	39.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.054
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	6.474
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	2.392
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	2.760

Letting: 01230720 Call Order: 004 Proposal: E1V23 District:01

Counties: POLK
Road Name: SR 540
Limits: 16118000

Project(s): 44743415201(*) Federal Aid No: N/A

Total Roadway Length:4.129 MilesContract Days:225Total Bridge Length:0.000 MilesLetting Date:07/20/23Total Proposal Length:4.129 MilesContract Execution Days:10

Aquis/Flexible Start Time: 120 Days (Aqui Time)

N/A

Special Start Date:

Proposal Budget Estimate: \$5,807,080.45

Please read the full advertisement

Description:

The improvements under this Contract consist of roadway widening, drainage improvements, milling and resurfacing, guardrail, signing and pavement markings, signalization, and lighting on SR 540 from East of US 98 to West of Polk Pkwy.

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44743415201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44743415201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (44743415201)	LS	1.000
	0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (44743415201)	LS	1.000
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (44743415201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	296.000
	0102- 60-	WORK ZONE SIGN	ED	15,705.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	2,064.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	4,494.000
	0102- 74- 1	CHANNELIZING DEVICE-TYPES I, II, DI, VP, DRUM, OR LCD	ED	107,964.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	5,262.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	450.000
	0102-89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	8.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	2,241.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	450.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	450.000
	0102-909-	TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS	DA	16.000
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	1,722.000
	0104- 10- 3	SEDIMENT BARRIER	LF	9,737.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	285.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	21.000
	0107- 1-	LITTER REMOVAL	AC	226.190
	0107- 2-	MOWING	AC	194.350

	1.	Can Cruer. 604 Troposal. E1425		
ALT	ltem	Description	Unit	Quantity
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44743415201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44743415201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	67.000
	0120- 1-	REGULAR EXCAVATION	CY	333.200
	0120- 6-	EMBANKMENT	CY	1,573.100
	0160- 4-	TYPE B STABILIZATION	SY	1,064.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	180.000
	0285-712-	OPTIONAL BASE, BASE GROUP 12	SY	527.000
	0327-70-2	MILLING EXISTING ASPHALT PAVEMENT, 3 1/2" AVG DEPTH	SY	61,827.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	22,204.000
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	6,973.600
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22	TN	6,988.200
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	289.600
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	1.000
	0425- 2-41	MANHOLES, P-7, <10'	EA	1.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	5.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	85.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	44.000
	0527- 2-	DETECTABLE WARNINGS	SF	60.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	8,622.000
	0536- 7- 1	SPECIAL GUARDRAIL POST- DEEP POST FOR SLOPE BREAK CONDITION- TIMBER OR STEEL	EA	893.000
	0536- 8-122	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-002, APPROACH TL-3	EA	4.000
	0536- 8-123	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-002, TRAILING	EA	4.000
	0536- 73-	GUARDRAIL REMOVAL	LF	8,624.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	2.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	2.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	22,016.000
	0571- 1-12	PLASTIC EROSION MAT, TRM, TYPE 2	SY	1,424.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	4,440.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	16.005
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	564.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	215.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	492.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.311
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.257
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	16.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	85.000

		Call Order: 004 Proposal: E1V23		
ALT	ltem	Description	Unit	Quantity
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	11.686
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	364.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	2.695
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.133
	0999 - 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44743415201)	LS	1.000
Sectio	n 0002 Signing			
	0546-72-3	GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL	GM	8.058
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	38.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	3.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	5.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	40.000
	0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.000
	0700- 2-14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	1.000
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	1.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	5.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	5.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	3.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	20.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,322.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44743415201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	258.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	215.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	173.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.257
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	8.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	77.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	364.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.133
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	243.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	8.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	8.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	7.831
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.311
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	3.511
	0711- 15-231	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6"	GM	2.695
	0711- 15-231	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES,	GM	2.0

		Call Order: 004 Troposal. E1425		
ALT	Item	Description	Unit	Quantity
Section	n 0003 Lighting		. –	100.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	106.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	134.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA . –	2.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	1,031.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	531.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	16.000
	0715- 61-242	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT, 12' ARM LENGTH	EA	2.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	18.000
Section	n 0004 Signalizat	ion		
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	640.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	308.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	3.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	Pl	1.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	16.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	4.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	1.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	6.000
	0650- 1-16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	2.000
	0650- 1-19	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION CLUSTER, 1 WAY	AS	2.000
	0650- 1-60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	8.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	4.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	2.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	2.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	6.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	5.000
	0663- 1-111	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, CABINET ELECTRONICS	EA	1.000
	0663- 1-112	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, DETECTOR	EA	4.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	4.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	2.000
	0676- 1-500	TRAFFIC SIGNAL CONTROLLER CABINET, ADJUST/MODIFY	EA	1,000
	0682- 1-113	ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, HIGH DEFINITION	EA	1.000
	0685- 1-13	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET	EA	1.000

ALT	Item	Description	Unit	Quantity
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	4.000

Letting: 01230720 Call Order: 005 Proposal: E1W10 District:01

Counties: POLK
Road Name: SR 471
Limits: 16330000

Project(s): 44744115201(*) Federal Aid No: N/A

Total Roadway Length:4.216 MilesContract Days:200Total Bridge Length:0.000 MilesLetting Date:07/20/23Total Proposal Length:4.216 MilesContract Execution Days:10

Aquis/Flexible Start Time: 60 Days (Aqui Time)

N/A

Special Start Date:

Proposal Budget Estimate: \$5,504,430.27

Please read the full advertisement

Description:

The improvements under this Contract consist of milling and resurfacing, guardrail replacement, turn lane widening, overbuild and signing and pavement markings along SR 471 from SR 35 to Sumter County Line in Polk County.

ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44744115201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44744115201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	8,190.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	338.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	1,188.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	200.000
	0102- 71- 26	TEMPORARY BARRIER, RELOCATE, FREE STANDING	LF	1,238.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	51,680.000
	0102-89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	10.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	428.000
	0102-115-	TYPE III BARRICADE	ED	18.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.200
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.187
	0104- 10- 3	SEDIMENT BARRIER	LF	2,239.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	2.000
	0107- 1-	LITTER REMOVAL	AC	609.140
	0107- 2-	MOWING	AC	644.980
	0110- 1- 1	CLEARING & GRUBBING (44744115201)	LS	1.000
	0120- 1-	REGULAR EXCAVATION	CY	138.900
	0120- 6-	EMBANKMENT	CY	162.500
	0160- 4-	TYPE B STABILIZATION	SY	453.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	298.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	19,329.000
	0327- 70- 10	MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH	SY	60,227.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	2,427.000

ALT	
0337- 7-83 ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76 TN 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 0536- 1- 1 GUARDRAIL -ROADWAY, GENERAL TL-3 LF 0536- 7- 1 SPECIAL GUARDRAIL POST- DEEP POST FOR SLOPE BREAK EA CONDITION-TIMBER OR STEEL CONDITION-TIMBER OR STEEL EA 0536- 7- 2 SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT EA 0536- 8-112 GUARDRAIL TRANSTION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-001, APPROACH TL-3 EA 0536- 8-121 GUARDRAIL REMOVAL LF 0536- 85- 24 GUARDRAIL REMOVAL LF 0536- 85- 24 GUARDRAIL REMOVAL LF 0536- 85- 24 GUARDRAIL REMOVAL LF 0570- 1- 2 PERFORMANCE TURF, SOD SY 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 0570- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 0710- 11-122 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF LF 0710- 11-125 </th <th>Quantity</th>	Quantity
-22 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 0536- 1- 1 GUARDRAIL -ROADWAY, GENERAL TL-3 LF 0536- 7- 1 SPECIAL GUARDRAIL POST- DEEP POST FOR SLOPE BREAK CONDITION- TIMBER OR STEEL 0536- 7- 2 SPECIAL GUARDRAIL POST- DEEP POST FOR SLOPE BREAK CONDITION- TIMBER OR STEEL 0536- 8-112 GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE EA STRUCTURE MOUNT 0536- 8-112 GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- 1052- 3- GUARDRAIL REMOVAL LF 0536- 85-24 GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL EA 0546- 71- 2 RAISED RUMBLE STRIP SET- SHORT TERM EA 0570- 1- 2 PERFORMANCE TURF, SOD 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY INDEX 570-010 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF STOP LINE OR CROSSWALK, 24" 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA STOP LINE OR CROSSWALK, 24" 0710- 11-1201 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA STOP LINE OR CROSSWALK, 24" 0710- 11-212 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA STOP LINE OR CROSSWALK, 24" 0710- 11-212 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA SWMBOL 0710- 11-212 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0710- 11-221 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF 0700- 1-12 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF 0700- 1-12 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF 0700- 1-10 SINGLE POST SIGN, REMOVE 0705- 10- 2 OBJECT MARKER, TYPE 2 0706- 1-3 RAISED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF HERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	11,647.700
0536- 1- 1 GUARDRAIL -ROADWAY, GENERAL TL-3 LF 0536- 7- 1 SPECIAL GUARDRAIL POST- DEEP POST FOR SLOPE BREAK CONDITION- TIMBER OR STEEL EA 0536- 7- 2 SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT EA 0536- 8-112 GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-001, APPROACH TL-3 EA 0536- 85-24 GUARDRAIL REMOVAL LF 0536- 85-24 GUARDRAIL BEND TREATMENT- PARALLEL APPROACH TERMINAL EA 0570- 1- 2 RAISED RUMBLE STRIP SET- SHORT TERM EA 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 SY 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY INDEX 570-010 SY 0706- 1- 3 RAISED PAVEMENT MARKIERS, STANDARD, WHITE, SOLID, 6" GM GM 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF DIAGONAL OR CHEVRON, 18" 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR STOP LINE OR CROSSWALK, 24" EA 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-10	6,586.800
0536- 7- 1 SPECIAL GUARDRAIL POST- DEEP POST FOR SLOPE BREAK CONDITION-TIMBER OR STEEL 0536- 7- 2 SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE EA STRUCTURE MOUNT 0536- 8-112 GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-3 0536- 73- GUARDRAIL REMOVAL LF 0536- 85- 24 GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL EA 0546- 71- 2 RAISED RUMBLE STRIP SET- SHORT TERM EA 0570- 1- 2 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 1NDEX 570-010 0706- 1- 3 RAISED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR SYMBOL 0710- 11-121 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL 0710- 11-121 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL 0710- 11-121 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 0700- 1-12 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF 0700- 1-12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF 0700- 1-12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF 0700- 1-00 SINGLE POST SIGN, REMOVE 0705- 10- 2 OBJECT MARKER, TYPE 2 0705- 10- 3 OBJECT MARKER, TYPE 3 0706- 1- 3 RAISED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS 07	56.600
CONDITION- TIMBER OR STEEL 0536- 7- 2 SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE EA STRUCTURE MOUNT 0536- 8-112 GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-3 0536- 73- GUARDRAIL EMOVAL LF 0536- 85- 24 GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL EA 0546- 71- 2 RAISED RUMBLE STRIP SET- SHORT TERM EA 0570- 1- 2 PERFORMANCE TURF, SOD SY 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY INDEX 570-010 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR SYOP LINE OR CROSSWALK, 24" 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0799- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL 0700- 1- 12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE 0710- 10- 3 OBJECT MARKER, TYPE 2 0705- 10- 3 OBJECT MARKER, TYPE 3 0706- 1- 3 RAISED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE	1,831.000
STRUCTURE MOUNT	46.000
INDEX 536-001, APPROACH TL-3	4.000
0536- 85- 24 GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL EA 0546- 71- 2 RAISED RUMBLE STRIP SET- SHORT TERM EA 0570- 1- 2 PERFORMANCE TURF, SOD SY 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 SY 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" LF 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" LF 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL EA 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SCILD, 6" GM 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0700- 12- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	6.000
0546- 71- 2 RAISED RUMBLE STRIP SET- SHORT TERM EA 0570- 1- 2 PERFORMANCE TURF, SOD SY 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 SY 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" LF 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" LF 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL EA 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 12 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 10- 2 OB	1,818.000
0570- 1- 2 PERFORMANCE TURF, SOD SY 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 SY 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" LF 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" LF 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL EA 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0799- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1-11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1-60 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0705- 10- 2	6.000
0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 SY INDEX 570-010 0706- 1- 3 RAISED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" LF 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" LF 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL EA 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-21 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 2 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 3 EA 0706- 10- 3	20.000
INDEX 570-010	12,381.000
0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 2 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 0705- 10- 3 OBJECT MARKER, TYPE 3 0706- 1- 3 RAISED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE	11,137.000
0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" LF 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" LF 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL EA 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM GM 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM GM 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SO	4,478.000
DIAGONAL OR CHEVRON, 18" 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 60 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS LF AND CHEVRONS THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	17.062
STOP LINE OR CROSSWALK, 24" 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 0705- 10- 3 OBJECT MARKER, TYPE 3 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS LF AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE	203.000
SYMBOL 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS LF 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	26.000
0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 60 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS LF 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	1.000
0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (44744115201) LS Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 60 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS LF 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	3.000
Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS LF 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	1.121
Section 0002 Signing 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS LF 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	8.200
0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 0700- 1- 11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1- 12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	1.000
0700- 1-11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF AS 0700- 1-12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1-60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	
0700- 1- 12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF AS 0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	12.701
0700- 1- 60 SINGLE POST SIGN, REMOVE AS 0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	8.000
0705- 10- 2 OBJECT MARKER, TYPE 2 EA 0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	6.000
0705- 10- 3 OBJECT MARKER, TYPE 3 EA 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	13.000
0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	11.000
0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44744115201) LS 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	2.000
0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS LF AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	740.000
0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS LF AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF	1.000
	184.000
AND CROSSWALK	26.000
0711- 11-141 THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GM GAP EXTENSION, 6"	0.091
0711- 11-170 THERMOPLASTIC, STANDARD, WHITE, ARROW EA	3.000
0711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, MESSAGE EA	1.000
0711- 14-170 THERMOPLASTIC, PREFORMED, WHITE, ARROW EA	1.000
0711- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM	8.559

ALT	Item	Description	Unit	Quantity
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.447
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	4.218

Letting: 01230720 Call Order: 006 Proposal: E1W24 District:01

Counties: CHARLOTTE

Road Name: Installation and Establishment of Landscaping

Limits: 01075000

Project(s): 41304275201(*) Federal Aid No: N/A

Total Roadway Length:

1.200 Miles
Contract Days:
850
Total Bridge Length:
0.000 Miles
Letting Date:
07/20/23
Total Proposal Length:
1.200 Miles
Contract Execution Days:

Total Proposal Length: 1.200 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time: 60 Calendar Days

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of Installation and Establishment of Landscaping at I-75 (SR 93) at North Jones Loop Road (CR 768).

ALT Item	Description	Unit	Quantity
Section 0001 LAND	SCAPE AREA MAINTENANCE (SY)		
0999- 2-	LUMP SUM CONTRACT, ALTERNATIVE BIDDING (41304275201)	LS	1.000
0999 - 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (41304275201)	LS	1.000

Letting: 01230720 Call Order: 007 Proposal: E1W45-R0 District:01

Counties: LEE

Road Name: Thermoplastic Striping & Markings, Remove & Replace RPM

Limits: Midpoint

Project(s): 43272917297(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:07/20/23Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$450,000.00

Please read the full advertisement

Description:

The work under this Contract consists of Thermoplastic Striping & Markings, Remove and Replace Reflective Pavement Markings.

Call Order: 007 Proposal: E1W45-R0

	Can Order: 007 1 10posai. E1774-5-10		
Item	Description	Unit	Quantity
0001 PAVEMEN	T STRIPING (LARGE MACHINE) (LM)		
0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	200.000
0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	200.000
0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	5.000
0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	8,000.000
0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	2,100.000
0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	3,000.000
0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	5.000
0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	1,000.000
0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	4,100.000
0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	5.000
0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	3,100.000
E706- 1-42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	1,004.000
E711- 3- 1	PAVEMENT MESSAGES (THERMOPLASTIC)	SF	7,600.000
E711- 11-121	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	LF	2,400.000
E711- 11-141	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	LF	8,100.000
E711- 11-221	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	LF	3,101.000
	0001 PAVEMEN 0710- 11-190 0710- 11-290 0711- 11-102 0711- 11-123 0711- 11-124 0711- 11-125 0711- 11-141 0711- 11-170 0711- 11-224 0711- 11-241 0711- 17- 1 E706- 1- 42 E711- 3- 1 E711- 11-121 E711- 11-141	Item Description 0001 PAVEMENT STRIPING (LARGE MACHINE) (LM) 0710- 11-190 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE 0710- 11-290 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE 0711- 11-102 THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND 0711- 11-123 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK 0711- 11-141 THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/6-10 GAP EXTENSION, 6" 0711- 11-224 THERMOPLASTIC, STANDARD, WHITE, ARROW 0711- 11-224 THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON 0711- 11-241 THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" 0711- 17- 1 THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN E706- 1- 42 REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B) E711- 3- 1 PAVEMENT MESSAGES (THERMOPLASTIC) E711- 11-121 THERMOPLASTIC, STANDARD, WHITE, SOLID, 6" E711- 11-141 THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	Item Description Unit 0001 PAVEMENT STRIPING (LARGE MACHINE) (LM) 0710- 11-190 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE SF 0710- 11-290 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE 0711- 11-102 THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND 0711- 11-123 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK LF AND ROUNDABOUT 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS LF AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK 0711- 11-141 THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/6-10 GM GAP EXTENSION, 6" 0711- 11-224 THERMOPLASTIC, STANDARD, WHITE, ARROW EA 0711- 11-224 THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL LF OR CHEVRON 0711- 11-241 THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE/6- GM 0711- 17- 1 THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE/6- GM 0711- 17- 1 THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN E706- 1- 42 REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B) E711- 3- 1 PAVEMENT MESSAGES (THERMOPLASTIC) SF E711- 11-121 THERMOPLASTIC, STANDARD, WHITE, SOLID, 6" LF E711- 11-141 THERMOPLASTIC, STANDARD, WHITE, SOLID, 6" LF E711- 11- 141 THERMOPLASTIC, STANDARD, WHITE, SOLID, 6" LF