

Call Order: 001 Proposal: E1U16

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|------------|
| | 0285-701- | OPTIONAL BASE, BASE GROUP 01 | SY | 9,438.000 |
| | 0285-702- | OPTIONAL BASE, BASE GROUP 02 | SY | 738.000 |
| | 0285-705- | OPTIONAL BASE, BASE GROUP 05 | SY | 49.000 |
| | 0285-710- | OPTIONAL BASE, BASE GROUP 10 | SY | 727.000 |
| | 0286- 1- | TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS | SY | 631.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 10,989.000 |
| | 0327- 70- 11 | MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH | SY | 36,648.000 |
| | 0327- 70- 20 | MILLING EXISTING ASPHALT PAVEMENT, 3 3/4" AVG DEPTH | SY | 49,925.000 |
| | 0334- 1- 53 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 | TN | 14,914.000 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 3,847.300 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 13.600 |
| | 0425- 1-521 | INLETS, DT BOT, TYPE C,<10' | EA | 3.000 |
| | 0425- 1-525 | INLETS, DITCH BOTTOM, TYPE C, PARTIAL | EA | 3.000 |
| | 0425- 82- | REPLACE GRATE | EA | 5.000 |
| | 0430-174-118 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD | LF | 90.000 |
| | 0430-174-124 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD | LF | 4.000 |
| | 0430-174-218 | PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD | LF | 102.000 |
| | 0430-175-115 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD | LF | 30.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 132.000 |
| | 0430-982-123 | MITERED END SECTION, OPTIONAL ROUND, 15" CD | EA | 4.000 |
| | 0430-982-125 | MITERED END SECTION, OPTIONAL ROUND, 18" CD | EA | 1.000 |
| | 0430-984-125 | MITERED END SECTION, OPTIONAL ROUND, 18" SD | EA | 5.000 |
| | 0430-984-129 | MITERED END SECTION, OPTIONAL ROUND, 24" SD | EA | 1.000 |
| | 0430-984-625 | MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD | EA | 4.000 |
| | 0520- 1- 7 | CONCRETE CURB & GUTTER, TYPE E | LF | 5,453.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 163.000 |
| | 0524- 1- 29 | CONCRETE DITCH PAVEMENT, 4", REINFORCED | SY | 58.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 105.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 25,731.000 |
| | 0570- 1- 3 | PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 | SY | 6,283.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 982.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 5.533 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 0.146 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 630.000 |
| | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 112.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 300.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 4.690 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 0.410 |
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 1.000 |

Call Order: 001 Proposal: E1U16

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|-----------|
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 52.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 3.954 |
| | 0710- 11-224 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 82.000 |
| | 0710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | GM | 0.808 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (44742915201) | LS | 1.000 |
| Section 0002 Signing | | | | |
| | 0546- 72- 3 | GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL | GM | 6.886 |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 85.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 28.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 5.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 19.000 |
| | 0700- 2- 12 | MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 1.000 |
| | 0700- 2- 14 | MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF | AS | 1.000 |
| | 0700- 2- 15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 2.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 4.000 |
| | 0700- 13- 15 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5' | EA | 67.000 |
| | 0704- 1- 1 | TUBULAR MARKER, DURABLE, 36" WHITE POST | EA | 1.000 |
| | 0704- 1- 2 | TUBULAR MARKER, DURABLE, 36" YELLOW POST | EA | 24.000 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 18.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 1,460.000 |
| | 0710- 11-190 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE | SF | 8.000 |
| | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 502.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44742915201) | LS | 1.000 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 629.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 112.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 262.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.434 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 1.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 82.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 82.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.835 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 536.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 6.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 6.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 5.527 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 0.146 |

Call Order: 001 Proposal: E1U16

| ALT | Item | Description | Unit | Quantity |
|-----------------------------------|--------------|---|------|-----------|
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 4.690 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 3.833 |
| | 0711- 15-202 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8" | GM | 0.021 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 0.027 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 0.085 |
| Section 0003 Lighting | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 151.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 8.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 1.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 30.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 1.000 |
| | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 | LF | 3,254.000 |
| | 0715- 7- 12 | LOAD CENTER, F&I, PRIMARY VOLTAGE | EA | 1.000 |
| | 0715- 61-100 | LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 30' MOUNTING HEIGHT, 0' ARM LENGTH | EA | 6.000 |
| | 0715-500- 1 | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL | EA | 6.000 |
| Section 0004 Signalization | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 940.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 545.000 |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 1.000 |
| | 0632- 7- 6 | SIGNAL CABLE, REMOVE- INTERSECTION | PI | 1.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 18.000 |
| | 0646- 1- 11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 8.000 |
| | 0646- 1- 60 | ALUMINUM SIGNALS POLE, REMOVE | EA | 4.000 |
| | 0650- 1- 14 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY | AS | 6.000 |
| | 0650- 1- 16 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY | AS | 2.000 |
| | 0650- 1- 19 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION CLUSTER, 1 WAY | AS | 1.000 |
| | 0650- 1- 60 | VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN | AS | 8.000 |
| | 0653- 1- 11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 8.000 |
| | 0660- 1-109 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 | EA | 2.000 |
| | 0660- 2-102 | LOOP ASSEMBLY, F&I, TYPE B | AS | 12.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 5.000 |
| | 0665- 1- 12 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE | EA | 8.000 |
| | 0671- 2- 40 | TRAFFIC CONTROLLER, MODIFY | EA | 1.000 |
| | 0682- 1-113 | ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, HIGH DEFINITION | EA | 1.000 |
| | 0684- 6- 12 | WIRELESS COMMUNICATION DEVICE, FURNISH & INSTALL ETHERNET SUBSCRIBER UNIT | EA | 1.000 |

Call Order: 001 Proposal: E1U16

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|---|------|----------|
| | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 2.000 |