

BID SOLICITATION NOTICE – District 2
FLORIDA DEPARTMENT OF TRANSPORTATION
CONSTRUCTION AND MAINTENANCE PROGRAMS
Lake City District Office Complex
1109 South Marion Ave. - MS 2015 Lake City, FL 32025

Lake City, FL
October 20, 2025
Advertisement No. 1

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <https://www.fdot.gov/contracts> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <https://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 11:00 AM Local Time on Wednesday, November 19, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 11:00 AM November 19, 2025 in the District 2 Lake City District Office Complex, Lake City, Florida.. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (386)961-7510. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: [Select District](#), select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d2, click “[Letting and Project Information](#)” and select letting date from the Lettings Menu.

-----NOTE-----

Proposals will not be issued after 11:00 AM Local Time on Tuesday, November 18, 2025 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at CPP.fdot.gov. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit <https://vendor.myfloridamarketplace.com> for more information. Please allow 24 to 48 hours for receipt of a new vendor number.

Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at CPP.fdot.gov. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <https://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d2, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.**

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://bqa.fdot.gov/>.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit <https://www.surety2000.com> for Surety2000 or <https://www.tinubu.com> for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2

POSTING NOTICE

The bid tabulation and intent to award will be posted on December 08, 2025 or December 15, 2025 at www.fdot.gov/contracts/d2, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at <https://www.floridajobs.org>.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to <https://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <https://www.fdot.gov/contracts/district-offices/distco.shtm>

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation
Notice to Contractors Index

Published: October 20, 2025

Letting ID: 02251119

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the November 19, 2025 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E21Q2-R0		41021347273(*)	ALACHUA, BRADFORD, LEVY,
10	E21Q3-R0		41021347274(*)	ALACHUA
11	E21Q5-R0		41021347276(*)	ALACHUA, BRADFORD
12	E21T2		44822717205(*)	COLUMBIA
13	E21T6		44791615201(*)	NASSAU
15	E21W0-R0		41021477276(*)	ST JOHNS
21	E2X45		43316415201(*)	DUVAL

Proposal Note Codes:

Note: () indicates lead project*

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	02251119	Call Order: 002	Proposal: E21Q2-R0	District:02
Counties:	ALACHUA, BRADFORD, LEVY, DIXIE, GILCHRIST			
Road Name:	Gainesville Maintenance Drainage Repairs and Pipe Video Insp			
Limits:	Midpoint			
Project(s):	41021347273(*)	Federal Aid No: N/A		
Total Roadway Length:	0.000 Miles	Contract Days:	365	
Total Bridge Length:	0.000 Miles	Letting Date:	11/19/25	
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	00 Days (acq. time)	
Proposal Budget Estimate:	\$525,000.00			

Please read the full advertisement

Description:

The improvements under this work document driven contract consist of drainage system repairs and improvements to the existing drainage systems, inspections via video camera, cleaning and desilting storm sewer sections as directed by the Engineer in Alachua, Levy, Gilchrist, Dixie and Bradford Counties. Mobilization and Maintenance of Traffic are incidental to the pay items listed. RENEWAL OPTION. EXPERIENCE IN DRAINAGE REPAIR (FORM 850-070-05) MUST BE COMPLETED AND SUBMITTED WITH THE BID.

Call Order: 002 Proposal: E21Q2-R0

ALT	Item	Description	Unit	Quantity
Section 0001 ASPHALT REPAIR (MANUAL) (TN)				
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	200.000
	0120- 1-	REGULAR EXCAVATION	CY	50.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	20.000
	0120- 3-	LATERAL DITCH EXCAVATION	CY	25.000
	0120- 6-	EMBANKMENT	CY	10.000
	0121- 70-	FLOWABLE FILL	CY	10.000
	0145- 1-	GEOSYNTHETIC REINFORCED SOIL SLOPE	SF	25.000
	0145- 71-	REINFORCEMENT GRID FOR SOIL STABILIZATION	SY	25.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	5.000
	0425- 11-	MODIFY EXISTING DRAINAGE STRUCTURE	EA	1.000
	0425- 15- 41	INLET TOP, REPAIR, CURB INLET	EA	2.000
	0425- 15- 42	INLET TOP, REPAIR, DITCH BOTTOM INLET	EA	1.000
	0425- 15- 51	INLET TOP, REPLACE, CURB INLET	EA	1.000
	0425- 15- 52	INLET TOP, REPLACE, DITCH BOTTOM INLET	EA	1.000
	0430- 94- 1	DESILTING PIPE, 0 - 24"	LF	400.000
	0430- 94- 2	DESILTING PIPE, 25 - 36"	LF	400.000
	0430- 94- 3	DESILTING PIPE, 37 - 48"	LF	300.000
	0430- 94- 4	DESILTING PIPE, 49 - 60"	LF	100.000
	0430- 94- 5	DESILTING PIPE, 61" OR GREATER	LF	100.000
	0430-174-115	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 15"SD	LF	16.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	60.000
	0430-174-130	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 30"SD	LF	24.000
	0430-174-136	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 36"SD	LF	24.000

Call Order: 002 Proposal: E21Q2-R0

ALT	Item	Description	Unit	Quantity
	0430-174-142	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 42"SD	LF	12.000
	0430-174-148	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 48"SD	LF	12.000
	0430-174-154	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 54"SD	LF	12.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	128.000
	0430-175-160	PIPE CULVERT, OPT MATERIAL, ROUND, 60"S/CD	LF	12.000
	0430-821- 23	CLEANING & SEALING EXISTING PIPE JOINT, 15" STORM SEWER	EA	20.000
	0430-821- 25	CLEANING & SEALING EXISTING PIPE JOINT, 18" STORM SEWER	EA	25.000
	0430-821- 29	CLEANING & SEALING EXISTING PIPE JOINT, 24" STORM SEWER	EA	25.000
	0430-821- 33	CLEANING & SEALING EXISTING PIPE JOINT, 30" STORM SEWER	EA	15.000
	0430-821- 38	CLEANING & SEALING EXISTING PIPE JOINT, 36" STORM SEWER	EA	15.000
	0430-821- 40	CLEANING & SEALING EXISTING PIPE JOINT, 42", STORM SEWER	EA	5.000
	0430-821- 41	CLEANING & SEALING EXISTING PIPE JOINT, 48", STORM SEWER	EA	5.000
	0430-821- 42	CLEANING & SEALING EXISTING PIPE JOINT, 54", STORM SEWER	EA	5.000
	0430-821- 43	CLEANING & SEALING EXISTING PIPE JOINT, 60", STORM SEWER	EA	1.000
	0430-821- 61	CLEANING & SEALING EXISTING PIPE JOINT, >60", STORM SEWER	EA	1.000
	0430-950-	DESILTING CONCRETE BOX CULVERT	CY	75.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	4.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	4.000
	0430-984-133	MITERED END SECTION , OPTIONAL ROUND, 30" SD	EA	4.000
	0430-984-138	MITERED END SECTION , OPTIONAL ROUND, 36" SIDE DRAIN	EA	4.000
	0430-984-140	MITERED END SECTION , OPTIONAL ROUND, 42" SD	EA	2.000
	0430-984-141	MITERED END SECTION , OPTIONAL ROUND, 48" SD	EA	1.000
	0430-984-142	MITERED END SECTION , OPTIONAL ROUND, 54" SD	EA	2.000
	0430-984-143	MITERED END SECTION , OPTIONAL ROUND, 60" SD	EA	2.000
	0430-991- 1	MITERED END SECT, REPLACE SLAB- MAINTENANCE USE ONLY	CY	20.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	10.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	10.000
	0524- 1- 4	CONCRETE DITCH PAVEMENT, NON REINFORCED, 6"	SY	900.000
	0524- 1- 49	CONCRETE DITCH PAVEMENT, 6", REINFORCED	SY	50.000
	0530- 1-100	RIPRAP, SAND-CEMENT BAGS	CY	10.000
	0906-173-200	TWO COMPONENT POLYURETHANE INJECTION	LB	800.000
	E425- 73- 1	CLEANING MANHOLES AND INLETS (MECHANICAL)	EA	30.000
	E425- 73- 2	REPAIR LEAKS IN MANHOLES AND INLETS	EA	20.000
	E425- 73- 3	FRAME AND GRATE (F&I)	EA	1.000
	E425- 73- 4	RESET EXISTING FRAME AND GRATE	EA	1.000
	E425- 73- 5	CLEANING MANHOLES AND INLETS (MANUAL)	EA	1.000
	E425- 73- 7	MANHOLE FRAME & COVER	EA	1.000
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	30,000.000
	E522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS- REMOVE AND REPLACE, 4"	SY	50.000
	E522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS- REMOVE AND REPLACE, 6"	SY	20.000
	E570- 2-	SEED & MULCH	SY	200.000
	E570- 9- 1	WATER FOR GRASS & PLANTS	MG	50.000
	E575- 1- 2	SODDING, CENTIPEDE	SY	50.000
	E575- 1- 4	SODDING, ST AUGUSTINE	SY	50.000

Call Order: 002 Proposal: E21Q2-R0

ALT	Item	Description	Unit	Quantity
	E575- 1- 6	SODDING, BERMUDA	SY	250.000

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	02251119	Call Order: 003	Proposal: E21Q3-R0	District:02
Counties:	ALACHUA			
Road Name:	Gainesville Maintenance Routine Maintenance Mowing			
Limits:	Midpoint			
Project(s):	41021347274(*)	Federal Aid No:	N/A	
Total Roadway Length:	0.000 Miles	Contract Days:	365	
Total Bridge Length:	0.000 Miles	Letting Date:	11/19/25	
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	00 Days (acq. time)	

Proposal Budget Estimate: \$301,000.00

Please read the full advertisement

Description:

The improvements under this work document driven contract consist of slope mowing, intermediate mowing and litter removal on state maintained right of ways in Alachua County. Mobilization and Maintenance of Traffic are incidental to the pay items listed. RENEWAL OPTION.

Call Order: 003 Proposal: E21Q3-R0

ALT	Item	Description	Unit	Quantity
Section 0001 SLOPE MOWING (AC)				
	E107- 1- 1	LITTER REMOVAL	AC	2,320.000
	E107- 2- 2	MOWING (SLOPE)	AC	20.400
	E107- 2- 3	MOWING (INTERMEDIATE MACHINE)	AC	1,719.600

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	02251119	Call Order: 004	Proposal: E21Q5-R0	District:02
Counties:	ALACHUA, BRADFORD			
Road Name:	Eastside Mow Routine Maintenance			
Limits:	Midpoint			
Project(s):	41021347276(*)	Federal Aid No:	N/A	
Total Roadway Length:	0.000 Miles	Contract Days:	365	
Total Bridge Length:	0.000 Miles	Letting Date:	11/19/25	
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	00 Days (acq. time)	
Proposal Budget Estimate:	\$748,000.00			

Please read the full advertisement

Description:

The improvements under this work document driven contract consist of large machine mowing, slope mowing, intermediate mowing and litter removal on state maintained right of ways in Alachua and Bradford Counties. Mobilization and Maintenance of Traffic are incidental to the pay items listed. RENEWAL OPTION.

Call Order: 004 Proposal: E21Q5-R0

ALT	Item	Description	Unit	Quantity
Section 0001 LARGE MACHINE MOWING (AC)				
	E107- 1- 1	LITTER REMOVAL	AC	21,051.600
	E107- 2- 1	MOWING (LARGE MACHINE)	AC	13,079.200
	E107- 2- 2	MOWING (SLOPE)	AC	533.000
	E107- 2- 3	MOWING (INTERMEDIATE MACHINE)	AC	450.000

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	02251119	Call Order: 005	Proposal: E21T2	District:02
Counties:	COLUMBIA			
Road Name:	This is a B.D.I., Lump Sum Contract for concrete slope.			
Limits:	Midpoint			
Project(s):	44822717205(*)	Federal Aid No:	N/A	
Total Roadway Length:	0.000 Miles	Contract Days:	150	
Total Bridge Length:	0.000 Miles	Letting Date:	11/19/25	
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	00 Days (acq. time)	
Proposal Budget Estimate:	\$200,000.00			

Please read the full advertisement

Description:

This is a Business Development Initiative Contract, Lump Sum contract to supply materials, equipment, labor and incidentals to construct and dispose of Fabric formed concrete slope pavement, earth work, sidewalk repair & sodding in areas specified in this contract within the Lake city Operations area.

BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at <https://www.fdot.gov/equalopportunity/bdi.shtm>.

For more information about bidding on BDI projects, please see the training guide located at <https://www.fdot.gov/equalopportunity/bdi.shtm>

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at <https://www.fdot.gov/equalopportunity/bdi.shtm>

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to SmallBusiness@dot.state.fl.us

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier's Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09).

A Contract Bond is not required for contracts \$250,000.00 and less.

Call Order: 005 Proposal: E21T2

ALT	Item	Description	Unit	Quantity
Section 0001 CONCRETE REPAIR (CY)				
	E999- 10- 41	MAINTENANCE LUMP SUM CONTRACT	LS	1.000

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	02251119	Call Order: 006	Proposal: E21T6	District:02
Counties:	NASSAU			
Road Name:	I-95 YULEE WEIGH STATION RESURFACING - MCCO WEIGH STATION			
Limits:	74160000			
Project(s):	44791615201(*)	Federal Aid No:	N/A	
Total Roadway Length:	1.525 Miles	Contract Days:	360	
Total Bridge Length:	0.000 Miles	Letting Date:	11/19/25	
Total Proposal Length:	1.525 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	15 Days (acq. time)	
Proposal Budget Estimate:	\$15,354,347.00			

Please read the full advertisement

Description:

The Improvements under this Contract consist of construction of concrete pavement, base work, drainage improvements, curb and gutters, traffic signals, sidewalks, and other incidental construction on I-95 (SR 9) at the Yulee Weight Stations in Nassau County. PREQUALIFICATION REQUIRED.

Call Order: 006 Proposal: E21T6

ALT	Item	Description	Unit	Quantity
Section 0001 Roadway				
	0101- 1-	MOBILIZATION (44791615201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44791615201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	4,680.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	16,200.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	388.000
	0102-115-	TYPE III BARRICADE	ED	1,800.000
	0104- 10- 3	SEDIMENT BARRIER	LF	8,452.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	83.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	37.000
	0107- 1-	LITTER REMOVAL	AC	545.720
	0107- 2-	MOWING	AC	410.140
	0110- 1- 1	CLEARING & GRUBBING (44791615201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	43,095.000
	0120- 1-	REGULAR EXCAVATION	CY	6,429.700
	0120- 6-	EMBANKMENT	CY	1,255.200
	0160- 4-	TYPE B STABILIZATION	SY	47,936.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	40,929.000
	0350- 3- 11	PLAIN CEMENT CONCRETE PAVEMENT, 11"	SY	21,836.000
	0350- 3- 14	PLAIN CEMENT CONCRETE PAVEMENT, 12.5"	SY	17,890.000
	0350- 5-	CLEANING & SEALING JOINTS- CONCRETE PAVEMENT	LF	87,294.000
	0350- 6-	CLEANING & SEALING RANDOM CRACKS- CONCRETE PAVEMENT	LF	830.000
	0352- 70-	GRINDING CONCRETE PAVEMENT	SY	17,890.000
	0425- 1-481	INLETS, CURB, TYPE 8, <10'	EA	6.000
	0425- 1-483	INLETS, CURB, TYPE 8, J BOT , <10'	EA	2.000
	0425- 1-485	INLETS, CURB, TYPE 8, PARTIAL	EA	7.000

Call Order: 006 Proposal: E21T6

ALT	Item	Description	Unit	Quantity
	0425- 1-559	INLETS, DT BOT, TYPE E, MODIFY	EA	2.000
	0425- 2- 73	MANHOLES, J-7, PARTIAL	EA	2.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	160.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	36.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	4.000
	0446- 1- 1	EDGEDRAIN DRAINCRETE, STANDARD	LF	19,127.000
	0446- 71- 1	EDGEDRAIN OUTLET PIPE, 4"	LF	1,385.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	1,013.000
	0520- 4-	CURB-CONCRETE PAVEMENT JOINT	LF	6,808.000
	0520- 5- 51	TRAF SEP CONC, TYPE V, 4' WIDE	LF	1,396.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	1,457.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	14.000
	0527- 2-	DETECTABLE WARNINGS	SF	42.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	16,004.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44791615201)	LS	1.000
Section 0002 Signing				
	0701- 17-101	PROFIED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, WHITE, SOLID,6"	GM	0.230
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	975.000
	0709- 12-130	TRAFFIC STRIPE-TWO REACTIVE COMPONENTS, STANDARD, WHITE, SOLID, 6", FOR MCSAW PROJECTS	GM	2.981
	0709- 12-131	TRAFFIC STRIPE-TWO REACTIVE COMPONENTS, STANDARD, WHITE, SOLID 8" FOR INTERCH & URBAN ISLAND, FOR MCSAW PROJECTS	GM	0.627
	0709- 12-132	TRAFFIC STRIPE-TWO REACTIVE COMPONENTS, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK, FOR MCSAW PROJECTS	LF	124.000
	0709- 12-133	TRAFFIC STRIPE-TWO REACTIVE COMPONENTS, STANDARD, WHITE, SOLID, 18" FOR DIAGONAL OR CHEVRON, FOR MCSAW PROJECTS	LF	1,317.000
	0709- 12-134	TRAFFIC STRIPE-TWO REACTIVE COMPONENTS, STANDARD, WHITE, SOLID, 24" FOR CROSSWALK, FOR MCSAW PROJECTS	LF	219.000
	0709- 12-135	TRAFFIC STRIPE-TWO REACTIVE COMPONENTS, STANDARD, WHITE, SKIP, 6", FOR MCSAW PROJECTS	GM	0.287
	0709- 12-136	TRAFFIC STRIPE-TWO REACTIVE COMPONENTS, STANDARD, YELLOW, SOLID, 6", FOR MCSAW PROJECTS	GM	2.586
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	35.000
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	644.000
Section 0003 Signalization				
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	360.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	32.000
	0770- 4- 15	MCSAW, WEIGHING, FURNISH AND INSTALL	EA	2.000

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	02251119	Call Order: 007	Proposal: E21W0-R0	District:02
Counties:	ST JOHNS			
Road Name:	Traffic Services Contracts Clay, Putnam and St Johns County			
Limits:	Midpoint			
Project(s):	41021477276(*)	Federal Aid No:	N/A	
Total Roadway Length:	0.000 Miles	Contract Days:	365	
Total Bridge Length:	0.000 Miles	Letting Date:	11/19/25	
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	00 Days (acq. time)	

Proposal Budget Estimate: \$600,000.00

Please read the full advertisement

Description:

The work under this Work Document Driven Contract consists of placing paint, thermoplastic, tape, delineators, reflective pavement markings, pavement symbols, and signs in Clay, Putnam, and St. Johns Counties. RENEWAL OPTION.

Call Order: 007 Proposal: E21W0-R0

ALT	Item	Description	Unit	Quantity
Section 0001 PAVEMENT STRIPING (LARGE MACHINE) (LM)				
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	1.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	1.000
	0700- 1-113	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF	EA	1.000
	0700- 1-114	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 30.1+ SF SHEETING AREA FOR BACK TO BACK SIGNS	EA	1.000
	0700- 1-211	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER TOP-MOUNT, LESS THAN 12 SF	EA	1.000
	0700- 1-313	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER SIDE-MOUNT, 20.1-30.0 SF	EA	1.000
	0700- 1-400	SINGLE COLUMN GROUND SIGN ASSEMBLY, INSTALL	EA	1.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	1.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	1.000
	0700- 15- 2	IN-STREET SIGN ASSEMBLY, FURNISH AND INSTALL- FIXED BASE CONNECTION	EA	1.000
	0701- 17-221	PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SKIP,6"	GM	1.000
	0701- 18-101	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6"	GM	1.000
	0701- 18-201	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6"	GM	1.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	10.000
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	1.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	1.000

Call Order: 007 Proposal: E21W0-R0

ALT	Item	Description	Unit	Quantity
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	1.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	5.000
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	10.000
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	10.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	10.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	199.000
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	1.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	10.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	10.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	1.000
	0710- 11-331	PAINTED PAVEMENT MARKINGS, STANDARD, BLACK, SKIP, 6"	GM	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	1.000
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	1.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	1.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	1.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	1.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	1.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	1.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	1.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	1.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	1.000
	0711- 11-421	THERMOPLASTIC, STANDARD, BLUE, SOLID, 6"	LF	1.000
	0711- 12-101	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6"	GM	1.000
	0711- 12-121	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6" FOR MAINTENANCE USE	LF	1.000
	0711- 12-122	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 8"	LF	1.000
	0711- 12-123	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT	LF	1.000
	0711- 12-124	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	1.000
	0711- 12-125	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 24" FOR STOP LINE OR CROSSWALK	LF	1.000
	0711- 12-131	THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6"	GM	1.000
	0711- 12-141	THERMOPLASTIC, REFURBISHMENT, WHITE, 2-4 DOTTED GUIDELINE / 6-10 GAP EXTENSION, 6", MAINTENANCE USE ONLY	GM	1.000

Call Order: 007 Proposal: E21W0-R0

ALT	Item	Description	Unit	Quantity
	0711- 12-160	THERMOPLASTIC, REFURBISH, WHITE, MESSAGE	EA	1.000
	0711- 12-170	THERMOPLASTIC, REFURBISH, WHITE, ARROWS	EA	1.000
	0711- 12-201	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6"	GM	1.000
	0711- 12-221	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6" MAINTENANCE USE ONLY	LF	1.000
	0711- 12-222	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 8" MAINTENANCE USE ONLY	LF	1.000
	0711- 12-224	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	1.000
	0711- 12-231	THERMOPLASTIC, REFURBISHMENT, YELLOW, SKIP, 6"	GM	1.000
	0711- 12-241	THERMOPLASTIC, REFURBISHMENT, YELLOW 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" MAINT USE ONLY	GM	1.000
	0711- 13-101	THERMOPLASTIC, HOT SPRAY, WHITE, SOLID, 6" MAINTENANCE USE ONLY	GM	1.000
	0711- 13-131	THERMOPLASTIC, HOT SPRAY, WHITE, SKIP, 6" MAINTENANCE USE ONLY	GM	1.000
	0711- 13-201	THERMOPLASTIC, HOT SPRAY, YELLOW, SOLID, 6" MAINTENANCE USE ONLY	GM	1.000
	0711- 13-251	THERMOPLASTIC, HOT SPRAY, YELLOW, DOTTED / GUIDELINE/ 6-10 GAP EXTENSION, 6" MAINTENANCE USE ONLY	LF	1.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	1.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	1.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	1.000
	0711- 14-521	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, SOLID, 6" FOR PARKING SPACES	LF	1.000
	0711- 14-526	THERMOPLASTIC, PREFORMED, 24" WHITE WITH 4" BLACK CONTRAST FOR CROSSWALK ON CONCRETE PAVEMENT, 32"	LF	1.000
	0711- 14-527	THERMOPLASTIC, PREFORMED, 24" WHITE WITH 4" BLACK CONTRAST FOR STOP LINE ON CONCRETE PAVEMENT, 32"	LF	1.000
	0711- 14-528	THERMOPLASTIC, PREFORMED, 12" WHITE WITH 4" BLACK CONTRAST FOR CROSSWALK ON CONCRETE PAVEMENT, 20"	LF	1.000
	0711- 14-570	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE	EA	1.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	1.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	1.000
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	1.000
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.000
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	1.000
	0711- 15-231	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6"	GM	1.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	1.000
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	1.000
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.000

Call Order: 007 Proposal: E21W0-R0

ALT	Item	Description	Unit	Quantity
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.000
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	1.000
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	1.000
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	1.000
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	1.000
	0713-103-102	PERMANENT TAPE, WHITE, SOLID, 8" EXIT LANE AT INTERCHANGE ON CONCRETE PAVEMENT	GM	1.000
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	1.000
	0713-103-281	PERMANENT TAPE, YELLOW, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	1.000
	0713-103-341	PERMANENT TAPE, BLACK, 6-10 DOTTED EXTENSION, 6" FOR CONCRETE SURFACES	GM	1.000
	0713-107-	PREFORMED/PERMANENT TAPE, REMOVE	SF	1.000
	E700- 3- 1	SIGN PANEL CLEANING, GROUND MOUNTED SIGNS	SF	100.000
	E700- 30- 1	SIGN PANEL OVERLAY, SINGLE POST	SF	200.000
	E700- 30- 2	SIGN PANEL OVERLAY, MULTI POST	SF	200.000
	E700- 30- 3	SIGN PANEL OVERLAY, OVERHEAD	SF	1.000
	E700- 46- 31	REPAIR EXISTING SIGN (SINGLE POST)	AS	150.000
	E711- 12-141	THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6"	LF	500.000
Section 0002 SIGNS(GRND SIGNS 30 SQ FT OR LESS)(UN)				
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	1.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	1.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	1.000
	0700- 1-800	SINGLE COLUMN GROUND SIGN ASSEMBLY, REPAIR	EA	1.000
	0700- 2-111	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	1.000
	0700- 2-212	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, USE EXISTING FOUNDATIONS, 12.0-20.0 SF	EA	1.000
	0700- 2-213	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, USE EXISTING FOUNDATIONS, 20.1-30.0 SF	EA	1.000
	0700- 2-214	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, USE EXISTING FOUNDATIONS, 30.1-50.0 SF	EA	1.000
	0700- 2-215	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, USE EXISTING FOUNDATIONS, 50.1-100.0 SF	EA	1.000
	0700- 2-216	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, USE EXISTING FOUNDATIONS, 100.1-200.0 SF	EA	1.000
	0700- 2-217	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, USE EXISTING FOUNDATIONS, 200.1-300.0 SF	EA	1.000
	0700- 2-400	MULTI-COLUMN GROUND SIGN ASSEMBLY, INSTALL	EA	1.000
	0700- 2-500	MULTI-COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	2.000
	0700- 2-600	MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	1.000
	0700- 2-800	MULTI-COLUMN GROUND SIGN ASSEMBLY, REPAIR	EA	1.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	1.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	1.000

Call Order: 007 Proposal: E21W0-R0

ALT	Item	Description	Unit	Quantity
	0700- 3-105	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF	EA	1.000
	0700- 3-106	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF	EA	1.000
	0700- 3-107	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 201-300 SF	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	1.000
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	1.000
	0700- 3-204	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	EA	1.000
	0700- 3-205	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	EA	1.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	1.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	1.000
	0700- 3-301	SIGN PANEL, FURNISH & INSTALL SINGLE POST BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	EA	1.000
	0700- 3-401	SIGN PANEL, INSTALL, UP TO 12 SF	EA	1.000
	0700- 3-403	SIGN PANEL, INSTALL, 21-30 SF	EA	1.000
	0700- 3-404	SIGN PANEL, INSTALL, 31-50 SF	EA	1.000
	0700- 3-405	SIGN PANEL, INSTALL, 51-100 SF	EA	1.000
	0700- 3-503	SIGN PANEL, RELOCATE, 21-30 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	1.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	1.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	1.000
	0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF	EA	1.000
	0700- 3-605	SIGN PANEL, REMOVE, 51-100 SF	EA	1.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	1.000
	0700- 3-607	SIGN PANEL, REMOVE, 201-300 SF	EA	1.000
	0700- 3-626	SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING	EA	1.000
	0704- 1- 3	TUBULAR MARKER, 36" WHITE POST	EA	1.000
	0704- 1- 4	TUBULAR MARKER, 36" YELLOW POST	EA	1.000
	0705- 10- 2	OBJECT MARKER, TYPE 2	EA	1.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	1.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	1.000
	0705- 11- 6	DELINEATOR, REPLACE DELINEATOR ON EXISTING BARRIER	EA	1.000
	0705- 11- 11	DELINEATOR POST, FURNISH & INSTALL ON EXISTING BASE	EA	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	180.000
	0713-103-141	PERMANENT TAPE, WHITE, 6-10 SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	1.000
	E700- 46- 32	REPAIR EXISTING SIGN (MULTI POST)	AS	119.000
	E700- 46- 33	REPAIR EXISTING SIGN (OVHD TRUSS)	AS	98.000
	E700- 46- 34	REPAIR EXISTING SIGN (OVHD CANTILEVER)	AS	1.000
	E700- 94- 1	BREAKAWAY SIGN SUPPORT FOUNDATION (F&I)	EA	1.000
	E700- 94- 2	BREAKAWAY SIGN SUPPORT FOUNDATION (REMOVE)	EA	1.000
	E700- 96- 1	SIGN SUPPORT REPAIRS (ALUMINUM)	LB	1.000
	E700- 96- 2	SIGN SUPPORT REPAIRS (STEEL)	LB	1.000
	E706- 1- 42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	1.000
	E710- 11-121	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	LF	488.000
	E710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 6"	LF	500.000

Call Order: 007 Proposal: E21W0-R0

ALT	Item	Description	Unit	Quantity
	E710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	LF	500.000
	E711- 3- 1	PAVEMENT MESSAGES (THERMOPLASTIC)	SF	500.000
	E711- 11-121	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	LF	500.000
	E711- 11-141	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	LF	500.000
	E711- 11-221	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	LF	510.000
	E711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6"	LF	505.000

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting:	02251119	Call Order: 001	Proposal: E2X45	District:02
Counties:	DUVAL			
Road Name:	SRA1A HUGUENOT PARK - GEORGE RIVER BR - BIKE PATH/TRAIL			
Limits:	72260000			
Project(s):	43316415201(*)	Federal Aid No:	N/A	
Total Roadway Length:	0.573 Miles	Contract Days:	270	
Total Bridge Length:	0.000 Miles	Letting Date:	11/19/25	
Total Proposal Length:	0.573 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	15 Days (acq. time)	
Proposal Budget Estimate:	\$6,150,018.00			

Please read the full advertisement

Description:

The Improvements under this Contract consist of milling and resurfacing, base work, shoulder treatment, drainage improvements, curb & gutters, lighting, highway signing, guardrail, sidewalk/bicycle path, sheet pile walls, concrete barriers, and other incidental construction on SR A1A (Heckscher Dr) in Duval County from Huguenot Memorial Park to George River Bridge.
PREQUALIFICATION REQUIRED.

Call Order: 001 Proposal: E2X45

ALT	Item	Description	Unit	Quantity
Section 0001 Roadway				
	0101- 1-	MOBILIZATION (43316415201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43316415201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	5,419.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	2,658.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	1,197.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	12,025.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	5,052.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	143.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	568.000
	0102-115-	TYPE III BARRICADE	ED	207.000
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	38.000
	0104- 10- 3	SEDIMENT BARRIER	LF	1,865.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	89.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	804.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	2.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	12.000
	0107- 1-	LITTER REMOVAL	AC	95.330
	0107- 2-	MOWING	AC	47.830
	0110- 1- 1	CLEARING & GRUBBING (43316415201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	439.000
	0120- 1-	REGULAR EXCAVATION	CY	2,332.000
	0120- 6-	EMBANKMENT	CY	1,122.000
	0160- 4-	TYPE B STABILIZATION	SY	7,373.000

Call Order: 001 Proposal: E2X45

ALT	Item	Description	Unit	Quantity
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	5,853.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	668.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	10,600.000
	0334- 1- 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	257.800
	0334- 1- 52	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22	TN	69.700
	0337- 7- 81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	1,146.200
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	10.100
	0400- 4- 8	CONC CLASS IV, BULKHEAD	CY	67.400
	0415- 10- 5	FIBER REINFORCED POLYMER BARS, #5 BAR	LF	5,765.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	2.000
	0425- 2- 93	MANHOLES, J-8, PARTIAL	EA	1.000
	0425- 3- 63	JUNCTION BOXES, DRAINAGE, J-7, PARTIAL	EA	1.000
	0425- 5-	MANHOLE, ADJUST	EA	7.000
	0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	5.000
	0425- 6-	VALVE BOXES, ADJUST	EA	1.000
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD	LF	71.000
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	593.000
	0451- 70-	PREST SOIL ANCHORS	EA	37.000
	0451- 70- 1	PRESTRESSED SOIL ANCHOR, PERFORMANCE TEST	EA	4.000
	0451- 70- 2	PRESTRESSED SOIL ANCHOR, CREEP TEST	EA	3.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	13,129.000
	0460- 2- 1	STRUCT STEEL, CARBON (43316415201)	LS	1.000
	0515- 2-311	PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY, 42" TYPE 1	LF	372.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	160.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	681.000
	0521- 72-110	SHOULDER CONCRETE BARRIER, VARIABLE HEIGHT, 38" - 62", SPECIAL DESIGN	LF	2,559.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	280.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	43.000
	0527- 2-	DETECTABLE WARNINGS	SF	92.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	1,273.000
	0530- 74-	BEDDING STONE	TN	374.100
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	219.000
	0536- 6-	PIPE RAIL FOR GUARDRAIL	LF	210.000
	0536- 8-112	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-3	EA	1.000
	0536- 73-	GUARDRAIL REMOVAL	LF	612.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	2.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	1.000
	0544- 3- 1	CRASH CUSHION, TL-3, NARROW	EA	1.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	3,799.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	834.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	1.654
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.085

Call Order: 001 Proposal: E2X45

ALT	Item	Description	Unit	Quantity
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	68.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	22.000
	0710- 11-180	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE	LF	12.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	1.607
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43316415201)	LS	1.000
Section 0002 Signing				
	0546- 72- 3	GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL	GM	1.340
	0654- 2- 21	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR, COMPLETE SIGN ASSY- SINGLE DIRECTION	AS	2.000
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	10.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	2.000
	0700- 1-211	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER TOP-MOUNT, LESS THAN 12 SF	EA	8.000
	0700- 1-311	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER SIDE-MOUNT, LESS THAN 12 SF	EA	1.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	1.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	10.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	2.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	2.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	8.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	213.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43316415201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	286.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	168.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	67.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	12.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	234.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	1.124
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.104
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.086
Section 0003 Lighting				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	3.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	14.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	50.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	1.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	1.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	303.000

Call Order: 001 Proposal: E2X45

ALT	Item	Description	Unit	Quantity
	0715- 61-721	LIGHT POLE COMPLETE, F&I, STD POLE STD FOUNDATION, WILDLIFE SENSITIVE LUMINAIRE, 20' MOUNTING HEIGHT, 10' ARM LENGTH	EA	1.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	1.000