

BID SOLICITATION NOTICE – District 3
FLORIDA DEPARTMENT OF TRANSPORTATION
CONSTRUCTION AND MAINTENANCE PROGRAMS
1074 Hwy 90 Chipley, Florida 32428

Chipley, FL
August 15, 2017
Advertisement No. 3

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <http://www.fdot.gov/contracts> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <http://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 2:00 PM Local Time on **Thursday, September 14, 2017**.

Bid totals for each bid submitted will be read aloud for those present and will be available at 2:00 PM **September 14, 2017** in the Administration Building, Procurement Services Conference Room, Chipley, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (850)638-0250. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain>, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d3, click "[Letting and Project Information](#)" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

-----NOTE-----

Proposals will not be issued after 2:00 PM Local Time on Wednesday, September 13, 2017 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit http://dms.myflorida.com/egovernment_tools/myflorida_marketplace for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies that Boycott Israel List, is engaged in a boycott of Israel, is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <http://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d3, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.**

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal>.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <http://www.surety2000.com> for Surety2000 or <http://www.insurevision.com> for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION.

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors should be reported in the **Equal Opportunity Compliance (EOC)** system. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Please complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <http://www.fdot.gov/equalopportunity/eoc.shtml>

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: <http://www.fdot.gov/contracts /CPP Online Ordering/NEW%20BIDDERS%20ORIENTATION.pdf>

POSTING NOTICE

The bid tabulation and intent to award will be posted on **October 05, 2017** or **October 12, 2017** at www.fdot.gov/contracts/d3, click the "[Letting and Project Information](#)" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <http://>

www.fdot.gov/contracts/cpp_online_ordering/bidder_assist.shtm , Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at <http://www.floridajobs.org>.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to <http://www2.dot.state.fl.us/ContractsAdministration/bsnmail.asp> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to www.fdot.gov/contracts/distco.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5).Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation
Notice to Contractors Index**

Published: August 15, 2017

Letting ID: 03170914

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the September 14, 2017 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E3P84		43625815201(*) 43671715201	OKALOOSA
10	E3Q60		43625715201(*) 43625715202	LEON
14	E3R05		42214327210(*)	DIST/ST-WIDE, WALTON
15	E3R06		22088125298(*)	DIST/ST-WIDE

Proposal Note Codes:

Note: () indicates lead project*

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 03170914 Call Order: 001 Proposal: E3P84 District:03
Counties: OKALOOSA
Road Name: Milling and resurfacing on SR 189 (Beal Parkway)
Limits: 57110000
Project(s): 43625815201(*) Federal Aid No: N/A
Project(s): 43671715201 Federal Aid No: N/A
Total Roadway Length: 2.080 Miles Contract Days: 140
Total Bridge Length: 0.000 Miles Letting Date: 09/14/17
Total Proposal Length: 2.080 Miles Contract Execution Days: 10
Special Start Date: N/A
Aquis/Flexible Start Time: 15 days Acquisition

Proposal Budget Estimate: \$1,591,168.00

Please read the full advertisement

Description:

The Improvements under this District Contract, FPID: 436258-1-52-01, consist of milling and resurfacing, traffic and pedestrian signals, adding sidewalk and driveways, signing and pavement markings on SR 189 (Beal Parkway) From Manring Drive to SR 188 (Racetrack Road) and, under FPID: 436717-1-52-01, adding turn lanes, traffic signals, drainage improvements, signing and pavement markings on SR 189 (Beal Parkway) at Carmel Drive/Clifford Street Intersection, in Okaloosa County.
PRE-QUALIFICATION IS REQUIRED TO BID ON THIS PROJECT

Call Order: 001 Proposal: E3P84

ALT	Item	Description	Unit	Quantity
Section 0001 Roadway				
	0101- 1-	MOBILIZATION (43625815201)	LS	1.000
	0101- 1-	MOBILIZATION (43671715201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43625815201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43671715201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	10,520.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	24,130.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	260.000
	0102- 74- 6	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	ED	360.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	220.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	640.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	280.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	420.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	420.000
	0104- 10- 3	SEDIMENT BARRIER	LF	3,547.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	39.000
	0107- 1-	LITTER REMOVAL	AC	17.130
	0107- 2-	MOWING	AC	5.240
	0110- 1- 1	CLEARING & GRUBBING (43625815201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (43671715201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	1,257.000
	0120- 1-	REGULAR EXCAVATION	CY	532.800

Call Order: 001 Proposal: E3P84

ALT	Item	Description	Unit	Quantity
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	11.900
	0160- 4-	TYPE B STABILIZATION	SY	1,089.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	998.000
	0327- 70- 5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH	SY	42,383.000
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	109.700
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	4,771.900
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	4.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	1.000
	0425- 11-	MODIFY EXISTING DRAINAGE STRUCTURE	EA	2.000
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD	LF	220.000
	0430-175-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 18"S/CD	LF	54.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	117.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	1,163.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	42.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	91.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	2,181.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	402.000
	0527- 2-	DETECTABLE WARNINGS	SF	341.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	1,370.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	2.388
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.233
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	2,083.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	229.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	490.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	1.974
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.113
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	61.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	2.133
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	421.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.265
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43625815201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43671715201)	LS	1.000
Section 0002 Signing				
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	1.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	2.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43625815201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43671715201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	2,083.000

Call Order: 001 Proposal: E3P84

ALT	Item	Description	Unit	Quantity
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	229.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	490.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.113
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	61.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	421.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.265
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,333.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	2.388
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.233
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.974
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	2.133
Section 0003 Signalization				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	520.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	153.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	3.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	33.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	2.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	2.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	13.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	10.000
	0650- 1- 14	TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	2.000
	0650- 1- 18	TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY	AS	2.000
	0650- 1- 60	TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	4.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	6.000
	0653- 1- 12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	8.000
	0653- 1- 60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	8.000
	0660- 1-110	LOOP DETECTOR INDUCTIVE, F&I, TYPE 10	EA	1.000
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A	AS	33.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	33.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	22.000
	0665- 1- 60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	8.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	1.000

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting:	03170914	Call Order: 002	Proposal: E3Q60	District:03
Counties:	LEON			
Road Name:	Milling and resurfacing on SR 10 (US 90)			
Limits:	55060000			
Project(s):	43625715201(*)	Federal Aid No:	N/A	
Project(s):	43625715202	Federal Aid No:	N/A	
Total Roadway Length:	8.800 Miles	Contract Days:	180	
Total Bridge Length:	0.000 Miles	Letting Date:	09/14/17	
Total Proposal Length:	8.800 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	15 Days Acquis. Time	
Proposal Budget Estimate:	\$3,949,595.00			

Please read the full advertisement

Description:

The improvements under this District Contract, FPID # 436257-1-52-01, consist of milling and resurfacing to include existing travel lanes, auxiliary lanes, median crossovers, and paved shoulders on State Road 10 from the Gadsden County line approximately 2.2 miles, to east of Fernwood Road in the City of Tallahassee in Leon County. Additional improvements consist of upgrades to guardrail and guardrail end anchorage assemblies, drainage structures, replacement of impacted signalization detector loops, ADA improvements to curb ramps and walking paths, roadway widening, construction of new left turn lanes, updating the existing roadway signage and utility work by highway contractor that consists of adjusting valve boxes and manholes in Leon County under FPID # 436257-1-52-02. The summary of pay items for this project is listed in the Plans.
PRE-QUALIFICATION IS REQUIRED TO BID ON THIS PROJECT

Call Order: 002 Proposal: E3Q60

ALT	Item	Description	Unit	Quantity
Section 0001 Roadway				
	0101- 1-	MOBILIZATION (43625715201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43625715201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	84.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	56.000
	0102- 60-	WORK ZONE SIGN	ED	12,960.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	39,850.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	720.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	360.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	3,429.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	380.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	180.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	180.000
	0104- 10- 3	SEDIMENT BARRIER	LF	3,374.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	33.000
	0107- 1-	LITTER REMOVAL	AC	216.300
	0107- 2-	MOWING	AC	193.610
	0110- 1- 1	CLEARING & GRUBBING (43625715201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	978.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	13.000

Call Order: 002 Proposal: E3Q60

ALT	Item	Description	Unit	Quantity
	0120- 1-	REGULAR EXCAVATION	CY	4,291.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	4,474.000
	0160- 4-	TYPE B STABILIZATION	SY	17,607.000
	0162- 1- 11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	16,114.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	5,286.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	7,475.000
	0286- 1-	TURNOUT CONSTRUCTION	SY	755.000
	0327- 70- 12	MILLING EXIST ASPH PAVT, 1 1/4" AVG DEPTH	SY	20,361.000
	0327- 70- 15	MILLING EXIST ASPH PAVT, 2 3/4" AVG DEPTH	SY	62,570.000
	0327- 70- 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	2,465.000
	0334- 1- 57	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, HIGH POLYMER	TN	11,585.800
	0337- 7- 26	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH POLYMER	TN	3,786.100
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	30.500
	0425- 1-311	INLETS, CURB, TYPE P-1, <10'	EA	2.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	3.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	1.000
	0425- 1-910	INLETS, CLOSED FLUME	EA	1.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	2.000
	0425- 2- 63	MANHOLES, P-8, PARTIAL	EA	1.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	2.000
	0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	1.000
	0425- 6-	VALVE BOXES, ADJUST	EA	10.000
	0430-174-215	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 15"SD	LF	65.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	120.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	170.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	8.000
	0430-175-215	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15"S/CD	LF	149.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	16.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	2.000
	0430-984-623	MITERED END SECTION, OPTIONAL OTHER - ELLIP/ARCH, 15" SD	EA	2.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	60.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	5,402.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	3,164.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	35.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	218.000
	0527- 2-	DETECTABLE WARNINGS	SF	16.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	144.000
	0536- 8- 11	APPROACH TRANSITION TO RIGID BARRIER- BRIDGE ANCHORAGE ASSEMBLY CONNECTION, FURNISH & INSTALL	EA	1.000
	0536- 73-	GUARDRAIL REMOVAL	LF	41.000
	0536- 85- 22	GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- FLARED	EA	1.000
	0536- 85- 25	GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- TYPE II	EA	2.000

Call Order: 002 Proposal: E3Q60

ALT	Item	Description	Unit	Quantity
	0538- 1-	GUARDRAIL RESET	LF	347.000
	0570- 1- 1	PERFORMANCE TURF	SY	1,615.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	16,425.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	26.276
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.528
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	222.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	420.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	1,086.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	12.644
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	1.959
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	3.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	240.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	10.872
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	2.283
	0710- 11-341	PAINTED PAVEMENT MARKINGS, STANDARD, BLACK, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.190
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43625715201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43625715202)	LS	1.000
Section 0002 Signing				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	19.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	13.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	7.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	3.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	3.000
	0701- 18-101	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6"	GM	2.684
	0701- 18-201	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6"	GM	2.033
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	18.000
	0705- 10- 2	OBJECT MARKER, TYPE 2	EA	1.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	12.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43625715201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	74.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	140.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	362.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.653
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	1.000

Call Order: 002 Proposal: E3Q60

ALT	Item	Description	Unit	Quantity
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	80.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.576
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	30.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	30.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	6.208
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.125
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	4.098
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	1.508
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.191
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.026
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.150
	0711- 17-	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS: NON-CONFLICTING ONLY	SF	1,175.000
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.392
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.190
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.198
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.190
Section 0003 Signalization				
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A	AS	1.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	8.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	1.000

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: 03170914 Call Order: 004 Proposal: E3R06 District:03

Counties: DIST/ST-WIDE

Road Name: District Wide Push Button Drainage Repairs

Limits:

Project(s): 22088125298(*), 22088127:298 Federal Aid No: N/A

Total Roadway Length:	0.000 Miles	Contract Days:	1095
Total Bridge Length:	0.000 Miles	Letting Date:	09/14/17
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	15 days standard acq

Proposal Budget Estimate: \$3,000,000.00

Please read the full advertisement

Description:

The improvements under FPID 220881-2-52-98 and FPID 220881-2-72-98 District Wide Push-Button Contract, consist of a means whereby the Department can provide a quick response for addressing repairs, construction and any other work related to drainage systems for a period of three years. However, any projects issued shall be concluded within the terms of this contract. The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. Mobilization is incidental to the other pay items in the contract. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work. This contract has a budgetary ceiling of \$3,000,000.00.

PRE-QUALIFICATION IS REQUIRED TO BID ON THIS PROJECT

Call Order: 004 Proposal: E3R06

ALT	Item	Description	Unit	Quantity
Section 0001 Roadway				
	0102- 1-	MAINTENANCE OF TRAFFIC (22088125298)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	60.000
	0102- 71- 11	TEMPORARY BARRIER, F&I, CONCRETE	LF	3,000.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	7,000.000
	0102- 71- 14	TEMPORARY BARRIER, F & I, TYPE K	LF	3,000.000
	0102- 71- 21	TEMPORARY BARRIER, RELOCATE, CONCRETE	LF	3,000.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE, CONCRETE	LF	7,000.000
	0102- 71- 24	TEMPORARY BARRIER, RELOCATE, TYPE K	LF	3,000.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	21,000.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	60.000
	0102- 74- 6	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	ED	240.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	4,500.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	12.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	30.000
	0102-911- 1	PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK, SKIP	LF	7,200.000
	0102-911- 2	PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK,SOLID	LF	7,200.000
	0104- 10- 3	SEDIMENT BARRIER	LF	10,000.000

Call Order: 004 Proposal: E3R06

ALT	Item	Description	Unit	Quantity
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	600.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	600.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	60.000
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT)	AC	5.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	1,500.000
	0120- 1-	REGULAR EXCAVATION	CY	300.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	4,500.000
	0120- 4-	SUBSOIL EXCAVATION	CY	120.000
	0121- 70-	FLOWABLE FILL	CY	50.000
	0145- 1-	GEOSYNTHETIC REINFORCED SOIL SLOPE	SF	10,000.000
	0145- 2-	GEOSYNTHETIC REINFORCED FOUNDATION OVER SOFT SOIL	SY	1,500.000
	0160- 4-	TYPE B STABILIZATION	SY	10,000.000
	0162- 1- 11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	42,000.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	6,000.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	12,000.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	2,700.000
	0285-715-	OPTIONAL BASE, BASE GROUP 15	SY	1,200.000
	0285-731-	OPTIONAL BASE- GRADED AGGREGATE, 18" FOR PROJECT 220881-2 -52-98	SY	1,200.000
	0286- 1-	TURNOUT CONSTRUCTION	SY	360.000
	0327- 70- 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	SY	1,000.000
	0334- 1- 52	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22	TN	2,000.000
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	1,000.000
	0337- 7- 80	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-9.5, PG 76- 22	TN	1,000.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	60.000
	0400- 1- 2	CONCRETE CLASS I, ENDWALLS	CY	90.000
	0425- 1-311	INLETS, CURB, TYPE P-1, <10'	EA	20.000
	0425- 1-312	INLETS, CURB TYPE P-1, >10'	EA	20.000
	0425- 1-315	INLETS, CURB TYPE P-1, PARTIAL	EA	10.000
	0425- 1-321	INLETS, CURB, TYPE P-2, <10'	EA	10.000
	0425- 1-322	INLETS, CURB, TYPE P-2, >10'	EA	10.000
	0425- 1-325	INLETS, CURB, TYPE P-2, PARTIAL	EA	5.000
	0425- 1-331	INLETS, CURB, TYPE P-3, <10'	EA	20.000
	0425- 1-332	INLETS, CURB. TYPE P-3, >10'	EA	20.000
	0425- 1-335	INLETS, CURB, TYPE P-3, PARTIAL	EA	10.000
	0425- 1-341	INLETS, CURB, TYPE P-4, <10'	EA	10.000
	0425- 1-342	INLETS, CURB, TYPE P-4, >10'	EA	10.000
	0425- 1-345	INLETS, CURB, TYPE P-4, PARTIAL	EA	5.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	20.000
	0425- 1-352	INLETS, CURB, TYPE P-5, >10'	EA	20.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL	EA	10.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	10.000
	0425- 1-362	INLETS, CURB, TYPE P-6, >10'	EA	10.000
	0425- 1-365	INLETS, CURB, TYPE P-6, PARTIAL	EA	5.000
	0425- 1-411	INLETS, CURB TYPE J-1, <10'	EA	8.000

Call Order: 004 Proposal: E3R06

ALT	Item	Description	Unit	Quantity
	0425- 1-412	INLETS, CURB, TYPE J-1, >10'	EA	8.000
	0425- 1-415	INLETS, CURB, TYPE J-1, PARTIAL	EA	2.000
	0425- 1-421	INLETS, CURB, TYPE J-2, <10'	EA	4.000
	0425- 1-422	INLETS, CURB, TYPE J-2, >10'	EA	4.000
	0425- 1-425	INLETS, CURB, TYPE J-2, PARTIAL	EA	1.000
	0425- 1-431	INLETS, CURB, TYPE J-3, <10'	EA	8.000
	0425- 1-432	INLETS, CURB, TYPE J-3, >10'	EA	8.000
	0425- 1-435	INLETS, CURB, TYPE J-3, PARTIAL	EA	2.000
	0425- 1-441	INLETS, CURB, TYPE J-4, <10'	EA	4.000
	0425- 1-442	INLETS, CURB, TYPE J-4, >10'	EA	4.000
	0425- 1-445	INLETS, CURB, TYPE J-4, PARTIAL	EA	1.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	8.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10'	EA	8.000
	0425- 1-455	INLETS, CURB, TYPE J-5, PARTIAL	EA	2.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	4.000
	0425- 1-462	INLETS, CURB, TYPE J-6, >10'	EA	4.000
	0425- 1-465	INLETS, CURB, TYPE J-6, PARTIAL	EA	1.000
	0425- 1-471	INLETS, CURB, TYPE 7, <10'	EA	4.000
	0425- 1-472	INLETS, CURB, TYPE 7, >10'	EA	4.000
	0425- 1-473	INLETS, CURB, TYPE 7, J BOT , <10'	EA	2.000
	0425- 1-474	INLETS, CURB, TYPE 7, J BOT ,>10'	EA	2.000
	0425- 1-475	INLETS, CURB, TYPE 7, PARTIAL	EA	1.000
	0425- 1-481	INLETS, CURB, TYPE 8, <10'	EA	4.000
	0425- 1-483	INLETS, CURB, TYPE 8, J BOT , <10'	EA	2.000
	0425- 1-484	INLETS, CURB, TYPE 8, J BOT ,>10'	EA	2.000
	0425- 1-485	INLETS, CURB, TYPE 8, PARTIAL	EA	1.000
	0425- 1-501	INLETS, DT BOT, TYPE A, <10'	EA	5.000
	0425- 1-502	INLETS, DT BOT, TYPE A, >10'	EA	5.000
	0425- 1-503	INLETS, DT BOT, TYPE A, J BOT, <10'	EA	2.000
	0425- 1-504	INLETS, DT BOT, TYPE A, J BOT, >10'	EA	2.000
	0425- 1-505	INLETS, DT BOT, TYPE A, PARTIAL	EA	1.000
	0425- 1-511	INLETS, DT BOT, TYPE B, <10'	EA	5.000
	0425- 1-512	INLETS, DT BOT, TYPE B, >10'	EA	5.000
	0425- 1-513	INLETS, DT BOT, TYPE B, J BOT, <10'	EA	2.000
	0425- 1-514	INLETS, DT BOT, TYPE B, J BOT, >10'	EA	2.000
	0425- 1-515	INLETS, DT BOT, TYPE B, PARTIAL	EA	1.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	20.000
	0425- 1-522	INLETS, DT BOT, TYPE C,>10'	EA	40.000
	0425- 1-523	INLETS, DT BOT, TYPE C,JBOT, <10'	EA	10.000
	0425- 1-524	INLETS, DT BOT, TYPE C, JBOT, >10'	EA	20.000
	0425- 1-525	INLETS, DITCH BOTTOM, TYPE C, PARTIAL	EA	10.000
	0425- 1-531	INLETS, DITCH BOTTOM, TYPE C MODIFIED- BACK OF SIDEWALK, <10'	EA	10.000
	0425- 1-532	INLETS, DITCH BOTTOM, TYPE C MODIFIED- BACK OF SIDEWALK, >10'	EA	10.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	20.000

Call Order: 004 Proposal: E3R06

ALT	Item	Description	Unit	Quantity
	0425- 1-542	INLETS, DT BOT, TYPE D, >10'	EA	40.000
	0425- 1-543	INLETS, DITCH BOTTOM, TYPE D, J BOT, <10'	EA	10.000
	0425- 1-544	INLETS, DITCH BOTTOM, TYPE D, J BOT, >10'	EA	20.000
	0425- 1-545	INLETS, DITCH BOTTOM, TYPE D, PARTIAL	EA	10.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	20.000
	0425- 1-552	INLETS, DT BOT, TYPE E, >10'	EA	40.000
	0425- 1-553	INLETS, DT BOT, TYPE E, J BOT, <10'	EA	10.000
	0425- 1-554	INLETS, DT BOT, TYPE E, J BOT, >10'	EA	20.000
	0425- 1-555	INLETS, DT BOT, TYPE E, PARTIAL	EA	10.000
	0425- 1-561	INLETS, DT BOT, TYPE F, <10'	EA	2.000
	0425- 1-562	INLETS, DT BOT, TYPE F, >10'	EA	2.000
	0425- 1-563	INLETS, DITCH BOTTOM, TYPE F, J BOT, <10'	EA	2.000
	0425- 1-564	INLETS, DITCH BOTTOM, TYPE F, J BOT, >10'	EA	2.000
	0425- 1-565	INLETS, DITCH BOTTOM, TYPE F, PARTIAL	EA	1.000
	0425- 1-571	INLETS, DITCH BOTTOM, TYPE G, <10'	EA	2.000
	0425- 1-572	INLETS, DITCH BOTTOM, TYPE G, >10'	EA	2.000
	0425- 1-573	INLETS, DITCH BOTTOM, TYPE G, J BOT, <10'	EA	2.000
	0425- 1-574	INLETS, DITCH BOTTOM, TYPE G, J BOT, >10'	EA	2.000
	0425- 1-575	INLETS, DITCH BOTTOM, TYPE G, PARTIAL	EA	1.000
	0425- 1-581	INLETS, DT BOT, TYPE H, <10'	EA	10.000
	0425- 1-582	INLETS, DT BOT, TYPE H, >10'	EA	10.000
	0425- 1-583	INLETS, DT BOT, TYPE H, J BOTTOM <10'	EA	5.000
	0425- 1-584	INLETS, DT BOT, TYPE H, J BOTTOM >10'	EA	5.000
	0425- 1-585	INLETS, DT BOT, TYPE H, PARTIAL	EA	2.000
	0425- 1-601	INLETS, DT BOT, TYPE J, <10'	EA	2.000
	0425- 1-602	INLETS, DT BOT, TYPE J, >10'	EA	2.000
	0425- 1-603	INLETS, DT BOT, TYPE J, J BOT, <10'	EA	2.000
	0425- 1-604	INLETS, DT BOT, TYPE J, JBOT, >10'	EA	2.000
	0425- 1-605	INLETS, DT BOT, TYPE J, PARTIAL	EA	1.000
	0425- 1-611	INLETS, DITCH BOTTOM, TYPE K, <10'	EA	2.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	10.000
	0425- 1-702	INLETS, GUTTER, TYPE S, >10'	EA	20.000
	0425- 1-703	INLETS, GUTTER, TYPE S, J BOTTOM <10'	EA	10.000
	0425- 1-704	INLETS, GUTTER, TYPE S, J BOTTOM, >10'	EA	20.000
	0425- 1-705	INLETS, GUTTER, TYPE S, PARTIAL	EA	10.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	5.000
	0425- 1-712	INLETS, GUTTER, TYPE V, >10'	EA	5.000
	0425- 1-713	INLETS, GUTTER, TYPE V, J BOT, <10'	EA	5.000
	0425- 1-714	INLETS, GUTTER, TYPE V, J BOTTOM, >10'	EA	5.000
	0425- 1-715	INLETS, GUTTER, TYPE V, PARTIAL	EA	2.000
	0425- 1-910	INLETS, CLOSED FLUME	EA	20.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	5.000
	0425- 2- 42	MANHOLES, P-7, >10'	EA	10.000
	0425- 2- 43	MANHOLES, P-7, PARTIAL	EA	5.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	5.000

Call Order: 004 Proposal: E3R06

ALT	Item	Description	Unit	Quantity
	0425- 2- 62	MANHOLES, P-8, >10'	EA	10.000
	0425- 2- 63	MANHOLES, P-8, PARTIAL	EA	5.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	5.000
	0425- 2- 72	MANHOLES, J-7, >10'	EA	10.000
	0425- 2- 73	MANHOLES, J-7, PARTIAL	EA	5.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	5.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	10.000
	0425- 2- 93	MANHOLES, J-8, PARTIAL	EA	5.000
	0425- 3- 41	JUNCTION BOX, DRAINAGE, P-7, <10'	EA	5.000
	0425- 3- 42	JUNCTION BOXES, P-7, >10'	EA	5.000
	0425- 3- 61	JUNCTION BOXES, J-7, <10'	EA	5.000
	0425- 3- 62	JUNCTION BOXES, J-7, >10'	EA	5.000
	0425- 4-	INLETS, ADJUST	EA	10.000
	0425- 5-	MANHOLE, ADJUST	EA	10.000
	0425- 10-	YARD DRAIN	EA	5.000
	0430- 94- 1	DESILTING PIPE, 0 - 24"	LF	1,200.000
	0430- 94- 2	DESILTING PIPE, 25 - 36"	LF	1,200.000
	0430- 94- 3	DESILTING PIPE, 37 - 48"	LF	1,200.000
	0430- 94- 4	DESILTING PIPE, 49 - 60"	LF	1,200.000
	0430- 94- 5	DESILTING PIPE, 61" OR GREATER	LF	1,200.000
	0430-174-112	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 12"SD	LF	1,000.000
	0430-174-115	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 15"SD	LF	1,000.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	1,000.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	1,000.000
	0430-174-130	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 30"SD	LF	1,000.000
	0430-174-136	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 36"SD	LF	1,000.000
	0430-174-142	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 42"SD	LF	1,000.000
	0430-174-148	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 48"SD	LF	1,000.000
	0430-174-215	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 15"SD	LF	1,000.000
	0430-174-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD	LF	1,000.000
	0430-174-224	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 24"SD	LF	1,000.000
	0430-174-230	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 30"SD	LF	1,000.000
	0430-174-236	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 36"SD	LF	1,000.000
	0430-174-242	PIPE CULVERT, OPTIONAL MATERIAL, ELLIP/OTHER, 42"SD	LF	1,000.000
	0430-174-248	PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 48"SD	LF	1,000.000
	0430-175-112	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 12"S/CD	LF	3,000.000
	0430-175-115	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 15"S/CD	LF	3,000.000
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD	LF	3,000.000
	0430-175-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"S/CD	LF	3,000.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	3,000.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	3,000.000

Call Order: 004 Proposal: E3R06

ALT	Item	Description	Unit	Quantity
	0430-175-140	PIPE CULVERT, OPT MATERIAL, ROUND, 40"S/CD	LF	3,000.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	3,000.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	3,000.000
	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	2,000.000
	0430-175-160	PIPE CULVERT, OPT MATERIAL, ROUND, 60"S/CD	LF	2,000.000
	0430-175-166	PIPE CULVERT, OPT MATERIAL, ROUND, 66"S/CD	LF	2,000.000
	0430-175-172	PIPE CULVERT, OPT MATERIAL, ROUND, 72"S/CD	LF	1,000.000
	0430-175-215	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15"S/CD	LF	1,000.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	1,000.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	1,000.000
	0430-175-236	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 36"S/CD	LF	1,000.000
	0430-175-248	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 48"S/CD	LF	1,000.000
	0430-175-260	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 60"S/CD	LF	500.000
	0430-175-272	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 72"S/CD	LF	500.000
	0430-185-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 18" , STORM AND CROSS DRAIN	LF	500.000
	0430-185-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 24", STORM AND CROSS DRAIN	LF	500.000
	0430-185-130	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 30", STORM AND CROSS DRAIN	LF	1,000.000
	0430-185-136	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 36", STORM AND CROSS DRAIN	LF	1,000.000
	0430-185-142	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 42", STORM AND CROSS DRAIN	LF	1,000.000
	0430-185-148	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 48", STORM AND CROSS DRAIN	LF	1,000.000
	0430-185-154	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 54", STORM AND CROSS DRAIN	LF	500.000
	0430-185-160	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 60" , STORM AND CROSS DRAIN	LF	500.000
	0430-185-166	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 66" , STORM AND CROSS DRAIN	LF	500.000
	0430-185-178	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 78" , STORM AND CROSS DRAIN	LF	500.000
	0430-602-123	U-ENDWALL, WITH GRATE,STD INDEX 260, 1:4 SLOPE, 15"	EA	5.000
	0430-611-023	U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 15"PIPE	EA	5.000
	0430-611-029	U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 24"PIPE	EA	10.000
	0430-611-033	U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 30"PIPE	EA	10.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	100.000
	0430-880- 01	FLAP GATES, 0-24"	EA	5.000
	0430-880- 02	FLAP GATES, 25-36"	EA	5.000
	0430-950-	DESILTING CONCRETE BOX CULVERT	CY	500.000
	0430-963- 1	PVC PIPE FOR BACK OF SIDEWALK, 4"	LF	100.000
	0430-982-123	MITERED END SECTION, OPTIONAL ROUND, 15" CD	EA	5.000

Call Order: 004 Proposal: E3R06

ALT	Item	Description	Unit	Quantity
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	10.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	10.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	10.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	10.000
	0430-982-623	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 15" CD	EA	10.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	2.000
	0430-982-629	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 24" CD	EA	2.000
	0430-982-633	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 30" CD	EA	2.000
	0430-982-638	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 36" CD	EA	2.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	20.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	20.000
	0430-984-133	MITERED END SECTION , OPTIONAL ROUND, 30" SD	EA	20.000
	0430-984-138	MITERED END SECTION , OPTIONAL ROUND, 36" SIDE DRAIN	EA	20.000
	0430-984-140	MITERED END SECTION , OPTIONAL ROUND, 42" SD	EA	20.000
	0430-984-141	MITERED END SECTION , OPTIONAL ROUND, 48" SD	EA	20.000
	0430-984-623	MITERED END SECTION, OPTIONAL OTHER - ELLIP/ARCH, 15" SD	EA	10.000
	0430-984-625	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD	EA	10.000
	0430-984-629	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 24" SD	EA	10.000
	0430-984-633	MITERED END SECT, OPTIONAL /ELLIP/ARCH, 30" SD	EA	10.000
	0430-984-638	MITERED END SECT, OPTIONAL /ELLIP/ARCH, 36" SD	EA	10.000
	0430-984-640	MITERED END SECT, OPTIONAL /ELLIP/ARCH, 42" SD	EA	10.000
	0430-984-641	MITERED END SECT, OPTIONAL /ELLIP/ARCH, 48" SD	EA	10.000
	0431- 1- 1	PIPE LINER, OPTIONAL MATERIAL, 0-24"	LF	1,200.000
	0431- 1- 2	PIPE LINER, OPTIONAL MATERIAL, 25-36"	LF	1,200.000
	0431- 1- 3	PIPE LINER, OPTIONAL MATERIAL, 37-48"	LF	1,200.000
	0431- 1- 4	PIPE LINER, OPTIONAL MATERIAL, 49 - 60"	LF	1,200.000
	0431- 1- 5	PIPE LINER, OPTIONAL MATERIAL, 61" AND GREATER	LF	1,200.000
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	300.000
	0440- 1- 30	UNDERDRAIN, TYPE III	LF	600.000
	0440- 70-	UNDERDRAIN INSPECTION BOX	EA	6.000
	0440- 73- 5	UNDERDRAIN OUTLET PIPE, 12"	LF	90.000
	0443- 70- 4	FRENCH DRAIN, 24"	LF	300.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	900.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	3,000.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	500.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	1,000.000
	0520- 5- 11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	1,000.000
	0520- 5- 41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	1,000.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	1,200.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	500.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	300.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	1,000.000
	0524- 1- 29	CONCRETE DITCH PAVEMENT, 4", REINFORCED	SY	500.000
	0527- 2-	DETECTABLE WARNINGS	SF	75.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	3,000.000

Call Order: 004 Proposal: E3R06

ALT	Item	Description	Unit	Quantity
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	1,500.000
	0530- 5- 1	GABION, UP TO 1 FOOT THICKNESS	SY	600.000
	0530- 5- 2	GABION, 1 FOOT AND GREATER THICKNESS	SY	600.000
	0530- 74-	BEDDING STONE	TN	1,200.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	1,200.000
	0536- 7- 2	SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT	EA	20.000
	0536- 73-	GUARDRAIL REMOVAL	LF	600.000
	0536- 85- 22	GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- FLARED	EA	12.000
	0536- 85- 26	GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- TYPE CRT	EA	6.000
	0570- 1- 1	PERFORMANCE TURF	SY	2,220.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	42,000.000
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	60.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	6.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	120.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	120.000
	0700- 2- 11	MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	12.000
	0700- 2- 12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	12.000
	0700- 2- 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	12.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	12.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	12.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	6.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	6.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	6.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	6.000
	0700- 3-105	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF	EA	6.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	6.000
	0700- 3-502	SIGN PANEL, RELOCATE, 12-20 SF	EA	6.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	6.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	6.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	6.000
	0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF	EA	6.000
	0700- 3-605	SIGN PANEL, REMOVE, 51-100 SF	EA	6.000
	0701- 17-101	PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, WHITE, SOLID,6"	GM	9.000
	0701- 17-201	PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SOLID,6"	GM	9.000
	0701- 18-101	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6"	GM	9.000
	0701- 18-201	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6"	GM	9.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	12.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	65.000
	0706- 3-	RETRO-REFLECTIVE PAVEMENT MARKERS	EA	2,200.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	9.000

Call Order: 004 Proposal: E3R06

ALT	Item	Description	Unit	Quantity
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	2.000
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	300.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	300.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	300.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.750
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	180.000
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	12.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	50.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	100.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	12.000
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	300.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	100.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	9.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	300.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	300.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	300.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	180.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	12.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	50.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	100.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	1,200.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	180.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	12.000
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	9.000
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.000
	0711- 15-133	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.500
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	12.000
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"	GM	9.000
	0711- 15-231	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6"	GM	0.750

Call Order: 004 Proposal: E3R06

ALT	Item	Description	Unit	Quantity
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	9.000
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	9.000
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.750
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	9.000
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	9.000
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.750