

BID SOLICITATION NOTICE – District 3
FLORIDA DEPARTMENT OF TRANSPORTATION
CONSTRUCTION AND MAINTENANCE PROGRAMS
1074 Hwy 90 Chipley, Florida 32428

Chipley, FL
January 09, 2018
Advertisement No. 9

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <http://www.fdot.gov/contracts> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <http://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 2:00 PM Local Time on **Thursday, February 08, 2018**.

Bid totals for each bid submitted will be read aloud for those present and will be available at 2:00 PM **February 08, 2018** in the Administration Building, Procurement Services Conference Room, Chipley, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (850)638-0250. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain>, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d3, click "[Letting and Project Information](#)" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

-----NOTE-----

Proposals will not be issued after 2:00 PM Local Time on Wednesday, February 07, 2018 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit http://dms.myflorida.com/egovernment_tools/myflorida_marketplace for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies that Boycott Israel List, is engaged in a boycott of Israel, is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <http://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d3, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.**

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal>.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <http://www.surety2000.com> for Surety2000 or <http://www.insurevision.com> for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION.

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors should be reported in the **Equal Opportunity Compliance (EOC)** system. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Please complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <http://www.fdot.gov/equalopportunity/eoc.shtml>

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: http://www.fdot.gov/contracts/ CPP_Online_Ordering/NEW%20BIDDERS%20ORIENTATION.pdf

POSTING NOTICE

The bid tabulation and intent to award will be posted on **March 01, 2018** or **March 08, 2018** at www.fdot.gov/contracts/d3, click the "[Letting and Project Information](#)" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <http://>

www.fdot.gov/contracts/cpp_online_ordering/bidder_assist.shtm , Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at <http://www.floridajobs.org>.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to <http://www2.dot.state.fl.us/ContractsAdministration/bsnmail.asp> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to www.fdot.gov/contracts/distco.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5).Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation
Notice to Contractors Index**

Published: January 09, 2018

Letting ID: 03180208

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the February 08, 2018 letting.

| Page Number | Proposal Id | Proposal Notes | Fin Proj Numbers | County |
|-------------|-------------|----------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7 | E3R24 | | 43626915201(*) | HOLMES |
| 9 | E3R36 | MPC | 22088125298(*) | BAY, CALHOUN, DIST/ST-WIDE, ESCAMBIA, FRANKLIN, GADSDEN, GULF, HOLMES, JACKSON, JEFFERSON, LEON, LIBERTY, OKALOOSA, SANTA ROSA, WAKULLA, WALTON, WASHINGTON |
| 17 | E3R53-R0 | | 42378117231(*) | BAY, CALHOUN, DIST/ST-WIDE, FRANKLIN, GADSDEN, GULF, HOLMES, JACKSON, JEFFERSON, LEON, LIBERTY, OKALOOSA, SANTA ROSA, WAKULLA, WALTON, WASHINGTON |
| 21 | E3R54-R0 | | 42378127225(*) | DIST/ST-WIDE, GADSDEN, LEON |

Proposal Note Codes:

MPC: Mandatory Pre-Bid Meeting

Note: () indicates lead project*

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

| | | | | |
|---------------------------|----------------|----------------------------|-----------------|-------------|
| Letting: | 03180208 | Call Order: 001 | Proposal: E3R24 | District:03 |
| Counties: | HOLMES | | | |
| Road Name: | SR 10 (US 90) | | | |
| Limits: | 52010000 | | | |
| Project(s): | 43626915201(*) | Federal Aid No: N/A | | |
| Total Roadway Length: | 2.755 Miles | Contract Days: | 70 | |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 02/08/18 | |
| Total Proposal Length: | 2.755 Miles | Contract Execution Days: | 10 | |
| | | Special Start Date: | N/A | |
| | | Aquis/Flexible Start Time: | 15 day Acquis. | |
| Proposal Budget Estimate: | \$968,831.00 | | | |

Please read the full advertisement

Description:

The Improvements under this District Contract consist of milling and resurfacing of / signing and pavement marking on SR 10 (US 90) from the Washington County Line to Beg of 4L E of Banfill Ave. in Holmes County. ****PRE-QUALIFICATION IS REQUIRED TO BID ON THIS PROJECT****

Call Order: 001 Proposal: E3R24

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|----------------------------------------------------------------------------------------|------|------------|
| Section 0001 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (43626915201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (43626915201) | LS | 1.000 |
| | 0102- 3- | COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE | CY | 48.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 1,610.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 20,930.000 |
| | 0102- 78- | TEMPORARY RETROREFLECTIVE PAVEMENT MARKER | EA | 1,468.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 140.000 |
| | 0102-909- | TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS | DA | 70.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 71.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 80.000 |
| | 0107- 2- | MOWING | AC | 73.000 |
| | 0110- 7- 1 | MAILBOX, F&I SINGLE | EA | 23.000 |
| | 0286- 1- | TURNOUT CONSTRUCTION | SY | 417.000 |
| | 0327- 70- 1 | MILLING EXIST ASPH PAVT, 1" AVG DEPTH | SY | 55,868.000 |
| | 0337- 7- 81 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC B, FC-12.5, PG 76-22 | TN | 4,643.600 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 8,030.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 5.279 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 0.134 |
| | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 182.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 80.000 |

Call Order: 001 Proposal: E3R24

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|------------------------------------------------------------------------|------|----------|
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 2.000 |
| | 0710- 11-180 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE | LF | 12.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 7.654 |
| | 0710- 11-231 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" | GM | 2.024 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43626915201) | LS | 1.000 |
| Section 0002 Signing | | | | |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 12.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 1.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 3.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 11.000 |
| | 0700- 3-101 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF | EA | 1.000 |
| | 0700- 3-501 | SIGN PANEL, RELOCATE, UP TO 12 SF | EA | 1.000 |
| | 0701- 18-101 | PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6" | GM | 5.229 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 6.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 8.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43626915201) | LS | 1.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 182.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 80.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 2.000 |
| | 0711- 11-180 | THERMOPLASTIC, STANDARD, WHITE, YIELD LINE | LF | 12.000 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 0.050 |
| | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 0.134 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 3.827 |
| | 0711- 16-231 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6" | GM | 1.012 |

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: 03180208 Call Order: 002 Proposal: E3R36 District:03
 Counties: BAY, CALHOUN, DIST/ST-WIDE, ESCAMBIA, FRANKLIN, GADSDEN, GULF, HOLMES, JACKSON, JEFFERSON, LEON, LIBERTY, OKALOOSA, SANTA ROSA, WAKULLA, WALTON, WASHINGTON

Road Name: District Wide Push Button Drainage Repairs

Limits:

Project(s): 22088125298(*); 22088127298 Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------------------|
| Total Roadway Length: | 0.000 Miles | Contract Days: | 1095 |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 02/08/18 |
| Total Proposal Length: | 0.000 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | 15 days standard acq |

Proposal Budget Estimate: \$5,000,000.00

Please read the full advertisement

Description:

The Improvements under FPID 220881-2-52-98 and FPID 220881-2-72-98 District Wide Push-Button Contract, consist of a means whereby the Department can provide a quick response for addressing repairs, construction and any other work related to drainage systems for a period of three years. However, any projects issued shall be concluded within the terms of this contract.

A Mandatory Pre-Bid Conference has been scheduled for this project. Location: Florida Department of Transportation, District Three Office, Design Conference Room B,1074 Hwy 90, Chipley, Florida 32428. Date and Time: Wednesday, January 17, 2018, 10:00 AM Central Time. Proposals (Bidding Documents) will be issued only to the prospective bidders who have attended the pre-bid meeting and met the Florida Department of Transportation qualifications for this project. Prospective bidders ordering bid documents prior to the pre-bid meeting will be given access to download the bid documents within 24 hours after the pre-bid meeting. Those prospective bidders ordering the documents after the pre-bid meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bid documents. Please contact the office at least two working days prior to the deadline for obtaining bid documents to allow time for processing.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

This contract has a budgetary ceiling of \$5,000,000.00.

****PRE-QUALIFICATION IS REQUIRED TO BID ON THIS CONTRACT****

Call Order: 002 Proposal: E3R36

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|-----------------------------------------------------------------------------------------------|------|-----------|
| Section 0001 Roadway | | | | |
| | 0101- 1-100 | MOBILIZATION- FOR WORK ORDER/PUSH BUTTON CONTRACTS, PROJECT 220881-2-52-01 ETC. (22088125298) | LO | 18.000 |
| | 0102- 1-100 | MAINTENANCE OF TRAFFIC, WORK ORDER/PUSH BUTTON CONTRACT, PROJECT 220881-2-52-01 ETC. | DA | 700.000 |
| | 0102- 71- 11 | TEMPORARY BARRIER, F&I, CONCRETE | LF | 3,000.000 |
| | 0102- 71- 13 | TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE | LF | 7,000.000 |
| | 0102- 71- 14 | TEMPORARY BARRIER, F&I, TYPE K | LF | 3,000.000 |
| | 0102- 71- 21 | TEMPORARY BARRIER, RELOCATE, CONCRETE | LF | 3,000.000 |
| | 0102- 71- 23 | TEMPORARY BARRIER, RELOCATE, LOW PROFILE, CONCRETE | LF | 7,000.000 |
| | 0102- 71- 24 | TEMPORARY BARRIER, RELOCATE, TYPE K | LF | 3,000.000 |

Call Order: 002 Proposal: E3R36

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|------------------------------------------------------------------------|------|------------|
| | 0102- 73- | TEMPORARY GUARDRAIL | LF | 1,200.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 21,000.000 |
| | 0102- 74- 2 | CHANNELIZING DEVICE, TYPE III, 6' | ED | 60.000 |
| | 0102- 74- 7 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | LF | 1,500.000 |
| | 0102- 78- | TEMPORARY RETROREFLECTIVE PAVEMENT MARKER | EA | 4,500.000 |
| | 0102- 89- 1 | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION | LO | 12.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 30.000 |
| | 0102-911- 1 | PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK, SKIP | LF | 7,200.000 |
| | 0102-911- 2 | PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK,SOLID | LF | 7,200.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 10,000.000 |
| | 0104- 11- | FLOATING TURBIDITY BARRIER | LF | 600.000 |
| | 0104- 12- | STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC | LF | 600.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 60.000 |
| | 0110- 2- 1 | CLEARING & GRUBBING (PUSH BUTTON CONTRACT) | AC | 5.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 1,500.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 300.000 |
| | 0120- 2- 2 | BORROW EXCAVATION, TRUCK MEASURE | CY | 4,500.000 |
| | 0120- 4- | SUBSOIL EXCAVATION | CY | 120.000 |
| | 0120- 5- | CHANNEL EXCAVATION | CY | 50.000 |
| | 0145- 1- | GEOSYNTHETIC REINFORCED SOIL SLOPE | SF | 10,000.000 |
| | 0145- 2- | GEOSYNTHETIC REINFORCED FOUNDATION OVER SOFT SOIL | SY | 1,500.000 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 10,000.000 |
| | 0162- 1- 11 | PREPARED SOIL LAYER, FINISH SOIL LAYER, 6" | SY | 42,000.000 |
| | 0285-701- | OPTIONAL BASE, BASE GROUP 01 | SY | 6,000.000 |
| | 0285-706- | OPTIONAL BASE, BASE GROUP 06 | SY | 12,000.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 2,700.000 |
| | 0285-715- | OPTIONAL BASE, BASE GROUP 15 | SY | 1,200.000 |
| | 0285-731- | OPTIONAL BASE- GRADED AGGREGATE, 18" FOR PROJECT 220881-2 -52-98 | SY | 1,200.000 |
| | 0286- 1- | TURNOUT CONSTRUCTION | SY | 360.000 |
| | 0327- 70- 1 | MILLING EXIST ASPH PAVT, 1" AVG DEPTH | SY | 1,000.000 |
| | 0334- 1- 52 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 | TN | 2,000.000 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 1,000.000 |
| | 0337- 7- 80 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC B, FC-9.5, PG 76- 22 | TN | 1,000.000 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 60.000 |
| | 0400- 1- 2 | CONCRETE CLASS I, ENDWALLS | CY | 90.000 |
| | 0400- 2- 2 | CONCRETE CLASS II, ENDWALLS | CY | 30.000 |
| | 0415- 1- 1 | REINFORCING STEEL- ROADWAY | LB | 1,500.000 |
| | 0425- 1-311 | INLETS, CURB, TYPE P-1, <10' | EA | 20.000 |
| | 0425- 1-312 | INLETS, CURB TYPE P-1, >10' | EA | 20.000 |
| | 0425- 1-321 | INLETS, CURB, TYPE P-2, <10' | EA | 10.000 |
| | 0425- 1-322 | INLETS, CURB, TYPE P-2, >10' | EA | 10.000 |
| | 0425- 1-331 | INLETS, CURB, TYPE P-3, <10' | EA | 20.000 |
| | 0425- 1-332 | INLETS, CURB. TYPE P-3, >10' | EA | 20.000 |

Call Order: 002 Proposal: E3R36

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|---------------------------------------------------------------|------|----------|
| | 0425- 1-341 | INLETS, CURB, TYPE P-4, <10' | EA | 10.000 |
| | 0425- 1-342 | INLETS, CURB, TYPE P-4, >10' | EA | 10.000 |
| | 0425- 1-351 | INLETS, CURB, TYPE P-5, <10' | EA | 20.000 |
| | 0425- 1-352 | INLETS, CURB, TYPE P-5, >10' | EA | 20.000 |
| | 0425- 1-361 | INLETS, CURB, TYPE P-6, <10' | EA | 10.000 |
| | 0425- 1-362 | INLETS, CURB, TYPE P-6, >10' | EA | 10.000 |
| | 0425- 1-411 | INLETS, CURB TYPE J-1, <10' | EA | 8.000 |
| | 0425- 1-412 | INLETS, CURB, TYPE J-1, >10' | EA | 8.000 |
| | 0425- 1-421 | INLETS, CURB, TYPE J-2, <10' | EA | 4.000 |
| | 0425- 1-422 | INLETS, CURB, TYPE J-2, >10' | EA | 4.000 |
| | 0425- 1-431 | INLETS, CURB, TYPE J-3, <10' | EA | 8.000 |
| | 0425- 1-432 | INLETS, CURB, TYPE J-3, >10' | EA | 8.000 |
| | 0425- 1-441 | INLETS, CURB, TYPE J-4, <10' | EA | 4.000 |
| | 0425- 1-442 | INLETS, CURB, TYPE J-4, >10' | EA | 4.000 |
| | 0425- 1-451 | INLETS, CURB, TYPE J-5, <10' | EA | 8.000 |
| | 0425- 1-452 | INLETS, CURB, TYPE J-5, >10' | EA | 8.000 |
| | 0425- 1-461 | INLETS, CURB, TYPE J-6, <10' | EA | 4.000 |
| | 0425- 1-462 | INLETS, CURB, TYPE J-6, >10' | EA | 4.000 |
| | 0425- 1-471 | INLETS, CURB, TYPE 7, <10' | EA | 4.000 |
| | 0425- 1-472 | INLETS, CURB, TYPE 7, >10' | EA | 4.000 |
| | 0425- 1-481 | INLETS, CURB, TYPE 8, <10' | EA | 4.000 |
| | 0425- 1-521 | INLETS, DT BOT, TYPE C,<10' | EA | 20.000 |
| | 0425- 1-522 | INLETS, DT BOT, TYPE C,>10' | EA | 40.000 |
| | 0425- 1-523 | INLETS, DT BOT, TYPE C,JBOT, <10' | EA | 10.000 |
| | 0425- 1-524 | INLETS, DT BOT, TYPE C, JBOT, >10' | EA | 20.000 |
| | 0425- 1-531 | INLETS, DITCH BOTTOM, TYPE C MODIFIED- BACK OF SIDEWALK, <10' | EA | 10.000 |
| | 0425- 1-532 | INLETS, DITCH BOTTOM, TYPE C MODIFIED- BACK OF SIDEWALK, >10' | EA | 10.000 |
| | 0425- 1-541 | INLETS, DT BOT, TYPE D, <10' | EA | 20.000 |
| | 0425- 1-542 | INLETS, DT BOT, TYPE D, >10' | EA | 40.000 |
| | 0425- 1-543 | INLETS, DITCH BOTTOM, TYPE D, J BOT, <10' | EA | 10.000 |
| | 0425- 1-544 | INLETS, DITCH BOTTOM, TYPE D, J BOT, >10' | EA | 20.000 |
| | 0425- 1-551 | INLETS, DT BOT, TYPE E, <10' | EA | 20.000 |
| | 0425- 1-552 | INLETS, DT BOT, TYPE E, >10' | EA | 40.000 |
| | 0425- 1-553 | INLETS, DT BOT, TYPE E, J BOT, <10' | EA | 10.000 |
| | 0425- 1-554 | INLETS, DT BOT, TYPE E, J BOT, >10' | EA | 20.000 |
| | 0425- 1-581 | INLETS, DT BOT, TYPE H, <10' | EA | 10.000 |
| | 0425- 1-582 | INLETS, DT BOT, TYPE H, >10' | EA | 10.000 |
| | 0425- 1-583 | INLETS, DT BOT, TYPE H, J BOTTOM <10' | EA | 5.000 |
| | 0425- 1-584 | INLETS, DT BOT, TYPE H, J BOTTOM >10' | EA | 5.000 |
| | 0425- 1-611 | INLETS, DITCH BOTTOM, TYPE K, <10' | EA | 2.000 |
| | 0425- 1-701 | INLETS, GUTTER, TYPE S, <10' | EA | 10.000 |
| | 0425- 1-702 | INLETS, GUTTER, TYPE S, >10' | EA | 20.000 |
| | 0425- 1-703 | INLETS, GUTTER, TYPE S, J BOTTOM <10' | EA | 10.000 |
| | 0425- 1-704 | INLETS, GUTTER, TYPE S, J BOTTOM, >10' | EA | 20.000 |

Call Order: 002 Proposal: E3R36

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|------------------------------------------------------------------|------|-----------|
| | 0425- 1-711 | INLETS, GUTTER, TYPE V, <10' | EA | 5.000 |
| | 0425- 1-712 | INLETS, GUTTER, TYPE V, >10' | EA | 5.000 |
| | 0425- 1-713 | INLETS, GUTTER, TYPE V, J BOT, <10' | EA | 5.000 |
| | 0425- 1-714 | INLETS, GUTTER, TYPE V, J BOTTOM, >10' | EA | 5.000 |
| | 0425- 1-910 | INLETS, CLOSED FLUME | EA | 20.000 |
| | 0425- 2- 41 | MANHOLES, P-7, <10' | EA | 5.000 |
| | 0425- 2- 42 | MANHOLES, P-7, >10' | EA | 10.000 |
| | 0425- 2- 61 | MANHOLES, P-8, <10' | EA | 5.000 |
| | 0425- 2- 62 | MANHOLES, P-8, >10' | EA | 10.000 |
| | 0425- 2- 71 | MANHOLES, J-7, <10' | EA | 5.000 |
| | 0425- 2- 72 | MANHOLES, J-7, >10' | EA | 10.000 |
| | 0425- 2- 91 | MANHOLES, J-8, <10' | EA | 5.000 |
| | 0425- 2- 92 | MANHOLES, J-8, >10' | EA | 10.000 |
| | 0425- 3- 41 | JUNCTION BOX, DRAINAGE, P-7, <10' | EA | 5.000 |
| | 0425- 3- 42 | JUNCTION BOXES, P-7, >10' | EA | 5.000 |
| | 0425- 3- 61 | JUNCTION BOXES, J-7, <10' | EA | 5.000 |
| | 0425- 3- 62 | JUNCTION BOXES, J-7, >10' | EA | 5.000 |
| | 0425- 4- | INLETS, ADJUST | EA | 10.000 |
| | 0425- 5- | MANHOLE, ADJUST | EA | 10.000 |
| | 0430-174-115 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 15"SD | LF | 1,000.000 |
| | 0430-174-118 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD | LF | 1,000.000 |
| | 0430-174-124 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD | LF | 1,000.000 |
| | 0430-174-130 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 30"SD | LF | 1,000.000 |
| | 0430-174-136 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 36"SD | LF | 1,000.000 |
| | 0430-174-142 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 42"SD | LF | 1,000.000 |
| | 0430-174-148 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 48"SD | LF | 1,000.000 |
| | 0430-174-215 | PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 15"SD | LF | 1,000.000 |
| | 0430-174-218 | PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD | LF | 1,000.000 |
| | 0430-174-224 | PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 24"SD | LF | 1,000.000 |
| | 0430-174-230 | PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 30"SD | LF | 1,000.000 |
| | 0430-174-236 | PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 36"SD | LF | 1,000.000 |
| | 0430-174-242 | PIPE CULVERT, OPTIONAL MATERIAL, ELLIP/OTHER, 42"SD | LF | 1,000.000 |
| | 0430-174-248 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 48"SD | LF | 1,000.000 |
| | 0430-175-115 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD | LF | 3,000.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 3,000.000 |
| | 0430-175-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD | LF | 3,000.000 |
| | 0430-175-130 | PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD | LF | 3,000.000 |
| | 0430-175-136 | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD | LF | 3,000.000 |
| | 0430-175-140 | PIPE CULVERT, OPT MATERIAL, ROUND, 40"S/CD | LF | 3,000.000 |
| | 0430-175-142 | PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD | LF | 3,000.000 |
| | 0430-175-148 | PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD | LF | 3,000.000 |

Call Order: 002 Proposal: E3R36

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--------------------------------------------------------------------------------|------|-----------|
| | 0430-175-154 | PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD | LF | 2,000.000 |
| | 0430-175-160 | PIPE CULVERT, OPT MATERIAL, ROUND, 60"S/CD | LF | 2,000.000 |
| | 0430-175-166 | PIPE CULVERT, OPT MATERIAL, ROUND, 66"S/CD | LF | 2,000.000 |
| | 0430-175-172 | PIPE CULVERT, OPT MATERIAL, ROUND, 72"S/CD | LF | 1,000.000 |
| | 0430-175-215 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15"S/CD | LF | 1,000.000 |
| | 0430-175-218 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD | LF | 1,000.000 |
| | 0430-175-224 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD | LF | 1,000.000 |
| | 0430-175-236 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 36"S/CD | LF | 1,000.000 |
| | 0430-175-248 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 48"S/CD | LF | 1,000.000 |
| | 0430-175-260 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 60"S/CD | LF | 500.000 |
| | 0430-175-272 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 72"S/CD | LF | 500.000 |
| | 0430-185-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 18" , STORM AND CROSS DRAIN | LF | 500.000 |
| | 0430-185-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 24", STORM AND CROSS DRAIN | LF | 500.000 |
| | 0430-185-130 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 30", STORM AND CROSS DRAIN | LF | 1,000.000 |
| | 0430-185-136 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 36", STORM AND CROSS DRAIN | LF | 1,000.000 |
| | 0430-185-142 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 42", STORM AND CROSS DRAIN | LF | 1,000.000 |
| | 0430-185-148 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 48", STORM AND CROSS DRAIN | LF | 1,000.000 |
| | 0430-185-154 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 54", STORM AND CROSS DRAIN | LF | 500.000 |
| | 0430-185-160 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 60" , STORM AND CROSS DRAIN | LF | 500.000 |
| | 0430-185-166 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 66" , STORM AND CROSS DRAIN | LF | 500.000 |
| | 0430-185-178 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 78" , STORM AND CROSS DRAIN | LF | 500.000 |
| | 0430-602-123 | U-ENDWALL, WITH GRATE,STD INDEX 260, 1:4 SLOPE, 15" | EA | 5.000 |
| | 0430-611-023 | U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 15"PIPE | EA | 5.000 |
| | 0430-611-029 | U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 24"PIPE | EA | 10.000 |
| | 0430-611-033 | U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 30"PIPE | EA | 10.000 |
| | 0430-830- | PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE | CY | 100.000 |
| | 0430-880- 01 | FLAP GATES, 0-24" | EA | 5.000 |
| | 0430-880- 02 | FLAP GATES, 25-36" | EA | 5.000 |
| | 0430-950- | DESILTING CONCRETE BOX CULVERT | CY | 500.000 |
| | 0430-963- 1 | PVC PIPE FOR BACK OF SIDEWALK, 4" | LF | 100.000 |
| | 0430-984-125 | MITERED END SECTION, OPTIONAL ROUND, 18" SD | EA | 20.000 |
| | 0430-984-129 | MITERED END SECTION, OPTIONAL ROUND, 24" SD | EA | 20.000 |
| | 0430-984-133 | MITERED END SECTION , OPTIONAL ROUND, 30" SD | EA | 20.000 |
| | 0430-984-138 | MITERED END SECTION , OPTIONAL ROUND, 36" SIDE DRAIN | EA | 20.000 |

Call Order: 002 Proposal: E3R36

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|-------------------------------------------------------------------------|------|------------|
| | 0430-984-140 | MITERED END SECTION , OPTIONAL ROUND, 42" SD | EA | 20.000 |
| | 0430-984-141 | MITERED END SECTION , OPTIONAL ROUND, 48" SD | EA | 20.000 |
| | 0430-984-623 | MITERED END SECTION, OPTIONAL OTHER - ELLIP/ARCH, 15" SD | EA | 10.000 |
| | 0430-984-625 | MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD | EA | 10.000 |
| | 0430-984-629 | MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 24" SD | EA | 10.000 |
| | 0430-984-633 | MITERED END SECT, OPTIONAL /ELLIP/ARCH, 30" SD | EA | 10.000 |
| | 0430-984-638 | MITERED END SECT, OPTIONAL /ELLIP/ARCH, 36" SD | EA | 10.000 |
| | 0430-984-640 | MITERED END SECT, OPTIONAL /ELLIP/ARCH, 42" SD | EA | 10.000 |
| | 0430-984-641 | MITERED END SECT, OPTIONAL /ELLIP/ARCH, 48" SD | EA | 10.000 |
| | 0431- 1- 1 | PIPE LINER, OPTIONAL MATERIAL, 0-24" | LF | 1,200.000 |
| | 0431- 1- 2 | PIPE LINER, OPTIONAL MATERIAL, 25-36" | LF | 1,200.000 |
| | 0431- 1- 3 | PIPE LINER, OPTIONAL MATERIAL, 37-48" | LF | 1,200.000 |
| | 0431- 1- 4 | PIPE LINER, OPTIONAL MATERIAL, 49 - 60" | LF | 1,200.000 |
| | 0431- 1- 5 | PIPE LINER, OPTIONAL MATERIAL, 61" AND GREATER | LF | 1,200.000 |
| | 0436- 1- 1 | TRENCH DRAIN, STANDARD | LF | 300.000 |
| | 0440- 1- 30 | UNDERDRAIN, TYPE III | LF | 600.000 |
| | 0440- 70- | UNDERDRAIN INSPECTION BOX | EA | 6.000 |
| | 0440- 73- 5 | UNDERDRAIN OUTLET PIPE, 12" | LF | 90.000 |
| | 0443- 70- 4 | FRENCH DRAIN, 24" | LF | 300.000 |
| | 0455-133- 2 | SHEET PILING STEEL, TEMPORARY-CRITICAL | SF | 900.000 |
| | 0455-133- 3 | SHEET PILING STEEL, F&I PERMANENT | SF | 3,000.000 |
| | 0520- 1- 7 | CONCRETE CURB & GUTTER, TYPE E | LF | 500.000 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 1,000.000 |
| | 0520- 5- 11 | TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE | LF | 1,000.000 |
| | 0520- 5- 41 | TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE | LF | 1,000.000 |
| | 0520- 6- | SHOULDER GUTTER- CONCRETE | LF | 1,200.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 500.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 300.000 |
| | 0524- 1- 29 | CONCRETE DITCH PAVEMENT, 4", REINFORCED | SY | 1,500.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 75.000 |
| | 0530- 3- 3 | RIPRAP- RUBBLE, BANK AND SHORE | TN | 3,000.000 |
| | 0530- 3- 4 | RIPRAP, RUBBLE, F&I, DITCH LINING | TN | 1,500.000 |
| | 0530- 5- 1 | GABION, UP TO 1 FOOT THICKNESS | SY | 600.000 |
| | 0530- 5- 2 | GABION, 1 FOOT AND GREATER THICKNESS | SY | 600.000 |
| | 0530- 74- | BEDDING STONE | TN | 1,200.000 |
| | 0536- 1- 1 | GUARDRAIL -ROADWAY, GENERAL TL-3 | LF | 1,200.000 |
| | 0536- 7- 2 | SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT | EA | 20.000 |
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 600.000 |
| | 0536- 85- 22 | GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- FLARED | EA | 12.000 |
| | 0536- 85- 26 | GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- TYPE CRT | EA | 6.000 |
| | 0570- 1- 1 | PERFORMANCE TURF | SY | 5,000.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 42,000.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 120.000 |

Call Order: 002 Proposal: E3R36

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---------------------------------------------------------------------------------------------|------|-----------|
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 120.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 12.000 |
| | 0701- 17-101 | PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, WHITE, SOLID,6" | GM | 9.000 |
| | 0701- 17-201 | PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SOLID,6" | GM | 9.000 |
| | 0701- 18-101 | PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6" | GM | 9.000 |
| | 0701- 18-201 | PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6" | GM | 9.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 12.000 |
| | 0705- 11- 2 | DELINEATOR, NON-FLEXIBLE | EA | 65.000 |
| | 0706- 3- | RETRO-REFLECTIVE PAVEMENT MARKERS | EA | 2,200.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 9.000 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 2.000 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 300.000 |
| | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 300.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 300.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 0.750 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 180.000 |
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 12.000 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 50.000 |
| | 0710- 11-190 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE | SF | 100.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 12.000 |
| | 0710- 11-224 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 300.000 |
| | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 100.000 |
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 9.000 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 300.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 300.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 300.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 180.000 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 12.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 50.000 |
| | 0711- 11-180 | THERMOPLASTIC, STANDARD, WHITE, YIELD LINE | LF | 100.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 1,200.000 |

Call Order: 002 Proposal: E3R36

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|-----------------------------------------------------------------------------------------------------------------|------|----------|
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 180.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 12.000 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 9.000 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 1.000 |
| | 0711- 15-133 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | GM | 0.500 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 12.000 |
| | 0711- 15-202 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8" | GM | 9.000 |
| | 0711- 15-231 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6" | GM | 0.750 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 9.000 |
| | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 9.000 |
| | 0711- 16-131 | THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 0.750 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 9.000 |
| | 0711- 16-202 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8" | GM | 9.000 |
| | 0711- 16-231 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6" | GM | 0.750 |

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: 03180208 Call Order: 003 Proposal: E3R53-R0 District:03
 Counties: BAY, CALHOUN, DIST/ST-WIDE, FRANKLIN, GADSDEN, GULF, HOLMES, JACKSON, JEFFERSON, LEON, LIBERTY, OKALOOSA, SANTA ROSA, WAKULLA, WALTON, WASHINGTON
 Road Name: DISTRICTWIDE ROUTINE MAINTENANCE - SIGNAL REPAIR
 Limits: DW Intersection Lighting & Signal Repair
 Project(s): 42378117231(*) Federal Aid No: N/A
 Total Roadway Length: 0.000 Miles Contract Days: Thru December 31, 2018
 Total Bridge Length: 0.000 Miles Letting Date: 02/08/18
 Total Proposal Length: 0.000 Miles Contract Execution Days: 10
 Special Start Date: N/A
 Aquis/Flexible Start Time: 15 Days
 Proposal Budget Estimate: \$300,000.00

Please read the full advertisement

Description:

The work under this Push-button Contract provides a means whereby the Department can provide an expedited response for resolving problems concerning signalization on a call-out basis within District Three. This contract has a budgetary ceiling of \$300,000.00. A Contractor Experience in Traffic Signal Repair form 850-070-07 is required to be submitted with bid. Mobilization and Maintenance of Traffic are incidental to the pay items listed.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

Call Order: 003 Proposal: E3R53-R0

| ALT | Item | Description | Unit | Quantity |
|------------------------------------------------------------|-------------|------------------------------------------------------------------------------------------|------|----------|
| Section 0001 SIGNS(GRND SIGNS 30 SQ FT OR LESS)(UN) | | | | |
| | 0101- 1- | MOBILIZATION | LS | 1.000 |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 1.000 |
| | 0561- 2- | COATING EXISTING STRUCTURAL STEEL | SF | 5.000 |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 100.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 100.000 |
| | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND | LF | 100.000 |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 2.000 |
| | 0632- 7- 2 | SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL | LF | 100.000 |
| | 0634- 4-152 | SPAN WIRE ASSEMBLY, F&I, TWO POINT, DIAGONAL | PI | 2.000 |
| | 0634- 4-153 | SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX | PI | 2.000 |
| | 0634- 4-600 | SPAN WIRE ASSEMBLY, REMOVE- POLES REMAIN | PI | 2.000 |
| | 0634- 5- 1 | FIBERGLASS INSULATOR, FURNISH & INSTALL | LF | 100.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 3.000 |
| | 0639- 1-112 | ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY | AS | 3.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 3.000 |

Call Order: 003 Proposal: E3R53-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|-------------------------------------------------------------------------------------------------------------------|------|----------|
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 100.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 2.000 |
| | 0641- 2- 16 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-VI | EA | 2.000 |
| | 0641- 2- 17 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-VII | EA | 2.000 |
| | 0641- 2- 18 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-VIII | EA | 2.000 |
| | 0641- 2- 19 | PRESTRESSED CONCRETE POLE, F&I, CUSTOM DESIGN | EA | 2.000 |
| | 0641- 2- 60 | PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE | EA | 2.000 |
| | 0641- 2- 70 | PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER | EA | 2.000 |
| | 0641- 2- 80 | PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER | EA | 2.000 |
| | 0643-600- | STRAIN POLE, WOOD, REMOVE | EA | 2.000 |
| | 0646- 1- 11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 2.000 |
| | 0646- 1- 12 | ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST | EA | 2.000 |
| | 0649- 21- 3 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40' | EA | 2.000 |
| | 0649- 21- 6 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50' | EA | 1.000 |
| | 0649- 21- 8 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 50'-40' | EA | 1.000 |
| | 0649- 21- 9 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 50'-50' | EA | 1.000 |
| | 0649- 21- 18 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 70'-50' | EA | 1.000 |
| | 0649- 21- 21 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78' | EA | 1.000 |
| | 0649- 23- 1 | STEEL MAST ARM ASSEMBLY, INSTALL/RELOCATE TO EXISTING FOUNDATION | EA | 1.000 |
| | 0649- 23- 2 | STEEL MAST ARM ASSEMBLY, INSTALL/RELOCATE TO NEW/CONTRACTOR PROVIDED FOUNDATION | EA | 1.000 |
| | 0650- 1- 11 | TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY | AS | 2.000 |
| | 0650- 1- 12 | TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 2-4 WAY | AS | 2.000 |
| | 0650- 1- 18 | TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY | AS | 6.000 |
| | 0650- 1- 24 | TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W/ALUM TOP, 3 SECTION, 1 WAY | AS | 12.000 |
| | 0650- 1- 26 | TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W/ALUM TOP, 4 SECTION, 1 WAY | AS | 8.000 |
| | 0650- 1- 34 | TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 3 SECTION, 1 WAY | AS | 2.000 |
| | 0650- 1- 36 | TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 4 SECTION, 1 WAY | AS | 2.000 |
| | 0650- 1- 38 | TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 5 SECTION STRAIGHT, 1 WAY | AS | 4.000 |
| | 0650- 2-102 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER | EA | 2.000 |

Call Order: 003 Proposal: E3R53-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---------------------------------------------------------------------------------------------------------------|------|----------|
| | 0653- 1- 11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 2.000 |
| | 0653- 1- 12 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS | AS | 2.000 |
| | 0653- 1- 60 | PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN | AS | 2.000 |
| | 0654- 2- 21 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION | AS | 2.000 |
| | 0654- 2- 22 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK | AS | 2.000 |
| | 0659- 1-102 | MOUNTING ASSEMBLY, REPAIR/REPLACE/RETRO- FURNISH & INSTALL, SPAN WIRE MOUNTING ASSEMBLY | EA | 2.000 |
| | 0659- 1-104 | MOUNTING ASSEMBLY, REPAIR/REPLACE/RETRO- FURNISH & INSTALL, DISCONNECT HANGER | EA | 2.000 |
| | 0660- 1-101 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 1 | EA | 2.000 |
| | 0660- 1-102 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 2 | EA | 2.000 |
| | 0660- 1-109 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 | EA | 2.000 |
| | 0660- 1-110 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 10 | EA | 2.000 |
| | 0660- 2-101 | LOOP ASSEMBLY- F&I, TYPE A | AS | 12.000 |
| | 0660- 2-102 | LOOP ASSEMBLY, F&I, TYPE B | AS | 12.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 12.000 |
| | 0665- 1- 11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 2.000 |
| | 0665- 1- 12 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE | EA | 2.000 |
| | 0665- 1- 60 | PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN | EA | 2.000 |
| | 0670- 4- 1 | INTERSECTION CONTROL BEACON CONTROLLER ASSEMBLY, FURNISH & INSTALL | AS | 2.000 |
| | 0670- 5-112 | TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 2 PREEMPTION | AS | 2.000 |
| | 0670- 5-122 | TRAFFIC CONTROLLER ASSEMBLY, F&I,170,2 PREEMPTION PLANS | AS | 1.000 |
| | 0670- 5-152 | TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL, ATC, 2 PREEMPTION | AS | 2.000 |
| | 0670- 5-300 | TRAFFIC CONTROLLER ASSEMBLY, INSTALL | AS | 2.000 |
| | 0670- 5-500 | TRAFFIC CONTROLLER ASSEMBLY, RELOCATE CONTROLLER WITH CABINET | AS | 2.000 |
| | 0670- 5-600 | TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET | AS | 2.000 |
| | 0671- 2- 11 | TRAFFIC CONTROLLER WITHOUT CABINET, F&I IN EXISTING CABINET, NEMA | EA | 2.000 |
| | 0678- 1-109 | CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTAL, TYPE 3 TIME SWITCH | EA | 2.000 |
| | 0678- 1-112 | CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTAL, MASTER CLOCK UNIT | EA | 2.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 6.000 |
| | 0700- 3-202 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF | EA | 2.000 |
| | 0700- 3-204 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF | EA | 2.000 |
| | 0700- 3-604 | SIGN PANEL, REMOVE, 31-50 SF | EA | 2.000 |
| | 0700- 11-231 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, SPEED FEEDBACK, UP TO 12 SF | AS | 2.000 |
| | 0700- 11-391 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL OVERHEAD MOUNT- AC POWERED, BLANK OUT SIGN, UP TO 12 SF | AS | 2.000 |

Call Order: 003 Proposal: E3R53-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|----------------------------------------------------------------------------------------|------|----------|
| | 0700- 12- 21 | SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, ONE BEACON | AS | 2.000 |
| | 0700- 12- 31 | SIGN BEACON, F&I OVERHEAD MOUNT, ONE BEACON | AS | 2.000 |
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 0.100 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 100.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 60.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.020 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.020 |
| | 0711- 13-122 | THERMOPLASTIC, HOT SPRAY, WHITE, SOLID, 8" MAINTENANCE USE ONLY | LF | 60.000 |
| | 0711- 13-222 | THERMOPLASTIC, HOT SPRAY, YELLOW, SOLID, 8" MAINTENANCE USE ONLY | LF | 80.000 |
| | 0711- 15-202 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8" | GM | 0.050 |
| | 0711- 16-202 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8" | GM | 0.050 |
| | 0711- 17- | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS: NON-CONFLICTING ONLY | SF | 100.000 |
| | E101- 72- | MOBILIZATION (EMERGENCY RESPONSE) | EA | 4.000 |
| | E711- 11-121 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 6" | LF | 200.000 |
| | E711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, SKIP, 6" | LF | 200.000 |
| | E711- 11-221 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6" | LF | 200.000 |
| | E711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6" | LF | 200.000 |

Call Order: 004 Proposal: E3R54-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|----------------------------------------------------------------------------|------|-----------|
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 72.000 |
| | 0102-909- | TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS | DA | 12.000 |
| | 0104- 1- | ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS | SY | 500.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 200.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 50.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 3,017.000 |
| | 0120- 2- 2 | BORROW EXCAVATION, TRUCK MEASURE | CY | 300.000 |
| | 0162- 1- 11 | PREPARED SOIL LAYER, FINISH SOIL LAYER, 6" | SY | 4,000.000 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 20.000 |
| | 0425- 6- | VALVE BOXES, ADJUST | EA | 5.000 |
| | 0425- 15- 41 | INLET TOP, REPAIR, CURB INLET | EA | 40.000 |
| | 0430-982-125 | MITERED END SECTION, OPTIONAL ROUND, 18" CD | EA | 5.000 |
| | 0430-982-129 | MITERED END SECTION, OPTIONAL ROUND, 24" CD | EA | 5.000 |
| | 0430-984-121 | MITERED END SECTION, OPTIONAL ROUND, 12" SD | EA | 5.000 |
| | 0430-984-125 | MITERED END SECTION, OPTIONAL ROUND, 18" SD | EA | 5.000 |
| | 0430-984-129 | MITERED END SECTION, OPTIONAL ROUND, 24" SD | EA | 5.000 |
| | 0430-984-133 | MITERED END SECTION , OPTIONAL ROUND, 30" SD | EA | 5.000 |
| | 0430-984-623 | MITERED END SECTION, OPTIONAL OTHER - ELLIP/ARCH, 15" SD | EA | 2.000 |
| | 0430-984-625 | MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD | EA | 2.000 |
| | 0515- 1- 2 | PIPE HANDRAIL - GUIDERAIL, ALUMINUM | LF | 50.000 |
| | 0515- 1- 41 | PIPE HANDRAIL - GUIDERAIL, RELOCATE, STEEL | LF | 50.000 |
| | 0515- 1- 42 | PIPE HANDRAIL - GUIDERAIL, RELOCATE, ALUMINUM | LF | 50.000 |
| | 0515- 2-311 | PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY,42" TYPE 1 | LF | 50.000 |
| | 0515- 2-500 | PEDESTRIAN / BICYCLE RAILING, RELOCATE | LF | 50.000 |
| | 0520- 1- 7 | CONCRETE CURB & GUTTER, TYPE E | LF | 50.000 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 300.000 |
| | 0520- 3- | VALLEY GUTTER- CONCRETE | LF | 10.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 1,000.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 200.000 |
| | 0524- 1- 2 | CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" | SY | 3,000.000 |
| | 0524- 2- 2 | CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4" | SY | 100.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 500.000 |
| | 0530- 3- 3 | RIPRAP- RUBBLE, BANK AND SHORE | TN | 50.000 |
| | 0530- 3- 4 | RIPRAP, RUBBLE, F&I, DITCH LINING | TN | 50.000 |
| | E102- 10- | OFF-DUTY LAW ENFORCEMENT OFFICER | MH | 50.000 |
| | E102-100- | MOT MAINTENANCE SERVICES | HR | 100.000 |
| | E110- 70- | REMOVAL OF FLEXIBLE PAVEMENT | SY | 100.000 |
| | E570- 5- | FERTILIZER | TN | 0.200 |
| | E570- 9- 1 | WATER FOR GRASS & PLANTS | MG | 100.000 |
| | E575- 1- | SODDING | SY | 4,000.000 |