Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 03191010 Call Order: 005 Proposal: E3T10-R0 District:03

Counties: GADSDEN, LEON

Road Name: MIDWAY MAINTENANCE - MOWING

Limits:

Project(s): 42215117296 Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: Thru 12/31/20
Total Bridge Length: 0.000 Miles Letting Date: 10/10/19

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time: 15 DAYS

Proposal Budget Estimate: \$650,000.00

Please read the full advertisement

Description:

The Improvements under this Push-button Contract consist of removal, replacement, refurbishment, new installation of roadway traffic markings as well as painting of curb faces on State Roads in Leon and Gadsden Counties. Project limits and type of work ordered will be defined in the individual Work Documents. Other services required to achieve this work include laying out modifications to existing pavement markings. Maintenance of Traffic and Mobilization will be incidental to placement of traffic markings, except when other MOT items in the proposal are listed in the Work Document.

The overall budgetary ceiling on this contract shall not exceed \$650,000.00.

Contractor Experience Form number 850-070-06 is required to be submitted with bid.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

ALT	Item	Description	Unit	Quantity			
Section 0001 PAVEMENT STRIPING (LARGE MACHINE) (LM)							
0	102- 14-	TRAFFIC CONTROL OFFICER	HR	180.000			
0	102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	60.000			
0	102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	160.000			
0	102-909-	TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS	DA	10.000			
0	710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	1,000.000			
0	710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	1,000.000			
0	710- 12-101	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, WHITE, SOLID, 6" MAINTENANCE USE	GM	1.000			
0	710- 12-102	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, WHITE, SOLID, 8" WIDE FOR INTERCHANGE AND URBAN ISLAND-MAINTENANCE USE	GM	1.000			
0	710- 12-131	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, WHITE, 10-30 OR 3-9 SKIP, 6" WIDE- MAINTENANCE USE	GM	1.000			
0	710- 12-201	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, SOLID, 6" WIDE, MAINTENANCE USE	GM	1.000			

		Can Order. 003 Troposal. E3T10-N0		
ALT	Item	Description	Unit	Quantity
	0710- 12-231	PAINTED PAVEMENT MARKINGS, DURABLE, YELLOW, SKIP, 6"	GM	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	1.000
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	500.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	500.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	500.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	1.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	10.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	20.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	500.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	500.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	1.000
	0711- 12-101	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6"	GM	20.000
	0711- 12-121	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6" FOR MAINTENANCE USE	LF	1,000.000
	0711- 12-122	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 8" FOR MAINTENANCE USE	LF	1,000.000
	0711- 12-123	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT- MAINTENANCE USE ONLY	LF	10,000.000
	0711- 12-124	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	1,000.000
	0711- 12-125	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 24" FOR STOP LINE OR CROSSWALK, MAINTENANCE USE ONLY	LF	2,000.000
	0711- 12-131	THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6"	GM	20.000
	0711- 12-141	THERMOPLASTIC, REFURBISHMENT, WHITE, 2-4 DOTTED GUIDELINE / 6-10 GAP EXTENSION, 6", MAINTENANCE USE ONLY	GM	1.000
	0711- 12-160	THERMOPLASTIC, REFURBISH, WHITE, MESSAGE	EA	25.000
	0711- 12-170	THERMOPLASTIC, REFURBISH, WHITE, ARROWS	EA	75.000
	0711- 12-201	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6"	GM	20.000
	0711- 12-221	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6" MAINTENANCE USE ONLY	LF	200.000
	0711- 12-222	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 8" MAINTENANCE USE ONLY	LF	500.000
	0711- 12-224	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	1,500.000
	0711- 12-231	THERMOPLASTIC, REFURBISHMENT, YELLOW, SKIP, 6"	GM	20.000
	0711- 12-241	THERMOPLASTIC, REFURBISHMENT, YELLOW 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" MAINT USE ONLY	GM	1.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	500.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	500.000

Description C, PREFORMED, WHITE, 2-4 DOTTED GUIDELINE ON	Unit GM	Quantity 0.100
	GM	0.100
1171020		
C, PREFORMED, WHITE, MESSAGE	EA	100.000
	EA	10.000
	GM	0.100
	EA	5.000
	EA	5.000
C, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	5.000
	GM	2.500
	GM	0.100
	GM	2.500
	GM	2.500
	GM	0.100
	GM	0.100
	SF	150,000.000
	LF	180.000
PE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.500
	GM	0.500
	GM	1.000
PE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE	GM	0.500
	GM	0.250
PE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.500
	GM	0.500
PE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE	GM	1.000
PE, BLACK, 3'-9' DROP LANE, 12" ON CONCRETE	GM	1.000
RMANENT TAPE, REMOVE	SF	100.000
	GM	16,500.000
	GM	16,500.000
JLTI-POLYMER PAVEMENT MARKINGS, WHITE, 10-30 CT 422122-1-72-96	GM	10,000.000
	C, PREFORMED, WHITE, ARROW C, PREFORMED, BLACK, 2-4 DOTTED GUIDELINE ON KFACES C, PREFORMED, WHITE WITH BLACK CONTRAST ON GEMENT, MESSAGE OR SYMBOL C, PREFORMED, WHITE WITH BLACK CONTRAST, NORETE SURFACE C, PREFORMED, WHITE WITH BLACK CONTRAST, NORETE SURFACE C, PREFORMED, MULTI COLOR ROUTE SHIELD C, STANDARD-OPEN GRADED ASPHALT SURFACES, 10-30 SKIP OR 3-9 LANE DROP C, STANDARD-OPEN GRADED ASPHALT SURFACES, 10-30 SKIP OR 3-9 LANE DROP C, STANDARD-OPEN GRADED ASPHALT SURFACES, 1, 10-30 SKIP OR 3-9 LANE DROP C, STANDARD-OPEN GRADED ASPHALT SURFACES, 1, 10-30 SKIP OR 3-9 LANE DROP C, STANDARD-OPEN GRADED ASPHALT SURFACES, 1, 10-30 SKIP OR 3-9 LANE DROP C, STANDARD-OPEN GRADED ASPHALT SURFACES, 1, 10-30 SKIP OR CONCRETE BRIDGES C, PREMOVE EXISTING THERMOPLASTIC PAVEMENT OR CONCRETE MAINTENANCE USE ONLY C, PREFORMED, YELLOW, SOLID, 18" FOR CONCRETE BRIDGES C, PE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES C, PE, WHITE, SOLID, 8" EXIT LANE AT INTERCHANGE PAVEMENT C, WHITE, SOLID LANE DROP MARKING, 12" FOR DGES C, PE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE C, PE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE BRIDGES C, PE, YELLOW, 10-30 SKIP/ 3-9 DOTTED, 6" FOR REACES C, PE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE C, PE, BLACK, SKIP/DOTTE	C, PREFORMED, BLACK, 2-4 DOTTED GUIDELINE ON FRACES C, PREFORMED, WHITE WITH BLACK CONTRAST ON EA MEMENT, MESSAGE OR SYMBOL C, PREFORMED, WHITE WITH BLACK CONTRAST, EA NCRETE SURFACE C, PREFORMED, WHITE WITH BLACK CONTRAST, EA NCRETE SURFACE C, PREFORMED, MULTI COLOR ROUTE SHIELD C, STANDARD-OPEN GRADED ASPHALT SURFACES GM C, STANDARD-OPEN GRADED ASPHALT SURFACES, GM C, STANDARD-OPEN GRADED ASPHALT SURFACES, GM 10-30 SKIP OR 3-9 LANE DROP C, STANDARD-OPEN GRADED ASPHALT SURFACES, GM 6" C, STANDARD-OPEN GRADED ASPHALT SURFACES, GM 8" C, STANDARD-OPEN GRADED ASPHALT SURFACES, GM 8" C, STANDARD-OPEN GRADED ASPHALT SURFACES, GM 8" C, REMOVE EXISTING THERMOPLASTIC PAVEMENT V-CONFLICTING ONLY C, PREFORMED, YELLOW, SOLID, 18" FOR CONCRETE- MAINTENANCE USE ONLY PE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES GM PE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES PE, WHITE, SOLID LANE DROP MARKING, 12" FOR DGES PE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE GM RPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE GM RPE, YELLOW, SOLID, 6" FOR CONCRETE GM RPE, YELLOW, SOLID, 6" FOR CONCRETE GM RPE, YELLOW, 10-30 SKIP/ 3-9 DOTTED, 6" FOR RPACES PE, BLACK, 3'-9' DROP LANE, 12" ON CONCRETE GM RPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE GM RPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE GM RPE, BLACK, S'-9' DROP LANE, 12" ON CONCRETE GM RPE, BLACK, 3'-9' DROP LANE, 12" ON CONCRETE GM RPE, BLACK, 3'-9' DROP LANE, 12" ON CONCRETE GM REMANENT TAPE, REMOVE ULTI-POLYMER PAVEMENT MARKINGS, WHITE, SOLIC GM 2122-1-72-96 ULTI-POLYMER PAVEMENT MARKINGS, WHITE, 10-30 GM

ALT	Item	Description	Unit	Quantity
	E706- 1-42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	12,000.000