

**BID SOLICITATION NOTICE – District 3**  
**FLORIDA DEPARTMENT OF TRANSPORTATION**  
**CONSTRUCTION AND MAINTENANCE PROGRAMS**  
1074 Hwy 90 Chipley, Florida 32428

Chipley, FL  
November 17, 2020  
Advertisement No. 6

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <http://www.fdot.gov/contracts> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <http://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 02:00 PM Local Time on **Thursday, December 17, 2020.**

Bid totals for each bid submitted will be read aloud for those present and will be available at 02:00 PM **December 17, 2020** in the Administration Building, Procurement Services Conference Room, Chipley, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: [contracts.admin@dot.state.fl.us](mailto:contracts.admin@dot.state.fl.us) or call telephone number (850)638-0250. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain>, select district then click on appropriate date.

**DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST**

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: [www.fdot.gov/contracts/d3](http://www.fdot.gov/contracts/d3), click “[Letting and Project Information](#)” and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

**-----NOTE-----**

**Proposals will not be issued after 02:00 PM Local Time on Wednesday, December 16, 2020 .**

**Document Ordering Information**

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

**To Place An Order**

- A current State of Florida Vendor Number is required prior to first-time registration; please visit [http://dms.myflorida.com/egovernment\\_tools/myflorida\\_marketplace](http://dms.myflorida.com/egovernment_tools/myflorida_marketplace) for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

**PREQUALIFICATION**

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

## **PREQUALIFIED CONTRACTORS CURRENT CAPACITY**

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) [http://www.fdot.gov/contracts/PreQual\\_Info/prequalified.shtm](http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm) to the Department every 30 calendar days.

## **CONFLICT OF INTEREST**

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

## **SCRUTINIZED COMPANIES**

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

## **BID REJECTION**

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

## **PROTEST RIGHTS**

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <http://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

### **INSURANCE**

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

### **ADDENDA**

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: [www.fdot.gov/contracts/d3](http://www.fdot.gov/contracts/d3), click "[Letting and Project Information](#)" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.**

### **BID QUESTIONS**

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal>.

### **PROPOSAL GUARANTY**

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <http://www.surety2000.com> for Surety2000 or <http://www.insurevision.com> for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

### **EXECUTION OF CONTRACT**

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

**Important Note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

### **DBE PARTICIPATION.**

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance (EOC)** system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <https://www.fdot.gov/equalopportunity/eoc.shtm>

### **DEBARMENT/SUSPENSION**

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

### **MANDATORY PRE-BID CONFERENCE**

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

### **LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS**

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

### **FIRST TIME BIDDERS**

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: [https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae\\_2](https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2)

### **POSTING NOTICE**

The bid tabulation and intent to award will be posted on **January 07, 2021** or **January 20, 2021** at [www.fdot.gov/contracts/d3](http://www.fdot.gov/contracts/d3), click the "[Letting and Project Information](#)" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

### **AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)**

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion,

sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link [http://www.fdot.gov/contracts/cpp\\_online\\_ordering/bidder\\_assist.shtm](http://www.fdot.gov/contracts/cpp_online_ordering/bidder_assist.shtm) , Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

#### **MINIMUM WAGE**

The minimum wage for all hours worked in Florida is available at <http://www.floridajobs.org>.

#### **EMAIL SUBSCRIPTION LIST**

To get on the e-mail subscription list, go to <http://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <http://www.fdot.gov/contracts/distco.shtm>.

#### **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5).Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation  
Notice to Contractors Index**

Published: November 17, 2020

Letting ID: 03201217

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the December 17, 2020 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E3T18		42282325201(*)	GADSDEN
9	E3T27		40571925201(*) 41557635201	CALHOUN
10	E3T37		44154715201(*) 44154715202 44154715203 44154715204	LEON
14	E3T89		44590415201(*)	JACKSON
15	E3U03		43973915201(*)	LEON
20	E3U27		44154515201(*) 44154515202	LIBERTY
23	E3U28		42214227298(*)	SANTA ROSA
24	E3U29		42214327279(*)	HOLMES
25	E3U30		42214327289(*)	HOLMES, WALTON, WASHINGTON
26	E3U31-R0		42214327291(*)	HOLMES, WALTON, WASHINGTON
27	E3U37-R0		42212227218(*)	JACKSON, WASHINGTON
31	E3U38-R0		42215127225(*)	LEON
32	E3U39-R0		42215127239(*)	LEON
33	E3U41		43996415201(*) 43996415202 43996415601	ESCAMBIA

**Proposal Note Codes:**

*Note: (\*) indicates lead project*

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

---

Letting:	03201217	Call Order: 001	Proposal: E3T18	District:03
Counties:	GADSDEN			
Road Name:	- BRIDGE-REPAIR/REHABILITATION			
Limits:	50030000			
Project(s):	42282325201(*)	Federal Aid No: N/A		
Total Roadway Length:	0.280 Miles	Contract Days:	45	
Total Bridge Length:	0.207 Miles	Letting Date:	12/17/20	
Total Proposal Length:	0.487 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	Acquis. 15 Days	
Proposal Budget Estimate:	\$196,986.00			

Please read the full advertisement

Description:

The Improvements under this District Contract consist of FPID 422823-2-52-01 for the application of deck sealant to bridge deck surfaces for SR 10 (US 90) over Little River and Hurricane Creek, Bridge Nos. 500151, 500152, 500153, and 500154, Gadsden County, FL.

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

**Call Order: 001 Proposal: E3T18**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Structures</b>				
	0413-151-	METHACRYLATE MONOMER	GA	440.000
	0413-154-	CLEANING & SEALING CONCRETE SURFACES - PENETRANT SEALER OR METHACRYLATES	SF	43,708.000
	0458- 1- 21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, Poured JOINT WITH BACKER ROD	LF	86.000
<b>Section 0002 Roadway</b>				
	0101- 1-	MOBILIZATION (42282325201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (42282325201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	1,360.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	4,792.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	45.000
	0102- 78-	TEMPORARY RAISED/RETROREFLECTIVE PAVEMENT MARKER	EA	70.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	118.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	90.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	90.000
	0102-913- 12	REMOVABLE TAPE, BLACK, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP	GM	0.416
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.208
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.208
	0706- 1- 1	RAISED PAVEMENT MARKER, TYPE B WITHOUT FINAL SURFACE MARKINGS	EA	28.000
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.208
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.208
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.208
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.208
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (42282325201)	LS	1.000





**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 03201217      Call Order: 008      Proposal: E3T37      District:03

Counties: LEON

Road Name: SR 363/61 S MONROE ST - RESURFACING

Limits: 55040000

Project(s): 44154715201(\*)      Federal Aid No: N/A

Project(s): 44154715202      Federal Aid No: N/A

Project(s): 44154715203      Federal Aid No: N/A

Project(s): 44154715204      Federal Aid No: N/A

Total Roadway Length:	9.536 Miles	Contract Days:	150
Total Bridge Length:	0.000 Miles	Letting Date:	12/17/20
Total Proposal Length:	9.536 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	15 Days

Proposal Budget Estimate: \$2,220,196.00

Please read the full advertisement

**Description:**

The Improvements under this District Contract consist of 441547-1-52-01, Milling & Resurfacing, Minor Drainage, Sidewalk/Curb Ramps, Curb & Gutter S&PMs, and Signalization on SR 363/61 S Monroe St from E Paul Russell Rd to Perkins St in Leon County, 441547-1-52-02, City of Tallahassee Patterned Pavement Agreement; 441547-1-52-03, City of Tallahassee Water and Sewer Adjustments; 441547-1-52-04, City of Tallahassee Gas Valve Adjustments.

PRE-QUALIFICATION REQUIRED TO BID ON THIS PROJECT

**Call Order: 008 Proposal: E3T37**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Roadway</b>				
	0101- 1-	MOBILIZATION (44154715201)	LS	1.000
	0101- 1-	MOBILIZATION (44154715202)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44154715201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44154715202)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	15.500
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	88.000
	0102- 60-	WORK ZONE SIGN	ED	13,010.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	11,442.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	39,900.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	80.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	188.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	600.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	600.000
	0104- 10- 3	SEDIMENT BARRIER	LF	28.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	49.000
	0107- 1-	LITTER REMOVAL	AC	22.420
	0107- 2-	MOWING	AC	8.620

**Call Order: 008 Proposal: E3T37**

ALT	Item	Description	Unit	Quantity
	0110- 1- 1	CLEARING & GRUBBING (44154715201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	3,062.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	47.000
	0327- 70- 2	MILLING EXIST ASPH PAVT, 3 1/2" AVG DEPTH	SY	746.000
	0327- 70- 5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH	SY	50,198.000
	0334- 1- 52	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22	TN	61.600
	0337- 7- 81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	5,527.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	0.100
	0425- 1-561	INLETS, DT BOT, TYPE F, <10'	EA	1.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	1.000
	0425- 5-	MANHOLE, ADJUST	EA	10.000
	0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	29.000
	0425- 6-	VALVE BOXES, ADJUST	EA	58.000
	0425- 8-	DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST	EA	1.000
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD	LF	20.000
	0515- 4- 1	BULLET RAIL, SINGLE RAIL	LF	15.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	1,865.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	45.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	1,390.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	1,300.000
	0523- 1-	PATTERNED PAVEMENT, VEHICULAR AREAS	SY	515.000
	0527- 2-	DETECTABLE WARNINGS	SF	660.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	649.000
	0695- 7-600	TRAFFIC MONITORING SITE CABINET, REMOVE EXISTING CABINET	EA	2.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	3.241
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.048
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	4,033.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	32.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	637.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	1.920
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	1.212
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	1.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	37.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	2.086
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	125.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.227
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.222
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44154715201)	LS	1.000

**Call Order: 008 Proposal: E3T37**

ALT	Item	Description	Unit	Quantity
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44154715202)	LS	1.000
	1050- 15-004	UTILITY PIPE, ADJUST/MODIFY, 8 - 19.9"	LF	30.000
<b>Section 0002 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	33.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	17.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	9.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	10.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	43.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	1.000
	0700- 2- 50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	1.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	2.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	80.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	4.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	12.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	133.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44154715201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	4,033.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	32.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	637.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	1.285
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	1.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	37.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	125.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.222
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,539.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	34.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	34.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	3.241
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.048
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",1C-30 SKIP OR 3-9 LANE DROP	GM	1.920
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	2.086
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.227
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	520.000
<b>Section 0003 Signalization</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	403.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	40.000

**Call Order: 008 Proposal: E3T37**

ALT	Item	Description	Unit	Quantity
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	4.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	24.000
	0646- 1- 12	ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST	EA	28.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	2.000
	0650- 2-102	VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT-FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER	EA	6.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	28.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	24.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	28.000
	0665- 1- 50	PEDESTRIAN DETECTOR, ADJUST/MODIFY ON EXISTING POLE	EA	1.000
	0665- 1- 60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	24.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	5.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	1.000



**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

Letting:	03201217	Call Order: 003	Proposal: E3U03	District:03
Counties:	LEON			
Road Name:	RESURFACING			
Limits:	55010000			
Project(s):	43973915201(*)	Federal Aid No: N/A		
Total Roadway Length:	4.104 Miles	Contract Days:	335	
Total Bridge Length:	0.000 Miles	Letting Date:	12/17/20	
Total Proposal Length:	4.104 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	15 Days Standard Acq	

Proposal Budget Estimate: \$4,483,392.00

Please read the full advertisement

**Description:**

The improvements under this District Contract consist of Milling and Resurfacing, Widening, Overbuild, Drainage, Curb and Gutter, Gravity/End Wall, Sidewalk, Traffic Separator, Guardrail, S&PM's, Signalization, Lighting and Landscaping on S.R.63 (US 27) from the Gadsden County Line to S.R. 263 (Capitol Circle) in Leon County, just under 2.1 miles (CMP 0.000 to CMP 2.052). The summary of pay items for this project is listed in the Plans.

PREQUALIFICATION IS REQUIRED TO BID ON THIS PROJECT

**Call Order: 003 Proposal: E3U03**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Roadway</b>				
	0101- 1-	MOBILIZATION (43973915201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43973915201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	5.100
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	104.000
	0102- 60-	WORK ZONE SIGN	ED	18,945.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	552.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	51,967.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	4,950.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	80.000
	0102- 78-	TEMPORARY RAISED/RETROREFLECTIVE PAVEMENT MARKER	EA	1,550.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	1,896.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	335.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	335.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	1,180.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	1,180.000
	0104- 10- 3	SEDIMENT BARRIER	LF	2,036.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	13.000
	0107- 1-	LITTER REMOVAL	AC	329.510
	0107- 2-	MOWING	AC	289.930
	0110- 1- 1	CLEARING & GRUBBING (43973915201)	LS	1.000

**Call Order: 003 Proposal: E3U03**

ALT	Item	Description	Unit	Quantity
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	308.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	7.000
	0120- 1-	REGULAR EXCAVATION	CY	2,152.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	2,940.000
	0125- 1-	EXCAVATION FOR STRUCTURES	CY	145.000
	0160- 4-	TYPE B STABILIZATION	SY	9,185.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	2,560.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	4,749.000
	0327- 70- 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	SY	4,382.000
	0327- 70- 4	MILLING EXIST ASPH PAVT, 3" AVG DEPTH	SY	1,669.000
	0327- 70- 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	8,020.000
	0327- 70- 8	MILLING EXIST ASPH PAVT, 2 1/2" AVG DEPTH	SY	57,996.000
	0327- 70- 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	5,586.000
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	9,755.300
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	2,802.000
	0337- 7- 82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	1,131.600
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	83.500
	0400- 0- 11	CONCRETE CLASS NS, GRAVITY WALL	CY	617.800
	0425- 1-311	INLETS, CURB, TYPE P-1, <10'	EA	1.000
	0425- 1-321	INLETS, CURB, TYPE P-2, <10'	EA	1.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	1.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	2.000
	0425- 1-471	INLETS, CURB, TYPE 7, <10'	EA	2.000
	0425- 1-473	INLETS, CURB, TYPE 7, J BOT , <10'	EA	1.000
	0425- 1-521	INLETS, DT BOT, TYPE C, <10'	EA	7.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	1.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	4.000
	0425- 1-553	INLETS, DT BOT, TYPE E, J BOT, <10'	EA	2.000
	0425- 1-555	INLETS, DT BOT, TYPE E, PARTIAL	EA	1.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	1.000
	0430-175-115	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 15"S/CD	LF	9.000
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD	LF	1,970.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	10.000
	0430-175-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 18"S/CD	LF	148.000
	0430-500-402	STRAIGHT CONCRETE ENDWALLS, 15" SINGLE BARREL SPECIAL DESIGN STRUCTURE S-12A, PROJECT 439739-1-52-01	EA	1.000
	0430-500-403	STRAIGHT CONCRETE ENDWALLS, 18" SINGLE BARREL SPECIAL DESIGN STRUCTURE S-8A , PROJECT 439739-1-52-01	EA	1.000
	0430-500-404	STRAIGHT CONCRETE ENDWALLS, 18" SINGLE BARREL SPECIAL DESIGN STRUCTURE S-11A , PROJECT 439739-1-52-01	EA	1.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	1.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	427.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	285.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	1,386.000
	0520- 5- 12	TRAFFIC SEPARATOR CONCRETE-TYPE I, 6' WIDE	LF	327.000



**Call Order: 003 Proposal: E3U03**

ALT	Item	Description	Unit	Quantity
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	517.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	175.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	243.000
	0527- 2-	DETECTABLE WARNINGS	SF	168.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	1.600
	0530- 74-	BEDDING STONE	TN	1.200
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	2,028.000
	0536- 1- 3	GUARDRAIL- ROADWAY, DOUBLE FACE	LF	53.000
	0536- 6-	PIPE RAIL FOR GUARDRAIL	LF	393.000
	0536- 7- 2	SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT	EA	6.000
	0536- 7- 3	SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT	EA	7.000
	0536- 8- 13	APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3	EA	4.000
	0536- 73-	GUARDRAIL REMOVAL	LF	2,131.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	3.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	3.000
	0536- 85- 27	GUARDRAIL END TREATMENT- DOUBLE FACE APPROACH TERMINAL	EA	1.000
	0570- 1- 1	PERFORMANCE TURF	SY	5,864.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	12,748.000
	0590- 70- 1	IRRIGATION SYSTEM REPAIRS (43973915201)	LS	1.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	13.354
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.194
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	1,889.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	274.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	478.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	12.117
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.460
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	20.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	152.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	11.721
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.649
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43973915201)	LS	1.000
<b>Section 0002 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	25.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	6.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	8.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	3.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	27.000

**Call Order: 003 Proposal: E3U03**

ALT	Item	Description	Unit	Quantity
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	2.000
	0700- 2- 50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	3.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	1.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	4.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	34.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	3.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	2.000
	0700- 4-620	OVERHEAD STATIC SIGN STRUCTURE, REMOVE SPAN	EA	1.000
	0701- 18-101	PROFIED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6"	GM	3.408
	0701- 18-201	PROFIED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6"	GM	2.721
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	6.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	2.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	5.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	19.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43973915201)	LS	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.097
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	735.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	137.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	157.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.230
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	60.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.265
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	583.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	10.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	10.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	1.214
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	4.048
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.180
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.775
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.066
<b>Section 0003 Lighting</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	454.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	376.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	13.000

**Call Order: 003 Proposal: E3U03**

ALT	Item	Description	Unit	Quantity
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	15.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	4,694.000
	0715- 4- 12	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT	EA	7.000
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	1.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	7.000
<b>Section 0004 Signalization</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	425.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	7.000
	0641- 2- 60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	4.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	8.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	1.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	8.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	8.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	10.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	8.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	1.000
<b>Section 0005 Landscape / Peripheral</b>				
	0580- 1- 1	LANDSCAPE COMPLETE- SMALL PLANTS (43973915201)	LS	1.000



**Call Order: 009 Proposal: E3U27**

ALT	Item	Description	Unit	Quantity
	0327- 70- 12	MILLING EXIST ASPH PAVT, 1 1/4" AVG DEPTH	SY	118.000
	0327- 70- 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	557.000
	0334- 1- 52	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22	TN	3,883.100
	0337- 7- 80	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-9.5, PG 76-22	TN	4,792.600
	0425- 1-521	INLETS, DT BOT, TYPE C, <10'	EA	1.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	2.000
	0425- 6-	VALVE BOXES, ADJUST	EA	13.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	83.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	384.000
	0430-174-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD	LF	40.000
	0430-174-230	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 30"SD	LF	56.000
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD	LF	53.000
	0430-175-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"S/CD	LF	122.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	1.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	7.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	20.000
	0430-984-625	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD	EA	2.000
	0430-984-633	MITERED END SECT, OPTIONAL /ELLIP/ARCH, 30" SD	EA	4.000
	0524- 1- 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	3,377.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	32.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	3,858.000
	0570- 1- 3	PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010	SY	9,302.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	8.141
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.800
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	1,832.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	295.000
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.276
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	14.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	28.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	5.000
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	166.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	2.051
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44154515201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44154515202)	LS	1.000
<b>Section 0002 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	28.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	1.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	22.000

**Call Order: 009 Proposal: E3U27**

ALT	Item	Description	Unit	Quantity
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	5.000
	0701- 18-101	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6"	GM	5.743
	0701- 18-201	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6"	GM	2.170
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	6.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44154515201)	LS	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.400
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	916.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	281.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.152
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	7.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	14.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	166.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	4.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	4.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.639
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.232
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	2.051
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	564.000
<b>Section 0003 Utilities</b>				
	1050- 16-001	UTILITY PIPE,REMOVE & DISPOSE, 0 - 1.9"	LF	97.000
	1050- 16-003	UTILITY PIPE,REMOVE & DISPOSE, 5-7.9"	LF	80.000
	1050- 41-201	UTILITY PIPE- POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 1"	LF	113.000
	1050- 51-206	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 6"	LF	80.000
	1080- 21-500	UTILITY FIXTURE, VALVE/METER BOX, ADJUST	EA	5.000
	1080- 23-106	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 6"	EA	1.000
	1080- 24-106	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 6"	EA	2.000
	1080- 32-106	UTILITY FIXTURE- SAMPLE POINT, FURNISH & INSTALL, 6"	EA	1.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 03201217      Call Order: 011      Proposal: E3U28      District:03

Counties: SANTA ROSA

Road Name: MILTON MAINTENANCE - OUTFALL DITCH RESTORE

Limits: 57002000

Project(s): 42214227298(\*)

Federal Aid No: N/A

Total Roadway Length:	0.000 Miles	Contract Days:	45
Total Bridge Length:	0.000 Miles	Letting Date:	12/17/20
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	15 Days

Proposal Budget Estimate: \$102,000.00

Please read the full advertisement

**Description:**

The work under this Site-Specific Contract consist of grading, shaping, installing ditch liner, bedding stone and rip rap rubble ditch lining at SR 30 (US 98) mile post 15.923 in Navarre, FL. This work will restore the outfall ditch which begins at SR 30 (US 98) and extends approximately 1750 to the south, connecting to the existing ditch pavement. The outfall ditch is approximately 14 feet wide. Mobilization and Maintenance of Traffic shall be incidental to the pay items listed.

**Call Order: 011 Proposal: E3U28**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 SODDING (SY)</b>				
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	500.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	4,230.000
	E575- 1-	SODDING	SY	1,945.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 03201217      Call Order: 012      Proposal: E3U29      District:03

Counties: HOLMES

Road Name: PONCE DE LEON MAINTENANCE - PIPE LINER FOR CULVERT

Limits: 52002000

Project(s): 42214327279(\*)

Federal Aid No: N/A

Total Roadway Length:	0.000 Miles	Contract Days:	30
Total Bridge Length:	0.000 Miles	Letting Date:	12/17/20
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	15 Days

Proposal Budget Estimate: \$102,000.00

Please read the full advertisement

**Description:**

The work under this Site-Specific Contract consists of pipe liner installation, dewatering, desilting and removal of debris, while maintaining the layout and features of existing cross drains on State Road 79, MP 7.725 (approximately 0.052 miles south of East Martin Road) in Holmes County. The drainage features at this location consists of 3 corrugated metal pipes (each approximately 6 feet by 65 feet). Provide a DVD of work performed to the Department when work is completed. Maintenance of Traffic, Mobilization, Dewatering and Restoration of site to current conditions shall be incidental to the pay items listed.

Experience in Drainage Repair form (850-070-05) must accompany the bid.

**Call Order: 012 Proposal: E3U29**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 REPAIR/REPLACE STRM-SIDE-CROSS DRAIN(LF)</b>				
	0104- 10- 3	SEDIMENT BARRIER	LF	400.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	400.000
	E431- 1- 15	PIPE LINER, SPRAY APPLICATION,61" AND GREATER	LF	195.000



**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 03201217 Call Order: 013 Proposal: E3U30 District:03  
 Counties: HOLMES, WALTON, WASHINGTON  
 Road Name: PONCE DE LEON MAINTENANCE - RPM REMOVE AND REPLACE  
 Limits: 52002000  
 Project(s): 42214327289(\*) Federal Aid No: N/A  
 Total Roadway Length: 0.000 Miles Contract Days: 45  
 Total Bridge Length: 0.000 Miles Letting Date: 12/17/20  
 Total Proposal Length: 0.000 Miles Contract Execution Days: 10  
 Special Start Date: N/A  
 Aquis/Flexible Start Time: 15 Days

Proposal Budget Estimate: \$102,000.00

Please read the full advertisement

**Description:**

The Improvements under this Lump Sum Site-Specific Contract consist of the removal and replacement of existing reflective pavement markers, along State Road 8 (Interstate 10), State Road 20, and State Road 187 (US 331) in Holmes, Walton, and a portion of Washington Counties. Work includes on and off ramps. Locations are shown in Appendices. All work to be performed at night.

A Traffic Control Officer will be required for all work zones.

All reflective pavement markers removed shall be replaced in same night.

**Call Order: 013 Proposal: E3U30**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 RAISED PAVEMENT MARKER REPLACEMENT (EA)</b>				
	0999- 2-	LUMP SUM CONTRACT, ALTERNATIVE BIDDING	LS	1.000



**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

Letting: 03201217 Call Order: 004 Proposal: E3U37-R0 District:03  
 Counties: JACKSON, WASHINGTON  
 Road Name: MARIANNA MAINTENANCE - GUARDRAIL MAINTENANCE  
 Limits: Midpoint  
 Project(s): 42212227218(\*) Federal Aid No: N/A  
 Total Roadway Length: 0.000 Miles Contract Days: THRU 12/31/21  
 Total Bridge Length: 0.000 Miles Letting Date: 12/17/20  
 Total Proposal Length: 0.000 Miles Contract Execution Days: 10  
 Special Start Date: N/A  
 Aquis/Flexible Start Time: 15 Days

Proposal Budget Estimate: \$150,000.00

Please read the full advertisement

**Description:**

The work under this Work Document Driven Contract consists of guardrail maintenance, including repair or replacement of damaged guardrail and crash cushions along I-10 in Jackson and Washington Counties on a call-out basis. Maintenance of Traffic and Mobilization are incidental to the pay items listed.

This contract has a budgetary ceiling of \$150,000.00.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

A Proposal Guaranty will not be required on indefinite quantity contracts, such as work document driven contracts, with an advertised budget amount of \$150,000 or less regardless of the bid amount.

**Call Order: 004 Proposal: E3U37-R0**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 ASPHALT REPAIR (MANUAL) (TN)</b>				
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	2.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	2.000
	E536- 3-141	GUARDRAIL STANDARD PANEL (REPLACE) (SHOP BENT)	LF	100.000
	E536- 3-142	GUARDRAIL STANDARD PANEL (REPLACE) (0' - 50')	LF	200.000
	E536- 3-143	GUARDRAIL STANDARD PANEL (REPLACE) (51' - 200')	LF	200.000
	E536- 3-242	GUARDRAIL THRIE BEAM (REPLACE) (0' - 50')	LF	100.000
	E536- 3-540	GUARDRAIL (PIPE RAIL) (REPLACE)	LF	50.000
	E536- 3-642	GUARDRAIL DOUBLE FACE (REPLACE) (0' - 50')	LF	200.000
	E536- 3-643	GUARDRAIL DOUBLE FACE (REPLACE) (51' - 200')	LF	200.000
	E536- 5- 1	THRIE BEAM (TERMINAL CONNECTOR)	EA	4.000
	E536- 5- 2	THRIE BEAM (RAIL SPLICE)	EA	4.000
	E536- 5- 3	THRIE BEAM (TRANSITION SECTION)	EA	4.000
	E536- 5- 4	THRIE BEAM (MODIFIED OFFSET BLOCK)	EA	4.000
	E536- 6- 45	END ANCHORAGE ASSEM (REPLACE) (TYPE ET 2000)	EA	4.000
	E536- 6- 46	END ANCHORAGE ASSEM (REPLACE) (BRIDGE)	EA	4.000

**Call Order: 004 Proposal: E3U37-R0**

ALT	Item	Description	Unit	Quantity
	E536- 6- 47	END ANCHORAGE ASSEM (REPLACE) (BARRIER WALL)	EA	4.000
	E536- 6- 48	END ANCHORAGE ASSEM (REPLACE) (TYPE SRT-350)	EA	4.000
	E536- 6-414	END ANCHORAGE ASSEM (REPLACE) (TYPE SRT-350/8)	EA	4.000
	E536- 6-424	END ANCHORAGE ASSEM (REPLACE) (PARALLEL)	EA	4.000
	E536- 12-604	GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN CONC.)	EA	20.000
	E536- 12-605	GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN ASPH.)	EA	50.000
	E536- 12-606	GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN SOIL)	EA	10.000
	E536- 12-608	GUARDRAIL REPAIRS (REPLACE) (WOOD POST IN ASPH.)	EA	5.000
	E536- 12-609	GUARDRAIL REPAIRS (REPLACE) (WOOD POST IN SOIL)	EA	5.000
	E536- 12-613	GUARDRAIL REPAIRS (REPLACE) (RUB RAIL)	EA	5.000
	E536- 12-615	GUARDRAIL REPAIRS (REPLACE) (FILLER BLOCKS)	EA	50.000
	E536- 12-616	GUARDRAIL REPAIRS(REPLACE)(OFFSET BLOCK)	EA	20.000
	E536- 12-617	GUARDRAIL REPAIRS(REPLACE)(PANEL, 12-1/2')	EA	10.000
	E536- 12-618	GUARDRAIL REPAIRS(REPLACE)(PANEL, 25')	EA	10.000
	E536- 12-619	GUARDRAIL REPAIRS (REPLACE) (THRIE-BEAM PANEL, 12-1/2')	EA	5.000
	E536- 12-620	GUARDRAIL REPAIRS (REPLACE) (THRIE-BEAM PANEL, 25')	EA	5.000
	E536- 15-	MISCELLANEOUS GUARDRAIL MAINTENANCE	LF	3,000.000
	E536- 65-	END ANCHORAGE ASSEM (REMOVE)	EA	1.000
	E536-301-	END ANCHOR ASSEM TYPE II TRAILING ANCHORAGE, REPLACE EXISTING	EA	4.000
	E536-301-501	END ANCHOR ASSEM TYPE II (REPL FLARED END SECT)	EA	4.000
	E536-301-502	END ANCHOR ASSEM TYPE II (REPL ROUND END SECT)	EA	4.000
	E536-301-503	END ANCHOR ASSEM TYPE II (REPL BUFFER END SECT)	EA	4.000
	E536-301-506	END ANCHOR ASSEM TYPE II (REPL GUARDRAIL BEAM)	EA	4.000
	E536-301-508	END ANCHOR ASSEM TYPE II (REPL TIMBER BREAK POST)	EA	4.000
	E536-302-503	END ANCHOR ASSEM TYPE IV (REPL BUFFER END SECT)	EA	4.000
	E536-302-504	END ANCHOR ASSEM TYPE IV (REPL ANCHOR PANEL SECT)	EA	4.000
	E536-302-505	END ANCHOR ASSEM TYPE IV (REPL CABLE ASSEMBLY)	EA	4.000
	E536-302-506	END ANCHOR ASSEM TYPE IV (REPL STEEL TUBE & POST)	EA	4.000
	E536-302-507	END ANCHOR ASSEM TYPE IV (REPL ANCHOR PLATE)	EA	4.000
	E536-302-508	END ANCHOR ASSEM TYPE IV (REPL TIMBER BREAK POST)	EA	4.000
	E536-303-503	END ANCHOR ASSEM CRT (REPL BUFFER END SECTION)	EA	4.000
	E536-303-508	END ANCHOR ASSEM CRT (REPL TIMBER BREAK POST)	EA	4.000
	E536-305-501	END ANCHOR ASSEM ET-2000 (REPL TIMBER BRK POST)	EA	4.000
	E536-305-502	END ANCHOR ASSEM ET-2000 (REPL SOIL PLATE)	EA	4.000
	E536-305-503	END ANCHOR ASSEM ET-2000 (REPL CABLE ANCHOR)	EA	4.000
	E536-305-504	END ANCHOR ASSEM ET-2000 (REPL OFFSET STRUT)	EA	4.000
	E536-305-505	END ANCHOR ASSEM ET-2000 (REPL BEARING PLATE)	EA	4.000
	E536-305-506	END ANCHOR ASSEM ET-2000 (REPL G-RAIL EXTRUDER)	EA	4.000
	E536-305-507	END ANCHOR ASSEM ET-2000 (REPL STEEL TUBE/POST)	EA	4.000
	E536-305-508	END ANCHOR ASSEM ET-2000 (REPL GUARDRAIL BEAM)	EA	4.000
	E536-306-501	END ANCHOR ASSEM BRIDGE (REPL SPECIAL END SHOE)	EA	1.000
	E536-306-503	END ANCHOR ASSEM BRIDGE (REPL TIMBER FILL BLOCK)	EA	4.000
	E536-306-504	END ANCHOR ASSEM BRIDGE (REPL GUARDRAIL BEAM)	EA	4.000
	E536-306-506	END ANCHOR ASSEM BRIDGE (REPL CONC ANCHOR BLOCK)	EA	4.000

**Call Order: 004 Proposal: E3U37-R0**

ALT	Item	Description	Unit	Quantity
	E536-306-509	END ANCHOR ASSEM BRIDGE (REPL ANCHOR PANEL SECT)	EA	4.000
	E536-307-503	END ANCHOR ASSEM BARRIER (REPL TIMBER FILL BLOCK)	EA	4.000
	E536-308-501	END ANCHOR ASSEM SRT-350 (REPL CABLE ASSEMBLY)	EA	4.000
	E536-308-502	END ANCHOR ASSEM SRT-350 (REPL DIAPHRAM PLATE)	EA	4.000
	E536-308-503	END ANCHOR ASSEM SRT-350 (REPL AMBER REFL SHEET)	EA	4.000
	E536-308-504	END ANCHOR ASSEM SRT-350 (REPL BEARING PLATE)	EA	4.000
	E536-308-505	END ANCHOR ASSEM SRT-350 (REPL TIMBER BREAK POST)	EA	4.000
	E536-308-506	END ANCHOR ASSEM SRT-350 (REPL STEEL TUBE/PLATE)	EA	4.000
	E536-308-507	END ANCHOR ASSEM SRT-350 (REPL BUFFER END SECT)	EA	4.000
	E536-308-508	END ANCHOR ASSEM SRT-350 (REPL SHELF ANGLE)	EA	4.000
	E536-308-509	END ANCHOR ASSEM SRT-350 (REPL STRUT & YOKE ASSM)	EA	4.000
	E536-308-510	END ANCHOR ASSEM SRT-350 (REPL TIMBER LINE POST)	EA	4.000
	E536-308-511	END ANCHOR ASSEM SRT-350 (REPL GUARDRAIL BEAM)	EA	4.000
	E536-308-514	END ANCHOR ASSEM SRT-350 (REPL SLOT GUARD)	EA	4.000
	E536-308-517	END ANCHOR ASSEM SRT-350 (REPL BRK TRM POST SLV)	EA	4.000
	E536-313-508	END ANCHOR ASSEMBLY SKT-350 (REPL GUARDRAIL BEAM)	EA	4.000
	E536-313-509	END ANCHOR ASSEMBLY SKT-350 (REPL MISC HARDWARE)	EA	4.000
	E536-313-514	END ANCHOR ASSEMBLY SKT-350 (REPL IMPACT HEAD)	EA	4.000
	E536-314-501	END ANCHOR ASSEM SRT-350/8 (REPL CABLE ASSEMBLY)	EA	4.000
	E536-314-503	END ANCHOR ASSEM SRT-350/8 (REPL AMBER REFL SHT)	EA	4.000
	E536-314-504	END ANCHOR ASSEM SRT-350/8 (REPL BEARING PLATE)	EA	4.000
	E536-314-505	END ANCHOR ASSEM SRT-350/8 (REPL TIMBER BRK POST)	EA	4.000
	E536-314-506	END ANCHOR ASSEM SRT-350/8 (REPL STEEL TUBE/PLT)	EA	4.000
	E536-314-507	END ANCHOR ASSEM SRT-350/8 (REPL BUFFER END SECT)	EA	4.000
	E536-314-509	END ANCHOR ASSEM SRT-350/8 (REPL STRUT/YOKE ASSM)	EA	4.000
	E536-314-510	END ANCHOR ASSEM SRT-350/8 (REPL TMBR LINE POST)	EA	4.000
	E536-314-511	END ANCHOR ASSEM SRT-350/8 (REPL GUARDRAIL BEAM)	EA	4.000
	E536-314-514	END ANCHOR ASSEM SRT-350/8 (REPL SLOT GUARD)	EA	4.000
	E536-316-501	END ANCHOR ASSEMBLY FLEAT-350 (REPL TMBER BRKWAY POST)	EA	4.000
	E536-316-503	END ANCHOR ASSEMBLY FLEAT-350 (REPL CABLE ANCHOR ASSY)	EA	4.000
	E536-316-504	END ANCHOR ASSEMBLY FLEAT-350 (REPL GROUND STRUT)	EA	4.000
	E536-316-505	END ANCHOR ASSEMBLY FLEAT-350 (REPL BEARING PLATE)	EA	4.000
	E536-316-508	END ANCHOR ASSEMBLY FLEAT-350 (REPL GUARDRAIL BEAM)	EA	4.000
	E536-316-509	END ANCHOR ASSEMBLY FLEAT-350 (REPL MISC HARDWARE)	EA	4.000
	E536-316-510	END ANCHOR ASSEMBLY FLEAT-350 (REPL FOUND SOIL TUBE)	EA	4.000
	E536-316-511	END ANCHOR ASSEMBLY FLEAT-350 (REPL PIPE SLEEVE)	EA	4.000
	E536-316-512	END ANCHOR ASSEMBLY FLEAT-350 (REPL ANCHOR BRACKET)	EA	4.000
	E536-316-514	END ANCHOR ASSEMBLY FLEAT-350 (REPL IMPACT HEAD)	EA	4.000
	E536-322-501	END ANCHOR ASSEM FLARED (REPL FLARED END SECT)	EA	4.000
	E536-322-502	END ANCHOR ASSEM FLARED (REPL ROUND END SECT)	EA	4.000
	E536-322-503	END ANCHOR ASSEM FLARED (REPL BUFFER END SECT)	EA	4.000
	E536-322-506	END ANCHOR ASSEM FLARED (REPL GUARDRAIL BEAM)	EA	4.000
	E536-322-508	END ANCHOR ASSEM FLARED (REPL TIMBER BREAK POST)	EA	4.000
	E536-324-506	END ANCHOR ASSEM PARALLEL (REPL GUARDRAIL BEAM)	EA	4.000
	E536-324-511	END ANCHOR ASSEM PARALLEL (REPL SPECIAL END SHOE)	EA	4.000

**Call Order: 004 Proposal: E3U37-R0**

ALT	Item	Description	Unit	Quantity
	E536-324-515	END ANCHOR ASSEM PARALLEL (REPL AMBER REFLECT SHEET)	EA	4.000
	E536-324-517	END ANCHOR ASSEM PARALLEL (REPL SHORT TIMBR BREAK POST)	EA	4.000
	E544- 8- 5	CRASH CUSHION DAMAGE RESTORATION	EA	4.000
	E544- 76- 1	CRASH CUSHION (RESET)	EA	4.000
	E544-031-001	ATTENUATOR (QUADGUARD) F&I (FENDER PANEL)	EA	4.000
	E544-031-020	ATTENUATOR (QUADGUARD) F&I (DIAPHRAM)	EA	4.000
	E544-031-026	ATTENUATOR (QUADGUARD) F&I (SIDE PANEL CONC CON)	EA	4.000
	E544-031-027	ATTENUATOR (QUADGRARD) F&I (HAZARD RFLT-9 BUTTON)	EA	4.000
	E544-031-032	ATTENUATOR (QUADGUARD) F&I (TRANS PANEL ASSEMBLY)	EA	4.000
	E544-031-039	ATTENUATOR (QUADGUARD) F&I (CARTRIDGE ASSEMBLY)	EA	2.000
	E544-031-040	ATTENUATOR (QUADGUARD) F&I (NOSE ASSEMBLY)	EA	2.000
	E544-031-041	ATTENUATOR (QUADGUARD) F&I (END SHOE, VERTICAL)	EA	4.000
	E544-031-042	ATTENUATOR (QUADGUARD) F&I (BACKUP ASSM TEN STRT)	EA	4.000
	E544-031-043	ATTENUATOR (QUADGUARD) F&I (BACKUP ASSM CONCRETE)	EA	4.000
	E544-031-044	ATTENUATOR (QUADGUARD) F&I (MONORAIL, 1 BAY)	EA	4.000
	E544-031-045	ATTENUATOR (QUADGUARD) F&I (MONORAIL, 2 BAY)	EA	4.000
	E544-031-046	ATTENUATOR (QUADGUARD) F&I (MONORAIL, 3 BAY)	EA	4.000
	E544-031-047	ATTENUATOR (QUADGUARD) F&I (MUSHROOM BOLT ASSM)	EA	4.000
	E544-031-048	ATTENUATOR (QUADGUARD) F&I (ANCHOR MP 3 KIT)	EA	4.000
	E544-031-051	ATTENUATOR (QUADGUARD) F&I (NEOPRENE GROMMET)	EA	4.000
	E544-034-000	ATTENUATOR (QUADGUARD) (REMOVE)	EA	4.000
	E544-041-020	ATTENUATOR (QUADGUARD HIGH SPEED) F&I (DIAPHRAM)	EA	4.000
	E544-041-040	ATTENUATOR (QUADGUARD HIGH SPEED) F&I (NOSE ASSEMBLY)	EA	4.000
	E544-041-067	ATTENUATOR (QUADGUARD HIGH SPEED) F&I (BUMPER, HDPE)	EA	4.000
	E544-041-068	ATTENUATOR (QUADGUARD HIGH SPEED) F&I (DIAPHRM SPACER)	EA	4.000



**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 03201217      Call Order: 006      Proposal: E3U39-R0      District:03

Counties: LEON

Road Name: MIDWAY MAINTENANCE - LANDSCAPE MAINTENANCE

Limits: Midpoint

Project(s): 42215127239(\*)

Federal Aid No: N/A

Total Roadway Length: 0.000 Miles      Contract Days: 12/31/21

Total Bridge Length: 0.000 Miles      Letting Date: 12/17/20

Total Proposal Length: 0.000 Miles      Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time: 15 Days

Proposal Budget Estimate: \$100,000.00

Please read the full advertisement

**Description:**

The Improvements under this Work Document-driven Contract consist of routine landscape maintenance at two (2) locations along SR 8 (Interstate 10) in Leon County; one at Interchange 196 (SR 263, Capital Circle Northwest) and the other at Interchange 199 (SR 63/US 27). In an effort to improve and maintain the overall condition, activities may include but are not limited to; mowing of turf on shoulders, in pond bottoms, on slopes; maintenance of areas such as young planted/established pines and steep slopes to include removal of undesirable undergrowth including woody underbrush, fallen limbs; and litter removal of all unpaved surfaces within the right of way. Work activities and locations will be specified by Work Document. Maintenance of Traffic and Mobilization are incidental to the pay items listed.

**Call Order: 006 Proposal: E3U39-R0**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 SLOPE MOWING (AC)</b>				
	0580- 8- 10	LANDSCAPE- TREE PRUNING/TRIMMING, MANUAL, 1 TO 8" DBH	EA	500.000
	E104- 4- 2	MOWING (SLOPE)	AC	166.000
	E104- 4- 4	MOWING (INTERMEDIATE MACHINE)	AC	792.000
	E104- 50-	WEED CONTROL MANUAL	AC	39.000
	E110- 30-	LITTER REMOVAL	AC	1,680.000
	E580- 3- 1	LANDSCAPE MAINTENANCE (WEED REMOVAL, MANUAL)	SF	100,000.000
	E580-173-	BED PREPARATION & MULCHING	SY	7,500.000
	E580-336- 14	PRUNING AND TRIMMING (PALMS)	EA	40.000





**Call Order: 014 Proposal: E3U41**

ALT	Item	Description	Unit	Quantity
	0104- 18-	INLET PROTECTION SYSTEM	EA	7.000
	0107- 1-	LITTER REMOVAL	AC	9.790
	0107- 2-	MOWING	AC	9.790
	0110- 1- 1	CLEARING & GRUBBING (43996415201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	999.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	471.400
	0120- 71-	REGULAR EXCAVATION (3-R PROJECTS ONLY) (43996415201)	LS	1.000
	0285-707-	OPTIONAL BASE, BASE GROUP 07	SY	231.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	1,661.000
	0286- 2-	TURNOUT CONSTRUCTION-ASPHALT/DRIVEWAY BASE- ASPHALT MATERIAL	TN	37.500
	0327- 70- 12	MILLING EXIST ASPH PAVT, 1 1/4" AVG DEPTH	SY	6,419.000
	0327- 70- 13	MILLING EXIST ASPH PAVT, 1 3/4" AVG DEPTH	SY	445.000
	0334- 1- 52	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22	TN	337.900
	0337- 7- 80	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-9.5, PG 76-22	TN	602.100
	0425- 1-201	INLETS, CURB, TYPE 9, <10'	EA	1.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	3.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	1.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	2.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	1.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	2.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	3.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	1.000
	0430-174-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD	LF	70.000
	0430-175-115	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 15"S/CD	LF	40.000
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD	LF	585.000
	0430-175-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 18"S/CD	LF	244.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	1.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	1.000
	0430-984-625	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD	EA	2.000
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	231.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	1,659.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	99.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	18.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	706.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	486.000
	0527- 2-	DETECTABLE WARNINGS	SF	230.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	26.400
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	2,671.000
	0654- 2- 22	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	4.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	1.095
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	80.000

**Call Order: 014 Proposal: E3U41**

ALT	Item	Description	Unit	Quantity
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	338.000
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.180
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	3.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.700
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	50.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43996415201)	LS	1.000
	1050- 61-124	UTILITY PIPE- STEEL, FURNISH & INSTALL, CASING, 24"	LF	12.000
<b>Section 0002 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	8.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	2.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	4.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	10.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	2.000
	0705- 10- 2	OBJECT MARKER, TYPE 2	EA	3.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43996415201)	LS	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.068
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	907.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	121.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	181.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.233
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	13.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	12.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	40.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.065
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	545.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	7.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	7.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.784
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.564
<b>Section 0003 Signalization</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	975.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	565.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	30.000

**Call Order: 014 Proposal: E3U41**

ALT	Item	Description	Unit	Quantity
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	30.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	8.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	4.000
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40'	EA	1.000
	0649- 21- 10	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60'	EA	2.000
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	1.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION- BOLT ON ATTACHMENT	EA	3.000
	0649- 26- 5	STEEL MAST ARM ASSEMBLY, REMOVE, DEEP FOUNDATION- BOLT ON ATTACHMENT	EA	1.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	8.000
	0650- 1- 16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	4.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	8.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	10.000
	0660- 1-110	LOOP DETECTOR INDUCTIVE, F&I, TYPE 10	EA	2.000
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A	AS	2.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	4.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	6.000
	0660- 3- 11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	EA	1.000
	0660- 3- 12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	4.000
	0660- 6-121	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT	EA	1.000
	0660- 6-122	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	1.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	8.000
	0670- 5-110	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA	AS	1.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	1.000
	0682- 1-113	ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, HIGH DEFINITION	EA	1.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
	0684- 6- 12	WIRELESS COMMUNICATION DEVICE, FURNISH & INSTALL ETHERNET SUBSCRIBER UNIT	EA	1.000
	0685- 1- 14	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DOUBLE CONVERSION WITH CABINET	EA	1.000
	0700- 5- 22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	4.000
<b>Section 0004 Utilities</b>				
	0425- 6-	VALVE BOXES, ADJUST	EA	4.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43996415202)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43996415601)	LS	1.000
	1050- 16-004	UTILITY PIPE,REMOVE & DISPOSE, 8-19.9"	LF	970.000

**Call Order: 014 Proposal: E3U41**

ALT	Item	Description	Unit	Quantity
	1050- 18-003	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 5- 7.9"	LF	105.000
	1050- 18-004	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 8-19.9"	LF	1,910.000
	1050- 31-206	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 6"	LF	100.000
	1050- 31-208	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 8"	LF	20.000
	1050- 31-210	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 10"	LF	20.000
	1050- 31-212	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 12"	LF	90.000
	1050- 31-216	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 16"	LF	1,090.000
	1050- 51-224	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 24"	LF	255.000
	1050- 61-124	UTILITY PIPE- STEEL, FURNISH & INSTALL, CASING, 24"	LF	106.000
	1050- 61-136	UTILITY PIPE- STEEL, FURNISH & INSTALL, CASING, 36"	LF	95.000
	1055- 51-108	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 8"	EA	3.000
	1055- 51-110	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 10"	EA	1.000
	1055- 51-112	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 12"	EA	4.000
	1055- 51-116	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 16"	EA	13.000
	1055- 51-124	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 24"	EA	1.000
	1055- 51-208	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 8"	EA	1.000
	1055- 51-212	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 12"	EA	1.000
	1055- 51-216	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 16"	EA	4.000
	1055- 51-224	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 24"	EA	3.000
	1055- 51-312	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 12"	EA	1.000
	1055- 51-316	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 16"	EA	1.000
	1055- 51-324	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 24"	EA	2.000
	1060- 15-	UTILITY STRUCTURE, BELOW GROUND, ADJUST/MODIFY	EA	1.000
	1080- 21-500	UTILITY FIXTURE, VALVE/METER BOX, ADJUST	EA	4.000
	1080- 23-100	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 1"	EA	2.000
	1080- 23-102	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 2"	EA	2.000
	1080- 23-104	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 4"	EA	1.000
	1080- 23-106	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 6"	EA	4.000
	1080- 23-108	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 8"	EA	2.000

**Call Order: 014 Proposal: E3U41**

ALT	Item	Description	Unit	Quantity
	1080- 23-110	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 10"	EA	2.000
	1080- 23-112	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 12"	EA	2.000
	1080- 23-116	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 16"	EA	1.000
	1080- 23-124	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 24"	EA	1.000
	1080- 24-108	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 8"	EA	1.000
	1080- 24-110	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 10"	EA	1.000
	1080- 24-112	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 12"	EA	2.000
	1080- 24-116	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 16"	EA	8.000
	1080- 24-124	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 24"	EA	6.000
	1644-112- 06	FIRE HYDRANT, F&I, STANDARD, 2 HOSE, 6"	EA	2.000
	1644-900-	FIRE HYDRANT, REMOVE	EA	2.000