BID SOLICITATION NOTICE – District 3 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

1074 Hwy 90 Chipley, Florida 32428

Chipley, FL October 10, 2025 Advertisement No. 1

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: https://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at http://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 10:00 AM Local Time on Thursday, December 11, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 10:00 AM December 11, 2025 in the Administration Building, Procurement Services Conference Room, Chipley, Florida.. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (850)638-0250. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: Select District, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d3, click "Letting and Project Information" and select letting date from the Lettings Menu.

----NOTE-----

Proposals will not be issued after 10:00 AM Local Time on Wednesday, December 10, 2025.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at CPP.fdot.gov. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

A current State of Florida Vendor Number is required prior to first-time registration; please visit
 https://vendor.myfloridamarketplace.com
 for more information. Please allow 24 to 48 hours for receipt of a new
 vendor number.

Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at CPP.fdot.gov. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribe d in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid rejection or contract award</u> shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at https://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d3, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://bqa.fdot.gov.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit https://www.tinubu.com for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project

specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION.

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web-based application for P rime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae 2

POSTING NOTICE

The bid tabulation and intent to award will be posted on January 08, 2026 or January 22, 2026 at www.fdot.gov/contracts/d3, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link https://www.fdot.gov/contracts/cpp_online_ordering/bidder_assist.shtm, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at https://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to https://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to https://www.fdot.gov/contracts/district-offices/distco.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: October 10, 2025

Letting ID: 03251211

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the December 11, 2025 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E3Z04		21974925201(*) 21974925202 21974925602	LEON

Proposal Note Codes:

Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 03251211 Call Order: 001 Proposal: E3Z04 District:03

Counties: LEON

Road Name: SR 263 CAPITAL CIR - ADD LANES & RECONSTRUCT

Limits: 55002000

 Project(s):
 21974925201(*)
 Federal Aid No: N/A

 Project(s):
 21974925202
 Federal Aid No: N/A

 Project(s):
 21974925602
 Federal Aid No: N/A

Total Roadway Length:9.108 MilesContract Days:1500Total Bridge Length:0.087 MilesLetting Date:12/11/25Total Proposal Length:9.195 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time: 120 Day Flexible

Proposal Budget Estimate: \$71,909,495.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of the following under FPID 219749-2-52-01: multilane reconstruction of the roadway including asphalt pavement, base work, drainage improvements, curb and gutter, sidewalk, multi-use path, signing and pavement markings, structures (Bridge Nos. 550172 and 550173), traffic signals, lighting and other incidental construction. Improvements under FPID 219749-2-56-02 consist of water and sewer utility improvements and fencing. Improvements under FPID 219749-2-52-02 include removal of existing gas mains. All improvements are for SR 263 (Capital Circle) from SR 61 (Crawfordville Road) to CR 2203 (Springhill Road) in Leon County.

PRE-QUALIFICATION IS REQUIRED TO BID ON THIS PROJECT

For projects in excess of \$50 million, in addition to meeting all other qualification requirements of Section 337.14, Florida Statutes, and Rule Chapter 14-22, Florida Administrative Code, any Contractor who is not prequalified and in good standing with the Department as of January 1, 2019, must submit evidence which demonstrates satisfactory completion of at least two projects, each in excess of \$15 million, for the Florida Department of Transportation or for any other state department of transportation. Acceptability of the evidence related to the two projects is at the sole discretion of the Department.

		• • • • • • • • • • • • • • • • • • •		
ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Structure	s		
	0110- 3-	REMOVAL OF EXISTING STRUCTURES/BRIDGES (21974925201)	LS	1.000
	0400- 2- 4	CONC CLASS II, BRIDGE SUPERSTRUCTURE	CY	716.900
	0400- 2- 5	CONCRETE CLASS II, BRIDGE SUBSTRUCTURE	CY	252.800
	0400- 2-10	CONCRETE CLASS II, APPROACH SLABS	CY	255.400
	0400- 7- 1	BRIDGE DECK GROOVING	SY	2,220.000
	0400- 9- 1	BRIDGE DECK PLANING	SY	2,220.000
	0400-147-	COMPOSITE NEOPRENE PADS	CF	18.600
	0415- 1- 4	REINFORCING STEEL - BRIDGE SUPERSTRUCTURE	LB	192,616.000
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	40,734.000
	0415- 1- 9	REINFORCING STEEL- APPROACH SLABS	LB	47,106.000
	0450- 2-36	PREST BEAMS: FLORIDA-I BEAM 36"	LF	2,530.000
	0455- 20- 1	PILE INSPECTION, DRIVEN PILE	EA	46.000
	0455- 35- 23	STEEL PILING, 30" DIA. PIPE	LF	3,817.000
	0455-137-	LOAD TEST (DYNAMIC), DATA COLLECTION AND ANALYSIS	EA	46.000
	0455-137- 2	LOAD TEST (DYNAMIC), VERIFICATION TEST	EA	6.000

		Call Order: 001 Proposal: E3204		
ALT	Item	Description	Unit	Quantity
	0455-144- 23	TEST PILES - STEEL, 30" DIA PIPE	LF	1,030.00
	0458- 1-11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	218.00
	0515- 4- 2	BULLET RAIL, DOUBLE RAIL	LF	582.00
	0521- 5-13	CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE	LF	1,164.00
	0521- 6-11	CONCRETE PARAPET, PEDESTRIAN/BICYCLE, 27" HEIGHT	LF	582.00
	0530- 1-100	RIPRAP, SAND-CEMENT BAGS	CY	80.20
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	3,446.00
	0530- 74-	BEDDING STONE	TN	1,229.00
	0630- 2-16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	1,746.00
	0635- 3-13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	10.00
Section	n 0002 Roadway			
	0101- 1-	MOBILIZATION (21974925201)	LS	1.00
	0102- 1-	MAINTENANCE OF TRAFFIC (21974925201)	LS	1.00
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (21974925201)	LS	1.00
	0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (21974925201)	LS	1.00
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	994.00
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (21974925201)	LS	1.0
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	80.08
	0102- 60-	WORK ZONE SIGN	ED	186,629.0
	0102- 61-	BUSINESS SIGN	EA	10.0
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	2,480.0
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	947.0
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	3,556.0
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	573,910.0
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	457,825.00
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	576.00
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	12.00
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	9,090.00
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	1,419.00
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	1,419.00
	0102-115-	TYPE III BARRICADE	ED	63,288.0
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	4,288.0
	0104- 10- 3	SEDIMENT BARRIER	LF	25,001.0
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	440.0
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	324.0
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	4.0
	0104- 18-	INLET PROTECTION SYSTEM	EA	104.0
	0107- 1-	LITTER REMOVAL	AC	1,564.3
	0107- 2-	MOWING	AC	940.3
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (21974925201)	LS	1.00

ALT	Item	Description	Unit	Quantity
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (21974925201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (21974925201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	5,664.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	21.000
	0120- 1-	REGULAR EXCAVATION	CY	190,371.000
	0120- 4-	SUBSOIL EXCAVATION	CY	742.000
	0120- 6-	EMBANKMENT	CY	100,016.000
	0121- 70-	FLOWABLE FILL	CY	3.000
	0160- 4-	TYPE B STABILIZATION	SY	142,563.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	12,054.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	16,339.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	97,608.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	11,014.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	932.400
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	14,789.500
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	12,994.300
	0400- 0-11	CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011	CY	130.000
	0425- 1-311	INLETS, CURB, TYPE P-1, <10'	EA	25.000
	0425- 1-312	INLETS, CURB TYPE P-1, >10'	EA	1.000
	0425- 1-321	INLETS, CURB, TYPE P-2, <10'	EA	6.000
	0425- 1-322	INLETS, CURB, TYPE P-2, >10'	EA	1.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	24.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	5.000
	0425- 1-411	INLETS, CURB TYPE J-1, <10'	EA	9.000
	0425- 1-412	INLETS, CURB, TYPE J-1, >10'	EA	3.000
	0425- 1-421	INLETS, CURB, TYPE J-2, <10'	EA	4.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	2.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10'	EA	1.000
	0425- 1-471	INLETS, CURB, TYPE 7, <10'	EA	2.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	14.000
	0425- 1-525	INLETS, DITCH BOTTOM, TYPE C, PARTIAL	EA	15.000
	0425- 1-529	INLETS, DT BOT, TYPE C, MODIFY	EA	2.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	5.000
	0425- 1-543	INLETS, DITCH BOTTOM, TYPE D, J BOT, <10'	EA	2.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	2.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	1.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	1.000
	0425- 1-921	INLETS, ADJACENT BARRIER, <=10'	EA	7.000
	0425- 2-61	MANHOLES, P-8, <10'	EA	11.000
	0425- 2-62	MANHOLES, P-8, >10'	EA	3.000
	0425- 2-63	MANHOLES, P-8, PARTIAL	EA	2.000
	0425- 2-71	MANHOLES, J-7, <10'	EA	1.000
	0425- 2-91	MANHOLES, J-8, <10'	EA	6.000
	0425- 2-92	MANHOLES, J-8, >10'	EA	2.000

ALT	Item	Description	Unit	Quantity
	0425- 6-	VALVE BOXES, ADJUST	EA	2.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	318.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	62.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	9,020.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	4,140.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	3,329.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	1,211.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	1,367.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	1,396.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	329.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	532.000
	0430-524-102	STRAIGHT CONCRETE ENDWALLS, 24", SINGLE, 0 DEGREES, ELLIPTICAL	EA	1.000
	0430-602-133	U-ENDWALL, WITH GRATE, INDEX 260/430-010, 1:4 SLOPE, 30"	EA	1.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	7.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	4.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	4.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	1.000
	0430-982-141	MITERED END SECTION, OPTIONAL ROUND, 48" CD	EA	2.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	14.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	2.000
	0515- 2-211	PEDESTRIAN / BICYCLE RAILING, STEEL, 42" TYPE 1	LF	815.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	20,224.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	19,883.000
	0520- 5-11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	512.000
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	1,089.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	5,359.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	3,270.000
	0524- 1- 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	633.000
	0527- 2-	DETECTABLE WARNINGS	SF	814.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	112.300
	0530- 74-	BEDDING STONE	TN	80.700
	0536- 73-	GUARDRAIL REMOVAL	LF	1,021.000
	0550- 10-221	FENCING, TYPE B, 5.1-6.0', W/ BARB WIRE ATTMT	LF	155.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	134,479.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	2,698.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	25.467
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	3,316.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	1,096.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	956.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	7.736

		Call Order: 001 Proposal: E3204		
ALT	Item	Description	Unit	Quantity
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	1.397
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	66.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	191.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	9.481
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	6,550.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.055
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	17.000
	0999-20-2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (21974925201)	LS	1.000
Sectio	n 0003 Signing			
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	55.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	13.000
	0700- 1-113	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF	EA	2.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	19.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	53.000
	0700- 2-500	MULTI-COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	2.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	3.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	7.000
	0705-10-3	OBJECT MARKER, TYPE 3	EA	12.000
	0705- 10- 4	OBJECT MARKER, TYPE 4	EA	3.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	3,039.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	98.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (21974925201)	LS	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.837
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	2,637.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	1,084.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	854.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	1.113
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	140.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.035
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	657.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	50.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	50.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	11.483

		Call Order: 001 Proposal: E3204		
ALT	Item	Description	Unit	Quantity
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	11.458
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	6.092
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	1,155.000
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.175
	0713-103-181	PERMANENT TAPE, WHITE, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	0.175
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.087
Section	0004 Lighting			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	13,884.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	3,865.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	104.000
	0715- 61-311	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 8' ARM LENGTH	EA	2.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	2.000
Section	n 0005 Signalizat	ion		
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	2.233
	0611- 2- 1	ITSFM LOCATION DOCUMENTATION- INTERSECTION	EA	1.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	7,839.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	5,788.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
	0633- 1-420	FIBER OPTIC CABLE, RELOCATE, UNDERGROUND	LF	1,287.000
	0633- 2-31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	40.000
	0633- 2-32	FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	32.000
	0633- 3-11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	1.000
	0633- 3-12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	1.000
	0633- 3-15	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED PATCH PANEL	EA	1.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	1,000.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	31.000
	0635- 2-13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	1.000
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	30.000
	0635- 3-13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	4.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 1-610	ELECTRICAL POWER SERVICE, REMOVE OVERHEAD	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	100.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	20.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	1.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	8.000
		ALUMINUM SIGNALS POLE, REMOVE	EA	6.000

	Call Order: 001 110posai. E3204		
Item	Description	Unit	Quantity
0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	3.000
0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION-BOLT ON ATTACHMENT	EA	5.000
0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	17.000
0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	8.000
0660- 1-110	LOOP DETECTOR INDUCTIVE, F&I, TYPE 10	EA	10.000
0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	20.000
0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	10.000
0663- 1-122	SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, DETECTOR	EA	1.000
0663- 1-123	SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, CABINET ELECTRONICS	EA	1.000
0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	8.000
0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	3.000
0682- 1-500	ITS CCTV CAMERA, ADJUST/MODIFY	EA	1.000
0684- 7- 1	MANAGED HUB ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
0685- 1-13	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET	EA	1.000
0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	3.000
0715- 5-32	LUMINAIRE & BRACKET ARM- GALV STEEL, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE	EA	2.000
0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	2.000
0923-676-104	ATC CABINET WITH CONTROLLER, F&I, NEMA, SIZE 6, 44"-49" W x 24"-27" D	EA	1.000
n 0006 Utilities			
0400- 2- 4	CONC CLASS II, BRIDGE SUPERSTRUCTURE (21974925602)	CY	7.300
0400- 2- 5	CONCRETE CLASS II, BRIDGE SUBSTRUCTURE	CY	47.000
0400- 2-11	CONCRETE CLASS II, RETAINING WALLS (21974925602)	CY	17.600
0400- 2-47	CONCRETE CLASS II, CAST-IN-PLACE TOPPING WITH SHRINKAGE REDUCING ADMIXTURE	CY	85.400
0400-148-	PLAIN NEOPRENE BEARING PADS	CF	8.100
0415- 1- 4	REINFORCING STEEL - BRIDGE SUPERSTRUCTURE	LB	20,467.000
0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	5,310.000
0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	7.000
0425- 6-	VALVE BOXES, ADJUST	EA	7.000
0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE (21974925602)	CY	969.400
0450- 8-31	PRESTRESSED BEAM: FLORIDA SLAB BEAM, BEAM DEPTH 18" CARBON STEEL, WIDTH 48-51"	LF	679.000
0455- 20- 1	PILE INSPECTION, DRIVEN PILE	EA	15.000
0455- 35- 22	STEEL PILING, 24" DIA. PIPE (21974925602)	LF	610.000
0455-137-	LOAD TEST (DYNAMIC), DATA COLLECTION AND ANALYSIS	EA	15.000
0455-137- 2	LOAD TEST (DYNAMIC), VERIFICATION TEST	EA	2.000
	0649- 21- 21 0649- 26- 3 0650- 1- 14 0653- 1- 11 0660- 1-110 0660- 2-102 0660- 2-106 0663- 1-122 0663- 1-123 0665- 1- 12 0670- 5-600 0682- 1-500 0684- 7- 1 0685- 1- 13 0700- 5- 22 0715- 5- 32 0715-500- 1 0923-676-104 10923-676-104 10006 Utilities 0400- 2- 4 0400- 2- 5 0400- 2- 11 0400- 2- 47 0400-148- 0415- 1- 5 0425- 5- 1 0425- 6- 0430-830- 0450- 8- 31 0455- 35- 22 0455-137-	Item	Item

		Call Order: 001 110posal: E3204		
ALT	Item	Description	Unit	Quantity
	0455-144- 22	TEST PILES - STEEL, 24" DIA PIPE (21974925602)	LF	385.000
	0458- 1-11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	60.000
	0530- 1-100	RIPRAP, SAND-CEMENT BAGS (21974925602)	CY	17.600
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	12.000
	0550- 10-228	FENCING, TYPE B, 5.1-6.0, RESET EXISTING	LF	100.000
	0570- 1- 1	PERFORMANCE TURF (21974925602)	SY	1,345.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	500.000
	1050- 16-002	UTILITY PIPE, REMOVE & DISPOSE, 2-4.9"	LF	228.000
	1050- 16-002	UTILITY PIPE, REMOVE & DISPOSE, 2-4.9" (21974925202)	LF	1,338.000
	1050- 16-004	UTILITY PIPE, REMOVE & DISPOSE, 8-19.9"	LF	633.000
	1050- 16-005	UTILITY PIPE,REMOVE & DISPOSE, 20-49.9"	LF	370.000
	1050- 31-208	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 8"	LF	88.000
	1050- 42-201	UTILITY PIPE- HIGH DENSITY POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 1"	LF	563.000
	1050- 42-202	UTILITY PIPE- HIGH DENSITY POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 2"	LF	225.000
	1050- 42-214	UTILITY PIPE- HIGH DENSITY POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 14"	LF	708.000
	1050- 51-206	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 6"	LF	181.000
	1050- 51-208	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 8"	LF	1,899.000
	1050- 51-212	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 12"	LF	9,571.000
	1050- 51-224	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 24"	LF	43.000
	1050- 51-230	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 30"	LF	509.000
	1050- 51-236	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 36"	LF	642.000
	1050- 51-242	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 42"	LF	676.000
	1050- 51-248	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 48"	LF	11,246.000
	1055- 16-	UTILITY FITTINGS, REMOVE & DISPOSAL	EA	2.000
	1055- 26-136	UTILITY FITTINGS, PRESTRESSED CONCRETE CYLINDER PIPE, F&I, ADAPTER, FLG-BELL, 36"	EA	2.000
	1055- 51-108	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 8"	EA	12.000
	1055- 51-112	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 12"	EA	43.000
	1055- 51-124	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 24"	EA	1.000
	1055- 51-130	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 30"	EA	8.000
	1055- 51-136	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 36"	EA	4.000
	1055- 51-142	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 42"	EA	13.000

		Can Order: 001 Troposal: L3204		
ALT	Item	Description	Unit	Quantity
	1055- 51-148	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 48"	EA	29.000
	1055- 51-208	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 8"	EA	1.000
	1055- 51-212	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 12"	EA	12.000
	1055- 51-224	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 24"	EA	1.000
	1055- 51-230	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 30"	EA	2.000
	1055- 51-236	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 36"	EA	1.000
	1055- 51-242	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 42"	EA	2.000
	1055- 51-248	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 48"	EA	1.000
	1055- 51-308	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 8"	EA	2.000
	1055- 51-312	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 12"	EA	1.000
	1055- 51-342	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 42"	EA	1.000
	1055- 51-348	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL REDUCER, 48"	EA	2.000
	1055- 51-430	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL UNION, 30"	EA	2.000
	1055- 51-442	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL UNION, 42"	EA	1.000
	1055- 51-508	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL, CAP/PLUG, 8"	EA	1.000
	1055- 51-548	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL CAP/PLUG, 48"	EA	1.000
	1055- 51-812	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL CROSS, 12"	EA	1.000
	1055- 51-848	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL CROSS, 48"	EA	1.000
	1055- 51-942	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL SOLID SLEEVE, 42"	EA	2.000
	1055- 51-948	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL SOLID SLEEVE, 48"	EA	2.000
	1060- 11-223	UTILITY STRUCTURE, BELOW GROUND, F&I, WATER / SEWER > 80 FT3, > 12'	EA	1.000
	1060- 13-	UTILITY STRUCTURE, BELOW GROUND, INSTALL	EA	1.000
	1080- 21-100	UTILITY FIXTURE, VALVE/METER BOX, FURNISH & INSTALL, 1"	EA	6.000
	1080- 21-102	UTILITY FIXTURE, VALVE/METER BOX, FURNISH & INSTALL, 2"	EA	1.000
	1080- 21-400	UTILITY FIXTURE, VALVE/METER BOX, RELOCATE	EA	4.000
	1080- 24-102	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 2"	EA	2.000
	1080- 24-106	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 6"	EA	2.000
	1080- 24-108	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 8"	EA	13.000
	1080- 24-112	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 12"	EA	21.000
	1080- 24-136	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 36"	EA	2.000
		- , ===,, =============================		

ALT	Item	Description	Unit	Quantity
	1080- 24-148	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 48"	EA	8.000
	1080- 24-500	UTILITY FIXTURE, VALVE ASSEMBLY, ADJUST/MODIFY	EA	29.000
	1080- 24-600	UTILITY FIXTURE, VALVE ASSEMBLY, REMOVE	EA	3.000
	1080- 26-104	UTILITY FIXTURE, VAC/AIR ASSEMBLY, FURNISH & INSTALL 4"	EA	1.000
	1080- 26-106	UTILITY FIXTURE, VAC/AIR ASSEMBLY, FURNISH & INSTALL 6"	EA	8.000
	1080- 33-124	UTILITY FIXTURE, PLUG VALVE, FURNISH AND INSTALL 24"	EA	2.000
	1080- 33-130	UTILITY FIXTURE, PLUG VALVE, FURNISH AND INSTALL 30"	EA	4.000
	1080- 33-142	UTILITY FIXTURE, PLUG VALVE, FURNISH AND INSTALL 42"	EA	7.000
	1080- 33-148	UTILITY FIXTURE, PLUG VALVE, FURNISH AND INSTALL 48"	EA	1.000
	1080- 33-600	UTILITY FIXTURE, PLUG VALVE, REMOVE	EA	5.000
	1080- 34-106	UTILITY FIXTURE- FAN GUARD, FURNISH & INSTALL, 50.0" OR LARGER	EA	2.000
	1501- 4-	LIFT STATION, SEWER BYPASS SYSTEM WITHOUT PUMPING	LS	1.000
	1644-116- 08	FIRE HYDRANT, STANDARD, F&I, 3 WAY, 2 HOSE, 1 PUMPER, 6"	EA	12.000
	1644-900-	FIRE HYDRANT, REMOVE	EA	10.000