BID SOLICITATION NOTICE – District 3 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

1074 Hwy 90 Chipley, Florida 32428

Chipley, FL January 14, 2025 Advertisement No. 1

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: https://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at http://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 11:00 AM Local Time on Thursday, February 13, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 11:00 AM February 13, 2025 in the Administration Building, Procurement Services Conference Room, Chipley, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (850)638-0250. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d3, click "Letting and Project Information" and select letting date from the Lettings Menu.

----NOTE-----

Proposals will not be issued after 11:00 AM Local Time on Wednesday, February 12, 2025.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at CPP.fdot.gov. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

A current State of Florida Vendor Number is required prior to first-time registration; please visit
 https://dms.myflorida.com/egovernment_tools/myflorida_marketplace
 for more information. Please allow 24 to 48
 hours for receipt of a new vendor number.

Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at CPP.fdot.gov. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a bid rejection or contract award shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at https://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d3, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://bga.fdot.gov.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit https://www.tinubu.com for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION.

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web-based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/egualopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2

POSTING NOTICE

The bid tabulation and intent to award will be posted on March 06, 2025 or March 20, 2025 at www.fdot.gov/contracts/d3, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that**

the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link https://www.fdot.gov/contracts/cpp_online_ordering/bidder_assist.shtm, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at https://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to https://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to https://www.fdot.gov/contracts/district-offices/distro.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: January 14, 2025

Letting ID: 03250213

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the February 13, 2025 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E3W68		45102815201(*)	BAY
9	E3X72		22020225201(*)	OKALOOSA
11	E3X76		44546615201(*)	WALTON
13	E3Y10		45386715201(*)	SANTA ROSA
14	E3Y29		21884525201(*) 21884525202 21894945201	GADSDEN, LIBERTY
17	E3Y55-R0		42212227203(*)	JACKSON, WASHINGTON

Proposal Note Codes:

Letting: 03250213 Call Order: 001 Proposal: E3W68 District:03

Counties: BAY

Road Name: - BRIDGE-REPAIR/REHABILITATION

Limits: 46040000

Project(s): 45102815201(*) Federal Aid No: N/A

Total Roadway Length: 0.062 Miles Contract Days: 60 Total Bridge Length: 0.062 Miles 02/13/25

Letting Date: Total Proposal Length: 0.124 Miles Contract Execution Days: 10

> Special Start Date: N/A

Aquis/Flexible Start Time: 30 Day Flexible

Proposal Budget Estimate: \$177,793.00

Please read the full advertisement

Description:

The Improvements under this District Contract consist of SR 75 (US 231) over Bayou George Bridge No. 460079 cleaning and sealing deck with High Molecular Weight Methacrylate (HMWM), and other incidental work in Bay County, Florida (46040).

BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at https://www.fdot.gov/egualopportunity/bdi.shtm.

For more information about bidding on BDI projects, please see the training guide located at

https://www.fdot.gov/equalopportunity/bdi. shtm

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at https://www.fdot.gov/equalopportunity/bdi.shtm

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to SmallBusiness@dot.state.fl.us

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier's Check, the BDI Bid or

Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09).

		Call Order: 001 Proposal: E3W68		
ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Structures	3		
	0413-151-	METHACRYLATE MONOMER	GA	138.000
	0413-154-	CLEANING & SEALING CONCRETE SURFACES - PENETRANT SEALER OR METHACRYLATES	SF	13,800.000
Sectio	n 0002 Roadway			
	0101- 1-	MOBILIZATION (45102815201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45102815201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	990.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	5,696.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	60.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	74.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	120.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	120.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.066
	0102-913- 22	REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE	GM	0.066
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.066
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45102815201)	LS	1.000
Sectio	n 0003 Signing			
	0918-712-100	INTEGRATED MULTI-POLYMER PAVEMENT MARKINGS, WHITE, SOLID 6"	GM	0.066
	0918-712-110	INTEGRATED MULTI-POLYMER PAVEMENT MARKINGS, YELLOW, SOLID 6"	GM	0.066
	0918-712-120	INTEGRATED MULTI-POLYMER PAVEMENT MARKINGS, WHITE, 10-30 SKIP 6"	GM	0.066

Letting: 03250213 Call Order: 002 Proposal: E3X72 District:03

Counties: OKALOOSA

Road Name: BRIDGE-REPAIR/REHABILITATION

Limits: 57040000

Project(s): 22020225201(*) Federal Aid No: N/A

Total Roadway Length:0.600 MilesContract Days:150Total Bridge Length:0.576 MilesLetting Date:02/13/25Total Proposal Length:1.176 MilesContract Execution Days:10

Special Start Date: N/A

Aguis/Flexible Start Time: 30 Day Flexible

Proposal Budget Estimate: \$890,483.00

Please read the full advertisement

Description:

The Improvements under this District Contract consist of SR 20 over Rocky Bayou Bridge Nos. 570097 & 570023 Pile Jackets, Deck Sealing, Joint Replacement, and other incidental work in Okaloosa County, Florida (57040).

Pre-Qualification is required to bid on this project.

Marine General Liability Insurance as referenced in Section 7-13.5 of the FDOT Standard Specifications may be required if any work under this Contract is performed using vessel(s)*. Prior to the Contract execution, Contractor shall provide written certification to the Department if no vessel(s) will be used for the work.

^{*} Vessel: a watercraft or other artificial contrivance, whether motorized or non-motorized, used to perform some or all of the work, as well as any incidental work related to the project, which includes, but is not limited to, barges, dredges, mobile offshore drilling units, floating cranes, tugboats, ferries, and any watercraft used to transport construction workers, materials, or equipment at the project.

		Call Order: 002 Proposal: E3X72		
ALT	Item	Description	Unit	Quantity
Section	n 0001 Structures			
	0413-151-	METHACRYLATE MONOMER	GA	1,206.000
	0413-154-	CLEANING & SEALING CONCRETE SURFACES - PENETRANT SEALER OR METHACRYLATES	SF	120,618.000
	0457- 2-221	CATHODIC PROTECTION INTEGRAL PILE JACKET, STRUCTURAL, 16.1-30.", GALVANIC SYSTEM	LF	21.000
	0458- 1-21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	275.000
	0458- 1-25	BRIDGE DECK EXPANSION JOINT, REHABILITATION, COMPRESSION ELASTOMERIC	LF	224.000
	0458- 2-	POLYMER NOSING FOR BRIDGE DECK EXPANSION JOINT	CF	0.100
Section	n 0002 Roadway			
	0101- 1-	MOBILIZATION (22020225201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (22020225201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	5,220.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	19,812.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	150.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	324.000
	0102-115-	TYPE III BARRICADE	ED	1,120.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	1.167
	0102-913- 22	REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE	GM	0.584
	0102-913- 29	REMOVABLE TAPE, WHITE, MESSAGE, SYMBOL OR ARROW	EA	8.000
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.584
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	56.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (22020225201)	LS	1.000
Section	n 0003 Signing			
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	78.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	2.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	2.000
	0918-712-100	INTEGRATED MULTI-POLYMER PAVEMENT MARKINGS, WHITE, SOLID 6"	GM	1.167
	0918-712-110	INTEGRATED MULTI-POLYMER PAVEMENT MARKINGS, YELLOW, SOLID 6"	GM	0.584
	0918-712-120	INTEGRATED MULTI-POLYMER PAVEMENT MARKINGS, WHITE, 10-30 SKIP 6"	GM	0.584

Letting: 03250213 Call Order: 003 Proposal: E3X76 District:03

Counties: WALTON

Road Name: SR 20 OVER CHOCTAWHATCHEE RIVER - BRIDGE-REPAIR

Limits: 60030000

Project(s): 44546615201(*) Federal Aid No: N/A

Total Roadway Length:0.612 MilesContract Days:245Total Bridge Length:0.612 MilesLetting Date:02/13/25Total Proposal Length:1.224 MilesContract Execution Days:10

Special Start Date: N/A

Aguis/Flexible Start Time: 120 Days Flex.

Proposal Budget Estimate: \$2,052,505.00

Please read the full advertisement

Description:

The Improvements under this District Contract consist of bridge repair on SR 20 over Choctawhatchee River, bridge number 600105, in Walton County. 445466-1-52-01 includes pile jacket installation, substructure crack repair (epoxy injection) and deck sealing.

Pre-Qualification is required to bid on this project.

Marine General Liability Insurance as referenced in Section 7-13.5 of the FDOT Standard Specifications may be required if any work under this Contract is performed using vessel(s)*. Prior to the Contract execution, Contractor shall provide written certification to the Department if no vessel(s) will be used for the work.

* Vessel: a watercraft or other artificial contrivance, whether motorized or non-motorized, used to perform some or all of the work, as well as any incidental work related to the project, which includes, but is not limited to, barges, dredges, mobile offshore drilling units, floating cranes, tugboats, ferries, and any watercraft used to transport construction workers, materials, or equipment at the project.

	Call Order: 003 Proposal: E3X76				
ALT	Item	Description	Unit	Quantity	
Section	n 0001 Structures				
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	2,235.000	
	0400- 4- 5	CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE	CY	57.000	
	0411- 1-	EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB	GA	10.000	
	0411- 2-	CRACKS INJECT & SEAL- STRUCTURES REHAB	LF	165.000	
	0413-149-	PENETRANT SEALER	GA	5.000	
	0413-151-	METHACRYLATE MONOMER	GA	1,422.000	
	0413-154-	CLEANING & SEALING CONCRETE SURFACES - PENETRANT SEALER OR METHACRYLATES	SF	142,120.000	
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	12,469.000	
	0457- 1-22	STANDARD INTEGRAL PILE JACKET, STRUCTURAL, 16.1 to 30.0"	LF	825.000	
Section	n 0002 Roadway				
	0101- 1-	MOBILIZATION (44546615201)	LS	1.000	
	0102- 1-	MAINTENANCE OF TRAFFIC (44546615201)	LS	1.000	
	0102- 60-	WORK ZONE SIGN	ED	448.000	
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	2,016.000	
	0102- 78- 1	TEMPORARY RAISED/RETROREFLECTIVE PAVEMENT MARKER, TYPE D	EA	81.000	
	0102-909-	TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS	DA	32.000	
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	1.223	
	0102-913- 32	REMOVABLE TAPE, YELLOW, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP	GM	0.612	
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	81.000	
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	1.223	
	0713-103-281	PERMANENT TAPE, YELLOW, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	0.612	
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44546615201)	LS	1.000	

Letting: 03250213 Call Order: 004 Proposal: E3Y10 District:03

Counties: SANTA ROSA

Limits: 58010000

Road Name:

Project(s): 45386715201(*) Federal Aid No: N/A

- LANDSCAPING

Total Roadway Length:0.080 MilesContract Days:880Total Bridge Length:0.000 MilesLetting Date:02/13/25Total Proposal Length:0.080 MilesContract Execution Days:10

Special Start Date: N/A

Aguis/Flexible Start Time: 30 Day Flexible

Proposal Budget Estimate: \$724,271.00

Please read the full advertisement

Description: Lump Sum

The work under this District Contract consists of providing the labor, material, and equipment necessary to complete the landscaping project located at the Milton Operations Center in Santa Rosa County. A total of 150 Contract days will be allowed for the installation period and 730 Contract days will be allowed for the establishment period.

This is a Lump Sum Contract with only one pay item listed in the Contract.

All references to payment under individual pay item numbers, regardless of where those references are contained in the Contract Documents or when in time any such pay item reference is incorporated in the Contract Documents, are superseded by the pay item references in this Special Provision.

Payment for all work in this Contract will be made under: Item No. 999-2 Lump Sum Contract - LS

Pay adjustments as shown in the Contract Documents, regardless of where those pay

adjustments are referenced, shall not apply, except as provided for in 9-2 Scope of Payments.

Contractor Experience in Landscaping (Form 850-070-09) and Business Development Initiative (BDI) Reference Sheet (Form 275 -000-02) are required to be submitted with bid.

BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at https://www.fdot.gov/equalopportunity/bdi.shtm.

For more information about bidding on BDI projects, please see the training guide located at

https://www.fdot.gov/equalopportunity/bdi. shtm

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at https://www.fdot.gov/equalopportunity/bdi.shtm

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to SmallBusiness@dot.state.fl.us

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid unless bidder is prequalified in the project's major work type, per Rule 14-22, Florida Administrative Code.

Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the "File Attachment Upload" folder in the AASHTOWare Project Bids application.

BDI Reference Sheet may be found at https://www.fdot.gov/equalopportunity/bdi.shtm

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier's Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09).

Call Order: 004 Proposal: E3Y10

ALT	Item	Description	Unit	Quantity
Section	0001 Landsca	pe / Peripheral		
	0999- 2-	LUMP SUM CONTRACT, ALTERNATIVE BIDDING (45386715201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45386715201)	LS	1.000

Letting: 03250213 Call Order: 005 Proposal: E3Y29 District:03

Counties: GADSDEN, LIBERTY

Road Name: SR 267 FROM LIBERTY COUNTY LINE TO S OF SR 8-RESURFACING

Limits: 50080000

 Project(s):
 21884525201(*)
 Federal Aid No: N/A

 Project(s):
 21884525202
 Federal Aid No: N/A

 Project(s):
 21894945201
 Federal Aid No: N/A

Total Roadway Length:23.914 MilesContract Days:360Total Bridge Length:0.092 MilesLetting Date:02/13/25Total Proposal Length:24.006 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time: 30 Days Flex.

Proposal Budget Estimate: \$7,508,124.00

Please read the full advertisement

Description:

The Improvements under this District Contract consist of (FPID No. 218845-2-52-01) Milling and resurfacing of SR 267 From the Liberty County Line to South of SR 8 (I-10). Other improvements include reconstruction of side roads at Sadberry Road and Dusty Hunter Lane. (FPID No. 218845-2-52-02) Consist of bridge deck expansion joint, rehabilitation and pored joint with backer rod for Bridge 500022 over Ocklawaha Creek, Bridge 500027 over Rocky Comfort Creek and Bridge 500028 over Rocky Comfort Creek Relief and (FPID No. 218949-4-52-01) Milling and Resurfacing SR 267 From SR 20 to Gadsden County Line. All work to be done in Gadsden and Liberty County.

Pre-Qualification required to bid on this project.

Call Order: 005 Proposal: E3Y29

ALT	Item	Description	Unit	Quantity
Sectio	on 0001 Structures			
	0458- 1-21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	748.000
Sectio	n 0002 Roadway			
	0101- 1-	MOBILIZATION (21884525201)	LS	1.000
	0101- 1-	MOBILIZATION (21884525202)	LS	1.000
	0101- 1-	MOBILIZATION (21894945201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (21884525201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (21884525202)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (21894945201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	180.800
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	16.000
	0102- 60-	WORK ZONE SIGN	ED	32,040.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	227,604.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	1,101.000
	0102-115-	TYPE III BARRICADE	ED	1,080.000
	0102-909-	TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS	DA	360.000
	0104- 10- 3	SEDIMENT BARRIER	LF	10,374.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	6.000

Call Order: 005 Proposal: E3Y29

0107- 1- LITTER REMOVAL AC 1,194.220	ALT	Item	Description	Unit	Quantity
0107- 2- MOWING 0110- 1- 1 CLEARING & GRUBBING (21884525201) LS 1.000 0110- 1- 1 CLEARING & GRUBBING (21894945201) LS 1.000 0110- 1- 1 CLEARING & GRUBBING (21894945201) LS 1.000 0110- 7- 1 MAILBOX, F&I SINGLE EA 11.000 0120- 2- 2 BORROW EXCAVATION, TRUCK MEASURE CY 40.200 0120- 71- REGULAR EXCAVATION, TRUCK MEASURE CY 40.200 0120- 71- REGULAR EXCAVATION (3-R PROJECTS ONLY) (21884525201) LS 1.000 0160- 4- TYPE B STABILIZATION SY 416.000 0285-704- OPTIONAL BASE, BASE GROUP 04 SY 288.000 0285-704- OPTIONAL BASE, BASE GROUP 04 SY 288.000 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3' AVG DEPTH SY 73.108.000 0327- 70- 6 MILLING EXISTING ASPHALT PAVEMENT, 1' 12' AVG DEPTH SY 73.108.000 0334- 1- 53 SUPERPAVE ASPHALT DAVEMENT, 1' 12' AVG DEPTH SY 73.108.000 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 13.663.700 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, FC-12.5, PG 76- 22	/ \ _		·		•
0110- 1- 1 CLEARING & GRUBBING (21884525201) LS 1.000 0110- 1- 1 CLEARING & GRUBBING (21894945201) LS 1.000 0110- 7- 1 MAIBOX, FAI SINGLE EA 11.000 0120- 2- 2 BORROW EXCAVATION, TRUCK MEASURE CY 40.200 0120- 71- REGULAR EXCAVATION, G3-R PROJECTS ONLY) (21884525201) LS 1.000 0160- 4- TYPE B STABILIZATION SY 1416.000 0285-704- OPTIONAL BASE, BASE GROUP 04 SY 288.000 0286- 1- TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS SY 224.000 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3' AVG DEPTH SY 73,108.000 0327- 70- 6 MILLING EXISTING ASPHALT PAVEMENT, 112" AVG DEPTH SY 73,108.000 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 13,863.700 0337- 78- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76- 12 0425- 5- MANHOLE, ADJUST EA 1.000 0570- 1- 2 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.000 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.000 0710- 11-101 0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6' GM 23.812 0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR MINTERCHANGE AND URBAIN ISLAND, 8' 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LING ON THE STANDARD SY					
0110- 1- 1 CLEARING & GRUBBING (21894945201) LS 1.000 0110- 7- 1 MAILBOX, FAI SINGLE EA 11.000 0120- 2- 2 BORROW EXCAVATION, TRUCK MEASURE CY 40.200 0120- 71- REGULAR EXCAVATION (3-R PROJECTS ONLY) (21884525201) LS 1.000 0160- 4- TYPE B STABILIZATION SY 416.000 0285-704- OPTIONAL BASE, BASE GROUP 04 SY 288.000 0286- 1- TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS SY 224.000 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3' AVG DEPTH SY 167,568.000 0327- 70- 6 MILLING EXISTING ASPHALT PAVEMENT, 11/2' AVG DEPTH SY 73,108.000 0334- 1- 53 SUPERRAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 13,863.700 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76- 22 0425- 5- MANHOLE, ADJUST EA 1.000 0570- 1- 2 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.000 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.000 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.000 0710- 11-101 PAINTED PAVEMENT MARKER, TYPE B EA 5.010 0710- 11-1101 PAINTED PAVEMENT MARKER, TYPE B EA 6.004 0710- 11-1102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.042 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 98.000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 99.000 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 99.000 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 99.000 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 99.000 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 99.000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 99.000 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELD LINE LF 199.000 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELD LINE LF 199.000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELD LINE LF 199.000 0710- 11-126 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELD LINE LF 199.000 0710- 11-127 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELD					
0110- 7- 1 MAILBOX, F&I SINGLE 0120- 2- 2 BORROW EXCAVATION, TRUCK MEASURE 0120- 71- REGULAR EXCAVATION, TRUCK MEASURE 0120- 71- REGULAR EXCAVATION, TRUCK MEASURE 0160- 4- TYPE B STABILIZATION SY 416.00C 0286-704- OPTIONAL BASE, BASE GROUP 04 0286- 1- TURNOUT CONSTRUCTION/DIRIVEWAY BASE- OPTIONAL MATERIALS SY 288.00C 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3' AVG DEPTH SY 167,568.00C 0327- 70- 6 MILLING EXISTING ASPHALT PAVEMENT, 11/2' AVG DEPTH SY 73,108.00C 0337- 70- 6 MILLING EXISTING ASPHALT PAVEMENT, 11/2' AVG DEPTH SY 73,108.00C 0337- 7- 83 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 13,863.70C 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76- TN 19,879.10C 03570- 1- 2 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.00C 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.00C 0570- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 5,688.00C 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, FOR GM 0.042 0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.042 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LIAGONAL OR CHEVRON, 18' 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18' 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LIAGONAL OR CHEVRON, 18' 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LIFE GUIDELINE (R DO)TTED EXTENSION, 6' 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GM 0.005 0710- 11-110 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELDU LIFE LIFE 199.00C 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELD LINE LIFE 199.00C 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELD LINE LIFE 199.00C 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELD LINE LIFE 199.00C 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELD LINE LIFE 199.00C 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, VIELD LINE LIFE 199.00C 0710- 11-124 PAINTED PAVEMENT MARKI			,		
0120- 2- 2 BORROW EXCAVATION, TRUCK MEASURE CY 40.200 (0120-71- REGULAR EXCAVATION (3-R PROJECTS ONLY) (21884525201) LS 1.000 (1060-4 TyPE B STABILIZATION SY 416.000 (285-704- OPTIONAL BASE, BASE GROUP 04 SY 288.000 (286-704- OPTIONAL BASE, BASE GROUP 04 SY 288.000 (286-71- TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS SY 224.000 (327-70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 167,568.000 (3327-70- 5 MILLING EXISTING ASPHALT PAVEMENT, 11/2" AVG DEPTH SY 73,108.000 (334-1-53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 13,863.700 (337-7-83 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 19,879.100 (22-6-5- MANHOLE, ADJUST EA 1.000 (370-1-2) PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.000 (370-1-3 REFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.000 (370-1-13 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 23.812 (371-11-11-12) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGS AND URBAN ISLAND, 8" (371-11-12) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" (371-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WELL DLINE LF 190.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 190.000 (3710-11-14) PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WELL DLINE LF 190.000 (3710-11-120) PAINTED PAV			,		
0120-71- REGULAR EXCAVATION (3-R PROJECTS ONLY) (21884525201) LS 1.000 0160-4- TYPE B STABILIZATION SY 416.000 0285-704- OPTIONAL BASE, BASE GROUP 04 SY 288.000 0286-1- TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS SY 224.000 0327-70-4 MILLING EXISTING ASPHALT PAVEMENT, 3' AVG DEPTH SY 167,568.000 0327-70-6 MILLING EXISTING ASPHALT PAVEMENT, 11/2' AVG DEPTH SY 73,108.000 0334-1-53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 13,863.700 0337-7-83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, PG76-22 TN 19,879.100 020 0425-5- MANHOLE, ADJUST EA 1.000 0570-1-2 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 166.000 0570-1-3 RAISED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6' GM 23.812 0710-11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.042 1NTERCHANGE AND URBAN ISLAND, 8' OT10-11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.042 1NTERCHANGE AND URBAN ISLAND, 8' STOP LINE OR CROSSWALK, 24' 0710-11-140 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.000 0710-11-140 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.000 0710-11-140 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.000 0710-11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.000 0710-11-140 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.000 0710-11-140 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.000 0710-11-140 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WESSAGE OR EA 7.000 0710-11-140 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WESSAGE OR EA 7.000 0710-11-140 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WESSAGE OR EA 7.000 0710-11-120 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WESSAGE OR EA 7.000 0710-11-120 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WESSAGE OR EA 7.000 0710-11-120 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WESSAGE OR EA 7.000 0710-11-120 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WESSAGE OR EA 7.000 0710-11-120 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WESSAGE OR EA 7.000 0710-11-120 PAINTED PAVEMENT MA					
0160- 4- TYPE B STABILIZATION SY 416.000 0285-704- OPTIONAL BASE, BASE GROUP 04 SY 288.000 0327-70- 6 MILLING EXISTING ASPHALT PAVEMENT, 3' AVG DEPTH SY 167.568.000 0327-70- 6 MILLING EXISTING ASPHALT PAVEMENT, 11/2' AVG DEPTH SY 73,108.000 0327-70- 6 MILLING EXISTING ASPHALT PAVEMENT, 11/2' AVG DEPTH SY 73,108.000 0327-70- 6 MILLING EXISTING ASPHALT PAVEMENT, 11/2' AVG DEPTH SY 73,108.000 0327-70- 8 MILLING EXISTING ASPHALT PAVEMENT, 11/2' AVG DEPTH SY 73,108.000 0327-70- 8 MILLING EXISTING ASPHALT CONCRETE, TRAFFIC C, PG76-22 TN 13,863.700 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76- TN 19,879.100 022- 00425- 5- MANHOLE, ADJUST EA					
0285-704- OPTIONAL BASE, BASE GROUP 04 0286- 1- TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS SY 224,000 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 167,568,000 0327- 70- 6 MILLING EXISTING ASPHALT PAVEMENT, 11/2" AVG DEPTH SY 73,108,000 0327- 70- 83 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 13,863,700 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76- 22 0425- 5- MANHOLE, ADJUST EA 1.000 0570- 1- 2 PERFORMANCE TURF, SOD SY 30,422,000 0570- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 5,688,000 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 23,812 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.042 INTERCHANGE AND URBAN ISLAND, 8" 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF DIAGONAL OR CHEVRON, 18" 0710- 11-141 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF DIAGONAL OR CHEVRON, 18" 0710- 11-142 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF DIAGONAL OR CHEVRON, 18" 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF DIAGONAL OR CROSSWALK, 24" 0710- 11-145 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF SYMBOL 0710- 11-140 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF SYMBOL 0710- 11-120 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF SYMBOL 0710- 11-121 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF SYMBOL 0710- 11-120 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 4,000 0710- 11-121 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE LF 19,000 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 578,000 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 578,000 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 578,000 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 578,000 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 578,000 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 578,0			, , , , , , , , , , , , , , , , , , , ,		
0286- 1- TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS SY 224.000 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 167.568.000 0327- 70- 6 MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH SY 73.108.000 0334- 1-53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 13.863.700 0337- 7-83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 TN 19,879.100 0570- 1- 2 PERFORMANCE TURF, SOD SY 30,422.000 0570- 1- 2 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 30,422.000 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 30,422.000 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 23.812 0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" GM 23.812 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" LF 98.000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" LF 199.000				SY	
0327-70- 6 MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH SY 73,108.000 0334- 1-53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 13,863.700 0337- 7-83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 TN 19,879.100 0425- 5- MANHOLE, ADJUST EA 1.000 0570- 1- 2 PERFORMANCE TURF, SOD SY 30,422.000 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.000 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 30,422.000 0570- 1- 3 RAISED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 23.812 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM GM 23.812 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 0710- 11-140 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 7.000 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 7.000 0		0286- 1-			224.000
0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 13,863,700 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 TN 19,879,100 0425- 5- MANHOLE, ADJUST EA 1,000 0570- 1- 2 PERFORMANCE TURF, SOD SY 30,422,000 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165,000 0570- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 5,688,000 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6° GM 23,812 0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8° GM 0,042 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8° LF 98,000 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8° LF 199,000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND CHARGE AN		0327-70-4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	167,568.000
0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76- TN 22 19,879.100 0425- 5- MANHOLE, ADJUST EA 1.000 0570- 1- 2 PERFORMANCE TURF, SOD SY 30,422.000 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.000 0706- 1- 3 RAISED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6° GM 23.812 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8° GM 0.042 0710- 11-122 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18° LF 98.000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18° LF 199.000 0710- 11-141 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GUIDELINE/6-10 DOTTED EXTENSION, 6° LF 199.000 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 7.000 A 7.000 0710- 11-180 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 4.000 A 7.000 0710- 11-20 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE LF 19.000 BAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE LF 19.000 0710- 11-20 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6° <t< td=""><td></td><td>0327-70-6</td><td>MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH</td><td>SY</td><td>73,108.000</td></t<>		0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	73,108.000
22 0425- 5- MANHOLE, ADJUST EA 1.000 0570- 1- 2 PERFORMANCE TURF, SOD SY 30,422.000 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT SY 165.000 0706- 1- 3 RAISED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 23.812 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GM 0.042 INTERCHANGE AND URBAN ISLAND, 8" 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 98.000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 98.000 0710- 11-141 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 0710- 11-141 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GM 0.008 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GM 0.008 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 7.000 0710- 11-180 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 4.000 0710- 11-120 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 4.000 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE LF 19.000 0710- 11-224 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 29.250 0710- 11-224 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 29.250 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR LF 578.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525201) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884945201) LS 1.000 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 71- 1		0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	13,863.700
0570- 1- 2 PERFORMANCE TURF, SOD SY 30,422.000 0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 165.000 0706- 1- 3 RAISED PAVEMENT MARKIRS, STANDARD, WHITE, SOLID, 6" GM 5,688.000 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 23.812 0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" GM 0.042 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" LF 98.000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" LF 199.000 0710- 11-141 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GM GUIDELINE/ 6-10 DOTTED EXTENSION, 6" GM 0.005 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA 7.000 T.000 T.000 <t< td=""><td></td><td>0337- 7-83</td><td></td><td>TN</td><td>19,879.100</td></t<>		0337- 7-83		TN	19,879.100
0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 SY 165.000 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B EA 5,688.000 0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GM 23.812 0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" GM 0.042 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" LF 98.000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" LF 199.000 0710- 11-141 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE 06-10 DOTTED EXTENSION, 6" GM 0.005 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL CA 7.000 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 4.000 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE LF 19.000 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 29.250 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR LF 578.000		0425- 5-	MANHOLE, ADJUST	EA	1.000
INDEX 570-010		0570- 1- 2	PERFORMANCE TURF, SOD	SY	30,422.000
0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6° GM 23.812 0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8° GM 0.042 0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18° LF 98.000 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24° LF 199.000 0710- 11-141 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GM 0.008 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, E2-4 DOTTED GM 0.008 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, WHITE, ARROWS EA 7.000 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE LF 19.000 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6° GM 29.250 0710- 11-224 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR LF 578.000 0710- 11-221 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR LF 1578.000 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6° GM 12.666		0570- 1- 3		SY	165.000
0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" GM 0.042 (NITERCHANGE AND URBAN ISLAND, 8" 0.042 (NITERCHANGE AND URBAN ISLAND, 8" BR.000 (NITERCHANGE AND URBAN ISLAND, 8" UPAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF (NITERCHANGE) LF 98.000 (NITERCHANGE) 98.000 (NITERCHANGE) 199.000 (NITERCHANGE)		0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	5,688.000
NTERCHANGE AND URBAN ISLAND, 8"		0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	23.812
DIAGONAL OR CHEVRON, 18" 0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF 199.000 STOP LINE OR CROSSWALK, 24" 0710- 11-141 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GM GUIDELINE/ 6-10 DOTTED EXTENSION, 6" 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 4.000 O710- 11-180 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE LF 19.000 O710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 29.250 O710- 11-224 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR LF 578.000 DIAGONAL OR CHEVRON, 18" 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 12.668 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525001) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 O999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 O999- 25- INITIAL CON		0710- 11-102		GM	0.042
STOP LINE OR CROSSWALK, 24" 0710- 11-141 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GM 0.008 GUIDELINE/ 6-10 DOTTED EXTENSION, 6" 0710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA 7.000 SYMBOL 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 4.000 0.009 4.000 4.000 0.009 4.000 4.000 0.009 4.000 4.000 0.009 4.000 4.000 0.009 4.000 0.009 4.000 4.000 0.009 4.000 0.009 4.000 0.009 4.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000		0710- 11-124		LF	98.000
O710- 11-160 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR EA 7.000		0710- 11-125		LF	199.000
SYMBOL 0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA 4.000 0710- 11-180 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE LF 19.000 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 29.250 0710- 11-224 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" LF 578.000 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 12.668 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525201) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 Section 0003 Signing 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.105 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 18.000 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0710- 11-141		GM	0.009
0710- 11-180 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE LF 19.000 0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 29.250 0710- 11-224 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR LF 578.000 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 12.668 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525201) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 Section 0003 Signing 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.105 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 18.000 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0710- 11-160		EA	7.000
0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM 29.250 0710- 11-224 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" LF 578.000 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 12.668 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525201) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 Section 0003 Signing 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.105 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 18.000 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000				EA	4.000
0710- 11-224 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 12.668 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525201) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 Section 0003 Signing 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.105 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 18.000 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0710- 11-180	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE	LF	19.000
DIAGONAL OR CHEVRON, 18" 0710- 11-231 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" GM 12.668 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525201) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 Section 0003 Signing 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.108 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 18.000 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0710- 11-201		GM	29.250
0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525201) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 Section 0003 Signing 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.105 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF 18.000 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0710- 11-224		LF	578.000
0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202) LS 1.000 0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 Section 0003 Signing 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.105 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF 18.000 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	12.668
0999- 25- INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201) LS 1.000 Section 0003 Signing 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.105 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF EA 18.000 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525201)	LS	1.000
Section 0003 Signing 0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.105 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF EA 18.000 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (21884525202)	LS	1.000
0546- 71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA 4.000 0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.105 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (21894945201)	LS	1.000
0546- 72- 3 GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL GM 35.105 0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 18.000 LESS THAN 12 SF 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000	Sectio	n 0003 Signing			
0700- 1-111 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 18.000 LESS THAN 12 SF 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0546- 71- 1		EA	4.000
LESS THAN 12 SF 0700- 1-112 SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, EA 2.000		0546-72-3	GROUND-IN RUMBLE STRIPS, 8" SINUSOIDAL	GM	35.105
		0700- 1-111		EA	18.000
		0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	2.000

Call Order: 005 Proposal: E3Y29

ALT	Item	Description	Unit	Quantity
	0700- 1-113	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF	EA	12.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	26.000
	0700- 2-600	MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	2.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	4.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	1.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	3.000
	0705- 10- 2	OBJECT MARKER, TYPE 2	EA	2.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	8.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	2,844.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (21884525201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (21894945201)	LS	1.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	98.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	199.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.009
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	7.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	4.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	19.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	289.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	1.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	1.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	23.812
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.042
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	14.625
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	6.334
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	408.000
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.108
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.031
	0713-103-281	PERMANENT TAPE, YELLOW, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	0.052

Letting: 03250213 Call Order: 006 Proposal: E3Y55-R0 District:03

Counties: JACKSON, WASHINGTON

Road Name: MARIANNA MAINTENANCE - WDD STORM SEWER VIDEO INSPECTION

Limits: Midpoint

Project(s): 42212227203(*) Federal Aid No: N/A

Total Roadway Length:

0.000 Miles

Contract Days:

Thru 12/31/25

Total Bridge Length:

0.000 Miles

Letting Date:

02/13/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A

Aguis/Flexible Start Time: 15 Days

Proposal Budget Estimate: \$150,000.00

Please read the full advertisement

Description:

The Improvements in this Work Document-Driven contract consist of storm sewer video inspection, mapping, desilting pipes and box culverts, and cleaning drainage structures in Jackson & Washington Counties. Maintenance of Traffic and Mobilization will be incidental to the pay items provided.

This contract has a budgetary estimate of \$150,000.00.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder, however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

A Proposal Guaranty will not be required on indefinite quantity contracts, such as work document driven contracts, with a Departments advertised estimate amount of \$150,000 or less regardless of the bid amount.

Call Order: 006 Proposal: E3Y55-R0

		•				
ALT	Item	Description	Unit	Quantity		
Section 0001 CLEAN DRAINAGE STRUCTURES (LF)						
	0430-950-	DESILTING CONCRETE BOX CULVERT	CY	25.000		
	E425- 73- 1	CLEANING MANHOLES AND INLETS (MECHANICAL)	EA	100.000		
	E425-73-5	CLEANING MANHOLES AND INLETS (MANUAL)	EA	5.000		
	E430- 94- 1	DESILT PIPE, 0 to 24"	LF	8,000.000		
	E430- 94- 2	DESILT PIPE, 25-36"	LF	10,000.000		
	E430- 94- 3	DESILT PIPE, 37-48"	LF	3,000.000		
	E430- 94- 4	DESILT PIPE, 49-60"	LF	1,500.000		
	E430- 94- 5	DESILT PIPE, 61" OR GREATER	LF	150.000		
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	25,000.000		