



*Florida Department of Transportation*

RON DESANTIS  
GOVERNOR

3400 West Commercial Boulevard  
Fort Lauderdale, FL 33309

KEVIN J. THIBAUT, P.E.  
SECRETARY

July 16, 2021

**RE: ADDENDUM TWO**

Contract E4V24-R0-R, FM 432918-2-72-01

This is a 7-year Asset Management Services. This project includes all sections and sub sections of State Road Corridors outlined in Broward County; State Road 862 (I595) from Mile Marker 9.056 to Mile Marker 12.86, State Road 9 (I95) from Mile Marker 0.00 to 25.307, State Road 84 Westbound Mile Maker 6.65 to 12.408, State Road 84 Eastbound from 0.0 to 5.81, State Road 93 (I75) from 0.0 to 17.993. Project includes Park & Rides (Sheridan, Broward Blvd, Commercial and Cypress Creek) and Rest Area.

Dear Bidders:

This addendum includes changes as detailed below:

**A. SCOPE OF SERVICES**

- 1) In Objective Section of Scope under the main table labeled “**Broward Asset Management Project Limits I95, I75, Portions of 595 & SR 84**” page 4:

Add attached **Recreational Area** table below:

Recreational Areas				
Facility Type	MM #	Location	Length	Roadway ID
Ramp SB   Off	30	I75 Mainline	0.3	86075064
Ramp SB   On	30	I75 Mainline	0.184	86075063
Ramp NB   Off	31.5	I75 Mainline	0.161	86075059
Ramp NB   On	31.5	I75 Mainline	0.393	86075060
Ramp NB   Off	35	Rest Area	0.388	86075061
Ramp NB   On	35	Rest Area	0.346	86075062
Ramp SB   Off	35	Rest Area	0.073	86075065
Ramp SB   On	35	Rest Area	0.145	86075066
Ramp NB   Off/On	38	I75 Mainline	0.671	86075082
Ramp SB   Off/On	41	I75 Mainline	0.671	86075085

- 2) Replace Section **4.14 REST AREA MAINTENANCE** with the following:

**4.14 REST AREA AND RECREATIONAL AREAS MAINTENANCE**

Broward County Rest Area shall be maintained to meet the performance requirements of applicable characteristics set forth in the MRP Handbook. The contractor shall include maintenance on the Rest Area in their Annual Work Plan. Contractor shall include maintenance to all Rest Area equipment and its appurtenances, (IE, Generators, Water Treatment Plant, Air

Conditioning, ect) in their Annual Maintenance plan. Area of maintenance includes Recreational Areas outlined in the Recreational Area table Objective Section and two (2) Boat Ramps. Detailed Map and information found in Informational CD under Rest Area.

- 3) Replace section **4.20 STRUCTURAL PROTECTIVE/DECORATIVE COATING MATERIALS** with the following:

**4.20 STRUCTURAL PROTECTIVE/DECORATIVE COATING MATERIALS**

Structural coating materials as identified in standard specification section 975 require routine maintenance to address failed coating systems up to 15 percent of the total coated surface area of the element or individual component/member. Failed Coating Systems are defined as follows:

- Failed coating system for Steel and Aluminum Element is defined as:
  - Corrosion (1000) in CS2 or greater
  - Peeling, Bubbling, Cracking (3420) in CS2 or greater
  - Oxide Film Degradation Color, Texture Adherence (3430) in CS2 or greater
  - Effectiveness-Steel Protective Coatings (3440) in CS3 or greater
- Failed coating system for Concrete Element is defined as:
  - Wear-Concrete Protective Coatings (3510) in CS2 or greater
  - Effectiveness-Concrete Protective Coating (3540) in CS3 or greater
  - Class V Finish – Peeling and Bubbling of the coating

Maintain the coating system until the recoating project is let including the areas with failed coating and/or section loss. Examples of coating systems include but are not limited to; concrete coatings (class V, paint, anti-graffiti, etc.), steel coatings (galvanizing, paint, metalizing, etc.), aluminum coatings (paint, etc.).

<b>PERFORMANCE CRITERIA MAINTENANCE OF STRUCTURAL COATING MATERIALS</b>		
<b>Deficiency</b>	<b>Identification Time Allowed/Criteria</b>	<b>Deduction</b>
b) Failure to match paint color. Repaint areas at no cost to the Department		\$500 per day from notice of failure until remedied

**B. RFP**

- 1) The section 14.1.1 from the RFP is revised as follow:

**14.1.1 PART I: TECHNICAL PROPOSAL – (Proposer Name) – (Contract Number)**

The Proposer must submit **one electronic copy via flash drive and hard copy** of the Technical Proposal which is to be divided into the exact eight (8) sections and applicable subsections as described in 15.2 below. Failure of the Proposer to follow this outline will result in the rejection of the Proposal Package. The submitted Technical Proposal will become a part of the Contract and the Contractor will be expected to adhere to commitments made in the Technical Proposal. Do not include any Price Proposal information in the Technical Proposal.

Technical Proposal shall deliver in a **separate envelope** to the following address on the due date and time included in the Request for Proposal to:

Maria Velarde  
District 4 Procurement Office  
Florida Department of Transportation  
3400 West Commercial Blvd, Fort Lauderdale 33309

2) The section 14.1.2 from the RFP is revised as follow:

**14.1.2 PART II: PRICE PROPOSAL – (Proposer Name) – (Contract Number)**

The Proposer must submit **one hard copy** of the Price proposal on the Bid Documents form provided by the Department in a sealed envelope.

Price Proposal shall deliver in a separate envelope to the following address on the due date and time included in the Request for Proposal:

Maria Velarde  
District 4 Procurement Office  
Florida Department of Transportation  
3400 West Commercial Blvd, Fort Lauderdale 33309

The two separately sealed parts of the Proposal Package may be mailed or delivered together in a common envelope or container on the due date and time included in the Request for Proposal.

3) 14.2 Presenting the Technical Proposal:

The paragraph in 14.2 is modified to no longer require the submittal of a CD or DVD. The digital format to be provided is a flash drive.

“Also provide the Technical Proposal in digital format on a flash drive. Acceptable formats include Microsoft Word, Adobe PDF, and HTML.”

4) Schedule of Events: The following date has been revised as follows:

Activity	Date	Time	Location
Department replies to Questions	7/16/21	5:00 pm	Department Bid Question & Answer website

You must acknowledge receipt of this **Addendum Two** when you submit your bid.

[Delete](#)  
[Maria Velarde](#)  
for Margaret Simpkins  
District 4, District Contract Administrator

Copy: Daniel Gonzalez, John Deemer, Dalila Burgett, File.