

**BID SOLICITATION NOTICE – District 4**  
**FLORIDA DEPARTMENT OF TRANSPORTATION**  
**CONSTRUCTION AND MAINTENANCE PROGRAMS**  
FDOT District 4- Office of Procurement  
3400 W. Commercial Blvd. Ft. Lauderdale, FL 33309

Ft. Lauderdale, FL  
April 07, 2021  
Advertisement No. 1

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <http://www.fdot.gov/contracts> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <http://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 10:30 AM Local Time on **Friday, May 07, 2021**.

Bid totals for each bid submitted will be read aloud for those present and will be available at 10:30 AM **May 07, 2021** in the Procurement Office, 1st Floor, District Four Headquarters, Ft. Lauderdale, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: [contracts.admin@dot.state.fl.us](mailto:contracts.admin@dot.state.fl.us) or call telephone number (954)777-4612. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain>, select district then click on appropriate date.

**DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST**

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: [www.fdot.gov/contracts/d4](http://www.fdot.gov/contracts/d4), click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

**-----NOTE-----**

**Proposals will not be issued after 10:30 AM Local Time on Thursday, May 06, 2021 .**

**Document Ordering Information**

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

**To Place An Order**

- A current State of Florida Vendor Number is required prior to first-time registration; please visit [http://dms.myflorida.com/egovernment\\_tools/myflorida\\_marketplace](http://dms.myflorida.com/egovernment_tools/myflorida_marketplace) for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

**PREQUALIFICATION**

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

## **PREQUALIFIED CONTRACTORS CURRENT CAPACITY**

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) [http://www.fdot.gov/contracts/PreQual\\_Info/prequalified.shtm](http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm) to the Department every 30 calendar days.

## **CONFLICT OF INTEREST**

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

## **SCRUTINIZED COMPANIES**

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

## **BID REJECTION**

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

## **PROTEST RIGHTS**

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <http://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

### **INSURANCE**

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. **BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.**

### **ADDENDA**

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: [www.fdot.gov/contracts/d4](http://www.fdot.gov/contracts/d4), click "[Letting and Project Information](#)" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.**

### **BID QUESTIONS**

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal>.

### **PROPOSAL GUARANTY**

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <http://www.surety2000.com> for Surety2000 or <http://www.insurevision.com> for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

### **EXECUTION OF CONTRACT**

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

**Important Note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

### **DBE PARTICIPATION**

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance (EOC)** system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <https://www.fdot.gov/equalopportunity/eoc.shtm>

### **DEBARMENT/SUSPENSION**

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

### **MANDATORY PRE-BID CONFERENCE**

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

### **LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS**

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

### **FIRST TIME BIDDERS**

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: [https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae\\_2](https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2)

### **POSTING NOTICE**

The bid tabulation and intent to award will be posted on **May 25, 2021** or **June 01, 2021** at [www.fdot.gov/contracts/d4](http://www.fdot.gov/contracts/d4), click the "**Letting and Project Information**" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

### **AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)**

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and

disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm> Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

#### **MINIMUM WAGE**

The minimum wage for all hours worked in Florida is available at <http://www.floridajobs.org>.

#### **EMAIL SUBSCRIPTION LIST**

To get on the e-mail subscription list, go to <http://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <http://www.fdot.gov/contracts/distco.shtm>.

#### **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5).Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation  
Notice to Contractors Index**

---

Published: April 07, 2021

Letting ID: 04210507

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the May 07, 2021 letting.

<b>Page Number</b>	<b>Proposal Id</b>	<b>Proposal Notes</b>	<b>Fin Proj Numbers</b>	<b>County</b>
7	E4U45		44147415201(*)	BROWARD
9	E4U49		44145815201(*)	BROWARD
11	E4U70		44147015201(*)	PALM BEACH
13	E4U99		44146215201(*)	BROWARD
18	E4V01-R0	D/W STRUCTURE REPAIRS PUSHBUTTON - ROUTINE MAINTENANCE	44476827201(*)	DIST/ST-WIDE
21	E4V08	LANDSCAPE I-95 FROM N OF SUNRISE BLVD TO S OF CYPRESS CREEK	43310825201(*)	BROWARD
22	E4V10		43687015201(*)	MARTIN
31	E4V12-R0	PALM BEACH COUNTY TREE TRIMMING - ROUTINE MAINTENANCE	42762657201(*)	PALM BEACH
32	E4V14	TREASURE COAST DRAINAGE REPAIRS - ROUTINE MAINTENANCE	44532627201(*)	DIST/ST-WIDE
37	E4V16	TREASURE COAST MULTI-POST SIGN REPAIR - ROUTINE MAINTENANCE	44100747201(*)	DIST/ST-WIDE

**Proposal Note Codes:**

*Note: (\*) indicates lead project*

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

---

Letting:	04210507	Call Order: 005	Proposal: E4U45	District:04
Counties:	BROWARD			
Road Name:	SR-816/OAKLAND PARK BLVD OVER CANAL C-131 BRIDGE# 860139			
Limits:	86090000			
Project(s):	44147415201(*)	Federal Aid No: N/A		
Total Roadway Length:	0.038 Miles	Contract Days:	194	
Total Bridge Length:	0.019 Miles	Letting Date:	05/07/21	
Total Proposal Length:	0.057 Miles	Contract Execution Days:		
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	60	
Proposal Budget Estimate:	\$727,043.00			

Please read the full advertisement

**Description:**

The Improvements under this Contract consist of the installation of scour countermeasures for SR-816/Oakland Park Blvd Bridge #860139 over the C-13 Canal. This work includes installation of gabion mattress scour countermeasures and associated earthwork. The summary of pay items for this project is listed in the Plans.

**PRE-QUALIFIED:** Contractor needs to be pre-qualified.

**PERFORMANCE BOND:** A Contract / Performance bond is required for this project.

**COMMERCIAL GENERAL LIABILITY INSURANCE:**

The limits of coverage shall not be less than \$1,000,000 for each occurrence and not less than a \$5,000,000 annual general aggregate, inclusive of amounts provided by an umbrella or excess policy. The limits of coverage described herein shall apply fully to the work or operations performed under the Contract and may not be shared with or diminished by claims unrelated to the contract.

**\*\*RAILROAD INSURANCE REQUIRED:**

When the Contract includes the construction of a railroad grade crossing, railroad overpass or underpass structure, or any other work or operations within the limits of the railroad right-of-way, including any encroachments thereon from work or operations in the vicinity of the railroad right-of-way, you shall, in addition to the insurance coverage required pursuant to 7-13.2 above, procure and maintain Railroad Protective Liability Coverage (ISO Form CG 00 35) where the railroad is the Named Insured and where the limits are not less than \$2,000,000 combined single limit for bodily injury and/or property damage per occurrence, and with an annual aggregate limit of not less than \$6,000,000. The railroad shall also be added along with the Department as an Additional Insured on the policy/ies procured pursuant to subsection 7-13.2 above. Prior to the execution of the Contract, and at all renewal periods which occur prior to final acceptance of the work, both the Department and the railroad shall be provided with an ACORD Certificate of Liability Insurance reflecting the coverage described herein. The insurance described herein shall be maintained through final acceptance of the work. Both the Department and the railroad shall be notified in writing within ten days of any cancellation, notice of cancellation, renewal, or proposed change to any policy or coverage described herein. The Departments approval or failure to disapprove any policy/ies, coverage, or ACORD Certificates shall not relieve or excuse any obligation to procure and maintain the insurance required herein, nor serve as a waiver of any rights the Department may have.

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

**Call Order: 005 Proposal: E4U45**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Structures</b>				
	0530- 5- 12	GABION, MATTRESS 1 FOOT AND GREATER THICKNESS	SY	1,735.000
	0530- 74-	BEDDING STONE	TN	776.700
<b>Section 0002 Roadway</b>				
	0101- 1-	MOBILIZATION (44147415201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44147415201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	6,596.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	7,760.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	4,656.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	194.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	333.000
	0104- 10- 3	SEDIMENT BARRIER	LF	236.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	670.000
	0110- 21-	TREE PROTECTION BARRIER	LF	271.000
	0120- 5-	CHANNEL EXCAVATION	CY	2,025.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44147415201)	LS	1.000



**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

---

Letting: 04210507                      Call Order: 008      Proposal: E4U49                      District:04  
Counties: BROWARD  
Road Name: SR-A1A OVER HILLSBORO INLET BRIDGE# 860011 - BRIDGE-REPAIR  
Limits: 86050000  
Project(s): 44145815201(\*)                      Federal Aid No: N/A  
Total Roadway Length: 0.063 Miles                      Contract Days: 147  
Total Bridge Length: 0.062 Miles                      Letting Date: 05/07/21  
Total Proposal Length: 0.125 Miles                      Contract Execution Days:  
Special Start Date: N/A  
Aquis/Flexible Start Time: 60

Proposal Budget Estimate: \$1,637,623.00

Please read the full advertisement

**Description:**

The Improvements under this Contract consist of , but are not limited to, bridge scour countermeasures (articulating concrete-block revetment system), replacement of submarine cable assembly, and replacement of bicycle plates, along State Road A1A at Bridge Number 860011 (over Hillsboro Inlet) for 0.063 miles in the City of Pompano Beach and the Town of Hillsboro Beach, Broward County..

Pre-Qualified: Contractor need to be pre-qualified.

Performance Bond: A Contract / Performance bond is required for this project.

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

**Call Order: 008 Proposal: E4U49**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Structures</b>				
	0460- 1- 13	STRUCTURAL STEEL REHAB- BOLTS, NUTS, WASHERS & PLATES	LB	3,402.000
	0465- 3- 50	MOVABLE BRIDGE COUNTERWEIGHT, ADJUST	EA	1.000
	0465- 20-	MOVABLE BRIDGE- PREVENTATIVE MAINTENANCE & ROUTINE REPAIR (44145815201)	LS	1.000
	0465- 21-	MOVABLE BRIDGE OPERATOR	DA	147.000
	0508- 73- 1	SUBMARINE CABLE ASSEMBLY, FURNISH & INSTALL (44145815201)	LS	1.000
	0508- 73- 4	SUBMARINE CABLE ASSEMBLY, REMOVE (44145815201)	LS	1.000
	0530- 4- 9	ARTICULATING CONCRETE BLOCK REVETMENT SYSTEM, THICKNESS 9"	SY	994.000
	0530- 74-	BEDDING STONE	TN	1,660.700
<b>Section 0002 Roadway</b>				
	0101- 1-	MOBILIZATION (44145815201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44145815201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	3,236.000
	0102- 61-	BUSINESS SIGN	EA	1.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	1,056.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	1,236.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	44.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	322.000
	0102-115-	TYPE III BARRICADE	ED	309.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	686.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44145815201)	LS	1.000
<b>Section 0003 Signing</b>				
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.030

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

---

Letting: 04210507                      Call Order: 009      Proposal: E4U70                      District:04  
Counties: PALM BEACH  
Road Name: SR-786/PGA BLVD OVER INTERACOASTAL WATER(ICWW)-BRIDGE-REPAIR  
Limits: 93001000  
Project(s): 44147015201(\*)                      Federal Aid No: N/A  
Total Roadway Length: 0.144 Miles                      Contract Days: 185  
Total Bridge Length: 0.073 Miles                      Letting Date: 05/07/21  
Total Proposal Length: 0.217 Miles                      Contract Execution Days:  
Special Start Date: N/A  
Aquis/Flexible Start Time: 60

Proposal Budget Estimate: \$1,813,759.00

Please read the full advertisement

**Description:**

The Improvements under this Contract consist of but are not limited to, scour countermeasures (riprap, articulating concrete block, bedding stone), submarine cable (removal, installation), and moveable bridge (operation, preventative maintenance, functional checkout, electrical rehabilitation), along State Road 786 (PGA Boulevard) over Intracoastal Waterway (Bridge No. 930106 and Bridge No. 930349) for 0.072 miles in the City of Palm Beach Gardens, Palm Beach County.

Pre-Qualified: Contractor need to be pre-qualified.

Performance Bond: A Contract / Performance bond is required for this project.

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

**Call Order: 009 Proposal: E4U70**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Structures</b>				
	0465- 20-	MOVABLE BRIDGE- PREVENTATIVE MAINTENANCE & ROUTINE REPAIR (44147015201 930106)	LS	1.000
	0465- 21-	MOVABLE BRIDGE OPERATOR (44147015201 930106)	DA	185.000
	0465- 71- 3	MOVABLE BRIDGE FUNCTIONAL CHECKOUT, PHASE C (44147015201 930106)	LS	1.000
	0508- 4-	MOVABLE BRIDGE ELECTRICAL EQUIPMENT, REHABILITATION (44147015201 930106)	LS	1.000
	0508- 73- 1	SUBMARINE CABLE ASSEMBLY, FURNISH & INSTALL (44147015201 930106)	LS	1.000
	0508- 73- 4	SUBMARINE CABLE ASSEMBLY, REMOVE (44147015201 930106)	LS	1.000
<b>Section 0002 Roadway</b>				
	0101- 1-	MOBILIZATION (44147015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44147015201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	430.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	2,021.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	2,494.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	43.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	57.000
	0102-115-	TYPE III BARRICADE	ED	86.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	2,744.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	310.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	368.000
	0530- 4- 4	ARTICULATING CONCRETE BLOCK REVETMENT SYSTEM, THICKNESS 4"	SY	4,488.000
	0530- 74-	BEDDING STONE	TN	272.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44147015201)	LS	1.000

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

Letting: 04210507      Call Order: 007      Proposal: E4U99      District:04

Counties: BROWARD

Road Name: SR-822/SHERIDAN STREET OVER INTRACOASTAL WATERWAY BRIDGE

Limits: 86230000

Project(s): 44146215201(\*)

Federal Aid No: N/A

Total Roadway Length: 0.226 Miles      Contract Days: 228

Total Bridge Length: 0.067 Miles      Letting Date: 05/07/21

Total Proposal Length: 0.293 Miles      Contract Execution Days:

Special Start Date: N/A

Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$10,269,081.00

Please read the full advertisement

**Description:**

The Improvements under this Contract consist of , but are not limited to, moveable bridge No. 860043 repair/rehabilitation (control house upgrade, electrical systems upgrade, mechanical systems upgrade, improved access for inspection and maintenance, emergency generator system upgrade, counterweight adjustments), submarine cable, monitoring existing structures (inspection and settlement, vibration), concrete (bridge superstructure, cleaning and coating, epoxy overlay, crack repair, sidewalk and driveways, traffic railing, shoulder barrier), milling and resurfacing, lighting (luminaires), structural steel (coating, rehabilitation), ladders and platforms, railings, guardrail, signing (single-post, panel), pavement markings (painted, thermoplastic, permanent tape), signalization (steel mast arm, signals, cable), and sidewalk grating along State Road 822 (Sheridan Street) over the Intracoastal Waterway, for 0.113 miles in Broward County.

PRE-QUALIFIED: Contractor need to be pre-qualified.

PERFORMANCE BOND: A Contract / Performance bond is required for this project.

**ALTERNATIVE BIDDING (8-13)**

The Department desires to expedite construction on this Contract to minimize the inconvenience to the traveling public and to reduce the time of construction. In order to achieve this, an incentive - disincentive provision is established for the Contract. The total "incentive payment" or disincentive deduction shall not exceed \$300,000.00.

**Call Order: 007 Proposal: E4U99**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Structures</b>				
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	225.000
	0110- 3-	REMOVAL OF EXISTING STRUCTURES/BRIDGES (44146215201 860043)	LS	1.000
	0400- 4- 5	CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE	CY	13.500
	0400-143-	CLEANING & COATING CONCRETE SURFACE, CLASS 5	SF	8,735.000
	0401- 70- 2	RESTORE SPALLED AREAS, LATEX MODIFIED MORTAR- STYRENE BUTADIENE	CF	10.000
	0403- 1- 17	EPOXY CONCRETE OVERLAY FOR CONCRETE BRIDGE DECKS, PROJECT 441462-1-52-01	SY	1,028.000
	0403- 2- 17	RESTORE SPALLED AREAS FOR CONCRETE BRIDGE DECKS, PROJECT 441462-1-52-01	CF	10.000
	0411- 1-	EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB	GA	1.000
	0411- 2-	CRACKS INJECT & SEAL- STRUCTURES REHAB	LF	11.000
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	1,600.000
	0458- 1- 21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	224.000
	0460- 1- 5	STRUCT STEEL - REHABILITATION, BASCULE LEAVES	LB	71,304.000

**Call Order: 007 Proposal: E4U99**

ALT	Item	Description	Unit	Quantity
	0460- 1- 6	STRUCT STEEL - REHABILITATION, BASCULE PIERS	LB	7,231.000
	0460- 1- 13	STRUCTURAL STEEL REHAB- BOLTS, NUTS, WASHERS & PLATES	LB	100.000
	0460- 1- 15	STRUCTURAL STEEL - REHABILITATION, MISCELLANEOUS	LB	6,473.000
	0460- 6- 2	LADDERS & PLATFORMS, REHAB	LB	12,885.000
	0460- 71- 2	METAL TRAFFIC RAILING, STEEL POST AND RAIL	LF	220.000
	0465- 2-105	MOVABLE BRIDGE MACHINERY & CASTING-REHABILITATION, F&I SPAN LOCKS	AS	2.000
	0465- 2-108	MOVABLE BRIDGE MACHINERY & CASTING-REHABILITATION, F&I LIVE LOAD SHOES (44146215201 860043)	LS	1.000
	0465- 2-154	MOVABLE BRIDGE MACHINERY & CASTING-REHABILITATION, F&I HYDRAULIC POWER PACK	EA	2.000
	0465- 2-404	MOVABLE BRIDGE MACHINERY & CASTING-REHABILITATION, RECONDITION, TRUNION ASSEMBLY	EA	4.000
	0465- 2-452	MOVABLE BRIDGE MACHINERY & CASTING-REHABILITATION, RECONDITION, HYDRAULIC CYLINDER	EA	8.000
	0465- 2-605	MOVABLE BRIDGE MACHINERY & CASTING-REHABILITATION, REMOVE & DISPOSE-CONTRACTOR OWNS, SPAN LOCKS	AS	2.000
	0465- 2-608	MOVABLE BRIDGE MACHINERY & CASTING-REHABILITATION, REMOVE & DISPOSE-CONTRACTOR OWNS, LIVE LOAD SHOES (44146215201 860043)	LS	1.000
	0465- 2-654	MOVABLE BRIDGE MACHINERY & CASTING-REHABILITATION, REMOVE & DISPOSE-CONTRACTOR OWNS, HYDRAULIC POWER PACK	EA	2.000
	0465- 3- 17	MOVABLE BRIDGE COUNTERWEIGHT, F&I, BALANCE BLOCKS	EA	1,400.000
	0465- 3- 50	MOVABLE BRIDGE COUNTERWEIGHT, ADJUST	EA	2.000
	0465- 20-	MOVABLE BRIDGE- PREVENTATIVE MAINTENANCE & ROUTINE REPAIR (44146215201 860043)	LS	1.000
	0465- 21-	MOVABLE BRIDGE OPERATOR	DA	228.000
	0465- 71- 3	MOVABLE BRIDGE FUNCTIONAL CHECKOUT, PHASE C (44146215201 860043)	LS	1.000
	0507- 70-	ALUMINUM SIDEWALK FLOOR	SF	1,240.000
	0508- 2- 1	MOVABLE BRIDGE GATE, F&I	AS	4.000
	0508- 3- 6	MOVABLE BRIDGE - SIGNAL, REMOVE & DISPOSE	AS	2.000
	0508- 4-	MOVABLE BRIDGE ELECTRICAL EQUIPMENT, REHABILITATION (44146215201 860043)	LS	1.000
	0508- 72- 1	MOVABLE BRIDGE EMERGENCY GENERATOR , FURNISH & INSTALL	AS	2.000
	0508- 72- 4	MOVABLE BRIDGE EMERGENCY GENERATOR , REMOVE	AS	1.000
	0508- 73- 1	SUBMARINE CABLE ASSEMBLY, FURNISH & INSTALL (44146215201 860043)	LS	1.000
	0508- 73- 4	SUBMARINE CABLE ASSEMBLY, REMOVE (44146215201 860043)	LS	1.000
	0508- 76- 1	MOVABLE BRIDGE - REHAB, SPAN MOTORS & CONTROLLERS , F&I (44146215201 860043)	LS	1.000
	0508- 76- 4	MOVABLE BRIDGE - REHAB, SPAN MOTORS & CONTROLLERS , REMOVE (44146215201 860043)	LS	1.000
	0508- 78- 1	MOVABLE BRIDGE-REHAB, LIMIT SWITCHES & TRANSDUCERS F&I (44146215201 860043)	LS	1.000
	0508- 78- 4	MOVABLE BRIDGE-REHAB, LIMIT SWITCHES & TRANSDUCERS REMOVE (44146215201 860043)	LS	1.000
	0508- 79- 1	MOVABLE BRIDGE-REHAB, CONTROL CONSOLE, F&I	EA	1.000
	0508- 79- 4	MOVABLE BRIDGE-REHAB, CONTROL CONSOLE, REMOVE	EA	1.000

**Call Order: 007 Proposal: E4U99**

ALT	Item	Description	Unit	Quantity
	0508- 82- 1	MOVABLE BRIDGE-REHAB, CONTROL PANEL - MOTOR CONTROLLER, F&I	EA	1.000
	0512- 1- 1	MOVABLE BRIDGE-CONTROL HOUSE, RENOVATE (44146215201 860043)	LS	1.000
	0515- 2-313	PEDESTRIAN / BICYCLE RAILING, ALUMINUM, 42" TYPE 3	LF	865.000
	0521- 5- 4	CONCRETE TRAFFIC RAILING- BRIDGE, 32" VERTICAL FACE	LF	480.000
	0561- 1-	COATING EXISTING STRUCTURAL STEEL (44146215201 860043)	LS	1.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	2.000
<b>Section 0002 Roadway</b>				
	0101- 1-	MOBILIZATION (44146215201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44146215201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	20.000
	0102- 60-	WORK ZONE SIGN	ED	16,134.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	15,744.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	6,300.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	456.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	1,864.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	228.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	228.000
	0102-115-	TYPE III BARRICADE	ED	3,624.000
	0104- 10- 3	SEDIMENT BARRIER	LF	2,641.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	18.000
	0107- 1-	LITTER REMOVAL	AC	37.370
	0107- 2-	MOWING	AC	25.300
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44146215201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (44146215201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44146215201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	391.000
	0120- 1-	REGULAR EXCAVATION	CY	5.600
	0120- 6-	EMBANKMENT	CY	1.400
	0160- 4-	TYPE B STABILIZATION	SY	57.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	57.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	5,644.000
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	470.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	2.200
	0425- 5-	MANHOLE, ADJUST	EA	1.000
	0425- 6-	VALVE BOXES, ADJUST	EA	4.000
	0515- 2-313	PEDESTRIAN / BICYCLE RAILING, ALUMINUM, 42" TYPE 3	LF	292.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	406.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	76.000
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	58.000

**Call Order: 007 Proposal: E4U99**

ALT	Item	Description	Unit	Quantity
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	386.000
	0536- 1- 0	GUARDRAIL -ROADWAY, GENERAL/LOW SPEED TL-2	LF	186.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	159.000
	0536- 6-	PIPE RAIL FOR GUARDRAIL	LF	219.000
	0536- 7- 4	SPECIAL GUARDRAIL POST- FRANGIBLE LEAVE-OUT FOR MOUNTING THROUGH CONCRETE SURFACE	EA	40.000
	0536- 8-111	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-2	EA	2.000
	0536- 8-112	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-3	EA	1.000
	0536- 73-	GUARDRAIL REMOVAL	LF	383.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	2.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	1.000
	0544- 3- 1	CRASH CUSHION, TL-3, NARROW	EA	1.000
	0570- 1- 1	PERFORMANCE TURF	SY	458.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	0.220
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.080
	0999- 16-	PARTNERING, DO NOT BID (44146215201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44146215201)	LS	1.000
<b>Section 0003 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	8.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	14.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	9.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44146215201)	LS	1.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	65.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	3.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	10.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	3.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	3.000
	0711- 14-560	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA	4.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.555
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6", 10'-30' SKIP OR 3-9' LANE DROP	GM	0.247
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.117
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.087
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.076
	0713-103-133	PERMANENT TAPE, WHITE, SKIP, 12" WIDE 3'-9' DROP LANE ON CONCRETE SURFACES	GM	0.022
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.087
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.076
	0713-103-333	PERMANENT TAPE, BLACK, 3'-9' DROP LANE, 12" ON CONCRETE SURFACES	GM	0.022



**Call Order: 007 Proposal: E4U99**

ALT	Item	Description	Unit	Quantity
<b>Section 0004 Lighting</b>				
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	2.000
<b>Section 0005 Signalization</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	50.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	50.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	7.000
	0649- 21- 6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50'	EA	1.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION- BOLT ON ATTACHMENT	EA	1.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	2.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	1.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 04210507 Call Order: 002 Proposal: E4V01-R0 District:04

Counties: DIST/ST-WIDE

Road Name: D/W STRUCTURE REPAIRS PUSHBUTTON - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 44476827201(\*)

Federal Aid No: N/A

Total Roadway Length:	0.000 Miles	Contract Days:	730
Total Bridge Length:	0.000 Miles	Letting Date:	05/07/21
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	13

Proposal Budget Estimate: \$400,000.00

Please read the full advertisement

**Description:**

The work under this Contract consists of providing all labor, materials, equipment and incidentals necessary to perform routine and priority repairs on bridges and miscellaneous structures including, but not limited to, integral pile jackets, cathodic protection, the repair or replacement of expansion joints, concrete headers, concrete parapets, fender systems, structural steel welding, beam strand and bar splices, crack injection and sealing, concrete spalls, rip rap, cleaning concrete surfaces, flowable fill, aluminum handrail, concrete slope pavement, coating of existing structural steel, bolt replacement, bolt tightening and other miscellaneous concrete and steel repairs, at various locations throughout District 4.

The work under this Contract also consists of installing aluminum angles on the existing sound barrier wall on Griffin Rd. in accordance with the Wall Repair Details and the supplementary documentation included in this package. Supplementary documentation consists of a table denoting the locations where angles are required to be installed and as-built wall plans.

**MAXIMUM LIMITING CONTRACT:** The award amount and the contract performance bond shall be based on the maximum limited budget amount of \$400,000 and not the contractors bid total.

- **PERFORMANCE BOND:** A Contract / Performance bond is required for this project.
- **REQUIRED SUBMITTAL WITH BID:** Experience in Bridge Repair. Work experience form 850-070-04 must be submitted with the bid.
- **GENERAL LIABILITY:** The limits of coverage shall not be less than \$1,000,000 for each occurrence and not less than a \$5,000,000 annual general aggregate, inclusive of amounts provided by an umbrella or excess policy. The limits of coverage described herein shall apply fully to the work or operations performed under the Contract and may not be shared with or diminished by claims unrelated to the contract.

**Call Order: 002 Proposal: E4V01-R0**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 TRAFFIC CONTROL DEVICES CONTROL (MH)</b>				
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	10.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	1,750.000
	0110- 3-	REMOVAL OF EXISTING STRUCTURES/BRIDGES	LS	1.000
	0110- 71- 1	BRIDGE FENDER SYSTEM, REMOVAL & DISPOSAL	LF	1.000
	0121- 70- 2	FLOWABLE FILL, MAINTENANCE CONTRACTS ONLY	CY	5.000
	0350- 5-	CLEANING & SEALING JOINTS- CONCRETE PAVEMENT	LF	1,500.000
	0400- 2- 4	CONC CLASS II, BRIDGE SUPERSTRUCTURE	CY	5.000
	0400- 2- 5	CONCRETE CLASS II, BRIDGE SUBSTRUCTURE	CY	5.000
	0400- 2- 11	CONCRETE CLASS II, RETAINING WALLS	CY	5.000
	0400- 4- 4	CONCRETE CLASS IV, SUPERSTRUCTURE	CY	5.000
	0400- 4- 5	CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE	CY	5.000

**Call Order: 002 Proposal: E4V01-R0**

ALT	Item	Description	Unit	Quantity
	0400-143-	CLEANING & COATING CONCRETE SURFACE, CLASS 5	SF	1,500.000
	0400-145-	CLEANING CONCRETE SURFACE	SF	750.000
	0400-153-	NON SHRINK GROUT, F&I, MISCELLANEOUS- STRUCTURES REHAB	CF	10.000
	0401- 70- 1	RESTORE SPALLED AREAS, EPOXY	CF	15.000
	0401- 70- 3	RESTORE SPALLED AREAS, LATEX MODIFIED MORTAR- ACRYLIC	CF	15.000
	0411- 1-	EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB	GA	25.000
	0411- 2-	CRACKS INJECT & SEAL- STRUCTURES REHAB	LF	25.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	800.000
	0450- 83- 1	BEAM REPAIR, STRAND SPLICES	EA	1.000
	0450- 83- 2	BEAM REPAIR, BAR SPLICES	EA	1.000
	0457- 1- 22	STANDARD INTEGRAL PILE JACKET, STRUCTURAL, 16.1 to 30.0"	LF	1.000
	0457- 2-221	CATHODIC PROTECTION INTEGRAL PILE JACKET, STRUCTURAL, 16.1-30.", GALVANIC SYSTEM	LF	1.000
	0458- 1- 21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	150.000
	0458- 2-	POLYMER NOSING FOR BRIDGE DECK EXPANSION JOINT	CF	5.000
	0460- 1- 13	STRUCTURAL STEEL REHAB- BOLTS, NUTS, WASHERS & PLATES	LB	10.000
	0460- 81-	RIVETS - HIGH STRENGTH BOLTS, REPLACEMENT	EA	175.000
	0460- 94-	STRUCTURAL STEEL REPAIR- WELDS	LF	15.000
	0471- 1- 1	FENDER SYSTEM,PLASTIC MARINE LUMBER,REINFORCED	MB	1.000
	0471- 1- 2	FENDER SYSTEM,PLASTIC MARINE LUMBER, NON-REINFORCED	MB	1.000
	0524- 2- 2	CONCRETE SLOPE PAVEMENT,NON REINFORCED, 4"	SY	10.000
	0530- 1-100	RIPRAP, SAND-CEMENT BAGS	CY	1.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	40.000
	0561- 2-	COATING EXISTING STRUCTURAL STEEL	SF	180.000
	0649- 26- 1	STEEL MAST ARM ASSEMBLY, REMOVE, POLE ONLY- ENTIRE FOUNDATION REMAINS	EA	1.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION-BOLT ON ATTACHMENT	EA	1.000
	0649- 26- 7	STEEL MAST ARM ASSEMBLY, REMOVE, REMOVE ARM AND ATTACHMENTS; POLE REMAINS	EA	1.000
	0649- 40- 1	STEEL MAST ARM ASSEMBLY- REPLACE SCREEN ON EXISTING POLE	EA	4.000
	0649- 40- 2	STEEL MAST ARM ASSEMBLY- REPLACE HAND HOLE COVER ON EXISTING POLE	EA	3.000
	0649- 40- 3	STEEL MAST ARM ASSEMBLY- REPLACE POLE CAP ON EXISTING POLE	EA	15.000
	0649- 40- 4	STEEL MAST ARM ASSEMBLY- REPLACE STRUCTURAL GROUT PAD ON EXISTING POLE	EA	10.000
	0649- 40- 5	STEEL MAST ARM ASSEMBLY- REPAIR/REPLACE BROKEN WELD ON EXISTING POLE	EA	3.000
	0700- 4-610	OVERHEAD STATIC SIGN STRUCTURE, REMOVE CANTILEVER	EA	1.000
	0700- 4-620	OVERHEAD STATIC SIGN STRUCTURE, REMOVE SPAN	EA	1.000
	0715- 19- 60	HIGH MAST LIGHT POLE, REMOVE POLE AND FOUNDATION	EA	1.000
	0715- 19- 61	HIGH MAST LIGHT POLE, REMOVE POLE- FOUNDATION REMAINS	EA	1.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	1.000
	E460- 82-	BOLT TIGHTENING	EA	175.000

**Call Order: 002 Proposal: E4V01-R0**

---

ALT	Item	Description	Unit	Quantity
	E534- 72-100	SOUND/NOISE BARRIER WALLS- INSTALL ONLY, 4' ANGLE SUPPORTS, PROJECT 444768-2-72-01	EA	217.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 04210507      Call Order: 001      Proposal: E4V08      District:04

Counties: BROWARD

Road Name: LANDSCAPE I-95 FROM N OF SUNRISE BLVD TO S OF CYPRESS CREEK

Limits: 86070000

Project(s): 43310825201(\*)

Federal Aid No: N/A

Total Roadway Length:	5.000 Miles	Contract Days:	907
Total Bridge Length:	0.000 Miles	Letting Date:	05/07/21
Total Proposal Length:	5.000 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	13

Proposal Budget Estimate: \$1,786,189.00

Please read the full advertisement

**Description:**

The work under this Contract consists of landscape beautification including trees, shrubs, irrigation, and plant establishment along SR-9/I-95 from N. of SR-838/Sunrise Blvd to S. of Cypress Creek Rd.

LUMP SUM CONTRACT: Award and bond based on bid amount. This is a Lump Sum Contract.

- **PERFORMANCE BOND:** A Contract / Performance bond is required for this project.
- **REQUIRED SUBMITTAL WITH BID:** Experience in Landscaping. Work experience form 850-070-09 must be submitted with the bid.
- **GENERAL LIABILITY:** The limits of coverage shall not be less than \$1,000,000 for each occurrence and not less than a \$5,000,000 annual general aggregate, inclusive of amounts provided by an umbrella or excess policy. The limits of coverage described herein shall apply fully to the work or operations performed under the Contract and may not be shared with or diminished by claims unrelated to the contract.

**Call Order: 001 Proposal: E4V08**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Landscape / Peripheral</b>				
	0999- 2-	LUMP SUM CONTRACT, ALTERNATIVE BIDDING (43310825201)	LS	1.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 04210507      Call Order: 006      Proposal: E4V10      District:04

Counties: MARTIN

Road Name: SR-714/SW MARTIN HWY

Limits: 89090000

Project(s): 43687015201(\*)

Federal Aid No: N/A

Total Roadway Length:	2.101 Miles	Contract Days:	980
Total Bridge Length:	0.038 Miles	Letting Date:	05/07/21
Total Proposal Length:	2.139 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	15

Proposal Budget Estimate: \$21,311,782.00

Please read the full advertisement

**Description:**

The Improvements under this Contract consist of , but are not limited to, bridge number 890159 superstructure (removal, widening), retaining wall (MSE, cast in place soldier pile, critical temporary, non-critical temporary), concrete (bridge superstructure, approach slabs, retaining walls, mass, gravity wall, ditch pavement, traffic railing, traffic separator, median barrier, parapet bicycle/pedestrian with bullet rail, sidewalk and driveways), riprap, piles (prestressed, polyethylene sheet), guardrail (pipe rail, transitions, end treatment, removal), widening, milling and resurfacing, drainage improvements (inlets, manholes, culvert, endwalls, U-endwalls with baffles/grates, mitered end), traffic monitoring sites, lighting (service poles, light poles, service), fencing (Type A, Type B, Type R, gates), monitoring (inspection and settlement, vibration), signing (single-post, multi-post), pavement markings (object markers, thermoplastic, painted, permanent tape, removable tape, rumble strips), fiber optic, signalization (mast arms, pole, vehicular and pedestrian detection, ITS), landscaping, and sod along State Road 714 (SW Martin Highway) from County Road 76A (Citrus Boulevard) easterly 1.127 miles to SW Martin Downs Boulevard in the city of Palm City and in unincorporated Martin County.

Pre-Qualified: Contractor must be pre-qualified.

Performance Bond: A Contract / Performance bond is required for this project.

Special liability apply : Please, read from the Specs Package.

- Commercial General Liability Insurance: . 7-13.2
- Insurance for Protection of Utility Owners: 7-13.4

**Call Order: 006 Proposal: E4V10**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Structures</b>				
	0110- 3-	REMOVAL OF EXISTING STRUCTURES/BRIDGES (43687015201 Bridge # 890159)	LS	1.000
	0400- 2- 4	CONC CLASS II, BRIDGE SUPERSTRUCTURE	CY	307.800
	0400- 2- 10	CONCRETE CLASS II, APPROACH SLABS	CY	94.500
	0400- 4- 5	CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE	CY	83.700
	0400- 4- 11	CONC CLASS IV, RETAINING WALLS	CY	77.200
	0400- 4- 25	CONCRETE CLASS IV, MASS, SUBSTRUCTURE	CY	40.500
	0400- 7- 1	BRIDGE DECK GROOVING	SY	826.000
	0400-143-	CLEANING & COATING CONCRETE SURFACE, CLASS 5	SF	14,972.000
	0400-147-	COMPOSITE NEOPRENE PADS	CF	7.100
	0415- 1- 3	REINFORCING STEEL- RETAINING WALL	LB	6,445.000
	0415- 1- 4	REINFORCING STEEL - BRIDGE SUPERSTRUCTURE	LB	87,268.000
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	29,784.000

**Call Order: 006 Proposal: E4V10**

ALT	Item	Description	Unit	Quantity
	0415- 1- 9	REINFORCING STEEL- APPROACH SLABS	LB	14,860.000
	0450- 2- 54	PREST BEAMS: FLORIDA-I BEAM 54"	LF	595.000
	0455- 34- 3	PRESTRESSED CONCRETE PILING, 18" SQ	LF	1,071.000
	0455- 35-108	STEEL PILING, HP 18 X 135 BUILT-UP, PROJECT 436870-1-52-01	LF	1,392.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	2,379.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	3,162.000
	0455-143- 3	TEST PILES-PRESTRESSED CONCRETE,18" SQ	LF	264.000
	0458- 1- 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	98.000
	0458- 1- 12	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I STRIP SEAL	LF	49.000
	0458- 1- 22	BRIDGE DECK EXPANSION JOINT, REHABILITATION, STRIP SEAL	LF	76.000
	0459- 71-	PILES, POLYETHYLENE SHEETING	SY	134.000
	0521- 5- 13	CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE	LF	246.000
	0548- 12-	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	22,855.000
<b>Section 0002 Roadway</b>				
	0101- 1-	MOBILIZATION (43687015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43687015201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (43687015201)	LS	1.000
	0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (43687015201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	472.500
	0102- 4-	PEDESTRIAN SPECIAL DETOUR (43687015201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	3,244.000
	0102- 30- 16	TEMPORARY HIGHWAY LIGHTING, PROJECT 436870-1-52-01	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	190,622.000
	0102- 61-	BUSINESS SIGN	EA	11.000
	0102- 62-	BARRIER MOUNTED WORK ZONE SIGN- INDEX 11871/700-013	ED	5,180.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	10,951.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	1,218.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	4,261.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	45,527.000
	0102- 71- 26	TEMPORARY BARRIER, RELOCATE, FREE STANDING	LF	1,600.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	239,234.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	8,350,118.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	5,880.000
	0102- 78-	TEMPORARY RAISED/RETROREFLECTIVE PAVEMENT MARKER	EA	3,823.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	12.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	14,616.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	1,826.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	1,826.000
	0102-115-	TYPE III BARRICADE	ED	6,216.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	2,072.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	2,072.000

**Call Order: 006 Proposal: E4V10**

ALT	Item	Description	Unit	Quantity
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.184
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.380
	0104- 10- 3	SEDIMENT BARRIER	LF	14,369.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	101.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	2,019.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	2.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	7.000
	0107- 1-	LITTER REMOVAL	AC	706.150
	0107- 2-	MOWING	AC	577.950
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (43687015201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (43687015201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (43687015201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	5,349.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	3.000
	0110- 21-	TREE PROTECTION BARRIER	LF	4,404.000
	0120- 1-	REGULAR EXCAVATION	CY	104,134.000
	0120- 4-	SUBSOIL EXCAVATION	CY	2,513.000
	0120- 6-	EMBANKMENT	CY	79,628.000
	0160- 4-	TYPE B STABILIZATION	SY	48,934.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	1,635.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	39,914.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	36,751.000
	0334- 1- 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	495.500
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	32,360.300
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	438.000
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	5,947.900
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	144.600
	0400- 0- 11	CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011	CY	11.400
	0425- 1-201	INLETS, CURB, TYPE 9, <10'	EA	2.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	36.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	11.000
	0425- 1-362	INLETS, CURB, TYPE P-6, >10'	EA	2.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	7.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10'	EA	3.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	2.000
	0425- 1-462	INLETS, CURB, TYPE J-6, >10'	EA	1.000
	0425- 1-521	INLETS, DT BOT, TYPE C, <10'	EA	6.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	12.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	1.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	5.000
	0425- 1-559	INLETS, DT BOT, TYPE E, MODIFY	EA	1.000
	0425- 1-910	INLETS, CLOSED FLUME	EA	4.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	1.000



**Call Order: 006 Proposal: E4V10**

ALT	Item	Description	Unit	Quantity
	0425- 2- 71	MANHOLES, J-7, <10'	EA	3.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	13.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	4.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	209.000
	0430-174-224	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 24"SD	LF	97.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	14.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	2,924.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	2,012.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	778.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	1,510.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	891.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	312.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	1,632.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	960.000
	0430-175-236	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 36"S/CD	LF	249.000
	0430-175-242	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 42"S/CD	LF	660.000
	0430-175-248	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 48"S/CD	LF	498.000
	0430-530-100	STRAIGHT CONCRETE ENDWALLS, 30", SINGLE, 0 DEGREES, ROUND	EA	2.000
	0430-542-100	STRAIGHT CONCRETE ENDWALLS, 42", SINGLE, 0 DEGREES, ROUND	EA	2.000
	0430-548-100	STRAIGHT CONCRETE ENDWALLS, 48", SINGLE, 0 DEGREES, ROUND	EA	1.000
	0430-611-329	U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:2 SLOPE, 24"PIPE	EA	2.000
	0430-612-129	U-ENDWALL WITH GRATE, INDEX 261/430-011, 1:4 SLOPE, 24"PIPE	EA	1.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	38.600
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	5.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	2.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	4.000
	0430-982-629	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 24" CD	EA	1.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	6.000
	0430-984-629	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 24" SD	EA	7.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	450.000
	0515- 4- 2	BULLET RAIL, DOUBLE RAIL	LF	956.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	73.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	22,246.000
	0520- 5- 41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	205.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	141.000
	0521- 1- 14	MEDIAN CONCRETE BARRIER, VARIABLE SECTION WIDTH FOR SIGN OR PIER SHIELDING	LF	108.000
	0521- 6- 11	CONCRETE PARAPET, PEDESTRIAN/BICYCLE, 27" HEIGHT	LF	1,203.000
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	296.000
	0521- 72- 43	SHOULDER CONCRETE BARRIER, CURB AND GUTTER BARRIER	LF	659.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	6,666.000

**Call Order: 006 Proposal: E4V10**

ALT	Item	Description	Unit	Quantity
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	687.000
	0524- 1- 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	780.000
	0527- 2-	DETECTABLE WARNINGS	SF	1,379.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	92.700
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	810.000
	0536- 6-	PIPE RAIL FOR GUARDRAIL	LF	629.000
	0536- 7- 2	SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT	EA	2.000
	0536- 8-112	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-3	EA	1.000
	0536- 8-113	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, TRAILING	EA	1.000
	0536- 8-123	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-002, TRAILING	EA	1.000
	0536- 73-	GUARDRAIL REMOVAL	LF	1,435.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	2.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	1.000
	0546- 72- 1	GROUND-IN RUMBLE STRIPS, 16"	GM	0.920
	0550- 10-110	FENCING, TYPE A, 0.0-5.0', STANDARD	LF	5,973.000
	0550- 10-220	FENCING, TYPE B, 5.1-6.0', STANDARD	LF	600.000
	0550- 10-353	FENCING, TYPE R, 8.1 - 10.0', WITH FULL ENCLOSURE	LF	494.000
	0550- 60-112	FENCE GATE, TYPE A, SINGLE, 6.1-12.0' OPENING	EA	3.000
	0550- 60-125	FENCE GATE, TYPE A, DOUBLE, 20.1-24.0' OPENING	EA	3.000
	0570- 1- 1	PERFORMANCE TURF	SY	78,904.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	21,713.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	90.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	3.000
	0646- 2-120	ALUMINUM POLE- INDEX 695-001, FURNISH & INSTALL, 20'	EA	2.000
	0646- 2-600	ALUMINUM POLE- INDEX 695-001, REMOVE	EA	2.000
	0695- 5- 1	TRAFFIC MONITORING SITE SOLAR POWER UNIT, FURNISH & INSTALL	EA	2.000
	0695- 6- 12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	3.000
	0695- 7-143	TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 4, POLEMOUNT	EA	2.000
	0695- 8- 11	TRAFFIC MONITORING SITE COMMUNICATIONS MODEM FURNISH & INSTALL	EA	2.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	22.460
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	0.213
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	5,686.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	18.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	2,242.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.157

**Call Order: 006 Proposal: E4V10**

ALT	Item	Description	Unit	Quantity
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.813
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	52.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	338.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	21.756
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	6,803.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.058
	0999- 16-	PARTNERING, DO NOT BID (43687015201)	LS	1.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	33.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43687015201)	LS	1.000
<b>Section 0003 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	51.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	19.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	2.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	63.000
	0700- 1- 87	SINGLE POST SIGN, REPAIR- REPLACE POST, USE EXISTING SIGN PANEL	AS	1.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	2.000
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	1.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	4.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	2.000
	0705- 10- 2	OBJECT MARKER, TYPE 2	EA	2.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	13.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	181.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43687015201)	LS	1.000
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.159
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	2,174.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	198.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	551.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	1.791
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	6.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	106.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	791.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.060
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,143.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	48.000

**Call Order: 006 Proposal: E4V10**

ALT	Item	Description	Unit	Quantity
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	48.000
	0711- 14-560	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA	1.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	0.596
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.703
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.597
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	7.386
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.504
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.911
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.120
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	4.491
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.185
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.097
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.093
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.097
	0920-714- 1	GREEN COLORED PAVEMENT MARKINGS, BIKE LANE, PROJECT 436870-1-52-01	SF	9,450.000
<b>Section 0004 Lighting</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	8,135.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,443.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	1,241.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	89.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	9.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	1.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	185.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	55,362.000
	0715- 1- 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	2,986.000
	0715- 1- 15	LIGHTING CONDUCTORS, F&I, NO.1/0 - 3/0 (0 to 000)	LF	816.000
	0715- 1- 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	14,920.000
	0715- 4- 13	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT	EA	11.000
	0715- 4- 14	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT	EA	63.000
	0715- 4- 70	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	35.000
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	1.000
	0715- 7- 41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	1.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	74.000

**Call Order: 006 Proposal: E4V10**

ALT	Item	Description	Unit	Quantity
<b>Section 0005 Signalization</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	4,975.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,185.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	2.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	2.000
	0633- 1-123	FIBER OPTIC CABLE, F&I, UNDERGROUND,49-96 FIBERS	LF	200.000
	0633- 1-124	FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS	LF	6,085.000
	0633- 1-620	FIBER OPTIC CABLE, REMOVE, UNDERGROUND	LF	5,100.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	324.000
	0633- 2- 32	FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	96.000
	0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	4.000
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	5.000
	0633- 3- 13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	276.000
	0633- 3- 14	FIBER OPTIC CONNECTION HARDWARE, F&I, BUFFER TUBE FAN OUT KIT	EA	9.000
	0633- 3- 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	9.000
	0633- 3- 17	FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	9.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	56.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	11.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	4.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	2.000
	0639- 1-620	ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	AS	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	105.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	210.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	2.000
	0641- 2- 60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	2.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	16.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	8.000
	0649- 21- 6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50'	EA	3.000
	0649- 21- 12	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 60'-40'	EA	1.000
	0649- 21- 13	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 60'-50'	EA	1.000
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	1.000
	0649- 21- 25	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 78'-60'	EA	1.000
	0649- 21- 26	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 78'-70'	EA	1.000
	0649- 26- 1	STEEL MAST ARM ASSEMBLY, REMOVE, POLE ONLY- ENTIRE FOUNDATION REMAINS	EA	1.000

**Call Order: 006 Proposal: E4V10**

ALT	Item	Description	Unit	Quantity
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION- BOLT ON ATTACHMENT	EA	4.000
	0649- 26- 5	STEEL MAST ARM ASSEMBLY, REMOVE, DEEP FOUNDATION- BOLT ON ATTACHMENT	EA	1.000
	0650- 1- 34	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 3 SECTION, 1 WAY	AS	20.000
	0650- 1- 36	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 4 SECTION, 1 WAY	AS	5.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	16.000
	0660- 4- 11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	2.000
	0660- 4- 12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	8.000
	0660- 6-122	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	8.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	16.000
	0670- 5-110	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA	AS	2.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	2.000
	0682- 1-113	ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, HIGH DEFINITION	EA	2.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	2.000
	0685- 1- 11	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE	EA	2.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	5.000
	0700- 5- 22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	8.000
<b>Section 0006 Landscape / Peripheral</b>				
	0581- 1- 7	RELOCATE TREES AND PALMS,PALMS, <14' OF CLEAR TRUNK, SABAL PALM ONLY	EA	9.000
	0581- 1- 8	RELOCATE TREES AND PALMS, >=14' OF CLEAR TRUNK, SABAL PALM ONLY	EA	51.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 04210507      Call Order: 003      Proposal: E4V12-R0      District:04

Counties: PALM BEACH

Road Name: PALM BEACH COUNTY TREE TRIMMING - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 42762657201(\*)

Federal Aid No: N/A

Total Roadway Length:	0.000 Miles	Contract Days:	365
Total Bridge Length:	0.000 Miles	Letting Date:	05/07/21
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	13

Proposal Budget Estimate: \$150,000.00

Please read the full advertisement

Description:

The work under this Contract Consists of tree trimming and removal of non-desirable trees and brush from primary state roads in Palm Beach County, FL.

MAXIMUM LIMITING CONTRACT: The award amount and the contract performance bond shall be based on the maximum limiting budget amount of \$150,000 and not the contractors bid total.

• PERFORMANCE BOND: A Contract / Performance bond is required for this project.

**Call Order: 003 Proposal: E4V12-R0**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 TREE TRIMMING AND REMOVAL (MH)</b>				
	E110- 2-	CLEARING & GRUBBING	AC	5.000
	E580-332- 20	TREE REMOVAL (LESS THAN 4")	EA	100.000
	E580-332- 21	TREE REMOVAL (4" TO 12")	EA	100.000
	E580-332- 22	TREE REMOVAL (13" TO 24")	EA	100.000
	E580-332- 23	TREE REMOVAL (25" TO 36")	EA	30.000
	E580-332- 24	TREE REMOVAL (37" TO 48")	EA	30.000
	E580-332- 25	TREE REMOVAL (> 48")	EA	30.000
	E580-332- 99	TREE AND BRUSH REMOVAL	AC	30.000
	E580-336-	PRUNING AND TRIMMING (LESS THAN 4")	EA	30.000
	E580-336- 1	PRUNING AND TRIMMING (4" TO 24")	EA	30.000
	E580-336- 2	PRUNING AND TRIMMING (> 24")	EA	30.000
	E580-336- 12	POWER SHEARING >0' TO 15' WIDTH AND 20' HEIGHT	LF	40,000.000
	E580-336- 13	POWER SHEARING >0' TO 15' WIDTH GREATER THAN 20' HEIGHT	LF	35,000.000
	E580-336- 14	PRUNING AND TRIMMING (PALMS)	EA	174.000

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 04210507      Call Order: 004      Proposal: E4V14      District:04

Counties: DIST/ST-WIDE

Road Name: TREASURE COAST DRAINAGE REPAIRS - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 44532627201(\*)

Federal Aid No: N/A

Total Roadway Length:	0.000 Miles	Contract Days:	730
Total Bridge Length:	0.000 Miles	Letting Date:	05/07/21
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	13

Proposal Budget Estimate: \$400,000.00

Please read the full advertisement

**Description:**

The work under this Contract consists of all labor, materials, equipment, and incidentals necessary for repair, replacement, construction and other work related to drainage systems along State owned roadways in Martin, St. Lucie and Indian River Counties.

**MAXIMUM LIMITING CONTRACT:** The award amount and the contract performance bond shall be based on the maximum limiting budget amount of \$400,000 and not the contractors bid total.

- **PERFORMANCE BOND:** A Contract / Performance bond is required for this project.
- **GENERAL LIABILITY:** The limits of coverage shall not be less than \$1,000,000 for each occurrence and not less than a \$5,000,000 annual general aggregate, inclusive of amounts provided by an umbrella or excess policy. The limits of coverage described herein shall apply fully to the work or operations performed under the Contract and may not be shared with or diminished by claims unrelated to the contract.
- **REQUIRED SUBMITTAL WITH BID:** Experience in Drainage Repair. Work Experience Form 850-070-05 must be submitted with the bid.

**Call Order: 004 Proposal: E4V14**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 ASPHALT REPAIR (MECHANICAL) (TN)</b>				
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	10.000
	0102- 60-	WORK ZONE SIGN	ED	100.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	25.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	25.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	25.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	25.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	25.000
	0102- 71- 26	TEMPORARY BARRIER, RELOCATE, FREE STANDING	LF	25.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	150.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	10.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	1.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	2.000
	0102-115-	TYPE III BARRICADE	ED	150.000
	0104- 10- 3	SEDIMENT BARRIER	LF	50.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	50.000



**Call Order: 004 Proposal: E4V14**

ALT	Item	Description	Unit	Quantity
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	50.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	5.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	50.000
	0120- 1-	REGULAR EXCAVATION	CY	200.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	50.000
	0120- 6-	EMBANKMENT	CY	200.000
	0120- 9- 1	DITCH CLEARING OF LARGE VEGETATION, DITCH WIDTH UP TO 15'	LF	50.000
	0120- 9- 2	DITCH CLEARING OF LARGE VEGETATION, DITCH WIDTH 15-30'	LF	50.000
	0120- 9- 3	DITCH CLEARING OF LARGE VEGETATION, DITCH WIDTH GREATER THAN 30'	LF	50.000
	0121- 70- 2	FLOWABLE FILL, MAINTENANCE CONTRACTS ONLY	CY	10.000
	0145- 1-	GEOSYNTHETIC REINFORCED SOIL SLOPE	SF	10,137.860
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	50.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	50.000
	0327- 70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	50.000
	0327- 70- 5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	50.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	50.000
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	5.000
	0334- 1- 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	5.000
	0337- 7- 82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	5.000
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	5.000
	0337- 7- 85	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC D, FC-12.5, PG 76-22	TN	5.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	5.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	50.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	1.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL	EA	1.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	1.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	1.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	1.000
	0425- 1-521	INLETS, DT BOT, TYPE C, <10'	EA	1.000
	0425- 1-523	INLETS, DT BOT, TYPE C, JBOT, <10'	EA	1.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	1.000
	0425- 1-561	INLETS, DT BOT, TYPE F, <10'	EA	1.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	1.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	1.000
	0425- 2- 43	MANHOLES, P-7, PARTIAL	EA	1.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	1.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	1.000
	0425- 2- 73	MANHOLES, J-7, PARTIAL	EA	1.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	1.000
	0425- 2-110	MANHOLES, REPAIR	EA	5.000
	0425- 3- 41	JUNCTION BOX, DRAINAGE, P-7, <10'	EA	1.000
	0425- 3- 42	JUNCTION BOXES, P-7, >10'	EA	1.000

**Call Order: 004 Proposal: E4V14**

ALT	Item	Description	Unit	Quantity
	0425- 3- 43	JUNCTION BOX, DRAINAGE, P-7, PARTIAL	EA	1.000
	0425- 3- 61	JUNCTION BOXES, J-7, <10'	EA	1.000
	0425- 3- 63	JUNCTION BOXES, DRAINAGE, J-7, PARTIAL	EA	1.000
	0425- 4-	INLETS, ADJUST	EA	3.000
	0425- 5-	MANHOLE, ADJUST	EA	3.000
	0430-174-112	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 12"SD	LF	50.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	50.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	20.000
	0430-174-130	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 30"SD	LF	20.000
	0430-174-136	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 36"SD	LF	20.000
	0430-174-148	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 48"SD	LF	20.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	20.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	20.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	10.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	5.000
	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	5.000
	0430-175-160	PIPE CULVERT, OPT MATERIAL, ROUND, 60"S/CD	LF	10.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	50.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	50.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	5.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	2.000
	0430-982-140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	2.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	5.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	5.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	2.000
	0430-984-133	MITERED END SECTION , OPTIONAL ROUND, 30" SD	EA	5.000
	0430-984-138	MITERED END SECTION , OPTIONAL ROUND, 36" SIDE DRAIN	EA	2.000
	0430-984-141	MITERED END SECTION , OPTIONAL ROUND, 48" SD	EA	2.000
	0430-991- 1	MITERED END SECT, REPLACE SLAB- MAINTENANCE USE ONLY	CY	10.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	300.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	150.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	10.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	10.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	25.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	25.000
	0527- 2-	DETECTABLE WARNINGS	SF	25.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	81.080
	0530- 74-	BEDDING STONE	TN	5.000
	0571- 1- 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	2,000.000
	0571- 1- 12	PLASTIC EROSION MAT, TRM, TYPE 2	SY	100.000
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.100
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	50.000

**Call Order: 004 Proposal: E4V14**

ALT	Item	Description	Unit	Quantity
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	50.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	50.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.100
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.100
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	5.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	5.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.250
	0710- 11-202	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.250
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	5.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.100
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.100
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	5.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	5.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	5.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.250
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	5.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	5.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	20.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	1.000
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	25.000
	E110- 2-	CLEARING & GRUBBING	AC	2.000
	E120- 10- 1	CLEAN AND RESHAPE DITCH (SPREAD)	LF	500.000
	E120- 10- 2	CLEAN AND RESHAPE DITCH (HAUL)	LF	500.000
	E425- 73- 2	REPAIR LEAKS IN MANHOLES AND INLETS	EA	5.000
	E430- 94- 1	DESILT PIPE, 0 to 24"	LF	100.000
	E430- 94- 2	DESILT PIPE, 25-36"	LF	100.000
	E430- 94- 3	DESILT PIPE, 37-48"	LF	75.000
	E430- 94- 4	DESILT PIPE, 49-60"	LF	25.000
	E430- 94- 5	DESILT PIPE, 61" OR GREATER	LF	25.000
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	200.000
	E575- 1-	SODDING	SY	10,000.000
	E706- 1- 42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	50.000
	E710- 11-121	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	LF	20.000

**Call Order: 004 Proposal: E4V14**

---

ALT	Item	Description	Unit	Quantity
	E711- 11-121	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	LF	20.000
	E711- 11-141	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	LF	20.000
	E711- 11-221	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	LF	20.000
	E711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6"	LF	20.000

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

---

Letting:	04210507	Call Order: 010	Proposal: E4V16	District:04
Counties:	DIST/ST-WIDE			
Road Name:	TREASURE COAST MULTI-POST SIGN REPAIR - ROUTINE MAINTENANCE			
Limits:	Midpoint			
Project(s):	44100747201(*)	Federal Aid No: N/A		
Total Roadway Length:	0.000 Miles	Contract Days:	730	
Total Bridge Length:	0.000 Miles	Letting Date:	05/07/21	
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10	
		Special Start Date:	N/A	
		Aquis/Flexible Start Time:	13	
Proposal Budget Estimate:	\$75,000.00			

Please read the full advertisement

**Description:**

The work under this Contract consists of labor, equipment, materials and incidentals necessary to relocate, furnish, install, repair, and remove signs along the State Roadways in St Lucie, Martin, and Indian River Counties.

**BUSINESS DEVELOPMENT INITIATIVE (BDI) CONTRACT:** Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at <https://www.fdot.gov/equalopportunity/bdi.shtm>. For more information about bidding on BDI projects, please see the training guide located at <http://www.cmdp-bgp.com/bdi-projects.html>

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at: <https://www.fdot.gov/equalopportunity/bdi.shtm>

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to: [fdot.bdi@dot.state.fl.us](mailto:fdot.bdi@dot.state.fl.us).

All Sublet work must be contracted to a small business or businesses as defined by the Department.

The subcontractor must also submit a notarized Small Business Affidavit Form provided by the Department prior to the start of work.

**MAXIMUM LIMITING CONTRACT:** The award amount and contract performance bond shall be based on the maximum limited budgeted amount of \$75,000.00 and not the contractor s bid total. There is no guarantee of minimum or maximum amount to be issued under this contract.

**PERFORMANCE BOND:** A Contract / Performance bond is NOT required for this project.

**PROPOSAL BID GUARANTEE:** On proposals over \$150,000, a Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier s Check, made payable to the Florida Department of Transportation, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09).

Funds approval for Fiscal Year 2022 is contingent upon Annual Legislative Appropriation

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

**Call Order: 010 Proposal: E4V16**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 SIGNS(GRND SIGNS 30 SQ FT OR LESS)(UN)</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	3.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	1.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.000
	0700- 1- 40	SINGLE POST SIGN, INSTALL	AS	4.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	10.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	7.000
	0700- 2- 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	3.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	2.000
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	1.000
	0700- 2- 50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	3.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	10.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	10.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	2.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	2.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	2.000
	0700- 3-105	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	16.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	10.000
	0700- 3-401	SIGN PANEL, INSTALL, UP TO 12 SF	EA	2.000
	0700- 3-402	SIGN PANEL, INSTALL, 12-20 SF	EA	2.000
	0700- 3-403	SIGN PANEL, INSTALL, 21-30 SF	EA	2.000
	0700- 3-404	SIGN PANEL, INSTALL, 31-50 SF	EA	2.000
	0700- 3-405	SIGN PANEL, INSTALL, 51-100 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	10.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	4.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	4.000
	0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF	EA	5.000
	0700- 3-605	SIGN PANEL, REMOVE, 51-100 SF	EA	1.000
	E700- 30- 1	SIGN PANEL OVERLAY, SINGLE POST	SF	11.532
	E700- 30- 2	SIGN PANEL OVERLAY, MULTI POST	SF	4.000
	E700- 30- 3	SIGN PANEL OVERLAY, OVERHEAD	SF	1.000