# BID SOLICITATION NOTICE – District 4 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Ft. Lauderdale, FL November 01, 2023 Advertisement No. 2

FDOT District 4- Office of Procurement 3400 W. Commercial Blvd. Ft. Lauderdale, FL 33309

All bids must be completed using **Project Bids** software available on the Bid Express website at <a href="https://bidx.com/fl/main">https://bidx.com/fl/main</a>.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <a href="https://www.fdot.gov/contracts">https://www.fdot.gov/contracts</a> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <a href="https://www.bidx.com">https://www.bidx.com</a>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 10:30 AM Local Time on Friday, December 01, 2023.

Bid totals for each bid submitted will be read aloud for those present and will be available at 10:30 AM December 01, 2023 in the Procurement Office, 1st Floor, District Four Headquarters, Ft. Lauderdale, Florida. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: <a href="mailto:contracts.admin@dot.state.fl.us">contracts.admin@dot.state.fl.us</a> or call telephone number (954)777-4612. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <a href="https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain">https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain</a>, select district then click on appropriate date.

### **DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST**

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: <a href="https://www.fdot.gov/contracts/d4">www.fdot.gov/contracts/d4</a>, click "Letting and Project Information" and select letting date from the Lettings Menu.

#### ----NOTF----

Proposals will not be issued after 10:30 AM Local Time on Thursday, November 30, 2023.

#### **Document Ordering Information**

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <a href="CPP.Web">CPP.Web</a> (fdot.gov). There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

#### To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit
   http://dms.myflorida.com/egovernment\_tools/myflorida\_marketplace
   for more information. Please allow 24 to 48
   hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
  Department of Transportation at <a href="https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/">https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/</a>.
  Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

#### **PREQUALIFICATION**

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

#### PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) <a href="https://www.fdot.gov/contracts/PreQual\_Info/prequalified.shtm">https://www.fdot.gov/contracts/PreQual\_Info/prequalified.shtm</a> to the Department every 30 calendar days.

#### **CONFLICT OF INTEREST**

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

#### **SCRUTINIZED COMPANIES**

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

#### **BID REJECTION**

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

#### **PROTEST RIGHTS**

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid rejection or contract award</u> shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <a href="https://www.fdot.gov/contracts/">https://www.fdot.gov/contracts/</a>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

#### **IDENTICAL BIDS**

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

#### **INSURANCE**

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

#### **ADDENDA**

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: <a href="https://www.fdot.gov/contracts/d4">www.fdot.gov/contracts/d4</a>, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

#### **BID QUESTIONS**

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal.

#### **PROPOSAL GUARANTY**

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit <a href="https://www.tinubu.com">https://www.tinubu.com</a> for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

#### **EXECUTION OF CONTRACT**

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the

project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

**Important Note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

#### **DBE PARTICIPATION**

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web-based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

#### **DEBARMENT/SUSPENSION**

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

#### MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

#### LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

#### **FIRST TIME BIDDERS**

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: <a href="https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae\_2">https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae\_2</a>

#### **POSTING NOTICE**

The bid tabulation and intent to award will be posted on December 26, 2023 or January 02, 2024 at <a href="https://www.fdot.gov/contracts/d4">www.fdot.gov/contracts/d4</a>, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

#### **AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)**

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <a href="https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm">https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm</a> Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

#### **MINIMUM WAGE**

The minimum wage for all hours worked in Florida is available at <a href="http://www.floridajobs.org">http://www.floridajobs.org</a>.

#### **EMAIL SUBSCRIPTION LIST**

To get on the e-mail subscription list, go to <a href="https://fdotwp1.dot.state.fl.us/reportsubscriptions/">https://fdotwp1.dot.state.fl.us/reportsubscriptions/</a> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <a href="https://www.fdot.gov/contracts/district-offices/distro.shtm">https://www.fdot.gov/contracts/district-offices/distro.shtm</a>.

#### **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

# Florida Department of Transportation Notice to Contractors Index

Published: November 01, 2023

Letting ID: 04231201

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the December 01, 2023 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
3	E4W69		44617315201(*)	PALM BEACH
7	E4X07-R0	BROWARD COUNTY TREE TRIMMING - ROUTINE MAINTENANCE	45128917201(*)	BROWARD
9	E4X08-R0	TREASURE COAST COUNTIES DRAINAGE - ROUTINE MAINTENANCE	44103947201(*)	DIST/ST-WIDE
12	E4X15		42924955201(*)	BROWARD
18	E4X16		43974525201(*)	DIST/ST-WIDE
24	E4X18	BROWARD PIPE LINING - ROUTINE MAINTENANCE	45363417201(*)	BROWARD

**Proposal Note Codes:** 

Letting: 04231201 Call Order: 007 Proposal: E4W69 District:04

Counties: PALM BEACH

Road Name: SR-5/N FEDERAL HWY FROM SOUTH OF 10TH AVE SOUTH TO 6TH AVE N

Limits: 93020000

Project(s): 44617315201(\*) Federal Aid No: N/A

Total Roadway Length:1.598 MilesContract Days:282Total Bridge Length:0.000 MilesLetting Date:12/01/23

Total Proposal Length: 1.598 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$2,126,156.00

Please read the full advertisement

#### Description:

The Improvements under this Contract consist of , but are not limited to, pavement reconstruction, milling and resurfacing, ADA-features improvements, mid-block crossings, traffic calming features, signing and pavement markings, signalization, lighting, traffic monitoring sites, and drainage improvements along State Road 5 (Federal Highway) from 10th Avenue South to 6th Avenue North for 1.222 miles in the City of Lake Worth Beach, and unincorporated portions of, Palm Beach County.

PRE-QUALIFIED: Contractor needs to be pre-qualified.

PERFORMANCE BOND: A Contract / Performance bond is required for this project.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44617315201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44617315201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	160.000
	0102- 60-	WORK ZONE SIGN	ED	32,172.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	98,700.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	49,536.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	1,392.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	564.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	564.000
	0102-115-	TYPE III BARRICADE	ED	576.000
	0104- 10- 3	SEDIMENT BARRIER	LF	1,465.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	66.000
	0107- 1-	LITTER REMOVAL	AC	25.270
	0107- 2-	MOWING	AC	3.150
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44617315201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (44617315201)	LS	1.000

		Can Order. 007 Troposal. E44403		
ALT	Item	Description	Unit	Quantity
	0110- 1- 1	CLEARING & GRUBBING (44617315201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	409.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	102.000
	0285-713-	OPTIONAL BASE, BASE GROUP 13	SY	247.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	20,872.000
	0327- 70- 34	MILLING EXISTING ASPHALT PAVEMENT, 8" AVG DEPTH	SY	349.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	65.600
	0337- 7-81	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC B, FC-12.5, PG 76-22	TN	2,334.300
	0425- 1-201	INLETS, CURB, TYPE 9, <10'	EA	2.000
	0425- 2-43	MANHOLES, P-7, PARTIAL	EA	2.000
	0425- 5-	MANHOLE, ADJUST	EA	2.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	18.000
	0431- 1-130	PIPE LINER, CURED IN PLACE, 30"	LF	211.000
	0432- 3- 5	CHEMICAL GROUT REPAIR, PIPE, NON-TEST, 30"	EA	1.000
	0433- 1-	CHEMICAL GROUT REPAIR, MANHOLE / INLET	EA	1.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	120.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	118.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	336.000
	0527- 2-	DETECTABLE WARNINGS	SF	328.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	38.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	2.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	4.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	4.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	466.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	2.324
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	2,366.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	756.000
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.269
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	43.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	13.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	2.539
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	237.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.110
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44617315201)	LS	1.000
Sectio	n 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	33.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	18.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	1.000

		Call Order: 007 Proposal: E4W69	
Quantity	Unit	T Item Description	ALT
6.000	EA	0700- 15- 2 IN-STREET SIGN ASSEMBLY, FURNISH AND INSTALL- FIXED BASE CONNECTION	
466.000	EA	0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B	
1.000	LS	0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44617315201)	
2,366.000	LF	0711- 11-123 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	
292.000	LF	0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	
0.269	GM	0711- 11-141 THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	
8.000	EA	0711- 11-170 THERMOPLASTIC, STANDARD, WHITE, ARROW	
237.000	LF	0711- 11-224 THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	
464.000	LF	0711- 14-125 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	
43.000	EA	0711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	
5.000	EA	0711- 14-170 THERMOPLASTIC, PREFORMED, WHITE, ARROW	
2.324	GM	0711- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	
2.539	GM	0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	
0.110	GM	0711- 16-231 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	
		ction 0003 Lighting	Section (
635.000	LF	0630- 2-12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	
25.000	EA	0635- 2-11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	
2,193.000	LF	0715- 1-12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	
2.000	EA	0715- 11-213 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP	
3.000	EA	0715- 11-216 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, PENDANT/TEARDROP	
15.000	EA	0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	
10.000	EA	0715-516-315 LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I ,POLE TOP MOUNT, CONCRETE, 15'	
		ction 0004 Signalization	Section (
91.000	LF	0630- 2-12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	
91.000	LF	0632- 7- 2 SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	
1.000	PI	0632- 7- 6 SIGNAL CABLE, REMOVE- INTERSECTION	
11.000	EA	0635- 2-14 PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	
2.000	EA	0635- 2-15 PULL & SPLICE BOX, F&I, 30" X 48" COVER SIZE	
1.000	AS	0639- 1-620 ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	
278.000	LF	0639- 2- 6 ELECTRICAL SERVICE WIRE, REMOVE	
7.000	EA	0646- 1-12 ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST	
2.000	EA	0649- 26- 5 STEEL MAST ARM ASSEMBLY, REMOVE, DEEP FOUNDATION- BOLT ON ATTACHMENT	
14.000	EA	0650- 2-109 VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- FLEXIBLE REQUIRED	
6.000	AS	0654- 2-22 MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR, COMPLETE SIGN ASSEMBLY- BACK TO BACK	

ALT	Item	Description	Unit	Quantity
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	8.000
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	13.000
	0665- 1-50	PEDESTRIAN DETECTOR, ADJUST/MODIFY ON EXISTING POLE	EA	4.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	12.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	1.000

Letting: 04231201 Call Order: 002 Proposal: E4X07-R0 District:04

Counties: BROWARD

Road Name: BROWARD COUNTY TREE TRIMMING - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 45128917201(\*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365
Total Bridge Length: 0.000 Miles Letting Date: 12/01/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 13

Proposal Budget Estimate: \$300,000.00

Please read the full advertisement

Description:

The work under this Contract consists of pruning, trimming and removal of trees and other vegetation along the State Highway System in Broward County.

- •BUSINESS DEVELOPMENT INITIATIVE (BDI) CONTRACT.
- •ADVERTISED ESTIMATE: The award amount and contract performance bond shall be based on the Department's advertised estimate amount of \$300,000.00 and not the contractors bid total.
- •PERFORMANCE BOND: A Contract / Performance bond is required for this project.
- •REQUIRED SUBMITTALS WITH BID: Form 275-000-02 Business Development Initiative Reference Sheet must be submitted with the bid.
- •PROPOSAL BID GUARANTEE: Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier's Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09).
- •BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at https://www.fdot.gov/equalopportunity/bdi.shtm. For more information about bidding on BDI projects, please see the training guide located at https://www.fdot.gov/equalopportunity/bdi.shtm.

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at: https://www.fdot.gov/equalopportunity/bdi.shtm It is only necessary to submit the Small Business Affidavit (SBA) form once per year. Send a completed and notarized affidavit as an attachment to: SmallBusiness@dot.state.fl.us.

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid unless bidder is prequalified in the project s major work type, per Rule 14-22, Florida Administrative Code.

Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the "File Attachment Upload" folder in the AASHTOWare Project Bids application. BDI Reference Sheet may be found at: https://www.fdot.gov/equalopportunity/bdi.shtm

		Call Order: 002 Proposal: E4X07-R0		
ALT	Item	Description	Unit	Quantity
Section	0001 TREE TRI	MMING AND REMOVAL (MH)		
	E580-332- 21	TREE REMOVAL (4" TO 12")	EA	100.000
	E580-332- 22	TREE REMOVAL (13" TO 24")	EA	75.000
	E580-332- 23	TREE REMOVAL (25" TO 36")	EA	50.000
	E580-332- 24	TREE REMOVAL (37" TO 48")	EA	5.000
	E580-332- 25	TREE REMOVAL (> 48")	EA	5.000
	E580-332- 99	TREE AND BRUSH REMOVAL	AC	1.000
	E580-336- 1	PRUNING AND TRIMMING (4" TO 24")	EA	1,200.000
	E580-336- 2	PRUNING AND TRIMMING (> 24")	EA	1,200.000
	E580-336- 5	PRUNING AND TRIMMING (TREES AND SHRUBS)	SF	2,000.000
	E580-336- 14	PRUNING AND TRIMMING (PALMS)	EA	1,200.000

Letting: 04231201 Call Order: 003 Proposal: E4X08-R0 District:04

Counties: DIST/ST-WIDE

Road Name: TREASURE COAST COUNTIES DRAINAGE - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 44103947201(\*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365

Total Bridge Length: 0.000 Miles Letting Date: 12/01/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 13

Proposal Budget Estimate: \$200,000.00

Please read the full advertisement

#### Description:

The work under this Contract consists of all labor, materials, equipment and incidentals necessary for repair, replacement, construction and other work related to drainage systems along State owned roadways in Martin, St. Lucie, and Indian River Counties.

•ADVERTISED ESTIMATE: The award amount and contract performance bond shall be based on the Department's advertised estimate amount of \$200,000.00 and not the contractors bid total.

•PERFORMANCE BOND: A Contract / Performance bond is required for this project.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity
Section	n 0001 ASPHALT	REPAIR (MECHANICAL) (TN)		
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	40.000
	0102- 60-	WORK ZONE SIGN	ED	100.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	100.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	100.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	100.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	25.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	1.000
	0102-115-	TYPE III BARRICADE	ED	100.000
	0104- 10- 3	SEDIMENT BARRIER	LF	25.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	50.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	10.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	25.000
	0120- 1-	REGULAR EXCAVATION	CY	100.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	50.000
	0120- 6-	EMBANKMENT	CY	250.000
	0120- 9- 1	DITCH CLEARING OF LARGE VEGETATION, DITCH WIDTH UP TO 15'	LF	250.000
	0120- 9- 2	DITCH CLEARING OF LARGE VEGETATION, DITCH WIDTH 15-30'	LF	250.000
	0120- 9- 3	DITCH CLEARING OF LARGE VEGETATION, DITCH WIDTH GREATER THAN 30'	LF	100.000

ALT	Item	Description	Unit	Quantity
	0120- 10- 23	CLEAN AND RESHAPE DITCH, HAUL, DITCH WIDTH GREATER THAN 30'	LF	100.000
	0121- 70- 2	FLOWABLE FILL, MAINTENANCE CONTRACTS ONLY	CY	10.000
	0145- 1-	GEOSYNTHETIC REINFORCED SOIL SLOPE	SF	499.100
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	25.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	25.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	2.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	2.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	2.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	2.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	25.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	1.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL	EA	1.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	1.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	1.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	1.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	1.000
	0425- 2-110	MANHOLES, REPAIR	EA	3.000
	0425- 4-	INLETS, ADJUST	EA	1.000
	0425- 5-	MANHOLE, ADJUST	EA	2.000
	0430- 96-	DRAINAGE PIPE REPAIR- CONCRETE COLLAR AT JOINT	EA	1.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	20.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	20.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	5.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	5.000
	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	5.000
	0430-175-160	PIPE CULVERT, OPT MATERIAL, ROUND, 60"S/CD	LF	5.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	25.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	50.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	5.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	5.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	2.000
	0430-984-133	MITERED END SECTION , OPTIONAL ROUND, 30" SD	EA	4.000
	0430-984-138	MITERED END SECTION , OPTIONAL ROUND, 36" SIDE DRAIN	EA	1.000
	0430-984-141	MITERED END SECTION , OPTIONAL ROUND, 48" SD	EA	1.000
	0430-991- 1	MITERED END SECT, REPLACE SLAB- MAINTENANCE USE ONLY	CY	5.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	35.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	4.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	50.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	49.000
	0527- 2-	DETECTABLE WARNINGS	SF	26.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	20.000
	0530- 74-	BEDDING STONE	TN	5.000

ALT	Item	Description	Unit	Quantity
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.250
	E110- 2-	CLEARING & GRUBBING	AC	4.000
	E120- 10- 1	CLEAN AND RESHAPE DITCH (SPREAD)	LF	100.000
	E120- 10- 2	CLEAN AND RESHAPE DITCH (HAUL)	LF	100.000
	E425- 73- 1	CLEANING MANHOLES AND INLETS (MECHANICAL)	EA	9.000
	E425-73-2	REPAIR LEAKS IN MANHOLES AND INLETS	EA	2.000
	E575- 1-	SODDING	SY	500.000
	E706- 1-42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	25.000
	E710- 11-121	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	LF	20.390
	E711- 11-121	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	LF	20.000
	E711- 11-141	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	LF	20.000
	E711- 11-221	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	LF	20.000
	E711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6"	LF	21.000

Letting: 04231201 Call Order: 009 Proposal: E4X15 District:04

Counties: BROWARD

Road Name: BROWARD COUNTY PUSH BUTTON CONTRACT TRAFFIC OPS - ROADWAY

Limits: Midpoint

Project(s): 42924955201(\*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:730Total Bridge Length:0.000 MilesLetting Date:12/01/23Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

#### Description:

The Improvements, implemented by individual Task Work Order(s)/Work Document(s) under this Contract, consist of, but are not limited to, asphalt (milling and resurfacing, miscellaneous), concrete (removals, gravity wall, curb, gutter, traffic separator, sidewalk, driveways), earthwork, handrail (pipe), guardrail (removal), signing (single post, multi-post, panel, work zone), pavement markings (tubular marker, raised marker, object marker, detectable, paver, painted, thermoplastic), conduit, pull/splice box, strain pole (removal), lighting (conductors, pole complete), drainage (inlets), electrical (service wire, load center), utilities adjustments (valve box), and sod throughout Broward County.

WORK DRIVEN CONTRACT: The award amount shall be based on the Department Budget Estimate of \$1,000,000.00 and not the contractors bid total over the two (2) year term of the contract.

- •The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed.
- •For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.
- •PRE-QUALIFIED: Contractor must be pre-qualified.
- •PERFORMANCE BOND: A Contract / Performance bond is required for this project.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1- 1	MOBILIZATION- FOR WORK ORDER/PUSH BUTTON CONTRACTS (DO NOT BID) (42924955201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	60.000
	0102- 60-	WORK ZONE SIGN	ED	3,000.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	300.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	300.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	4,000.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	400.000

		Call Order: 009 Troposal: E4X13		
ALT	Item	Description	Unit	Quantity
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	200.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	5.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	300.000
	0102-115-	TYPE III BARRICADE	ED	150.000
	0104- 10- 3	SEDIMENT BARRIER	LF	650.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	25.000
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT)	AC	0.500
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	200.000
	0120- 1-	REGULAR EXCAVATION	CY	400.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	200.000
	0120- 6-	EMBANKMENT	CY	300.000
	0160- 4-	TYPE B STABILIZATION	SY	100.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	100.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	200.000
	0285-715-	OPTIONAL BASE, BASE GROUP 15	SY	200.000
	0327-70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	400.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	1,500.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	30.000
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	70.000
	0334- 1-55	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22	TN	70.000
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	70.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	70.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	70.000
	0337- 7-88	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC E, FC-12.5, PG 76-22	TN	70.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	40.000
	0400- 0-11	CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011	CY	40.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	2.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL	EA	2.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	2.000
	0425- 1-365	INLETS, CURB, TYPE P-6, PARTIAL	EA	2.000
	0425- 1-910	INLETS, CLOSED FLUME	EA	2.000
	0425- 2-41	MANHOLES, P-7, <10'	EA	2.000
	0425- 2-43	MANHOLES, P-7, PARTIAL	EA	2.000
	0425- 6-	VALVE BOXES, ADJUST	EA	5.000
	0430-173-118	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN	LF	20.000
	0430-173-124	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 24", GUTTER DRAIN	LF	20.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	45.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	400.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	400.000
	0520- 5-41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	100.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	100.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	300.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	100.000

ALT	Item	Description	Unit	Quantity
	0523- 3-	PATTERNED PAVEMENT	SY	150.000
	0526- 1- 2	PAVERS, ARCHITECTURAL, SIDEWALK	SY	75.000
	0527- 2-	DETECTABLE WARNINGS	SF	150.000
	0536- 1- 0	GUARDRAIL -ROADWAY, GENERAL/LOW SPEED TL-2	LF	500.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	500.000
	0536- 73-	GUARDRAIL REMOVAL	LF	100.000
	0538- 1-	GUARDRAIL RESET	LF	100.000
	0544- 2- 1	CRASH CUSHION, TL-2, NARROW	EA	2.000
	0544- 2- 2	CRASH CUSHION, TL-2, WIDE	EA	2.000
	0544- 3- 1	CRASH CUSHION, TL-3, NARROW	EA	2.000
	0544- 3- 2	CRASH CUSHION, TL-3, WIDE	EA	2.000
	0570- 1- 1	PERFORMANCE TURF	SY	500.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	800.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	300.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	300.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	100.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	5.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	5.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	50.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	50.000
	0641- 2-11	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL	EA	4.000
	0643-600-	STRAIN POLE, WOOD, REMOVE	EA	4.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	5.000
	0653- 1-12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	5.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	4.000
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	5.000
	0665- 1-40	PEDESTRIAN DETECTOR, RELOCATE	EA	3.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	3.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	300.000
	0715- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	300.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	300.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	2.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	20.000
	0715- 61-421	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 10' ARM LENGTH	EA	2.000
	0715- 61-542	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 50' MOUNTING HEIGHT, 12' ARM LENGTH	EA	2.000
	0715- 62-442	LIGHT POLE COMPLETE, F&I, STANDARD POLE SPECIAL FOUNDATION, 45' MOUNTING HEIGHT, 12' ARM LENGTH	EA	2.000
	0715- 68-000	LIGHT POLE COMPLETE, RELOCATE	EA	2.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	2.000
	0715- 69-001	LIGHT POLE COMPLETE, REMOVE POLE, FOUNDATION REMAINS	EA	2.000

		Call Order: 009 Proposal: E4X15		
ALT	Item	Description	Unit	Quantity
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	2.000
	0715-511-130	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, ALUMINUM, 30'	EA	2.000
Section	n 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	15.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	5.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	5.00
	0700- 1-21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	5.000
	0700- 1-22	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF	AS	5.000
	0700- 1-32	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	AS	5.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	12.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	15.000
	0700- 2-11	MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	5.00
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	5.00
	0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	5.00
	0700- 2-14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	5.00
	0700- 2-16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	5.00
	0700- 2-50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	5.00
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	5.00
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	5.00
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	4.00
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	3.00
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	2.00
	0700- 3-208	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 301-400 SF	EA	2.00
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	5.00
	0700- 3-502	SIGN PANEL, RELOCATE, 12-20 SF	EA	4.00
	0700- 3-503	SIGN PANEL, RELOCATE, 21-30 SF	EA	3.00
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	5.00
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	4.00
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	3.00
	0700- 4-114	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT	EA	2.00
	0704- 1- 1	TUBULAR MARKER, DURABLE, 36" WHITE POST	EA	5.00
	0704- 1- 2	TUBULAR MARKER, DURABLE, 36" YELLOW POST	EA	5.00
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	10.00
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	10.00
	0705- 11- 6	DELINEATOR, REPLACE DELINEATOR ON EXISTING BARRIER	EA	10.00
	0705- 11- 11	DELINEATOR POST, FURNISH & INSTALL ON EXISTING BASE	EA	5.00
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	300.00
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	0.50
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.500

		Call Order: 009 Troposal: L+X13		
ALT	Item	Description	Unit	Quantity
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	300.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	150.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.500
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.500
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	15.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	20.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.500
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	50.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	50.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.500
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	200.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	200.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	600.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.500
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	15.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	20.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	20.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	200.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.500
	0711- 12-160	THERMOPLASTIC, REFURBISH, WHITE, MESSAGE	EA	5.000
	0711- 12-170	THERMOPLASTIC, REFURBISH, WHITE, ARROWS	EA	5.000
	0711- 12-231	THERMOPLASTIC, REFURBISHMENT, YELLOW, SKIP, 6"	GM	0.500
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	200.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	600.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	10.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	15.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	5.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	0.500
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"	GM	0.500
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.500
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, $6$ ",10-30 SKIP OR 3-9 LANE DROP	GM	0.500

ALT	Item	Description	Unit	Quantity
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.500
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.500

Letting: 04231201 Call Order: 008 Proposal: E4X16 District:04

Counties: DIST/ST-WIDE

Road Name: TREASURE COAST PUSH BUTTON CONTRACT TRAFFIC SIGNAL CONST

Limits: Midpoint

Project(s): 43974525201(\*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:730Total Bridge Length:0.000 MilesLetting Date:12/01/23Total Proposal Length:0.000 MilesContract Execution Days:10

Total Proposal Length:

0.000 Miles

Contract Execution Days:

N/A

Special Start Date:

N/A

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

#### Description:

The Improvements under this Contract, implemented by individual Task Work Order(s)/Work Document(s), consist of, but are not limited to, signalization (cable, span wire, aluminum pole, steel mast arm, vehicular signal and detection, pedestrian signal and detection, mid-block, auxiliaries, cable, cable distribution, controller, pull/splice, conduit, fiber optic), concrete (removal, sidewalk, driveways, curb, gutter, prestressed pole), signing (single-post, multi-post, panel, internally-illuminated, beacon, flashing beacon, work zone), pavement markings (raised, thermoplastic, detectable), lighting (conductors), electrical (power service, service wire, disconnect, load center) throughout Martin, St. Lucie, and Indian River Counties.

WORK DRIVEN CONTRACT: The award amount shall be based on the Department Budget Estimate of \$1,000,000.00 and not the contractors bid total over the two (2) year term of the contract.

- •The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed.
- •For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.
- •PRE-QUALIFIED: Contractor must be pre-gualified
- •PERFORMANCE BOND: A Contract / Performance bond is required for this project

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity
Section	0001 Signing			
	0101- 1- 1	MOBILIZATION- FOR WORK ORDER/PUSH BUTTON CONTRACTS (DO NOT BID) (43974525201)	LS	1.000
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	30.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	15.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	10.000
	0700- 1-21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	10.000
	0700- 1-22	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF	AS	10.000

		Call Order: 000 1 Toposai. L+XTO		
ALT	Item	Description	Unit	Quantity
	0700- 1-32	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	AS	10.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	10.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	10.000
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	10.000
	0700- 2-14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	10.000
	0700- 2-15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	10.000
	0700- 2-50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	10.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	10.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	10.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	10.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	10.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	10.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	10.000
	0700- 3-204	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	EA	10.000
	0700- 3-205	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	EA	10.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	10.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	10.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	10.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	10.000
	0700- 5-21	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	10.000
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	10.000
	0700- 5-50	INTERNALLY ILLUMINATED SIGN, RELOCATE	EA	10.000
	0700- 5-60	INTERNALLY ILLUMINATED SIGN, REMOVE	EA	10.000
	0700-141-111	ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS	EA	6.000
	0700-141-360	ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I OVERHEAD MOUNT, BLANK OUT SIGN <12 SF	EA	6.000
	0700-142-111	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS	EA	6.000
	0700-142-121	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/2 BEACONS, UP TO 12 SF OF STATIC SIGN PANELS	EA	6.000
	0700-142-131	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/EDS, UP TO 12 SF OF STATIC SIGN PANELS	EA	10.000
	0700-142-132	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/EDS, 12-20 SF OF STATIC SIGN PANELS	EA	6.000
	0700-142-150	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, HIGHLIGHTED SIGN 12-20 SF	EA	10.000
	0700-142-172	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/EDS AND BEACON, 12-20 SF OF STATIC SIGN PANELS	EA	6.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	5.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	100.000
	0705- 11- 6	DELINEATOR, REPLACE DELINEATOR ON EXISTING BARRIER	EA	100.000
	0705- 11- 11	DELINEATOR POST, FURNISH & INSTALL ON EXISTING BASE	EA	100.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	125.000

		Call Order: 008 Proposal: E4X16		
ALT	Item	Description	Unit	Quantity
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	2.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	600.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	350.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	5.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	15.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	100.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	600.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	350.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	5.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	5.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	1.000
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	1.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	1.000
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.000
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	20.000
ectio	n 0002 Signalizat	ion		
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	60.000
	0102- 60-	WORK ZONE SIGN	ED	2,000.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	2,000.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	300.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	250.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	240.000
	0102-115-	TYPE III BARRICADE	ED	350.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	200.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	200.000
	0.02.00 =			
	0104- 10- 3	SEDIMENT BARRIER	LF	100.000
		SEDIMENT BARRIER INLET PROTECTION SYSTEM	LF EA	
	0104- 10- 3			10.000
	0104- 10- 3 0104- 18-	INLET PROTECTION SYSTEM	EA	10.000 0.500
	0104- 10- 3 0104- 18- 0110- 2- 1	INLET PROTECTION SYSTEM CLEARING & GRUBBING (PUSH BUTTON CONTRACT)	EA AC	10.000 0.500 200.000
	0104- 10- 3 0104- 18- 0110- 2- 1 0110- 4- 10	INLET PROTECTION SYSTEM CLEARING & GRUBBING (PUSH BUTTON CONTRACT) REMOVAL OF EXISTING CONCRETE	EA AC SY	10.000 0.500 200.000 250.000
	0104- 10- 3 0104- 18- 0110- 2- 1 0110- 4- 10 0520- 1- 10	INLET PROTECTION SYSTEM CLEARING & GRUBBING (PUSH BUTTON CONTRACT) REMOVAL OF EXISTING CONCRETE CONCRETE CURB & GUTTER, TYPE F	EA AC SY LF	10.000 0.500 200.000 250.000 200.000
	0104- 10- 3 0104- 18- 0110- 2- 1 0110- 4- 10 0520- 1- 10 0522- 1-	INLET PROTECTION SYSTEM CLEARING & GRUBBING (PUSH BUTTON CONTRACT) REMOVAL OF EXISTING CONCRETE CONCRETE CURB & GUTTER, TYPE F CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	EA AC SY LF SY	10.000 0.500 200.000 250.000 200.000
	0104- 10- 3 0104- 18- 0110- 2- 1 0110- 4- 10 0520- 1- 10 0522- 1- 0522- 2-	INLET PROTECTION SYSTEM CLEARING & GRUBBING (PUSH BUTTON CONTRACT) REMOVAL OF EXISTING CONCRETE CONCRETE CURB & GUTTER, TYPE F CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	EA AC SY LF SY SY	10.000 0.500 200.000 250.000 200.000 50.000
	0104- 10- 3 0104- 18- 0110- 2- 1 0110- 4- 10 0520- 1- 10 0522- 1- 0522- 2- 0526- 1- 2	INLET PROTECTION SYSTEM CLEARING & GRUBBING (PUSH BUTTON CONTRACT) REMOVAL OF EXISTING CONCRETE CONCRETE CURB & GUTTER, TYPE F CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK PAVERS, ARCHITECTURAL, SIDEWALK	EA AC SY LF SY SY	10.000 0.500 200.000 250.000 200.000 50.000
	0104- 10- 3 0104- 18- 0110- 2- 1 0110- 4- 10 0520- 1- 10 0522- 1- 0522- 2- 0526- 1- 2 0527- 2-	INLET PROTECTION SYSTEM CLEARING & GRUBBING (PUSH BUTTON CONTRACT) REMOVAL OF EXISTING CONCRETE CONCRETE CURB & GUTTER, TYPE F CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK PAVERS, ARCHITECTURAL, SIDEWALK DETECTABLE WARNINGS	EA AC SY LF SY SY SY SF	10.000 0.500 200.000 250.000 200.000 50.000 150.000
	0104- 10- 3 0104- 18- 0110- 2- 1 0110- 4- 10 0520- 1- 10 0522- 1- 0522- 2- 0526- 1- 2 0527- 2- 0570- 1- 1	INLET PROTECTION SYSTEM CLEARING & GRUBBING (PUSH BUTTON CONTRACT) REMOVAL OF EXISTING CONCRETE CONCRETE CURB & GUTTER, TYPE F CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK PAVERS, ARCHITECTURAL, SIDEWALK DETECTABLE WARNINGS PERFORMANCE TURF	EA AC SY LF SY SY SY SY SY	100.000 10.000 0.500 200.000 250.000 200.000 50.000 1.000 1,000.000

		Can Order: 000 Troposai. L+X10		
ALT	Item	Description	Unit	Quantity
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	60.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	2.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	1,000.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	2.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	250.000
	0633- 1-124	FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS	LF	250.000
	0633- 2-31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	5.000
	0633- 2-32	FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	5.000
	0633- 3-11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	5.000
	0633- 3-12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	5.000
	0633- 3-14	FIBER OPTIC CONNECTION HARDWARE, F&I, BUFFER TUBE FAN OUT KIT	EA	5.000
	0633- 3-16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	5.000
	0634- 4-151	SPAN WIRE ASSEMBLY, F&I, TWO POINT, PERPENDICULAR	PI	4.000
	0634- 4-600	SPAN WIRE ASSEMBLY, REMOVE- POLES REMAIN	PI	4.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	15.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	10.000
	0635- 2-13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	10.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	6.000
	0639- 1-123	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER NOT REQUIRED	AS	6.000
	0639- 1-610	ELECTRICAL POWER SERVICE, REMOVE OVERHEAD	AS	2.000
	0639- 1-620	ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	AS	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	800.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	5.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	5.000
	0641- 2-16	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VI	EA	4.000
	0641- 2-18	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VIII	EA	2.000
	0641- 2-60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	2.000
	0641- 2-70	PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER	EA	2.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	5.000
	0646- 1-12	ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST	EA	8.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	4.000
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM $40^{\circ}$	EA	2.000
	0649- 21- 6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50' $$	EA	2.000
	0649- 21- 10	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM $60^{\circ}$	EA	2.000
	0649- 21- 15	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM $70^{\circ}$	EA	2.000

		Call Order: 006 Proposal: E4X16		
ALT	Item	Description	Unit	Quantity
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	2.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION-BOLT ON ATTACHMENT	EA	2.000
	0650- 1-11	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY	AS	5.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	10.000
	0650- 1-16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	10.000
	0650- 1-18	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY	AS	5.000
	0650- 1-19	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION CLUSTER, 1 WAY	AS	5.000
	0650- 1-24	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W/ALUM TOP, 3 SECTION, 1 WAY	AS	5.000
	0650- 1-34	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 3 SECTION, 1 WAY	AS	5.000
	0650- 1-60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	10.000
	0650- 1-70	VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION	AS	5.000
	0650- 2-109	VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- FLEXIBLE REQUIRED	EA	10.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	4.000
	0653- 1-12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	4.000
	0653- 1-40	PEDESTRIAN SIGNAL, RELOCATE	AS	4.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	8.000
	0654- 1-20	MIDBLOCK CROSSWALK: IN ROADWAY LIGHT ASSEMBLY, FURNISH & INSTALL- SOLAR POWERED, COMPLETE CROSSING	AS	4.000
	0654- 2-21	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR, COMPLETE SIGN ASSY- SINGLE DIRECTION	AS	5.000
	0654- 2-22	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	5.000
	0654- 2-27	MIDBLOCK CROSSWALK: REC RAPID FLASHING BEACON, FURNISH/INSTALL- SOLAR, SIGN ASSEMBLY- SINGLE DIR ACCESSIBLE DETECTOR	AS	6.000
	0654- 2-28	MIDBLOCK CROSSWALK: REC RAPID FLASHING BEACON, FURNISH/INSTALL- SOLAR, SIGN ASSEMBLY- BACK-BACK ACCESSIBLE DETECTOR	AS	6.000
	0654- 2-60	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, REMOVE COMPLETE SIGN ASSEMBLY	AS	5.000
	0654- 3-60	MIDBLOCK CROSSWALK: PEDESTRIAN HYBRID BEACON ASSEMBLY, REMOVE	AS	5.000
	0660- 3-11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	EA	2.000
	0660- 3-12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	2.000

ALT	Item	Description Description	Unit	Quantity
/\L.	0660- 4- 11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET	EA	5.000
	0000 1 11	EQUIPMENT	_, .	0.000
	0660- 4-12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	10.000
	0660- 4-41	VEHICLE DETECTION SYSTEM- VIDEO, RELOCATE CABINET EQUIPMENT	EA	2.000
	0660- 4-42	VEHICLE DETECTION SYSTEM- VIDEO, RELOCATE ABOVE GROUND EQUIPMENT	EA	5.000
	0660- 4-60	VEHICLE DETECTION SYSTEM- VIDEO, REMOVE	EA	5.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	20.000
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	8.000
	0665- 1-40	PEDESTRIAN DETECTOR, RELOCATE	EA	8.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	4.000
	0670- 5-110	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA	AS	5.000
	0670- 5-111	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 1 PREEMPTION	AS	1.000
	0670- 5-140	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 207(	AS	1.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	1.000
	0670- 5-710	TRAFFIC CONTROLLER ASSEMBLY, MODIFY ONLY - NO COMPONENTS ADDED	AS	4.000
	0678- 1-109	CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTAL, TYPE 3 TIME SWITCH	EA	5.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	3.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	300.000
	0715- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	300.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	300.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	1.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	20.000
	0715- 61-421	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 10' ARM LENGTH	EA	2.000
	0715- 61-442	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 12' ARM LENGTH	EA	2.000
	0715- 68-000	LIGHT POLE COMPLETE, RELOCATE	EA	2.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	2.000
	0715- 69-001	LIGHT POLE COMPLETE, REMOVE POLE, FOUNDATION REMAINS	EA	2.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	2.000
	0715-511-130	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, ALUMINUM, 30'	EA	2.000

Letting: 04231201 Call Order: 006 Proposal: E4X18 District:04

Counties: BROWARD

Road Name: BROWARD PIPE LINING - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 45363417201(\*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:12/01/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 13

Proposal Budget Estimate: \$150,000.00

Please read the full advertisement

#### Description:

The work under this Contract consists of the improvements of lining of storm sewers serving the State Highway Systems in Broward County. The cleaning of manholes, inlets, access/conflict/junction structures, pipes, and culverts, along with grout or ancillary materials needed will be incidental to the pipe lining pay item.

•ADVERTISED ESTIMATE: The award amount and contract performance bond shall be based on the Department's advertised estimate amount of \$150,000.00 and not the contractors bid total.

•PERFORMANCE BOND: A Contract / Performance bond is required for this project.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity				
Section	Section 0001 REPAIR/REPLACE STRM-SIDE-CROSS DRAIN(LF)							
	E101- 1- 1	MOBILIZATION	LO	12.000				
	E431- 1-21	PIPE LINER, CURED IN PLACE, 0-24"	LF	500.000				
	E431- 1-22	PIPE LINER, CURED IN PLACE, 25-36"	LF	250.000				
	E431- 1-23	PIPE LINER, CURED IN PLACE, 37-48"	LF	100.000				
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	850.000				