

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 04230707 Call Order: 003 Proposal: E4W79 District:04

Counties: BROWARD, DIST/ST-WIDE, INDIAN RIVER, MARTIN, PALM BEACH, ST LUCIE

Road Name: TREASURE COAST PAVEMENT - SIGNING/PAVEMENT MARKINGS

Limits: Midpoint

Project(s): 42925255201(*)

Federal Aid No: N/A

Total Roadway Length:

0.000 Miles

Contract Days:

730

Total Bridge Length:

0.000 Miles

Letting Date:

07/07/23

Total Proposal Length:

0.000 Miles

Contract Execution Days:

10

Special Start Date:

N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate:

\$300,000.00

Please read the full advertisement

Description:

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

The Improvements, implemented by individual Task Work Order(s)/Work Document(s) under this Contract, consist of, but are not limited to, MOT (standard, traffic control officer), pavement markings (detectable warnings, profiled thermoplastic, tubular marker, object marker, delineator, raised, painted, thermoplastic), signing (single-post, multi-post, panel, overhead static, retroreflective sign strip, enhanced sign assembly/solar) throughout Martin, St. Lucie, and Indian River Counties.

BUSINESS DEVELOPMENT INITIATIVE (BDI) CONTRACT.

WORK DRIVEN CONTRACT: The award amount shall be based on the budgeted amount of \$300,000.00 and not the contractors bid total over the two (2) year term of the contract.

REQUIRED SUBMITTALS WITH BID: Form 275-000-02 Business Development Initiative Reference Sheet must be submitted with the bid.

Performance Bond: A Contract / Performance bond is required for this project.

Funds Approval for Fiscal Year 2024 is contingent upon Annual Legislative appropriation.

BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at <https://www.fdot.gov/equalopportunity/bdi.shtm>

For more information about bidding on BDI projects, please see the training guide located at <https://www.fdot.gov/equalopportunity/bdi.shtm>

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at: <https://www.fdot.gov/equalopportunity/bdi.shtm>

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to: SmallBusiness@dot.state.fl.us

All Sublet work must be contracted to a small business or businesses as defined by the Department. The subcontractor must also submit a notarized Small Business Affidavit Form provided by the Department prior to the start of work.

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid unless bidder is prequalified in the project s major work type, per Rule 14-22, Florida Administrative Code.

Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the "File Attachment Upload" folder in the AASHTOWare Project Bids application.

BDI Reference Sheet may be found at: <https://www.fdot.gov/equalopportunity/bdi.shtm>

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier s Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09).

Call Order: 003 Proposal: E4W79

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|-------------|--|------|----------|
| Section 0001 Signing | | | | |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 20.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 300.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 200.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 50.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 75.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 60.000 |

Call Order: 003 Proposal: E4W79

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|----------|
| | 0527- 2- | DETECTABLE WARNINGS | SF | 75.000 |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 25.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 5.000 |
| | 0700- 1- 13 | SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 3.000 |
| | 0700- 1- 14 | SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF | AS | 3.000 |
| | 0700- 1- 21 | SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF | AS | 2.000 |
| | 0700- 1- 22 | SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF | AS | 2.000 |
| | 0700- 1- 31 | SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF | AS | 2.000 |
| | 0700- 1- 32 | SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF | AS | 2.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 5.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 50.000 |
| | 0700- 2- 11 | MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 2.000 |
| | 0700- 2- 14 | MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF | AS | 2.000 |
| | 0700- 2- 15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 2.000 |
| | 0700- 2- 16 | MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF | AS | 2.000 |
| | 0700- 2- 17 | MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF | AS | 2.000 |
| | 0700- 2- 50 | MULTI- POST SIGN, GROUND MOUNT, RELOCATE | AS | 4.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 5.000 |
| | 0700- 3-101 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF | EA | 10.000 |
| | 0700- 3-102 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF | EA | 10.000 |
| | 0700- 3-103 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF | EA | 3.000 |
| | 0700- 3-501 | SIGN PANEL, RELOCATE, UP TO 12 SF | EA | 5.000 |
| | 0700- 3-502 | SIGN PANEL, RELOCATE, 12-20 SF | EA | 5.000 |
| | 0700- 3-601 | SIGN PANEL, REMOVE, UP TO 12 SF | EA | 5.000 |
| | 0700- 3-602 | SIGN PANEL, REMOVE, 12-20 SF | EA | 5.000 |
| | 0700- 3-603 | SIGN PANEL, REMOVE, 21-30 SF | EA | 5.000 |
| | 0700- 3-605 | SIGN PANEL, REMOVE, 51-100 SF | EA | 5.000 |
| | 0700- 4-140 | OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, OVERPASS BRIDGE MOUNT | EA | 2.000 |
| | 0700- 4-640 | OVERHEAD STATIC SIGN STRUCTURE, REMOVE BRIDGE MOUNT | EA | 5.000 |
| | 0700- 13- 12 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2' | EA | 10.000 |
| | 0700- 13- 15 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5' | EA | 10.000 |
| | 0700-142-111 | ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS | EA | 2.000 |
| | 0700-142-131 | ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/EDS, UP TO 12 SF OF STATIC SIGN PANELS | EA | 2.000 |
| | 0701- 17-101 | PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, WHITE, SOLID,6" | GM | 2.000 |
| | 0704- 1- 1 | TUBULAR MARKER, DURABLE, 36" WHITE POST | EA | 4.000 |
| | 0704- 1- 2 | TUBULAR MARKER, DURABLE, 36" YELLOW POST | EA | 4.000 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 15.000 |
| | 0705- 10- 4 | OBJECT MARKER, TYPE 4 | EA | 5.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 75.000 |

Call Order: 003 Proposal: E4W79

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|----------|
| | 0705- 11- 6 | DELINEATOR, REPLACE DELINEATOR ON EXISTING BARRIER | EA | 50.000 |
| | 0705- 11- 11 | DELINEATOR POST, FURNISH & INSTALL ON EXISTING BASE | EA | 50.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 75.000 |
| | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 20.000 |
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 1.000 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 250.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 50.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 300.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.250 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 15.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 25.000 |
| | 0711- 11-180 | THERMOPLASTIC, STANDARD, WHITE, YIELD LINE | LF | 100.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 100.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.250 |
| | 0711- 12-122 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 8" FOR MAINTENANCE USE | LF | 100.000 |
| | 0711- 12-123 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT- MAINTENANCE USE ONLY | LF | 100.000 |
| | 0711- 12-124 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY | LF | 100.000 |
| | 0711- 12-125 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 24" FOR STOP LINE OR CROSSWALK, MAINTENANCE USE ONLY | LF | 100.000 |
| | 0711- 12-160 | THERMOPLASTIC, REFURBISH, WHITE, MESSAGE | EA | 5.000 |
| | 0711- 12-170 | THERMOPLASTIC, REFURBISH, WHITE, ARROWS | EA | 6.000 |
| | 0711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK | LF | 700.000 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 500.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 10.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 10.000 |
| | 0711- 14-560 | THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL | EA | 10.000 |
| | 0711- 14-570 | THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE | EA | 10.000 |
| | 0711- 14-660 | THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD | EA | 6.000 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 0.100 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 0.250 |
| | 0711- 15-231 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6" | GM | 0.100 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 0.250 |

Call Order: 003 Proposal: E4W79

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-----------|
| | 0711- 16-133 | THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | GM | 0.100 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 0.250 |
| | 0711- 17- 1 | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN | SF | 4,738.000 |