

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 04230303 Call Order: 006 Proposal: Z4116-R0 District:04

Counties: DIST/ST-WIDE

Road Name: Emergency Lighting Permanent Repair

Limits: Midpoint

Project(s): 44750455201(*) Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length: | 0.000 Miles | Contract Days: | 365 |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 03/03/23 |
| Total Proposal Length: | 0.000 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | 13 |

Proposal Budget Estimate: \$0.00

Please read the full advertisement

Description:

Scope of Work The purpose of this Contract is to provide Lighting Repair and Replacement Operations pursuant to a Governors and/or Presidents Declaration of a State Emergency. This is a regional contract that includes counties within District Four.

REQUIRED SUBMITTALS:

- The Contractor shall provide a letter to the Department at the time of bid, from a surety authorized to do business in the State of Florida, verifying the Contractor is bondable in the State of Florida. For the purposes of this Contract the dollar amount is established at \$500,000.00.
- Form 575-060-13 Non-collusion Declaration and Compliance with 49 CFR &29

All Lighting Repair and Replacement Operations performed under this Contract must be in accordance with the Florida Department of Transportation Standard Specifications for Road and Bridge Construction, any Specifications detailed in this scope, and Standard Plans.

Have a minimum of 3 Lighting Repair and Replacement Crews available for reporting directly to work sites. All Lighting Repair and Replacement Crews deployed as part of this Contract must be maintained until officially released by the Department.

No quantities are guaranteed and there will be no unit cost adjustment for quantities required over or under the estimated quantities.

This contract will be awarded based on the total amount of \$0 zero dollars and not the contractor's bid total. Additional funds will be added to the contract as needed.

Pre-Qualified: Contractor must be pre-qualified.

Awarded Contractor must:

- Provide Commercial General Liability Insurance, the limits of coverage shall not be less than \$1,000,000 for each occurrence and not less than a \$5,000,000 annual general aggregate, inclusive of amounts provided by an umbrella or excess policy.

Call Order: 006 Proposal: Z4116-R0

| ALT | Item | Description | Unit | Quantity |
|---|-------------|---|------|----------|
| Section 0009 EMERGENCY LIGHTING REPAIRS (MH) | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 1.000 |
| | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND | LF | 1.000 |
| | 0630- 2- 15 | CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT | LF | 1.000 |
| | 0635- 2- 30 | PULL & SPLICE BOX, INSTALL | EA | 5.000 |
| | 0635- 2- 50 | PULL & SPLICE BOX, REPAIR | EA | 1.000 |
| | 0639- 6- 1 | ELECTRICAL POWER SERVICE- TRANSFORMER FURNISH & INSTALL | EA | 1.000 |

Call Order: 006 Proposal: Z4116-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|----------|
| | 0639- 10- | ELECTRICAL POWER SERVICE DIAGNOSTIC AND MISCELLANEOUS REPAIR | EA | 1.000 |
| | 0715- 1- 11 | LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR < | LF | 1.000 |
| | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 | LF | 1.000 |
| | 0715- 1- 13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2 | LF | 1.000 |
| | 0715- 1- 16 | LIGHTING CONDUCTORS, F&I, NO.4/0 (0000) OR LARGER | LF | 1.000 |
| | 0715- 5- 21 | LUMINAIRE & BRACKET ARM, REPLACE LUMINAIRE AND ARM ON EXISTING POLE | EA | 1.000 |
| | 0715- 5- 31 | LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE | EA | 1.000 |
| | 0715- 7- 11 | LOAD CENTER, F&I, SECONDARY VOLTAGE | EA | 1.000 |
| | 0715- 10- 3 | LIGHT POLE FOUNDATION, REPAIR | EA | 1.000 |
| | 0715- 10- 4 | LIGHT POLE FOUNDATION, STRAIGHTEN EXISTING FOUNDATION | EA | 1.000 |
| | 0715- 10- 5 | LIGHT POLE FOUNDATION, REMOVE FOUNDATION- NO EXISTING POLE | EA | 1.000 |
| | 0715- 11-118 | LUMINAIRE, F&I, ROADWAY, FLOOD | EA | 1.000 |
| | 0715- 11-125 | LUMINAIRE, F&I, UNDER DECK, WALL MOUNT | EA | 1.000 |
| | 0715- 11-128 | LUMINAIRE, F&I, UNDER DECK, FLOOD | EA | 1.000 |
| | 0715- 11-211 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD | EA | 5.000 |
| | 0715- 11-213 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP | EA | 5.000 |
| | 0715- 11-216 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, PENDANT/TEARDROP | EA | 1.000 |
| | 0715- 11-400 | LUMINAIRE, RELOCATE | EA | 1.000 |
| | 0715- 11-500 | LUMINAIRE, REMOVE | EA | 1.000 |
| | 0715- 16- 5 | LIGHTING - BALLAST, REPLACE | EA | 1.000 |
| | 0715- 19- 3 | LIGHTING - REPLACE EXISTING SURGE PROTECTOR | EA | 5.000 |
| | 0715- 36- 12 | LIGHT POLE, FRANGIBLE BASE, F&I, TRANSFORMER BASE | EA | 5.000 |
| | 0715- 36- 14 | LIGHT POLE, FRANGIBLE BASE, F&I, DOOR ASSEMBLY | EA | 1.000 |
| | 0715-100- 1 | LIGHT POLE COMPLETE- 30' TO 50 STANDARD FOUNDATION, PRE-EVENT CONTRACT ONLY | EA | 5.000 |
| | 0715-100- 2 | LIGHT POLE COMPLETE- 30' TO 50 SPECIAL FOUNDATION, PRE-EVENT CONTRACT ONLY | EA | 5.000 |
| | 0715-100- 3 | LIGHT POLE REPLACE ON EXISTING FOUNDATION- 30' TO 50', PRE-EVENT CONTRACT ONLY | EA | 5.000 |
| | 0715-500- 1 | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL | EA | 1.000 |
| | E715- 16- 1 | BALLAST (F&I) | EA | 1.000 |
| | E715- 16- 2 | BALLAST ASSEMBLY (F&I) | AS | 1.000 |
| | E715- 17- 1 | LAMP (HPS) | EA | 1.000 |
| | E715- 17- 2 | LAMP (MERCURY VAPOR) | EA | 1.000 |
| | E715- 17- 3 | LAMP (METAL HALIDE) | EA | 1.000 |
| | E715- 17- 5 | LAMP (LPS) | EA | 1.000 |
| | E715- 17- 9 | LAMP (LED) | EA | 5.000 |
| | E715- 18-101 | LOAD CENTER PART (F&I) (SGL POLE BREAKER) | EA | 1.000 |
| | E715- 18-102 | LOAD CENTER PART (F&I) (DBL POLE BREAKER) | EA | 1.000 |
| | E715- 18-104 | LOAD CENTER PART (F&I)(BREAKER PANEL & ENCLOSURE) | EA | 1.000 |

Call Order: 006 Proposal: Z4116-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|----------|
| | E715- 18-105 | LOAD CENTER PART (F&I) (CONTACTOR) | EA | 1.000 |
| | E715- 18-107 | LOAD CENTER PART (F&I) (PHOTOCELL) | EA | 1.000 |
| | E715- 18-108 | LOAD CENTER PART (F&I) (PHOTOCELL SOCKET) | EA | 1.000 |
| | E715- 18-110 | LOAD CENTER PART (F&I)(SYSTEM SWITCH AUTO-OFF/ON) | EA | 1.000 |
| | E715- 18-111 | LOAD CENTER PART (F&I) (LIGHTNING ARRESTOR) | EA | 1.000 |
| | E715- 18-112 | LOAD CENTER PART (F&I) (CIRCUIT FUSE) | EA | 1.000 |
| | E715- 18-113 | LOAD CENTER PART (F&I) (MAIN FUSE) | EA | 1.000 |
| | E715- 18-114 | LOAD CENTER PART (F&I) (DUMMY SLUG) | EA | 1.000 |
| | E715- 18-115 | LOAD CENTER PART(SFTY DIS SWTCH BOX,600V)(F&I) | EA | 1.000 |
| | E715- 18-116 | LOAD CENTER PART (F&I) (COVER PLATE) | EA | 1.000 |
| | E715- 19- 99 | LIGHTING - CABLE REMOVAL DETERRENT SYSTEM | EA | 1.000 |
| | E715- 22- 1 | GROUND ROD | EA | 1.000 |
| | E715- 23- 1 | REFRACTER (F&I) (STANDARD COBRA HEAD) | EA | 1.000 |
| | E715- 24- 1 | FUSE (F&I) (POLE BASE) | EA | 1.000 |
| | E715- 24- 2 | FUSE (F&I) (SIGN) | EA | 1.000 |
| | E715- 24- 4 | DUMMY SLUG (F&I) (POLE BASE) | EA | 1.000 |
| | E715- 25- 1 | FUSE HOLDER (F&I) (POLE BASE) | EA | 1.000 |
| | E715- 25- 2 | FUSE HOLDER / DISCONNECT PLUG (F&I) | EA | 1.000 |
| | E715- 25- 41 | FUSE HOLDER POLE BASE INSTALL ONLY | EA | 1.000 |
| | E715- 26- 4 | QUICK DISCONNECT PLUG (MODULAR POLE BASE) | EA | 1.000 |
| | E715- 26- 13 | SWITCH BOX (INSTALL) (FOR SIGN STRUCTURE) | EA | 1.000 |
| | E715- 32- 1 | DIAGNOSTIC WORK (SHOULDER SINGLE ARM) | LO | 1.000 |
| | E715- 32- 2 | DIAGNOSTIC WORK (SHOLDER DOUBLE ARM) | LO | 1.000 |
| | E715- 32- 3 | DIAGNOSTIC WORK (MED SGL ARM WALL MTD) | LO | 1.000 |
| | E715- 32- 4 | DIAGNOSTIC WORK (MED DBL ARM WALL MTD) | LO | 1.000 |
| | E715- 32- 5 | DIAGNOSTIC WORK (BRIDGE MTD) | LO | 1.000 |
| | E715- 32- 6 | DIAGNOSTIC WORK (UNDERDECK) | LO | 1.000 |
| | E715- 32- 7 | DIAGNOSTIC WORK (LOAD CENTER) | LO | 1.000 |
| | E715- 32- 10 | DIAGNOSTIC WORK (CIRCUIT) | LO | 1.000 |
| | E715- 32- 13 | DIAGNOSTIC WORK (TOP MOUNT) | LO | 1.000 |
| | E715- 34- 03 | LIGHT POLE (HANDHOLE) (DOOR ASSEMBLY) (F&I) | EA | 1.000 |
| | E715- 43- 1 | ARRESTOR (HIGH VOLTAGE PRIMARY LIGHTING) | EA | 1.000 |
| | E715- 50-220 | LIGHTING TRANSFORMER (F&I)(PAD MOUNT) | EA | 1.000 |
| | E715-561-101 | LIGHT POLE-LEVELING (ALUM/STEEL, CONCRETE FOUNDATION) | EA | 1.000 |