BID SOLICITATION NOTICE – District 4 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Ft. Lauderdale, FL January 03, 2024 Advertisement No. 1

FDOT District 4- Office of Procurement 3400 W. Commercial Blvd. Ft. Lauderdale, FL 33309

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: https://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at https://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 10:30 AM Local Time on Friday, February 02, 2024.

Bid totals for each bid submitted will be read aloud for those present and will be available at 10:30 AM February 02, 2024 in the Procurement Office, 1st Floor, District Four Headquarters, Ft. Lauderdale, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (954)777-4612. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d4, click "Letting and Project Information" and select letting date from the Lettings Menu.

----NOTF----

Proposals will not be issued after 10:30 AM Local Time on Thursday, February 01, 2024.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at CPP.Web (fdot.gov). There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit
 http://dms.myflorida.com/egovernment_tools/myflorida_marketplace
 for more information. Please allow 24 to 48
 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
 Department of Transportation at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/.
 Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid rejection or contract award</u> shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at https://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d4, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit https://www.tinubu.com for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the

project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web-based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2

POSTING NOTICE

The bid tabulation and intent to award will be posted on February 27, 2024 or March 05, 2024 at www.fdot.gov/contracts/d4, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at http://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to https://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to https://www.fdot.gov/contracts/district-offices/distro.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: January 03, 2024

Letting ID: 04240202

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the February 02, 2024 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
3	E4W70		44617615201(*)	PALM BEACH
7	E4W88		44765415201(*) 44765415202	BROWARD
12	E4X17		44655115201(*)	PALM BEACH
14	E4X19		43634035201(*)	PALM BEACH
19	E4X28		43264545201(*)	BROWARD, DIST/ST- WIDE, INDIAN RIVER, MARTIN, PALM BEACH, ST LUCIE
24	E4X32-R0	BROWARD COUNTY MISC ROAD CONCRETE - ROUTINE MAINTENANCE	43978037201(*)	BROWARD
27	E4X34-R0	TREASURE COAST NPDES CORRECTIVE ACTIONS	42833567201(*)	DIST/ST-WIDE
29	Z4122-R0	PRE-EVENT EMERGENCY SIGNAL CONTRACT - EMERGENCY OPERATIONS	4364316F201(*)	DIST/ST-WIDE
32	Z4123-R0	CUT AND TOSS CONTRACT - EMERGENCY OPERATIONS	4435716D201(*)	DIST/ST-WIDE

Proposal Note Codes:

Letting: 04240202 Call Order: 002 Proposal: E4W70 District:04

Counties: PALM BEACH

Road Name: SR-A1A FROM S OF JOHN D MACARTHUR ENT TO PORTAGE LANDING N

Limits: 93080000

Project(s): 44617615201(*) Federal Aid No: N/A

Total Roadway Length:2.489 MilesContract Days:206Total Bridge Length:0.000 MilesLetting Date:02/02/24

Total Proposal Length: 2.489 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$3,895,991.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of, but are not limited to, MOT (standard, pedestrian special detours, pedestrian longitudinal channelizing devices), erosion control (sediment barrier), monitor existing structures (inspection, settlement, vibration), clearing (tree protection, tree trimming), concrete (removal, curb and gutter, sidewalk), earthwork (regular excavation, embankment, stabilization), geotechnical (geosynthetic reinforce foundation over soft soils), asphalt (base, milling, resurfacing, widening), drainage (manholes adjustments), pavement markings (detectable, painted, thermoplastic, raised marker, bike lane), signing (single-post, removals), lighting (luminaire, pole complete, cable distribution), signalization (signal cable, aluminum pole, pedestrian signal, pedestrian detector), conduit, pull/splice box, performance turf and sod SR-A1A from South of John D. MacArthur State Park Entrance to Portage Landing North for 1.835 miles within the Village of North Palm Beach, Palm Beach County.

•PRE-QUALIFIED: Contractor must be pre-qualified.

•PERFORMANCE BOND: A Contract / Performance bond is required for this project.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44617615201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44617615201)	LS	1.000
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (44617615201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	36.000
	0102- 60-	WORK ZONE SIGN	ED	8,418.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	4,240.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	4,240.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	36,980.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	1,562.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	552.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	206.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	206.000
	0102-115-	TYPE III BARRICADE	ED	282.000
	0104- 10- 3	SEDIMENT BARRIER	LF	16,767.000

ALT	Item	Description	Unit	Quantity
	0104- 18-	INLET PROTECTION SYSTEM	EA	39.000
	0107- 1-	LITTER REMOVAL	AC	66.260
	0107- 2-	MOWING	AC	56.500
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44617615201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (44617615201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44617615201)	LS	1.000
	0110- 2- 2	SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN	AC	0.010
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	351.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	2.000
	0110- 21-	TREE PROTECTION BARRIER	LF	258.000
	0110- 22-	TREE ROOT AND BRANCH PRUNING	EA	1.000
	0120- 1-	REGULAR EXCAVATION	CY	426.000
	0120- 4-	SUBSOIL EXCAVATION	CY	1,158.000
	0120- 6-	EMBANKMENT	CY	1,309.000
	0145- 2-	GEOSYNTHETIC REINFORCED FOUNDATION OVER SOFT SOIL	SY	143.000
	0285-708-	OPTIONAL BASE, BASE GROUP 08	SY	3,094.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	35,718.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	12.000
	0337- 7-81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	4,228.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	9.800
	0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	2.000
	0425- 6-	VALVE BOXES, ADJUST	EA	1.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	225.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	23.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	18.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	149.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	98.000
	0526- 1-101	PAVERS, ARCHITECTURAL, REMOVE EXISTING AND REINSTALL	SY	37.000
	0527- 2-	DETECTABLE WARNINGS	SF	151.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	114.000
	0536- 6-	PIPE RAIL FOR GUARDRAIL	LF	114.000
	0536- 73-	GUARDRAIL REMOVAL	LF	122.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	1.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	8,993.000
	0570- 1- 3	PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010	SY	1,519.000
	0639- 8-130	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), FPL (DO NOT BID) (44617615201)	LS	1.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	3.547
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	798.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	170.000

		Call Order: 002 Troposal: L44470		
ALT	Item	Description	Unit	Quantity
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.257
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	21.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	3.874
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	672.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.279
	0999- 16-	PARTNERING, DO NOT BID (44617615201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44617615201)	LS	1.000
Sectio	n 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	16.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	1.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	20.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	833.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44617615201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	798.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	170.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.257
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	21.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	672.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	450.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	24.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	24.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	3.547
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	3.874
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.279
	0920-714-100	GREEN COLORED PAVEMENT MARKINGS, BIKE LANE	SF	1,969.000
Sectio	n 0003 Lighting			
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	505.000
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	6.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	981.000
	0715- 5-32	LUMINAIRE & BRACKET ARM- GALV STEEL, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE	EA	2.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	2.000
Sectio	n 0004 Signalizat	ion		
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	890.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	1.000
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	53.000

		D 1.4		•
ALT	Item	Description	Unit	Quantity
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	155.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	30.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	1.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0641- 2-80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	4.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	6.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	4.000
	0649- 21- 10	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60'	EA	2.000
	0649- 21- 15	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 70'	EA	1.000
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	1.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	8.000
	0650- 1-16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	2.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	6.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	5.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	5.000
	0660- 4-11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	2.000
	0660- 4-12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	2.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	6.000
	0670- 5-110	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA	AS	1.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	1.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	2.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	2.000
	0695- 7-600	TRAFFIC MONITORING SITE CABINET, REMOVE EXISTING CABINET	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	8.000

Letting: 04240202 Call Order: 003 Proposal: E4W88 District:04

Counties: BROWARD

Road Name: SR-820/HOLLYWOOD BLVD FROM SR-5/US-1 TO N OCEAN DRIVE

Limits: 86040000

Project(s): 44765415201(*) Federal Aid No: N/A
Project(s): 44765415202 Federal Aid No: N/A

Total Roadway Length:6.542 MilesContract Days:233Total Bridge Length:0.000 MilesLetting Date:02/02/24Total Proposal Length:6.542 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$6,367,813.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of , but are not limited to, MOT (standard, traffic officer), erosion control (sediment barrier, inlet barrier), monitor existing structures (inspection, settlement, vibration), clearing (tree protection, tree trimming, tree removal), concrete (removal, curb and gutter, sidewalk, driveways), earthwork (sod strip regrading), asphalt (base, milling, resurfacing), drainage (concrete aprons, flumes), pavement markings (detectable, painted, thermoplastic, raised marker, bike lane), signing (single-post, removals), lighting (luminaire retrofit, pole complete, cable distribution, conduit, pull boxes), signalization (signal cable, aluminum pole, pedestrian signal, pedestrian detector), and sod along SR-820/Hollywood Blvd from US-1/SR-5 to N Ocean Drive, for 1.851 miles in the City of Hollywood, Broward County.

•PRE-QUALIFIED: Contractor must be pre-qualified.

•PERFORMANCE BOND: A Contract / Performance bond is required for this project.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

		• • • • • • • • • • • • • • • • • • •		
ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44765415201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44765415201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	80.000
	0102- 60-	WORK ZONE SIGN	ED	12,116.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	7,450.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	19,704.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	59.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	1,331.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	699.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	699.000
	0102-115-	TYPE III BARRICADE	ED	82.000
	0104- 10- 3	SEDIMENT BARRIER	LF	2,124.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	129.000
	0107- 1-	LITTER REMOVAL	AC	77.740

ALT	Item	Description	Unit	Quantity
	0107- 2-	MOWING	AC	25.240
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44765415201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (44765415201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44765415201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	2,556.000
	0110- 21-	TREE PROTECTION BARRIER	LF	4,480.000
	0110- 22-	TREE ROOT AND BRANCH PRUNING	EA	277.000
	0120- 1-	REGULAR EXCAVATION	CY	496.500
	0286- 2-	TURNOUT CONSTRUCTION-ASPHALT/DRIVEWAY BASE- ASPHALT MATERIAL	TN	4.900
	0327-70-8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	12,942.000
	0327- 70- 12	MILLING EXISTING ASPHALT PAVEMENT, 1 1/4" AVG DEPTH	SY	58,043.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	889.800
	0337- 7-80	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-9.5, PG 76-22	TN	4,909.300
	0425- 5-	MANHOLE, ADJUST	EA	28.000
	0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	4.000
	0425- 6-	VALVE BOXES, ADJUST	EA	19.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	1,134.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	123.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	1,347.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	1,185.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	115.000
	0527- 2-	DETECTABLE WARNINGS	SF	284.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	7,145.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	4.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	4.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	8.208
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.298
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	2,587.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	2,560.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	114.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	2.698
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	1.159
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	12.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	59.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	2.881

		Call Order: 003 Proposal: E4W88		
ALT	Item	Description	Unit	Quantity
	0710- 11-202	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.045
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	275.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.069
	0999- 16-	PARTNERING, DO NOT BID (44765415201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44765415201)	LS	1.000
	0999- 26-	LOCAL AGENCY INITIAL CONTINGENCY AMOUNT (DO NOT BID) (44765415202)	LS	1.000
Sectio	n 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	21.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	5.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	3.000
	0700- 1-31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	1.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	1.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	26.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	6.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	6.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	5.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	799.000
	0710- 12-290	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE	SF	126.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44765415201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	2,587.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	2,560.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	114.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	1.159
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	12.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	59.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	275.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.069
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,158.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	74.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	54.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	1.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	8.208
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.298
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	2.698

		Call Order: 003 Proposal: E4W88		
ALT	Item	Description	Unit	Quantity
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	2.881
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	0.045
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.685
	0713-103-103	PERMANENT TAPE, WHITE, SOLID LANE DROP MARKING, 12" FOR CONCRETE BRIDGES	GM	0.013
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.432
	0920-714-100	GREEN COLORED PAVEMENT MARKINGS, BIKE LANE	SF	1,844.000
Sectio	n 0003 Lighting			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	20.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	14,095.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	91.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 1-620	ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	20.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	20.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	1.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0641- 2-60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	1.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	11,775.000
	0715- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	35,775.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	41,925.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	1.000
	0715- 7-41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	1.000
	0715- 11-213	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP	EA	16.000
	0715- 61-321	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 10' ARM LENGTH	EA	14.000
	0715- 62-242	LIGHT POLE COMPLETE, F&I, STANDARD POLE SPECIAL FOUNDATION, 35' MOUNTING HEIGHT, 12' ARM LENGTH	EA	2.000
	0715- 62-321	LIGHT POLE COMPLETE, F&I, STANDARD POLE SPECIAL FOUNDATION, 40' MOUNTING HEIGHT, 10' ARM LENGTH	EA	59.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	73.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	91.000
Sectio	n 0004 Signalizat	ion		
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	475.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	233.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	20.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 1-610	ELECTRICAL POWER SERVICE, REMOVE OVERHEAD	AS	1.000

ALT	Item	Description	Unit	Quantity
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	220.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	340.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	1.000
	0639- 3-60	ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN	EA	1.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	6.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	2.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	6.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	2.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	6.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	2.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	2.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	4.000

Letting: 04240202 Call Order: 004 Proposal: E4X17 District:04

Counties: PALM BEACH

Road Name: SR-710/BEELINE HWY FR N CONGRESS AVE TO PS BARACK OBAMA HWY

Limits: 93310000

Project(s): 44655115201(*) Federal Aid No: N/A

Total Roadway Length:

3.316 Miles

Contract Days:

132

Total Bridge Length:

0.000 Miles

Letting Date:

02/02/24

Total Proposal Length: 3.316 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 270

Proposal Budget Estimate: \$2,045,862.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of but are not limited to, MOT (standard), concrete (removal, sidewalk, driveways), signalization (conduit, signal cable, fiber optic, pull/splice box, aluminum pole, controller, managed ethernet, adaptive signal control system, vehicular traffic signal F&I/remove/relocate, vehicular detection F&I cabinet/F&I equipment/remove, pedestrian detector), ITS (conduit, pull/splice box, cabinet, CCTV camera F&I/remove, enhanced sign assembly), and sod along State Road 710 (Beeline Highway) for 1.658 miles in the City of Riviera Beach, Palm Beach County.

•PRE-QUALIFIED: Contractor must be pre-qualified.

•PERFORMANCE BOND: A Contract / Performance bond is required for this project.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT Item	Description	Unit	Quantity
Section 0001 Roadway			
0101- 1-	MOBILIZATION (44655115201)	LS	1.000
0102- 1-	MAINTENANCE OF TRAFFIC (44655115201)	LS	1.000
0102- 60-	WORK ZONE SIGN	ED	50.000
0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	100.000
0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	98.000
0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	98.000
0570- 1- 2	PERFORMANCE TURF, SOD	SY	500.000
0999- 16-	PARTNERING, DO NOT BID (44655115201)	LS	1.000
0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44655115201)	LS	1.000
Section 0002 Signing			
0700-142-140	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, HIGHLIGHTED SIGN <12 SF	EA	12.000
Section 0003 Signalization	tion		
0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	278.000
0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	2,043.000
0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	6.000
0633- 2-31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	12.000

	•	Call Order: 004 Froposal: L4X17		
ALT	Item	Description	Unit	Quantity
	0633- 3-15	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED PATCH PANEL	EA	1.000
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	57.000
	0635- 2-15	PULL & SPLICE BOX, F&I, 30" X 48" COVER SIZE	EA	2.000
	0646- 2-115	ALUMINUM POLE- INDEX 695-001, FURNISH & INSTALL, 15'	EA	23.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	8.000
	0650- 1-16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	8.000
	0650- 1-60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	8.000
	0650- 1-70	VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION	AS	8.000
	0660- 4-11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	6.000
	0660- 4-12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	23.000
	0660- 4-60	VEHICLE DETECTION SYSTEM- VIDEO, REMOVE	EA	6.000
	0665- 1-13	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD BUTTON WITH PASSIVE	EA	44.000
	0670- 5-110	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA	AS	1.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	1.000
	0671- 2-11	TRAFFIC CONTROLLER WITHOUT CABINET, F&I IN EXISTING CABINET, NEMA	EA	5.000
	0671- 2-60	TRAFFIC CONTROLLER, REMOVE- CABINET TO REMAIN	EA	5.000
	0678- 1-102	CONTROLLER ACCESSORIES- REPLACE EXISTING, FURNISH & INSTALL, TYPE 6 CONFLICT MONITOR	EA	5.000
	0680- 1-112	SYSTEM CONTROL EQUIPMENT, FURNISH & INSTALL, ADAPTIVE SIGNAL CONTROL SYSTEM- NEMA, CABINET EQUIPMENT	EA	6.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
Sectio	n 0004 Intelligen	t Transportation System		
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	1.658
	0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	9.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	715.000
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	12.000
	0676- 2-143	ITS CABINET, FURNISH & INSTALL, BASE MOUNT, 334, 24" W X 66" H X 30" D	EA	6.000
	0682- 1-113	ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, HIGH DEFINITION	EA	3.000
	0682- 1-600	ITS CCTV CAMERA, REMOVE & DISPOSAL	EA	3.000

Letting: 04240202 Call Order: 001 Proposal: E4X19 District:04

Counties: PALM BEACH

Road Name: PALM BEACH COUNTY PUSH BUTTON CONTRACT TRAFFIC OPS (ROADWAY)

Limits: Midpoint

Project(s): 43634035201(*) Federal Aid No: N/A

Total Roadway Length:

0.000 Miles

Contract Days:

730

Total Bridge Length:

0.000 Miles

Letting Date:

02/02/24

Total Proposal Length:

0.000 Miles

Contract Execution Days:

N/A

Special Start Date:

N/A

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

Description:

The Improvements, implemented by individual Task Work Order(s)/Work Document(s) under this Contract, consist of, but are not limited to, asphalt (milling and resurfacing, miscellaneous), concrete (removals, gravity wall, curb, gutter, traffic separator, sidewalk, driveways), earthwork, handrail (pipe), guardrail (removal), signing (single post, multi-post, panel, work zone), pavement markings (tubular marker, raised marker, object marker, detectable, paver, painted, thermoplastic), conduit, pull/splice box, strain pole (removal), lighting (conductors, pole complete), drainage (inlets), electrical (service wire, load center), utilities adjustments (valve box), and sod throughout Palm Beach County.

WORK DRIVEN CONTRACT: The award amount shall be based on the Department Budget Estimate of \$1,000,000.00 and not the contractors bid total over the two (2) year term of the contract.

- •The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department's estimated quantities and the Contractor's bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed.
- •For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.
- •PRE-QUALIFIED: Contractor must be pre-qualified.
- •PERFORMANCE BOND: A Contract / Performance bond is required for this project.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

		•		
ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1- 1	MOBILIZATION- FOR WORK ORDER/PUSH BUTTON CONTRACTS (DO NOT BID) (43634035201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	60.000
	0102- 60-	WORK ZONE SIGN	ED	3,000.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	250.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	250.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	4,000.000
				.,000.0

		Call Order: 001 Troposal: E-X19		
ALT	Item	Description	Unit	Quantity
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	400.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	200.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	10.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	300.000
	0102-115-	TYPE III BARRICADE	ED	150.000
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.250
	0104- 10- 3	SEDIMENT BARRIER	LF	650.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	25.000
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT)	AC	0.500
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	200.000
	0120- 1-	REGULAR EXCAVATION	CY	400.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	200.000
	0120- 6-	EMBANKMENT	CY	300.000
	0160- 4-	TYPE B STABILIZATION	SY	100.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	100.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	200.000
	0285-715-	OPTIONAL BASE, BASE GROUP 15	SY	1,000.000
	0327- 70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	500.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	100.000
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	225.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	100.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	100.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	50.000
	0400- 0-11	CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011	CY	50.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	3.000
	0425- 1-910	INLETS, CLOSED FLUME	EA	2.000
	0425- 2-41	MANHOLES, P-7, <10'	EA	2.000
	0425- 2-71	MANHOLES, J-7, <10'	EA	2.000
	0425- 6-	VALVE BOXES, ADJUST	EA	5.000
	0430-173-118	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN	LF	20.000
	0430-173-124	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 24", GUTTER DRAIN	LF	20.000
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	20.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	40.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	500.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	500.000
	0520- 5-41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	100.000
	0520- 5-42	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE	LF	100.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	200.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	100.000
	0523- 3-	PATTERNED PAVEMENT	SY	150.000
	0526- 1- 2	PAVERS, ARCHITECTURAL, SIDEWALK	SY	75.000
	0527- 2-	DETECTABLE WARNINGS	SF	150.000
	0536- 1- 0	GUARDRAIL -ROADWAY, GENERAL/LOW SPEED TL-2	LF	500.000

		Can Order. 001 1 Toposai. L+X19		
ALT	Item	Description	Unit	Quantity
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	500.000
	0536- 7- 2	SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT	EA	5.000
	0536- 73-	GUARDRAIL REMOVAL	LF	100.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	5.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	5.000
	0536- 85- 26	GUARDRAIL END TREATMENT- TYPE CRT	EA	5.000
	0538- 1-	GUARDRAIL RESET	LF	100.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	800.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	300.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	300.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	5.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	5.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	10.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	10.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	300.000
	0715- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	300.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	300.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	2.000
	0715- 61-421	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 10' ARM LENGTH	EA	2.000
	0715- 61-542	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 50' MOUNTING HEIGHT, 12' ARM LENGTH	EA	2.000
	0715- 62-442	LIGHT POLE COMPLETE, F&I, STANDARD POLE SPECIAL FOUNDATION, 45' MOUNTING HEIGHT, 12' ARM LENGTH	EA	2.000
	0715- 68-000	LIGHT POLE COMPLETE, RELOCATE	EA	2.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	2.000
	0715- 69-001	LIGHT POLE COMPLETE, REMOVE POLE, FOUNDATION REMAINS	EA	2.000
Section	0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	25.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	10.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	10.000
	0700- 1-14	SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF	AS	10.000
	0700- 1-21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	2.000
	0700- 1-22	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF	AS	2.000
	0700- 1-31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	2.000
	0700- 1-32	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	AS	2.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	10.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	10.000
	0700- 2-11	MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	3.000
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	3.000
	0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	3.000
		MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	2.000

		Can C. ac. 1		
ALT	Item	Description	Unit	Quantity
	0700- 2-15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	2.000
	0700- 2-16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	2.000
	0700- 2-17	MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF	AS	2.000
	0700- 2-50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	2.000
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	4.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	10.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	4.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	3.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	5.000
	0700- 3-502	SIGN PANEL, RELOCATE, 12-20 SF	EA	4.000
	0700- 3-503	SIGN PANEL, RELOCATE, 21-30 SF	EA	3.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	5.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	4.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	3.000
	0704- 1- 1	TUBULAR MARKER, DURABLE, 36" WHITE POST	EA	5.000
	0704- 1- 2	TUBULAR MARKER, DURABLE, 36" YELLOW POST	EA	5.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	10.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	10.000
	0705- 11- 6	DELINEATOR, REPLACE DELINEATOR ON EXISTING BARRIER	EA	10.000
	0705- 11- 11	DELINEATOR POST, FURNISH & INSTALL ON EXISTING BASE	EA	5.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	300.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	0.250
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.250
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	300.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	150.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.250
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.100
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	15.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	20.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.250
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	200.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	50.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.250
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	200.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	200.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	600.000

ALT	Item	Description	Unit	Quantity
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.100
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	15.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	20.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	20.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	200.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.100
	0711- 12-160	THERMOPLASTIC, REFURBISH, WHITE, MESSAGE	EA	5.000
	0711- 12-170	THERMOPLASTIC, REFURBISH, WHITE, ARROWS	EA	5.000
	0711- 12-231	THERMOPLASTIC, REFURBISHMENT, YELLOW, SKIP, 6"	GM	0.250
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	200.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	600.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	10.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	15.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	14.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	0.250
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.250
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.250
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.100
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.100
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.250
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.250
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	50.000

Letting: 04240202 Call Order: 005 Proposal: E4X28 District:04

Counties: BROWARD, DIST/ST-WIDE, INDIAN RIVER, MARTIN, PALM BEACH, ST LUCIE

Road Name: TREASURE COAST PUSH BUTTON CONTRACT ROADWAY

Limits: Midpoint

Project(s): 43264545201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:730Total Bridge Length:0.000 MilesLetting Date:02/02/24Total Proposal Length:0.000 MilesContract Execution Days:10

Proposal Length: 0.000 Miles Contract Execution Days: 10
Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

Description:

The Improvements, implemented by individual Task Work Order(s)/Work Document(s) under this Contract, consist of, but are not limited to, asphalt (milling and resurfacing, miscellaneous), concrete (removals, gravity wall, curb, gutter, traffic separator, sidewalk, driveways), earthwork, handrail (pipe), guardrail (removal), signing (single post, multi-post, panel, work zone), pavement markings (tubular marker, raised marker, object marker, detectable, paver, painted, thermoplastic), conduit, pull/splice box, strain pole (removal), lighting (conductors, pole complete), drainage (inlets), electrical (service wire, load center), utilities adjustments (valve box), and sod throughout Martin, St. Lucie, and Indian River Counties.

WORK DRIVEN CONTRACT: The award amount shall be based on the Department Budget Estimate of \$1,000,000.00 and not the contractors bid total over the two (2) year term of the contract.

- •The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed.
- •For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.
- •PRE-QUALIFIED: Contractor must be pre-qualified.
- •PERFORMANCE BOND: A Contract / Performance bond is required for this project.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity
Section	0001 Roadway			
	0101- 1- 1	MOBILIZATION- FOR WORK ORDER/PUSH BUTTON CONTRACTS (DO NOT BID) (43264545201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	300.000
	0102- 60-	WORK ZONE SIGN	ED	2,500.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	6,000.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	500.000
	0102-75-5	TEMPORARY SEPARATOR, REMOVE	LF	100.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	500.000

		Call Order: 005 Troposal. L-7/20		
ALT	Item	Description	Unit	Quantity
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	500.000
	0104- 10- 3	SEDIMENT BARRIER	LF	300.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	25.000
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT)	AC	0.500
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	600.000
	0120- 1-	REGULAR EXCAVATION	CY	400.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	100.000
	0120- 6-	EMBANKMENT	CY	500.000
	0160- 4-	TYPE B STABILIZATION	SY	250.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	100.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	400.000
	0327- 70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	1,000.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	600.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	40.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	100.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	50.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	50.000
	0400- 0-11	CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011	CY	50.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	5.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	5.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	2.000
	0425- 1-910	INLETS, CLOSED FLUME	EA	2.000
	0425- 2-41	MANHOLES, P-7, <10'	EA	2.000
	0425- 2-42	MANHOLES, P-7, >10'	EA	2.000
	0425- 2-43	MANHOLES, P-7, PARTIAL	EA	2.000
	0425- 2-71	MANHOLES, J-7, <10'	EA	2.000
	0425- 5-	MANHOLE, ADJUST	EA	10.000
	0425- 6-	VALVE BOXES, ADJUST	EA	10.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	100.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	100.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	50.000
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	50.000
	0515- 1- 1	PIPE HANDRAIL - GUIDERAIL, STEEL	LF	50.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	50.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	800.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	100.000
	0520- 5-41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	100.000
	0520- 5-42	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE	LF	60.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	500.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	200.000
	0523- 3-	PATTERNED PAVEMENT	SY	150.000
	0526- 1- 2	PAVERS, ARCHITECTURAL, SIDEWALK	SY	75.000
	0527- 2-	DETECTABLE WARNINGS	SF	150.000
	0536- 73-	GUARDRAIL REMOVAL	LF	100.000
	0000 10-	OUT IN THE INCHINE		100.000

ALT	Item	Description	Unit	Quantity
ALI	0538- 1-	GUARDRAIL RESET	LF	100.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	500.000
	0630- 2-11	•	LF	300.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	500.000
		CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE		
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	500.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	5.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	2.000
	0639- 1-123	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER NOT REQUIRED	AS	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	100.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	50.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	1.000
	0641- 2-11	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL	EA	2.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	2.000
	0654- 2-12	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	2.000
	0654- 2-22	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	2.000
Section	0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	100.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	50.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	40.000
	0700- 1-14	SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF	AS	20.000
	0700- 1-21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	10.000
	0700- 1-22	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF	AS	2.000
	0700- 1-31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	4.000
	0700- 1-32	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	AS	2.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	15.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	100.000
	0700- 2-11	MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	2.000
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	2.000
	0700- 2-50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	5.000
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	5.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	10.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	2.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	2.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	2.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	10.000
	0700- 3-502	SIGN PANEL, RELOCATE, 12-20 SF	EA	10.000
	0700- 3-503	SIGN PANEL, RELOCATE, 21-30 SF	EA	2.000
	0700-142-111	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS	EA	8.000

		Call Order: 005 Proposal: E4A26		
ALT	Item	Description	Unit	Quantity
	0700-142-112	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/BEACON, 12-20 SF OF STATIC SIGN PANELS	EA	8.000
	0704- 1- 1	TUBULAR MARKER, DURABLE, 36" WHITE POST	EA	10.000
	0704- 1- 2	TUBULAR MARKER, DURABLE, 36" YELLOW POST	EA	10.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	10.000
	0705-11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	10.000
	0705-11-6	DELINEATOR, REPLACE DELINEATOR ON EXISTING BARRIER	EA	10.000
	0705- 11- 11	DELINEATOR POST, FURNISH & INSTALL ON EXISTING BASE	EA	100.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,000.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	1.000
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	1.000
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	300.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	100.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	300.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	1.000
	0710- 11-133	PAINTED PAVEMENT MARKING, STANDARD,WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE,	GM	0.500
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.500
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	20.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	20.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	1.000
	0710- 11-202	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	1.000
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	100.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	1.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.500
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	100.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	1,000.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	100.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	400.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ $6-10$ GAP EXTENSION, $6"$	GM	0.500
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	20.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	20.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	100.000

		oan order. 000 Troposal. E-AZO		
ALT	Item	Description	Unit	Quantity
07	'11- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	100.000
07	'11- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.500
07	'11- 12-160	THERMOPLASTIC, REFURBISH, WHITE, MESSAGE	EA	10.000
07	11- 12-170	THERMOPLASTIC, REFURBISH, WHITE, ARROWS	EA	10.000
07	'11- 12-231	THERMOPLASTIC, REFURBISHMENT, YELLOW, SKIP, 6"	GM	0.100
07	'11- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	1,000.000
07	'11- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,000.000
07	'11- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	20.000
07	11- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	20.000
07	'11- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	20.000
07	'11- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	1.000
07	'11- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	1.000
07	'11- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.000
07	'11- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"-APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.200
07	'11- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.000
07	'11- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	1.000
07	'11- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	1.000
07	'11- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	1,000.000
Section 00	03 Lighting			
07	'15- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	2,000.000
07	'15- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	1,000.000
07	'15- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	300.000
07	'15- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	2.000
07	'15- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	10.000
07	'15- 61-321	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 10' ARM LENGTH	EA	2.000
07	15- 61-342	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 12' ARM LENGTH	EA	2.000
07	15- 61-442	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 12' ARM LENGTH	EA	2.000
07	15- 62-421	LIGHT POLE COMPLETE, F&I, STANDARD POLE SPECIAL FOUNDATION, 45' MOUNTING HEIGHT, 10' ARM LENGTH	EA	2.000
07	15- 68-000	LIGHT POLE COMPLETE, RELOCATE	EA	2.000
07	15- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	2.000
07	'15- 69-001	LIGHT POLE COMPLETE, REMOVE POLE, FOUNDATION REMAINS	EA	2.000
07	15-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	10.000

Letting: 04240202 Call Order: 006 Proposal: E4X32-R0 District:04

Counties: BROWARD

Road Name: BROWARD COUNTY MISC ROAD CONCRETE - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 43978037201(*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365

Total Bridge Length: 0.000 Miles Letting Date: 02/02/24

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 13

Proposal Budget Estimate: \$500,000.00

Please read the full advertisement

Description:

The work under this Contract consists of refurbishing and/or upgrading sidewalk and various concrete structures to meet current standards along the State Highway System in Broward County.

•BUSINESS DEVELOPMENT INITIATIVE (BDI) CONTRACT.

•ADVERTISED ESTIMATE: The award amount and contract performance bond shall be based on the Department's advertised estimate amount of \$500,000.00 and not the contractors bid total.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department's estimated quantities are used to establish unit prices bids which will then be used to determine the low bidder and contract award.

•PERFORMANCE BOND: A Contract / Performance bond is required for this project.

•REQUIRED SUBMITTALS WITH BID:

- o Form 275-000-02 Business Development Initiative Reference Sheet must be submitted with the bid.
- o Experience Form Concrete Pavement Repair 850-070-02 must be submitted with the bid
- •PROPOSAL BID GUARANTEE: On proposals over \$150,000, a proposal guaranty of \$500 must accompany each bid. The guaranty must be in the form of a bid bond, certified check, cashier s check, trust company treasurer s check, or a bank draft of any national or state bank made payable to the Florida Department of Transportation. A check or draft in an amount less than \$500 will invalidate the bid.

BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at https://www.fdot.gov/equalopportunity/bdi.shtm

For more information about bidding on BDI projects, please see the training guide located at https://www.fdot.gov/equalopportunity/bdi.shtm

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at: https://www.fdot.gov/equalopportunity/bdi.shtm

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to: SmallBusiness@dot.state.fl.us

The subcontractor must also submit a notarized Small Business Affidavit Form provided by the Department prior to the start of work.

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid unless bidder is prequalified in the project s major work type, per Rule 14-22, Florida Administrative Code.

Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the "File Attachment Upload" folder in the AASHTOWare Project Bids application.

BDI Reference Sheet may be found at: https://www.fdot.gov/equalopportunity/bdi.shtm

		Call Order: 006 Proposal: E4X32-R0		
ALT	Item	Description	Unit	Quantity
Sectio	n 0001 SODDING	G (SY)		
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	4,000.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	50.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	16.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	600.000
	0425- 15- 45	INLET TOP, REPAIR, REINFORCED INLET TOP	EA	12.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	360.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	120.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	3,450.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	550.000
	0527- 2-	DETECTABLE WARNINGS	SF	1,200.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	4.000
	E521- 1-	CONCRETE BARRIER WALL REPAIR	CY	50.000
	E575- 1- 4	SODDING, ST AUGUSTINE	SY	90.000
	E575- 1- 8	SODDING, BAHIA	SY	20.000

Letting: 04240202 Call Order: 007 Proposal: E4X34-R0 District:04

Counties: DIST/ST-WIDE

Road Name: TREASURE COAST NPDES CORRECTIVE ACTIONS

Limits: Midpoint

Project(s): 42833567201(*) Federal Aid No: N/A

Total Roadway Length:

0.000 Miles

Contract Days:

365

Total Bridge Length:

0.000 Miles

Letting Date:

02/02/24

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aguis/Flexible Start Time: 13

Proposal Budget Estimate: \$250,000.00

Please read the full advertisement

Description:

The work under this Contract consists of all labor, equipment, materials and incidentals necessary to rehabilitate any part of the NPDES/drainage system assets, remove and dispose of any type of blockage inside of any part of the storm drainage system to provide maximum drainage capacity of the Department's storm water system in Martin, St. Lucie, and Indian River Counties.

- •ADVERTISED ESTIMATE: The award amount and contract performance bond shall be based on the Department's advertised estimate amount of \$250,000.00 and not the contractors bid total.
- •PERFORMANCE BOND: A Contract / Performance bond is required for this project.
- •REQUIRED SUBMITTAL WITH BID: Experience Form Drainage Repair 850-070-05 must be submitted with the bid.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity
Section	n 0001 ASPHAL	T REPAIR (MECHANICAL) (TN)		
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	15.000
	0102- 60-	WORK ZONE SIGN	ED	200.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	150.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	20.000
	0102-115-	TYPE III BARRICADE	ED	150.000
	0104- 10- 3	SEDIMENT BARRIER	LF	20.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	50.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	68.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	20.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	25.000
	0120- 1-	REGULAR EXCAVATION	CY	122.280
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	100.000
	0120- 6-	EMBANKMENT	CY	100.000
	0120- 9- 1	DITCH CLEARING OF LARGE VEGETATION, DITCH WIDTH UP TO 15'	LF	500.000
	0120- 9- 2	DITCH CLEARING OF LARGE VEGETATION, DITCH WIDTH 15-30'	LF	500.000
	0120- 9- 3	DITCH CLEARING OF LARGE VEGETATION, DITCH WIDTH GREATER THAN 30'	LF	250.000

ALT	Item	Description	Unit	Quantity
	0120- 10- 23	CLEAN AND RESHAPE DITCH, HAUL, DITCH WIDTH GREATER THAN 30'	LF	200.000
	0121-70-2	FLOWABLE FILL, MAINTENANCE CONTRACTS ONLY	CY	25.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	5.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	15.000
	0425- 4-	INLETS, ADJUST	EA	2.000
	0425- 5-	MANHOLE, ADJUST	EA	3.000
	0430- 96-	DRAINAGE PIPE REPAIR- CONCRETE COLLAR AT JOINT	EA	6.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	20.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	20.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	10.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	5.000
	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	5.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	50.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	50.000
	0430-950-	DESILTING CONCRETE BOX CULVERT	CY	3.000
	0430-991- 1	MITERED END SECT, REPLACE SLAB- MAINTENANCE USE ONLY	CY	5.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	50.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	10.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	25.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	25.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	25.000
	0530- 74-	BEDDING STONE	TN	4.000
	E110- 2-	CLEARING & GRUBBING	AC	5.000
	E120- 10- 1	CLEAN AND RESHAPE DITCH (SPREAD)	LF	100.000
	E120- 10- 2	CLEAN AND RESHAPE DITCH (HAUL)	LF	450.000
	E425- 73- 1	CLEANING MANHOLES AND INLETS (MECHANICAL)	EA	5.000
	E425-73-2	REPAIR LEAKS IN MANHOLES AND INLETS	EA	5.000
	E430- 94- 1	DESILT PIPE, 0 to 24"	LF	1,000.000
	E430- 94- 2	DESILT PIPE, 25-36"	LF	1,000.000
	E430- 94- 3	DESILT PIPE, 37-48"	LF	500.000
	E430- 94- 4	DESILT PIPE, 49-60"	LF	500.000
	E430- 94- 5	DESILT PIPE, 61" OR GREATER	LF	440.000
	E431- 1-21	PIPE LINER, CURED IN PLACE, 0-24"	LF	100.000
	E431- 1-22	PIPE LINER, CURED IN PLACE, 25-36"	LF	100.000
	E431- 1-23	PIPE LINER, CURED IN PLACE, 37-48"	LF	100.000
	E431- 1-24	PIPE LINER, CURED IN PLACE, 49-60"	LF	10.000
	E431- 1-25	PIPE LINER, CURED IN PLACE, 61" AND GREATER	LF	10.000
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	1,000.000
	E575- 1-	SODDING	SY	1,567.000

Letting: 04240202 Call Order: 009 Proposal: Z4122-R0 District:04

Counties: DIST/ST-WIDE

Road Name: PRE-EVENT EMERGENCY SIGNAL CONTRACT - EMERGENCY OPERATIONS

Limits: Midpoint

Project(s): 4364316F201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:02/02/24Total Proposal Length:0.000 MilesContract Execution Days:10

posal Length: 0.000 Miles Contract Execution Days: 10
Special Start Date: N/A

opecial Glart Date.

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$0.00

Please read the full advertisement

Description:

The purpose of this Contract is to provide Generator Installation and Refueling Operations and Traffic Signal Repair Operations pursuant to a Governor's and/or President's Declaration of a State Emergency. This Contract will be a regional contract that will include counties within District Four. The Contractor shall perform Generator Installation and Refueling Operations and Traffic Signal Repair Operations pursuant to the terms of this Contract and at the direction of the Department.

REQUIRED SUBMITTALS:

- •The Contractor shall provide a letter to the Department at the time of bid, from a surety authorized to do business in the State of Florida, verifying the Contractor is bondable in the State of Florida. For the purposes of this contract, the dollar amount is established at \$2,000,000.00.
- •Form 575-060-13 Non-collusion Declaration and Compliance with 49 CFR &29

The Contractor shall provide all labor, material, equipment and fuel required to pick up the generators from a Department specified facility, install generators at locations identified by the Department, operate and maintain generators continuously (24 hours a day, seven days a week, without interruption) during the event, and return generators to a Department specified facility including any Temporary Traffic Control (TTC), Mobilization and Demobilization costs. The Contractor shall provide all labor, material, and equipment required to complete the signal repair work described in this Contract, including any TTC, Mobilization and Demobilization costs. Traffic Signal Repair Operations may also include nighttime work as directed by the Department. All Generator Installation and Refueling Operations and Traffic Signal Repair Operations shall be in accordance with all applicable federal, state, and local laws and regulations.

This contract will be awarded based on the total amount of \$0 (zero) dollars and not the contractor s bid total. Additional funds will be added to the contract as needed.

Pre-Qualified: Contractor must be pre-qualified.

Awarded Contractor (s) must:

- •Execute contract within 5 days. The Department may award one or more contracts for this project.
- •The Contractor shall provide TTC at all times in accordance with Department Standard Plans and may include traffic control officers.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2023-24 (SECTION 7-13) FOR INSURANCE LIMITS.

Call Order: 009 Proposal: Z4122-R0

ALT	Item	Description	Unit	Quantity	
Section 0005 Signalization					
	0102-108-	WOOD POLE, MAX 50', FURNISH AND INSTALL TEMPORARY POLE, FOR PRE-EVENT CONTRACTS ONLY	EA	10.000	
	0102-109-	GUY WIRE FOR WOOD OR CONCRETE POLE, FURNISH AND INSTALL, FOR PRE-EVENT CONTRACTS ONLY	EA	20.000	

Call Order: 009 Proposal: Z4122-R0

		Call Order: 005 Troposal. 24122-No		
ALT	Item	Description	Unit	Quantity
	0129- 1- 1	NATURAL DISASTER /PRE EVENT CONTRACTS, CREW PRE- POSITIONING: DO NOT BID	ED	1.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	100.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	50.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	50.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	5,000.000
	0634- 4-143	SPAN WIRE ASSEMBLY, F&I, SINGLE POINT, BOX OR DROP BOX	PI	5.000
	0634- 4-152	SPAN WIRE ASSEMBLY, F&I, TWO POINT, DIAGONAL	PI	10.000
	0634- 4-153	SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX	PI	10.000
	0634- 4-154	SPAN WIRE ASSEMBLY, F&I, TWO POINT, OTHER TYPE	PI	10.000
	0634- 4-341	SPAN WIRE ASSEMBLY, INSTALL, SINGLE POINT ATTACH, PERPENDICULAR	PI	5.000
	0634- 4-342	SPAN WIRE ASSEMBLY, INSTALL, SINGLE POINT ATTACH, DIAGONA	PI	5.000
	0634- 4-351	SPAN WIRE ASSEMBLY, INSTALL, TWO POINT ATTACH, PERPENDICULAR	PI	5.000
	0634- 4-352	SPAN WIRE ASSEMBLY, INSTALL, TWO POINT ATTACH, DIAGONAL	PI	5.000
	0634- 4-353	SPAN WIRE ASSEMBLY, INSTALL, TWO POINT ATTACH, BOX SPANS	PI	5.000
	0634- 4-400	SPAN WIRE ASSEMBLY, ADJUST	PI	50.000
	0634- 4-600	SPAN WIRE ASSEMBLY, REMOVE- POLES REMAIN	PI	50.000
	0634- 5- 1	FIBERGLASS INSULATOR, FURNISH & INSTALL	LF	50.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	20.000
	0635- 3-11	JUNCTION BOX, FURNISH & INSTALL, AERIAL	EA	10.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	5.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	5.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	500.000
	0639- 4- 3	EMERGENCY GENERATOR - PORTABLE INSTALL- RETROFIT; FDOT FURNISHED	EA	100.000
	0639- 4- 5	EMERGENCY GENERATOR - PORTABLE, MONITOR & REFUEL	HR	500.000
	0639- 4- 7	EMERGENCY GENERATOR - HARNESS FOR CABINET RETROFIT	EA	100.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	5.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	1.000
	0650- 1-11	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY	AS	10.000
	0650- 1-12	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 2-4 WAY	AS	10.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	200.000
	0650- 1-18	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY	AS	100.000
	0650- 1-24	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W/ALUM TOP, 3 SECTION, 1 WAY	AS	100.000
	0650- 1-25	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE WITH ALUMINUM TOP SECTION, 3 SECTION, 2-4 W	AS	50.000
	0650- 1-29	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W ALUMIN, 5 SECTION CLUSTER, 1 WAY	AS	50.000
	0650- 1-50	VEHICULAR TRAFFIC SIGNAL, INSTALL	AS	10.000

Call Order: 009 Proposal: Z4122-R0

Quantity	Unit	Description	Item	ALT
200.000	AS	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	0650- 1-60	
100.000	AS	VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION	0650- 1-70	
100.000	AS	VEHICULAR TRAFFIC SIGNAL, ADJUST/MODIFY EXISTING SIGNAL	0650- 1-80	
200.000	EA	VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER	0650- 2-102	
5.000	AS	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	0653- 1-11	
5.000	AS	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	0653- 1-12	
5.000	AS	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	0653- 1-60	
20.000	EA	VEHICLE DETECTION SYSTEM- MICROWAVE, ADJUST & MODIFY, CABINET EQUIPMENT	0660- 3-51	
20.000	EA	VEHICLE DETECTION SYSTEM - MICROWAVE, ADJUST & MODIFY, ABOVE GROUND EQUIPMENT	0660- 3-52	
20.000	EA	VEHICLE DETECTION SYSTEM- VIDEO, ADJUST/MODIFY CABINET EQUIPMENT	0660- 4-51	
20.000	EA	VEHICLE DETECTION SYSTEM- VIDEO, ADJUST/MODIFY ABOVE GROUND EQUIPMENT	0660- 4-52	
5.000	EA	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	0665- 1-11	
10.000	AS	INTERSECTION CONTROL BEACON CONTROLLER ASSEMBLY, FURNISH & INSTALL	0670- 4- 1	
5.000	AS	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 2 PREEMPTION	0670- 5-112	
1.000	AS	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	0670- 5-600	
50.000	AS	TRAFFIC CONTROLLER ASSEMBLY, RESTORE- MINOR REPAIRS	0670- 5-700	
20.000	EA	TRAFFIC CONTROLLER, MODIFY	0671- 2-40	
20.000	EA	TRAFFIC SIGNAL CONTROLLER CABINET, ADJUST/MODIFY	0676- 1-500	
50.000	EA	CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTALL, LOAD SWITCH	0678- 1-104	
20.000	EA	CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTAL, TYPE 3 TIME SWITCH	0678- 1-109	
20.000	EA	CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTAL, TYPE 4 TIME SWITCH	0678- 1-110	
100.000	EA	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	0700- 3-201	
100.000	EA	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	0700- 3-204	
100.000	EA	SIGN PANEL, RELOCATE, UP TO 12 SF	0700- 3-501	
100.000	EA	SIGN PANEL, REMOVE, UP TO 12 SF	0700- 3-601	
5.000	EA	ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS	0700-141-111	
5.000	EA	ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/2 BEACONS, UP TO 12 SF OF STATIC SIGN PANELS	0700-141-121	
5.000	EA	ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I OVERHEAD MOUNT, W/BEACON, 31-50 SF OF STATIC SIGN PANELS	0700-141-314	
5.000	EA	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS	0700-142-111	
5.000	EA	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/2 BEACONS, UP TO 12 SF OF STATIC SIGN PANELS	0700-142-121	

Letting: 04240202 Call Order: 008 Proposal: Z4123-R0 District:04

Counties: DIST/ST-WIDE

Road Name: CUT AND TOSS CONTRACT - EMERGENCY OPERATIONS

Limits: Midpoint

Project(s): 4435716D201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:02/02/24Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$0.00

Please read the full advertisement

Description:

The purpose of this Contract is to provide Cut and Toss Operations pursuant to a Governor s and/or Presidential Declaration of a State Emergency. This Contract includes Broward, Palm Beach, Indian River, Martin, and St Lucie counties within District 4. The Contractor shall perform Cut and Toss Operations pursuant to the terms of this Contract and at the direction of the Department within District Four.

No quantities are guaranteed and there will be no unit cost adjustment for quantities required over or under the estimated quantities.

The Contractor shall provide all labor, material, and equipment required to complete the work described in this Contract, including any necessary Temporary Traffic Control ("TTC"), Mobilization, and Demobilization costs. Activities include, but are not limited to, field operations (day and/or night); and emergency roadway clearance. All Cut and Toss Operations shall be in accordance with all applicable federal, state, and local laws and regulations.

REQUIRED SUBMITTALS:

- The Contractor shall provide a letter to the Department at the time of bid, from a surety authorized to do business in the State of Florida, verifying the Contractor is bondable in the State of Florida. For the purposes of this contract, the dollar amount is established at \$1,000,000.00.
- Form 575-060-13 Non-collusion Declaration and Compliance with 49 CFR &29

This contract will be awarded based on the total amount of \$0 (zero) dollars and not the contractor s bid total. Additional funds will be added to the contract as needed.

Awarded Contractor (s) must:

- Execute contract within 5 days. The Department may award one or more contracts for this project.
- The Contractor shall provide TTC at all times in accordance with Department Standard Plans and may include traffic control officers.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2023-24 (SECTION 7-13) FOR INSURANCE: LIMITS

Call Order: 008 Proposal: Z4123-R0

ALT Item	Description	Unit	Quantity			
Section 0010 HURR/STORM DEBRIS REMOVAL/DISP (CY)						
0129- 1- 1	NATURAL DISASTER /PRE EVENT CONTRACTS, CREW PRE- POSITIONING: DO NOT BID	ED	1.000			
0129- 1- 2	NATURAL DISASTER /PRE EVENT CONTRACTS, CUT AND TOSS	HR	800.000			