BID SOLICITATION NOTICE – District 4 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Ft. Lauderdale, FL August 06, 2025 Advertisement No. 1

FDOT District 4- Office of Procurement 3400 W. Commercial Blvd. Ft. Lauderdale, FL 33309

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: https://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at https://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 10:30 AM Local Time on Friday, September 05, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 10:30 AM September 05, 2025 in the Procurement Office, 1st Floor, District Four Headquarters, Ft. Lauderdale, Florida.. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (954)777-4612. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: Select District, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d4, click "Letting and Project Information" and select letting date from the Lettings Menu.

----NOTE----

Proposals will not be issued after 10:30 AM Local Time on Thursday, September 04, 2025.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <u>CPP.fdot.gov</u>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

A current State of Florida Vendor Number is required prior to first-time registration; please visit
 https://vendor.myfloridamarketplace.com
 for more information. Please allow 24 to 48 hours for receipt of a new
 vendor number.

Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at CPP.fdot.gov. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribe d in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at https://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d4, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://bga.fdot.gov.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit https://www.tinubu.com for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project

specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web-based application for P rime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2

POSTING NOTICE

The bid tabulation and intent to award will be posted on September 30, 2025 or October 07, 2025 at www.fdot.gov/contracts/d4, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at http://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to https://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to https://www.fdot.gov/contracts/district-offices/distro.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: August 06, 2025

Letting ID: 04250905

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the September 05, 2025 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E4X90		44843715201(*) 44843715202	PALM BEACH
11	E4X94		44841515201(*) 44841515202 44841515203	PALM BEACH
16	E4Y06		44840515201(*) 44840515202 44840515203	BROWARD
20	E4Y21-R0	TREASURE COAST SWEEPING	42311097201(*)	DIST/ST-WIDE
21	E4Y23-R0	BROWARD COUNTY DRAINAGE	44104247201(*)	BROWARD

Proposal Note Codes:

Letting: 04250905 Call Order: 001 Proposal: E4X90 District:04

Counties: PALM BEACH

Road Name: SR804/ E OF ORCHID GRV TR-E OF PALM ISS DR - RES

Limits: 93200000

Project(s): 44843715201(*) Federal Aid No: N/A
Project(s): 44843715202 Federal Aid No: N/A

Total Roadway Length:1.190 MilesContract Days:175Total Bridge Length:0.000 MilesLetting Date:09/05/25

Total Proposal Length: 1.190 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 60

Proposal Budget Estimate: \$3,270,657.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of, but are not limited to, MOT (standard, traffic control officer, low-profile barrier, pedestrian LCD, arrow board, PCMS, signalization, traffic detection, barricade), monitor existing structures (inspection, settlement), traffic monitoring site (sensor, loop, cabinet), protections (inlet), concrete (removal, curb and gutter, sidewalk, driveways, prestressed pole), polyurethane injection, pavement markings (detectable, RPM, painted, thermoplastic, bike lane), signing (single-column, multi-column, tubular marker, sign strip), signalization (signal cable, aluminum pole pedestal, aluminum pole remove, signal auxiliaries, pedestrian signal F&I, pedestrian signal remove, loop, vehicle detection modify, pedestrian detector F&I, pedestrian detector remove), conduit, pull/splice box, utilities adjustments (manhole, valve box), electrical service (power, wire, disconnect), and sod along State Road 804 (Boynton Beach Boulevard) from east of Orchid Grove Trail to east of Palm Isles Drive for 0.595 miles in Palm Beach County.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2025-26 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity
Section	on 0001 Roadway			
	0101- 1-	MOBILIZATION (44843715201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44843715201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	280.000
	0102- 60-	WORK ZONE SIGN	ED	3,879.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	96.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	24,759.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	13,632.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	267.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	378.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	350.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	350.000
	0102-115-	TYPE III BARRICADE	ED	30.000
	0104- 10- 3	SEDIMENT BARRIER	LF	1,129.000

[•]PRE-QUALIFIED: Contractor must be pre-qualified.

[•]PERFORMANCE BOND: A Contract / Performance bond is required for this project.

ALT	Item	Description	Unit	Quantity
	0104- 18-	INLET PROTECTION SYSTEM	EA	16.000
	0107- 1-	LITTER REMOVAL	AC	17.760
	0107- 2-	MOWING	AC	7.810
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44843715201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44843715201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	1,152.000
	0285-710-	OPTIONAL BASE, BASE GROUP 10	SY	230.000
	0327- 70- 8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	36,757.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	2,565.100
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22	TN	2,543.200
	0425- 5-	MANHOLE, ADJUST	EA	14.000
	0425- 6-	VALVE BOXES, ADJUST	EA	7.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	950.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	253.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	724.000
	0527- 2-	DETECTABLE WARNINGS	SF	246.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	221.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	423.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	5.000
	0639- 8-130	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), FPL (DO NOT BID) (44843715201)	LS	1.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	6.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	6.000
	0695- 7-171	TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 4, 2 PLANE BACK, BASE MOUNT	EA	1.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	2.211
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.030
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	2,206.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	465.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	1.963
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.653
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	69.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	1.132
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	86.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.210
	0906-173-200	TWO COMPONENT POLYURETHANE INJECTION	LB	20,800.000
	0999- 16-	PARTNERING, DO NOT BID (44843715201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44843715201)	LS	1.000

		Call Order: 001 Proposal: E4X90		
ALT	Item	Description	Unit	Quantity
	0999- 26-	LOCAL AGENCY INITIAL CONTINGENCY AMOUNT (DO NOT BID) (44843715202)	LS	1.000
Section	n 0002 Signing			
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	6.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	5.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	1.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	6.000
	0700- 2-114	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 30.1-50.0 SF	EA	1.000
	0700- 2-115	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 50.1-100.0 SF	EA	1.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	7.000
	0704- 1- 4	TUBULAR MARKER, 36" YELLOW POST	EA	6.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,011.000
	0710- 12-290	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE	SF	51.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44843715201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	2,206.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	465.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.653
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	69.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	86.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.210
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,469.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	15.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	15.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	2.211
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.030
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.963
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.132
	0714- 10-	GREEN-COLORED PAVEMENT MARKINGS, BIKE LANE	SF	2,569.000
Section	n 0003 Signalizat	tion		
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	60.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	517.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	2.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	2.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	1.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	1.000

ALT	Item	Description	Unit	Quantity
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	39.000
	0635- 2-15	PULL & SPLICE BOX, F&I, 30" X 48" COVER SIZE	EA	1.000
	0635- 2-30	PULL & SPLICE BOX, INSTALL	EA	2.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	180.000
	0639- 3-60	ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN	EA	2.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	2.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	14.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	7.000
	0650- 2-109	VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- FLEXIBLE REQUIRED	EA	35.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	16.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	8.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	6.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	22.000
	0660- 4-52	VEHICLE DETECTION SYSTEM- VIDEO, ADJUST/MODIFY ABOVE GROUND EQUIPMENT	EA	4.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	8.000
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	8.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	6.000

Letting: 04250905 Call Order: 002 Proposal: E4X94 District:04

Counties: PALM BEACH

Road Name: SR5/US1 FR BELVEDERE RD TO S OF SR704/OKEECHOBEE BLVD - RESF

Limits: 93020001

 Project(s):
 44841515201(*)
 Federal Aid No: N/A

 Project(s):
 44841515202
 Federal Aid No: N/A

 Project(s):
 44841515203
 Federal Aid No: N/A

Total Roadway Length:3.669 MilesContract Days:262Total Bridge Length:0.000 MilesLetting Date:09/05/25

Total Proposal Length: 3.669 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$4,194,134.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of, but are not limited to, MOT (standard, traffic control officer, low-profile barrier, pedestrian LCD, arrow board, PCMS, signalization, traffic detection, barricade), protections (sediment, inlet), monitor existing structures (inspection, settlement, vibration), traffic monitoring site (sensor, loop), clearing and grubbing (standard, selective), earthwork (excavation, embankment), concrete (curb, curb and gutter, valley gutter, sidewalk, driveways, prestressed pole), asphalt (milling, resurfacing), pavement markings (detectable, painted, RPM, thermoplastic), signing (single-column, panel, enhanced), signalization (signal cable, aluminum pole pedestal, aluminum pole remove, steel mast arm, vehicular signal, pedestrian signal and detection, loop detector/assembly, controller, cabinet), conduit, fiber optic, field ethernet, pull/splice box, drainage (inlets, pipe culvert), manholes (partial, full, adjustment), utilities adjustments (manhole, valve box, meter box), electrical service (wire F&I, wire remove, disconnect), tree/palm (protection, pruning, relocate, root barrier), and sod along State Road 5 (US-1) from Belvedere Road to south of State Road 704 (Okeechobee Boulevard) for 1.044 miles in the City of West Palm Beach, Palm Beach County

•PRE-QUALIFIED: Contractor must be pre-qualified.

•PERFORMANCE BOND: A Contract / Performance bond is required for this project.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2025-26 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44841515201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44841515201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (44841515201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	104.000
	0102- 60-	WORK ZONE SIGN	ED	4,519.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	1,224.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	12,767.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	62,040.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	279.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	580.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	976.000

		Call Order: 002 Troposal. L+X3+		
ALT	Item	Description	Unit	Quantity
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	976.000
	0102-115-	TYPE III BARRICADE	ED	136.000
	0104- 10- 3	SEDIMENT BARRIER	LF	1,674.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	83.000
	0107- 1-	LITTER REMOVAL	AC	32.590
	0107- 2-	MOWING	AC	1.710
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44841515201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (44841515201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44841515201)	LS	1.000
	0110- 2- 2	SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN	AC	0.260
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	3,425.000
	0110- 21-	TREE PROTECTION BARRIER	LF	106.000
	0110- 22-	TREE ROOT AND BRANCH PRUNING	EA	3.000
	0120- 1-	REGULAR EXCAVATION	CY	100.200
	0120- 6-	EMBANKMENT	CY	155.400
	0160- 4-	TYPE B STABILIZATION	SY	403.000
	0285-705-	OPTIONAL BASE, BASE GROUP 05	SY	403.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	31,729.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	44.200
	0337- 7-81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	2,641.000
	0425- 1-331	INLETS, CURB, TYPE P-3, <10'	EA	3.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	1.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL	EA	1.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	2.000
	0425- 1-719	INLETS, GUTTER, TYPE V, MODIFY	EA	2.000
	0425- 2-63	MANHOLES, P-8, PARTIAL	EA	2.000
	0425- 2-91	MANHOLES, J-8, <10'	EA	1.000
	0425- 5-	MANHOLE, ADJUST	EA	41.000
	0425- 6-	VALVE BOXES, ADJUST	EA	76.000
	0425- 6- 1	METER BOXES, ADJUST	EA	3.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	27.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	52.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	11.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	2,956.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	291.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	274.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	1,322.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	1,409.000
	0527- 2-	DETECTABLE WARNINGS	SF	765.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	600.000
	0590-70-5	IRRIGATION SYSTEM- MODIFY EXISTING SYSTEM (44841515201)	LS	1.000

ALT	Item	Description	Unit	Quantity
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	4.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	4.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	2.360
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	2,584.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	472.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	1,735.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	1.637
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.062
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	17.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	14.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	1.943
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	151.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.046
	0710- 11-421	PAINTED PAVEMENT MARKINGS, STANDARD, BLUE, SOLID FOR PARKING LOT- ACCESSIBLE MARKINGS, 6"	LF	92.000
	0999- 16-	PARTNERING, DO NOT BID (44841515201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44841515201)	LS	1.000
	0999- 26-	LOCAL AGENCY INITIAL CONTINGENCY AMOUNT (DO NOT BID) (44841515202)	LS	1.000
	0999- 26-	LOCAL AGENCY INITIAL CONTINGENCY AMOUNT (DO NOT BID) (44841515203)	LS	1.000
Sectio	n 0002 Signing			
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	19.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	2.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	2.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	21.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	732.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44841515201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	2,584.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	472.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	694.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.062
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	16.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	14.000

		Call Order: 002 Troposal: E+X9+		
ALT	Item	Description	Unit	Quantity
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	151.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.046
	0711- 11-421	THERMOPLASTIC, STANDARD, BLUE, SOLID,6"	LF	92.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,041.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	1.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	2.360
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.637
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.943
Sectio	n 0003 Signalizat	iion		
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	15.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,281.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	4.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	154.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	402.000
	0633- 2-31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	24.000
	0633- 3-11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	1.000
	0633- 3-12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	1.000
	0633- 3-13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	12.000
	0633- 3-16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	1.000
	0633- 3-17	FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	1.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	262.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	1.000
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	74.000
	0635- 2-15	PULL & SPLICE BOX, F&I, 30" X 48" COVER SIZE	EA	6.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	4.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	475.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	196.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	4.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	4.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	14.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	5.000
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	3.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	4.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	8.000
	0653- 1-12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	6.000

		•		
ALT	Item	Description	Unit	Quantity
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	11.000
	0660- 1-110	LOOP DETECTOR INDUCTIVE, F&I, TYPE 10	EA	4.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	18.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	20.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	11.000
	0670- 5-171	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA W/ELECTRONIC LOCK, 1 PREEMPTION	AS	1.000
	0676- 1-500	TRAFFIC SIGNAL CONTROLLER CABINET, ADJUST/MODIFY	EA	3.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	2.000
	0700- 3-204	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	EA	2.000
	0700-142-322	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I OVERHEAD MOUNT, W/2 BEACONS, 12-20 SF OF STATIC SIGN PANELS	EA	2.000
Sectio	n 0004 Landscap	e / Peripheral		
	0580- 12- 35	ROOT BARRIER- 24"	LF	30.000
	0581- 1- 7	RELOCATE TREES AND PALMS,PALMS, <14' OF CLEAR TRUNK, SABAL PALM ONLY	EA	6.000
	0581- 1- 8	RELOCATE TREES AND PALMS, $>=14$ ' OF CLEAR TRUNK, SABAL PALM ONLY	EA	3.000

Letting: 04250905 Call Order: 003 Proposal: E4Y06 District:04

Counties: BROWARD

Road Name: SR-A1A FROM FLAMINGO AVENUE TO SOUTH OF PINE AVE - RES

Limits: 86050000

 Project(s):
 44840515201(*)
 Federal Aid No: N/A

 Project(s):
 44840515202
 Federal Aid No: N/A

 Project(s):
 44840515203
 Federal Aid No: N/A

Total Roadway Length: 5.577 Miles Contract Days: 224

Total Bridge Length: 0.000 Miles Letting Date: 09/05/25

Total Proposal Length: 5.577 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 45

Proposal Budget Estimate: \$2,865,730.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of, but are not limited to, MOT (standard, traffic control officer, pedestrian LCD, signalization, traffic detection, barricade), protections (sediment, inlet), earthwork (borrow excavation, excavation), asphalt (milling, resurfacing), concrete (removal, curb and gutter, sidewalk, driveways, prestressed pole), pavement markings (detectable, RPM, painted, thermoplastic, bike lane, patterned, mid-block crossing), pavers, signing (single-column, tubular marker), signalization (signal cable, aluminum pole pedestal, aluminum pole remove, auxiliaries, pedestrian signal and detection), pull/splice box, conduit, electrical service (overhead, underground, wire, disconnect), utilities adjustments (manhole, valve box, meter box), tree (protection, pruning), and sod along State Road A1A (North Ocean Drive) from south of Flamingo Avenue to south of Pine Avenue for 1.015 miles in the City of Fort Lauderdale and the Town of Lauderdale-by-the-Sea, Broward County.

PRE-QUALIFIED: Contractor must be pre-qualified.

PERMITS LINK:

PERFORMANCE BOND: A Contract / Performance bond is required for this project.

COMMERCIAL GENERAL LIABILITY INSURANCE:

The limits of coverage shall not be less than \$1,000,000 for each occurrence and not less than a \$5,000,000 annual general aggregate, inclusive of amounts provided by an umbrella or excess policy. The limits of coverage described herein shall apply fully to the work or operations performed under the Contract, and may not be shared with or diminished by claims unrelated to the contract. The policy/ies and coverage described herein may be subject to a deductible. Pay all deductibles as required by the policy. No policy/ies or coverage described herein may contain or be subject to a Retention or a Self-Insured Retention.

WORKERS COMPENSATION INSURANCE

SPECIAL NOTES:

- -No rail involvement
- -Include Special Provision SP0080307RDRB for Regional Dispute Review Board.
- -Include Special Provision SP0080306 for Partnering for a lump sum of \$6,000.
- -Include Special Provision SP0080303A for 45 Calander days for the acquisition of project material.
- -Include LF (Town of Lauderdale by the Sea)
- -Include MOA (Town of Lauderdale by the Sea)
- -Include Proprietary Product (patterned pavement crosswalk)

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2025-26 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity
	n 0001 Roadway	2 333.4		,
	0101- 1-	MOBILIZATION (44840515201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44840515201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	164.000
	0102- 60-	WORK ZONE SIGN	ED	7,526.000
	0102- 61-	BUSINESS SIGN	EA	9.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	25,808.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	67,130.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	275.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	839.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	1,344.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	1,344.000
	0102-115-	TYPE III BARRICADE	ED	258.000
	0104- 10- 3	SEDIMENT BARRIER	LF	850.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	40.000
	0107- 1-	LITTER REMOVAL	AC	14.740
	0107- 2-	MOWING	AC	1.350
	0110- 1- 1	CLEARING & GRUBBING (44840515201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	2,269.000
	0110- 21-	TREE PROTECTION BARRIER	LF	132.000
	0110- 22-	TREE ROOT AND BRANCH PRUNING	EA	7.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	181.200
	0120- 71-	REGULAR EXCAVATION (3-R PROJECTS ONLY) (44840515201)	LS	1.000
	0285-715-	OPTIONAL BASE, BASE GROUP 15	SY	584.000
	0327- 70- 5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	24,945.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	40.100
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76 -22	TN	2,808.100
	0425- 5-	MANHOLE, ADJUST	EA	43.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	972.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	366.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	1,094.000
	0523- 3-	PATTERNED PAVEMENT	SY	796.000
	0526- 1-101	PAVERS, ARCHITECTURAL, REMOVE EXISTING AND REINSTALL	SY	26.000
	0527- 2-	DETECTABLE WARNINGS	SF	394.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	79.000
	0999- 16-	PARTNERING, DO NOT BID (44840515201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44840515201)	LS	1.000
	0999- 26-	LOCAL AGENCY INITIAL CONTINGENCY AMOUNT (DO NOT BID) (44840515202)	LS	1.000
Sectio	n 0002 Signing			
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	32.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	15.000

		Can Order. 003 Troposal. E4100		
ALT	Item	Description	Unit	Quantity
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	4.000
	0704- 1- 4	TUBULAR MARKER, 36" YELLOW POST	EA	21.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	568.000
	0710- 12-290	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE	SF	11.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44840515201)	LS	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.094
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	2,151.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	393.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	328.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.066
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	20.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	60.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	242.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.069
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	410.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	43.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	3.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	2.306
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.114
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.871
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.736
	0714- 10-	GREEN-COLORED PAVEMENT MARKINGS, BIKE LANE	SF	253.000
Sectio	n 0003 Lighting			
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	17.000
Sectio	n 0004 Signalizat			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	341.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,238.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	5.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	78.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	3.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	690.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	5.000
	0639- 3-60	ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN	EA	5.000

ALT	Item	Description	Unit	Quantity
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	3.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	28.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	10.000
	0650- 2-102	VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER	EA	40.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	22.000
	0653- 1-12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	6.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	20.000
	0654- 1-20	MIDBLOCK CROSSWALK: IN ROADWAY LIGHT ASSEMBLY, FURNISH & INSTALL- SOLAR POWERED, COMPLETE CROSSING	AS	1.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	34.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	20.000
Sectio	n 0005 Utilities			
	0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	2.000
	0425- 6-	VALVE BOXES, ADJUST	EA	46.000
	0999- 26-	LOCAL AGENCY INITIAL CONTINGENCY AMOUNT (DO NOT BID) (44840515203)	LS	1.000
	1080- 21-300	UTILITY FIXTURE, VALVE/METER BOX, INSTALL- BOX FURNISHED BY UTILITY	EA	18.000

Letting: 04250905 Call Order: 004 Proposal: E4Y21-R0 District:04

Counties: DIST/ST-WIDE

Road Name: TREASURE COAST SWEEPING

Limits: Midpoint

Project(s): 42311097201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:09/05/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 13

Proposal Budget Estimate: \$200,000.00

Please read the full advertisement

Description:

The work under this Contract consists of labor, equipment, materials and incidentals necessary to provide mechanized road and/or bridge sweeping to clean and remove sand, soil, paper, glass, cans, and other debris from along the State Roadways in St. Lucie, Martin, and Indian River Counties.

•PRE-QUALIFIED: Contractor does not need to be pre-qualified.

•PERFORMANCE BOND: A Contract / Performance bond is required for this project.

•ADVERTISED ESTIMATE: The award amount and contract performance bond shall be based on the Department's advertised estimate amount of \$200,000.00 and not the contractor's bid total.

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2025-26 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity		
Section 0001 ROAD SWEEPING (MECHANICAL) (CM)						
E11	0- 31- SWEEPING	G (MECHANICAL)	PM	4,700.000		

Letting: 04250905 Call Order: 005 Proposal: E4Y23-R0 District:04

Counties: BROWARD

Road Name: BROWARD COUNTY DRAINAGE

Limits: Midpoint

Project(s): 44104247201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:09/05/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 13

Proposal Budget Estimate: \$350,000.00

Please read the full advertisement

Description:

The work under this Contract consists of performing drainage repairs, installation and maintenance activities along various roadways in Broward County.

The summary of pay items for this project is listed in the Bid Price Proposal.

ADVERTISED/BUDGET ESTIMATE: The award and contract performance bond shall be based on the Department's advertised estimate amount of \$350,000.00 and not the contractor's bid total.

PERFORMANCE BOND: A Contract / Performance bond is required for this project.

GENERAL LIABILITY:

The limits of coverage shall not be less than \$1,000,000 for each occurrence and not less than a \$5,000,000 annual general aggregate, inclusive of amounts provided by an umbrella or excess policy. The limits of coverage described herein shall apply fully to the work or operations performed under the Contract and may not be shared with or diminished by claims unrelated to the contract. The policy/ies and coverage described herein may be subject to a deductible.

WORKERS COMPENSATION INSURANCE

PLEASE READ STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION FY 2025-26 (SECTION 7-13) FOR INSURANCE LIMITS.

ALT	Item	Description	Unit	Quantity		
Section	Section 0001 ASPHALT REPAIR (MECHANICAL) (TN)					
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	21.000		
	0102- 60-	WORK ZONE SIGN	ED	150.000		
	0102- 61-	BUSINESS SIGN	EA	10.000		
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	50.000		
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	50.000		
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	250.000		
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	5.000		
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	1.000		
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	5.000		
	0104- 10- 3	SEDIMENT BARRIER	LF	25.000		
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	25.000		
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	25.000		

ALT	Item	Description	Unit	Quantity
	0104- 18-	INLET PROTECTION SYSTEM	EA	2.000
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT)	AC	0.100
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	100.000
	0120- 1-	REGULAR EXCAVATION	CY	50.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	50.000
	0120- 4-	SUBSOIL EXCAVATION	CY	50.000
	0120- 5-	CHANNEL EXCAVATION	CY	10.000
	0120- 6-	EMBANKMENT	CY	25.000
	0121-70-2	FLOWABLE FILL, MAINTENANCE CONTRACTS ONLY	CY	50.000
	0160- 4-	TYPE B STABILIZATION	SY	40.000
	0173-77- 1	SUBSURFACE PRESSURE GROUTING, SAND CEMENT	CY	20.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	40.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	40.000
	0285-715-	OPTIONAL BASE, BASE GROUP 15	SY	20.000
	0327- 70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	500.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	50.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	500.000
	0327-70-8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	50.000
	0327- 70- 19	MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH	SY	100.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	20.000
	0334- 1-15	SUPERPAVE ASPHALTIC CONC, TRAFFIC E	TN	10.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	3.000
	0400- 2-11	CONCRETE CLASS II, RETAINING WALLS	CY	2.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	20.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	1.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL	EA	1.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	1.000
	0425- 1-365	INLETS, CURB, TYPE P-6, PARTIAL	EA	1.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	1.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	1.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	1.000
	0425- 1-713	INLETS, GUTTER, TYPE V, J BOT, <10'	EA	1.000
	0425- 2-41	MANHOLES, P-7, <10'	EA	1.000
	0425- 2-43	MANHOLES, P-7, PARTIAL	EA	1.000
	0425- 2-61	MANHOLES, P-8, <10'	EA	1.000
	0425- 2-71	MANHOLES, J-7, <10'	EA	1.000
	0425- 2-73	MANHOLES, J-7, PARTIAL	EA	1.000
	0425- 2-92	MANHOLES, J-8, >10'	EA	1.000
	0425- 2-110	MANHOLES, REPAIR	EA	1.000
	0425- 4-	INLETS, ADJUST	EA	1.000
	0425- 5-	MANHOLE, ADJUST	EA	1.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	8.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	8.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	8.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	8.000

ALT	Item	Description	Unit	Quantity
/\L I	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	8.000
	0430-175-160	PIPE CULVERT, OPT MATERIAL, ROUND, 60"S/CD	LF	8.000
	0430-175-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 18"S/CD	LF	8.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	8.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	1.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	1.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	1.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	1.000
	0430-982-641	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 48" CD	EA	1.000
	0431- 1-115	PIPE LINER, CURED IN PLACE, 15"	LF	30.000
	0431- 1-118	PIPE LINER, CURED IN PLACE, 18"	LF	30.000
	0431- 1-124	PIPE LINER, CURED IN PLACE, 24"	LF	30.000
	0431- 1-130	PIPE LINER, CURED IN PLACE, 30"	LF	25.000
	0431- 1-136	PIPE LINER, CURED IN PLACE, 36"	LF	25.000
	0431- 1-148	PIPE LINER, CURED IN PLACE, 48"	LF	25.000
	0433- 1-	CHEMICAL GROUT REPAIR, MANHOLE / INLET	EA	1.000
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	10.000
	0443- 70- 3	FRENCH DRAIN, 18"	LF	10.000
	0443- 70- 4	FRENCH DRAIN, 24"	LF	10.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	25.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	25.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	20.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	20.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	20.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	100.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	50.000
	0527- 2-	DETECTABLE WARNINGS	SF	25.000
	0530- 1-100	RIPRAP, SAND-CEMENT BAGS	CY	7.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	20.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	0.500
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.500
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	500.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	500.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	500.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.500
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	3.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	3.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.500
	0710- 11-202	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.500

ALT	Item	Description	Unit	Quantity
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	250.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	1.000
	E425-73-2	REPAIR LEAKS IN MANHOLES AND INLETS	EA	1.000
	E430- 94- 1	DESILT PIPE, 0 to 24"	LF	35.000
	E430- 94- 2	DESILT PIPE, 25-36"	LF	30.000
	E430- 94- 3	DESILT PIPE, 37-48"	LF	30.000
	E430- 94- 4	DESILT PIPE, 49-60"	LF	30.000
	E430- 94- 5	DESILT PIPE, 61" OR GREATER	LF	30.000
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	35.000
	E573- 1-	HYDRO-SEEDING - APPLICATION OF SLURRY INCLUDING WOOD FIBER, SEED, FERTILIZER, TACKIFIER & DYE	SY	100.000
	E575- 1- 4	SODDING, ST AUGUSTINE	SY	50.000
	E575- 1- 8	SODDING, BAHIA	SY	50.000
	E999- 3- 1	HYDRAULIC PUMP, 4"	HR	20.000
	E999- 3- 2	HYDRAULIC PUMP, 6"	HR	20.000