BID SOLICITATION NOTICE – District 5 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Procurement Services, MS 4-524

719 S. Woodland Blvd, DeLand, FL 32720

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <u>http://www.fdot.gov/contracts</u> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <u>http://www.bidx.com</u>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 2:00 PM Local Time on **Tuesday**, **April 02, 2019.**

Bid totals for each bid submitted will be read aloud for those present and will be available at 2:00 PM **April 02, 2019** in the Osceola Conference Room, 4th Floor, Deland, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: <u>contracts.admin@dot.state.fl.us</u> or call telephone number (386)943-5525. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <u>https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain</u>, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d5, click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

-----NOTE-----

Proposals will not be issued after 2:00 PM Local Time on Monday, April 01, 2019 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit <u>http://dms.myflorida.com/egovernment tools/myflorida marketplace</u> for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) <u>http://www.fdot.gov/contracts /PreQual_Info/prequalified.shtm</u> to the Department every <u>30</u> calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid rejection or contract award</u> shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <u>http://www.fdot.gov/contracts/</u>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d5, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <u>https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal</u>.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit http://www.insurevision.com for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State. **Important Note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors should be reported in the **Equal Opportunity Compliance (EOC)** system. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Please complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <u>http://www.fdot.gov/equalopportunity/eoc.shtm</u>

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: <u>http://www.fdot.gov/contracts /CPP_Online_Ordering/NEW%20BIDDERS%20ORIENTATION.pdf</u>

POSTING NOTICE

The bid tabulation and intent to award will be posted on **April 16, 2019** or **April 23, 2019** at www.fdot.gov/contracts/d5, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federallyassisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link

http://www.fdot.gov/contracts/cpp_online_ordering/bidder_assist.shtm, Standard Specifications for Road and Bridge

Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at <u>http://www.floridajobs.org</u>.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to <u>http://www2.dot.state.fl.us/ContractsAdministration/bsnmail.asp</u> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <u>http://www.fdot.gov/contracts/distco.shtm</u>.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5). Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Published: March 01, 2019

Letting ID: 05190402

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the April 02, 2019 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E50A2		23800255204(*)	DIST/ST-WIDE
15	E50A3		23800255205(*)	DIST/ST-WIDE
24	E5U79		42339127209(*)	MARION
25	E5U86		44169417201(*)	VOLUSIA
27	E5U90		42914217207(*)	ORANGE, SEMINOLE
28	E5Z73		44096615201(*)	VOLUSIA

Proposal Note Codes:

Letting:	05190402	Call Order: 006	Proposal:	E50A2	District:05
Counties:	DIST/ST-WIDE				
Road Name:	TRAFFIC OPERATIO	NS ROADWAY PUS	HBUTTON	J	
Limits:	Midpoint				
Project(s): 238	00255204(*)	Federal Aid	No: N/A		
Total Roadway I	Length:	0.000 Miles		Contract Days:	730
Total Bridge Len	ngth:	0.000 Miles		Letting Date:	04/02/19
Total Proposal L	ength:	0.000 Miles		Contract Execution Days:	
				Special Start Date:	N/A
				Aquis/Flexible Start Time:	
Proposal Budget Estimate:		\$	500,000.00		
Diagon road the	full advartigement				

Please read the full advertisement

Description:

This is a Work Document driven quick response contract for installing traffic operational improvements including new or modifying existing turn lanes, median modifications, concrete (curb, gutter and sidewalks), milling, removal of flexible pavement, asphalt, sodding, loop assemblies, and pedestrian feature installation (standard and accessible) for a period of two years or until the contracted amount has been reached. The number of work documents for the contract will be limited by a budgetary cap of \$500,000 dollars.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

See Ad and Specs for details.

PREQUALIFICATION REQUIRED

		Call Order: 006 Proposal: E50A2		
ALT	Item	Description	Unit	Quantity
Section	0001 Roadway			
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	100.000
	0102- 60-	WORK ZONE SIGN	ED	5,000.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	100.000
	0102-74-1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	10,000.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	400.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	100.000
	0104-10-3	SEDIMENT BARRIER	LF	2,000.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	10.000
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT)	AC	5.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	1,000.000
	0120- 1-	REGULAR EXCAVATION	CY	1,000.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	1,000.000
	0160- 4-	TYPE B STABILIZATION	SY	2,000.000
	0162- 1-11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	2,000.000

		Call Order: 006 Proposal: E50A2		
ALT	Item	Description	Unit	Quantity
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	2,000.000
	0285-710-	OPTIONAL BASE, BASE GROUP 10	SY	2,000.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	2,000.000
	0285-712-	OPTIONAL BASE, BASE GROUP 12	SY	2,000.000
	0285-715-	OPTIONAL BASE, BASE GROUP 15	SY	2,000.000
	0327-70-1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	SY	10,000.000
	0327-70-4	MILLING EXIST ASPH PAVT, 3" AVG DEPTH	SY	10,000.000
	0327-70-5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH	SY	10,000.000
	0327-70-6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	10,000.000
	0327-70-8	MILLING EXIST ASPH PAVT, 2 1/2" AVG DEPTH	SY	10,000.000
	0327- 70- 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	10,000.000
	0334- 1-11	SUPERPAVE ASPHALTIC CONC, TRAFFIC A	ΤN	200.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	ΤN	200.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	ΤN	200.000
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	ΤN	200.000
	0337- 7-26	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH POLYMER	TN	200.000
	0337- 7-80	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-9.5, PG 76-22	TN	200.000
	0337- 7-81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	200.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76- 22	TN	200.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	200.000
	0425- 1-321	INLETS, CURB, TYPE P-2, <10'	EA	2.000
	0425- 1-471	INLETS, CURB, TYPE 7, <10'	EA	2.000
	0425- 1-503	INLETS, DT BOT, TYPE A, J BOT, <10'	EA	2.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	2.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	2.000
	0425- 1-542	INLETS, DT BOT, TYPE D, >10'	EA	2.000
	0425- 3-43	JUNCTION BOX, DRAINAGE, P-7, PARTIAL	EA	2.000
	0425- 5-	MANHOLE, ADJUST	EA	2.000
	0425- 6-	VALVE BOXES, ADJUST	EA	2.000
	0425- 13- 18	DRAINAGE STRUCTURE PIPE CONNECTION SCREEN 18" PIPE DIAMETER	EA	2.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	50.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	50.000
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD	LF	50.000
	0430-175-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"S/CD	LF	50.000
	0430-175-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 18"S/CD	LF	50.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	50.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	2.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	2.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	2.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	2.000

ALT	Item	Description	Unit	Quantity
	0515- 1- 1	PIPE HANDRAIL - GUIDERAIL, STEEL	LF	100.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	100.000
	0515- 1-41	PIPE HANDRAIL - GUIDERAIL, RELOCATE, STEEL	LF	100.000
	0515- 1-42	PIPE HANDRAIL - GUIDERAIL, RELOCATE, ALUMINUM	LF	100.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	1,000.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	1,000.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	1,000.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	1,000.000
	0520- 5-11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	500.000
	0520- 5-12	TRAFFIC SEPARATOR CONCRETE-TYPE I, 6' WIDE	LF	500.000
	0520- 5-16	TRAFFIC SEPARATOR CONCRETE- TYPE I, 8.5' WIDE	LF	500.000
	0520- 5-21	TRAFFIC SEPARATOR - CONCRETE, TYPE II, 4' WIDE	LF	500.000
	0520- 5-22	TRAFFIC SEPARATOR - CONCRETE, TYPE II, 6' WIDE	LF	500.000
	0520- 5-26	TRAFFIC SEPARATOR CONCRETE- TYPE II, 8.5' WIDE	LF	500.000
	0520- 5-41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	500.00
	0520- 5-42	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE	LF	500.000
	0520- 5-46	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 8.5' WIDE	LF	500.00
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	500.00
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	100.00
	0521- 72- 43	SHOULDER CONCRETE BARRIER, CURB AND GUTTER BARRIER	LF	100.00
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	600.00
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	600.00
	0526- 1- 2	PAVERS, ARCHITECTURAL, SIDEWALK	SY	100.00
	0527- 2-	DETECTABLE WARNINGS	SF	200.00
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	4,000.00
ection	0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	15.00
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	5.00
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	5.00
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	10.00
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	15.00
	0700- 2-11	MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	2.00
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	2.00
	0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.00
	0700- 2-50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	1.00
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	1.00
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	10.00
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	2.00
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	2.00
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	10.00
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	2.00
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	1.00
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	20.00
	0700- 3-502	SIGN PANEL, RELOCATE, 12-20 SF	EA	10.000

		Call Order: 006 Proposal: E50A2		
ALT	Item	Description	Unit	Quantity
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	5.00
	0700- 5-21	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	1.00
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	1.00
	0700- 11-112	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, ELECTRONIC WARNING SIGN, 12-20 SF	AS	2.00
	0700- 11-122	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, ELECTRONIC REGULATORY SIGN, 12-20 SF	AS	2.00
	0700- 11-132	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK SIGN, 12-20 SF	AS	2.00
	0700- 11-142	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, ELECT WARNING W/FLASHING BEACON, 12-20 SF	AS	2.00
	0700- 11-152	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, ELECT REGULATORY W/FLASHING BEACON, 12-20 SF	AS	2.00
	0700- 11-162	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK W/FLASHING BEACON, 12-20 SF	AS	2.00
	0700- 11-222	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWERED, ELECTRONIC REGULATORY SIGN, 12-20 SF	AS	2.00
	0700- 11-231	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, SPEED FEEDBACK, UP TO 12 SF	AS	2.00
	0700- 11-241	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, ELECT WARNING W/FLASHING BEACON, UP TO 12 SF	AS	2.00
	0700- 11-251	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWE, ELECT REGULATORY W/FLASHING BEACON, UP TO 12 SF	AS	2.00
	0700- 11-261	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWE, SPEED FEEDBACK W/FLASHING BEACON, UP TO 12 SF	AS	2.00
	0700- 11-391	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL OVERHEAD MOUNT- AC POWERED, BLANK OUT SIGN, UP TO 12 SF	AS	2.00
	0700- 11-500	ELECTRONIC DISPLAY SIGN, RELOCATE	AS	2.00
	0700- 11-600	ELECTRONIC DISPLAY SIGN, REMOVE- GROUND MOUNT	AS	2.00
	0700- 11-700	ELECTRONIC DISPLAY SIGN, REMOVE- OVERHEAD MOUNT	AS	2.00
	0700- 12- 11	SIGN BEACON, F&I GROUND MOUNT- AC POWERED, ONE BEACON	AS	2.00
	0700- 12- 12	SIGN BEACON, F&I GROUND MOUNT- AC POWERED, TWO BEACON	AS	2.00
	0700- 12- 21	SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, ONE BEACON	AS	2.00
	0700- 12- 22	SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, TWO BEACONS	AS	2.00
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	10.00
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	10.00
	0705-11-1	DELINEATOR, FLEXIBLE TUBULAR	EA	30.0
	0705-11-3	DELINEATOR, FLEXIBLE HIGH VISABILITY MEDIAN	EA	10.00
	0705-11-4	DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48"	EA	10.0
	0706- 3-	RETRO-REFLECTIVE/RAISED PAVEMENT MARKERS	EA	270.0
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	1.0
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	1.00

		Call Order: 006	Proposal: E50A2		
ALT	Item	Desc	cription	Unit	Quantity
	0710- 11-123	PAINTED PAVEMENT MARKINGS CROSSWALK AND ROUNDABOUT		LF	500.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS DIAGONAL OR CHEVRON, 18"	, STANDARD, WHITE, SOLID FOR	LF	200.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS STOP LINE OR CROSSWALK, 24"	, STANDARD, WHITE, SOLID FOR	LF	400.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS OR 3-9 SKIP, 6" WIDE	, STANDARD, WHITE, SKIP, 10-30	GM	1.000
	0710- 11-133	PAINTED PAVEMENT MARKING, S LINE AND APPROACH TO TOLL PI	STANDARD, WHITE, 3'-9' SKIP DROP LAZA, 12" WIDE,	GM	0.500
	0710- 11-141	PAINTED PAVEMENT MARKINGS GUIDELINE/ 6-10 DOTTED EXTEN	, STANDARD, WHITE, 2-4 DOTTED SION, 6"	GM	0.500
	0710- 11-160	PAINTED PAVEMENT MARKINGS SYMBOL	, STANDARD, WHITE, MESSAGE OR	EA	20.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS	, STANDARD, WHITE, ARROWS	EA	20.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS	, STANDARD, YELLOW, SOLID, 6"	GM	1.000
	0710- 11-202	PAINTED PAVEMENT MARKINGS INTERCHANGE AND URBAN ISLAI	, STANDARD, YELLOW, SOLID FOR ND, 8"	GM	1.000
	0710- 11-203	PAINTED PAVEMENT MARKINGS	, STANDARD, YELLOW, SOLID, 12"	GM	1.000
	0710- 11-224	PAINTED PAVEMENT MARKINGS DIAGONAL OR CHEVRON, 18"	, STANDARD, YELLOW, SOLID FOR	LF	100.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS	, STANDARD, YELLOW, SKIP, 6"	GM	1.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS NOSE	, STANDARD, YELLOW, ISLAND	SF	100.000
	0711- 11-102	THERMOPLASTIC, STANDARD, W INTERCHANGE AND URBAN ISLAI		GM	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, W AND ROUNDABOUT	HITE, SOLID, 12" FOR CROSSWALK	LF	1,000.000
	0711- 11-124	THERMOPLASTIC, STANDARD, W AND CHEVRONS	HITE, SOLID, 18" FOR DIAGONALS	LF	400.000
	0711- 11-125	THERMOPLASTIC, STANDARD, W AND CROSSWALK	HITE, SOLID, 24" FOR STOP LINE	LF	200.000
	0711- 11-141	GAP EXTENSION, 6"	HITE, 2-4 DOTTED GUIDELINE/ 6-10	GM	1.000
	0711- 11-160	THERMOPLASTIC, STANDARD, W	HITE, MESSAGE OR SYMBOL	EA	20.000
	0711- 11-170	THERMOPLASTIC, STANDARD, W	HITE, ARROW	EA	25.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YE OR CHEVRON	ELLOW, SOLID, 18" FOR DIAGONAL	LF	200.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, CROSSWALK	WHITE, SOLID, 12" FOR	LF	250.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, CROSSWALK	WHITE, SOLID, 24" FOR	LF	400.000
	0711- 14-660	THERMOPLASTIC, PREFORMED,	MULTI COLOR ROUTE SHIELD	EA	5.000
	0711- 15-101	WHITE, SOLID, 6"	PEN GRADED ASPHALT SURFACES	GM	1.000
	0711- 15-102	WHITE, SOLID, 8"	PEN GRADED ASPHALT SURFACES,	GM	1.000
	0711- 15-131	WHITE, SKIP, 6",10-30 SKIP OR 3-9		GM	1.000
	0711- 15-201	THERMOPLASTIC, STANDARD-OF YELLOW, SOLID, 6"	PEN GRADED ASPHALT SURFACES,	GM	1.000

ALT	Item	Description	Unit	Quantity
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"	GM	1.000
	0711- 15-231	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6"	GM	1.000
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.500
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.500
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	1.000
	0711- 17-	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS: NON-CONFLICTING ONLY	SF	1,000.000
Section	n 0003 Signalizat	ion		
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	100.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	100.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	100.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	1,000.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	ΡI	2.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	4.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	4.000
	0635- 2-13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	4.000
	0635- 3-11	JUNCTION BOX, FURNISH & INSTALL, AERIAL	EA	4.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	4.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	4.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	500.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	5.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	4.000
	0650- 1-11	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY	AS	5.000
	0650- 1-12	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 2-4 WAY	AS	5.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	5.000
	0650- 1-15	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 2-4 WAYS	AS	5.000
	0650- 1-16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	5.000
	0650- 1-17	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 2-4 WAYS	AS	5.000
	0650- 1-19	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION CLUSTER, 1 WAY	AS	5.000
	0650- 1-24	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W/ALUM TOP, 3 SECTION, 1 WAY	AS	5.000
	0650- 1-25	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE WITH ALUMINUM TOP SECTION, 3 SECTION, 2-4 W	AS	5.000
	0650- 1-26	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W/ALUM TOP, 4 SECTION, 1 WAY	AS	5.000

		Call Order: 006 Proposal: E50A2		
ALT	Item	Description	Unit	Quantity
	0650- 1-29	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W ALUMIN, 5 SECTION CLUSTER, 1 WAY	AS	5.000
	0650- 1-34	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 3 SECTION, 1 WAY	AS	5.000
	0650- 1-35	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 3 SECTION, 2-4 WAYS	AS	5.000
	0650- 1-36	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 4 SECTION, 1 WAY	AS	5.000
	0650- 1-39	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 5 SECTION CLUSTER, 1 WAY	AS	5.000
	0650- 1-50	VEHICULAR TRAFFIC SIGNAL, INSTALL	AS	5.000
	0650- 1-60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	5.000
	0650- 1-70	VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION	AS	5.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	5.000
	0653- 1-12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	5.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	5.000
	0654- 1-10	IN ROADWAY LIGHT ASSEMBLY, FURNISH & INSTALL- AC POWERED, COMPLETE CROSSING	AS	1.000
	0654- 1-20	IN ROADWAY LIGHT ASSEMBLY, FURNISH & INSTALL- SOLAR POWERED, COMPLETE CROSSING	AS	1.000
	0654- 2-11	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION	AS	10.000
	0654- 2-12	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	10.000
	0654- 2-21	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION	AS	10.000
	0654- 2-22	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	10.000
	0654- 2-30	RECTANGULAR RAPID FLASHING BEACON, INSTALL COMPLETE SIGN ASSEMBLY	AS	10.000
	0654- 2-40	RECTANGULAR RAPID FLASHING BEACON, RELOCATE COMPLETE SIGN ASSEMBLY	AS	10.000
	0654- 2-50	RECTANGULAR RAPID FLASHING BEACON, ADJUST/MODIFY	AS	10.000
	0654- 2-60	RECTANGULAR RAPID FLASHING BEACON, REMOVE COMPLETE SIGN ASSEMBLY	AS	10.000
	0654- 3-10	PEDESTRIAN HYBRID BEACON ASSEMBLY, FURNISH & INSTALL COMPLETE ASSEMBLY	AS	2.000
	0654- 3-60	PEDESTRIAN HYBRID BEACON ASSEMBLY, REMOVE	AS	2.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	5.00
	0660- 1-110	LOOP DETECTOR INDUCTIVE, F&I, TYPE 10	EA	5.00
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	6.00
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	9.00
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	16.00
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	32.00
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	8.00
	0670- 4- 1	INTERSECTION CONTROL BEACON CONTROLLER ASSEMBLY, FURNISH & INSTALL	AS	2.000

ALT	ltem	Description	Unit	Quantity
	0670- 5-300	TRAFFIC CONTROLLER ASSEMBLY, INSTALL	AS	1.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	1.000

Letting:	05190402	Call Order: 007	Proposal:	E50A3	District:05
Counties:	DIST/ST-WIDE				
Road Name:	TRAFFIC OPERATION	ONS SIGNAL PUSHE	BUTTON IN	IPROVEMENTS	
Limits:	70008000				
Project(s): 238	300255205(*)	Federal Aid	No: N/A		
Total Roadway	Length:	0.000 Miles		Contract Days:	730
Total Bridge Ler	ngth:	0.000 Miles		Letting Date:	04/02/19
Total Proposal L	_ength:	0.000 Miles		Contract Execution Days	s:
				Special Start Date:	N/A
				Aquis/Flexible Start Time	e:
Proposal Budget Estimate:		\$	500,000.00		

Please read the full advertisement

Description:

This is a Work Document driven quick response contract for installing traffic operational improvements such as: new traffic signals, electronic signs, resolving unexpected problems concerning with signalization, loop assembly repairs, new pedestrian crosswalks and pedestrian feature installations (standard and accessible) for a period of Two years or until the contracted amount has been reached. The number of work documents for the contract will be limited by a budgetary cap of 500,000. dollars. See Ad and Specs for details.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

. ____

See Ad and Specs for details.

PREQUALIFICATION REQUIRED

	Call Order: 007 Proposal: E50A3						
ALT	Item	Description	Unit	Quantity			
Sectio	on 0001 Roadway						
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	50.000			
	0102- 60-	WORK ZONE SIGN	ED	1,000.000			
	0102-74-1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	1,000.000			
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	1,000.000			
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	300.000			
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	50.000			
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	50.000			
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT)	AC	1.000			
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	1,000.000			
	0120- 1-	REGULAR EXCAVATION	CY	100.000			
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	100.000			
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	100.000			
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	100.000			
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	75.000			

ALT	Item	Description	Unit	Quantity
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	75.000
	0520- 5-11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	100.000
	0520- 5-12	TRAFFIC SEPARATOR CONCRETE-TYPE I, 6' WIDE	LF	100.000
	0520- 5-16	TRAFFIC SEPARATOR CONCRETE- TYPE I, 8.5' WIDE	LF	100.000
	0520- 5-21	TRAFFIC SEPARATOR - CONCRETE, TYPE II, 4' WIDE	LF	100.000
	0520- 5-22	TRAFFIC SEPARATOR - CONCRETE, TYPE II, 6' WIDE	LF	100.000
	0520- 5-26	TRAFFIC SEPARATOR CONCRETE- TYPE II, 8.5' WIDE	LF	100.000
	0520- 5-41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	100.000
	0520- 5-42	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE	LF	100.000
	0520- 5-46	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 8.5' WIDE	LF	100.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	100.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	100.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	100.000
	0527- 2-	DETECTABLE WARNINGS	SF	200.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	200.000
Section	0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	10.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	10.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	10.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	10.000
	0700- 2-11	MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	2.000
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	2.000
	0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.000
	0700- 2-50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	2.000
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	2.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	10.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	2.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	2.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	2.000
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	2.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	2.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	2.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	2.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	2.000
	0700- 5-21	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	4.000
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	4.000
	0700- 5-40	INTERNALLY ILLUMINATED SIGN, INSTALL- FURNISHED BY FDOT	EA	5.000
	0700- 5-50	INTERNALLY ILLUMINATED SIGN, RELOCATE	EA	5.000
	0700- 5-60	INTERNALLY ILLUMINATED SIGN, REMOVE	EA	5.000
	0700- 11-112	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, ELECTRONIC WARNING SIGN, 12-20 SF	AS	1.000

		Call Order: 007 Proposal: E50A3		
ALT	Item	Description	Unit	Quantity
	0700- 11-122	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, ELECTRONIC REGULATORY SIGN, 12-20 SF	AS	1.000
	0700- 11-131	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK SIGN, UP TO 12 SF	AS	1.000
	0700- 11-132	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK SIGN, 12-20 SF	AS	1.000
	0700- 11-141	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, ELECT WARNING W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-142	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, ELECT WARNING W/FLASHING BEACON, 12-20 SF	AS	1.000
	0700- 11-151	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, ELECT REGULATORY W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-152	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, ELECT REGULATORY W/FLASHING BEACON, 12-20 SF	AS	1.000
	0700- 11-161	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-162	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK W/FLASHING BEACON, 12-20 SF	AS	1.000
	0700- 11-222	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWERED, ELECTRONIC REGULATORY SIGN, 12-20 SF	AS	1.000
	0700- 11-231	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, SPEED FEEDBACK, UP TO 12 SF	AS	1.000
	0700- 11-241	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, ELECT WARNING W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-251	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWE, ELECT REGULATORY W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-261	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWE, SPEED FEEDBACK W/FLASHING BEACON, UP TO 12 SF	AS	1.000
	0700- 11-321	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL OVERHEAD MOUNT- AC POWERED, REGULATORY SIGN, UP TO 12 SF	AS	1.000
	0700- 11-391	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL OVERHEAD MOUNT- AC POWERED, BLANK OUT SIGN, UP TO 12 SF	AS	1.000
	0700- 11-500	ELECTRONIC DISPLAY SIGN, RELOCATE	AS	1.000
	0700- 11-600	ELECTRONIC DISPLAY SIGN, REMOVE- GROUND MOUNT	AS	2.000
	0700- 11-700	ELECTRONIC DISPLAY SIGN, REMOVE- OVERHEAD MOUNT	AS	1.000
	0700- 12- 11	SIGN BEACON, F&I GROUND MOUNT- AC POWERED, ONE BEACON	AS	1.000
	0700- 12- 12	SIGN BEACON, F&I GROUND MOUNT- AC POWERED, TWO BEACONS	AS	1.000
	0700- 12- 21	SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, ONE BEACON	AS	1.000
	0700- 12- 22	SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, TWO BEACONS	AS	1.000
	0700- 12- 50	SIGN BEACON, RELOCATE BEACON- SIGN TO REMAIN	AS	2.000
	0700- 12- 60	SIGN BEACON, REMOVE BEACON- SIGN TO REMAIN	AS	2.000
	0705-11-1	DELINEATOR, FLEXIBLE TUBULAR	EA	100.000
	0706- 3-	RETRO-REFLECTIVE/RAISED PAVEMENT MARKERS	EA	200.000

	Call Order: 007 Proposal: E50A3		
Item	Description	Unit	Quantity
0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.500
0710- 11-133	PAINTED PAVEMENT MARKING, STANDARD,WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE,	GM	0.500
0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.500
0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.500
0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.250
0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	800.000
0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	800.000
0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	600.000
0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.500
0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	8.000
0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	8.000
0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	450.000
0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	800.000
0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	600.000
0711- 14-560	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA	5.000
0711- 14-570	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE	EA	5.000
0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	5.000
0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	0.500
0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.500
0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.500
0711- 15-231	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6"	GM	0.500
0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.500
0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.500
0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	0.250
0711- 17-	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS: NON-CONFLICTING ONLY	SF	1,000.000
n 0003 Signalizat	ion		
0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	1,000.000
0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,000.000
0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	1,000.000
	0710- 11-131 0710- 11-133 0710- 11-133 0710- 11-231 0711- 11-102 0711- 11-123 0711- 11-123 0711- 11-124 0711- 11-125 0711- 11-141 0711- 11-160 0711- 11-160 0711- 14-123 0711- 14-125 0711- 14-570 0711- 14-570 0711- 14-570 0711- 14-570 0711- 14-501 0711- 15-131 0711- 15-231 0711- 15-231 0711- 15-231 0711- 15-231 0711- 15-231 0711- 16-133 0711- 16-133 0711- 16-133 0711- 16-202 0711- 17-	Item Description 0710-11-131 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6' WIDE 0710-11-133 PAINTED PAVEMENT MARKING, STANDARD, WHITE, S-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12' WIDE. 0710-11-11 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE 6-10 DOTTED EXTENSION, 6'' 0710-11-21 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6'' 0711-11-102 THERMOPLASTIC, STANDARD, WHITE, SOLID, 8'' FOR 0711-11-123 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12'' FOR CROSSWALK AND CHEVRONS 0711-11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 14'' FOR DIAGONALS AND CHEVRONS 0711-11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24'' FOR STOP LINE AND CROSSWALK 0711-11-124 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL 0711-11-140 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL 0711-11-124 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL 0711-11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18'' FOR DIAGONAL OR CHEVRON 0711-11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18'' FOR DIAGONAL OR CHEVRON 0711-11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18'' FOR DIAGONAL OR CHEVRON 0711-11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18'' FOR	Item Description Unit 0710-11-131 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 GM 0710-11-133 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SVIP, 10-30 GM 0710-11-131 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12' WIDE, GM 0710-11-231 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GM 0711-11-20 THERMOPLASTIC, STANDARD, WHITE, SOLID, 8' FOR INTERCHANGE AND URBAN ISLAND GM 0711-11-123 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12' FOR CROSSWALK AND CONSOWALK LF 0711-11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12' FOR STOP LINE AND CROSSWALK LF 0711-11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24'' FOR STOP LINE AND CROSSWALK LF 0711-11-141 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL EA 0711-11-142 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL EA 0711-11-141 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12'' FOR CROSSWALK CRCROSSWALK 0711-11-142 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12'' FOR LF 0711-14-123 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12'' FOR LF 0711

ALT	Item	Description	Unit	Quantity
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	5.00
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	1,000.00
	0632- 7- 4	SIGNAL CABLE, ADJUST	PI	5.00
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	5.00
	0632- 7- 7	SIGNAL CABLE, REMOVE- OUTSIDE OF INTERSECTION	LF	1,000.00
	0633- 1-111	FIBER OPTIC CABLE, F&I, OVERHEAD,2-12 FIBERS	LF	1,000.00
	0633- 1-112	FIBER OPTIC CABLE, F&I, OVERHEAD,13-48 FIBERS	LF	1,000.00
	0633- 1-113	FIBER OPTIC CABLE, F&I, OVERHEAD,49-96 FIBERS	LF	1,000.00
	0633- 1-114	FIBER OPTIC CABLE, F&I, OVERHEAD,97-144 FIBERS	LF	1,000.00
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	1,000.00
	0633- 1-122	FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS	LF	1,000.00
	0633- 1-123	FIBER OPTIC CABLE, F&I, UNDERGROUND,49-96 FIBERS	LF	1,000.00
	0633- 1-124	FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS	LF	1,000.00
	0633- 1-310	FIBER OPTIC CABLE, INSTALL, OVERHEAD	LF	1,000.00
	0633- 1-320	FIBER OPTIC CABLE, INSTALL, UNDERGROUND	LF	1,000.00
	0633- 1-410	FIBER OPTIC CABLE, RELOCATE, OVERHEAD	LF	1,000.00
	0633- 1-420	FIBER OPTIC CABLE, RELOCATE, UNDERGROUND	LF	1,000.00
	0633- 1-610	FIBER OPTIC CABLE, REMOVE, OVERHEAD	LF	1,000.00
	0633- 1-620	FIBER OPTIC CABLE, REMOVE, UNDERGROUND	LF	1,000.00
	0633- 2-31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	10.00
	0633- 2-32	FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	10.00
	0633- 3-11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	4.00
	0633- 3-12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	4.00
	0633- 3-13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	4.00
	0633- 3-15	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED PATCH PANEL	EA	4.00
	0633- 3-16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	4.00
	0633- 3-17	FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	4.00
	0633- 3-51	FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY SPLICE ENCLOSURE	EA	4.00
	0633- 8- 1	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL	LF	1,000.00
	0633- 8- 4	MULTI-CONDUCTOR COMMUNICATION CABLE, RELOCATE	LF	1,000.00
	0634- 4-152	SPAN WIRE ASSEMBLY, F&I, TWO POINT, DIAGONAL	PI	10.00
	0634- 4-153	SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX	PI	10.00
	0634- 4-600	SPAN WIRE ASSEMBLY, REMOVE- POLES REMAIN	PI	10.00
	0634- 5- 1	FIBERGLASS INSULATOR, FURNISH & INSTALL	LF	1,000.00
	0634- 6- 1	MESSENGER WIRE, FURNISH & INSTALL- REPLACE EXISTING	LF	1,000.00
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	10.00
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	10.0
	0635- 2-13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	10.00
	0635- 3-11	JUNCTION BOX, FURNISH & INSTALL, AERIAL	EA	10.00
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	10.00

		Call Order: 007 Proposal: E50A3		
ALT	Item	Description	Unit	Quantity
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	10.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	1,000.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	4.000
	0639- 3-60	ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN	EA	4.000
	0641- 1- 1	GUYING EXISTING CONCRETE STRAIN POLE	EA	5.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	4.000
	0641- 2-13	PRESTRESSED CONCRETE POLE, F&I, TYPE P-III	EA	4.000
	0641- 2-14	PRESTRESSED CONCRETE POLE, F&I, TYPE P-IV	EA	4.000
	0641- 2-15	PRESTRESSED CONCRETE POLE, F&I, TYPE P-V	EA	4.000
	0641- 2-16	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VI	EA	4.000
	0641- 2-17	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VII	EA	4.000
	0641- 2-18	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VIII	EA	4.000
	0641- 2-60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	4.000
	0641- 2-70	PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER	EA	4.000
	0641- 2-80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	4.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	20.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	20.000
	0649-26-1	STEEL MAST ARM ASSEMBLY, REMOVE, POLE ONLY- ENTIRE FOUNDATION REMAINS	EA	1.000
	0649-26-3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION- BOLT ON ATTACHMENT	EA	1.000
	0649-26-5	STEEL MAST ARM ASSEMBLY, REMOVE, DEEP FOUNDATION- BOLT ON ATTACHMENT	EA	1.000
	0649-26-7	STEEL MAST ARM ASSEMBLY, REMOVE, REMOVE ARM AND ATTACHMENTS; POLE REMAINS	EA	1.000
	0650- 1-11	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY	AS	15.000
	0650- 1-12	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 2-4 WAY	AS	15.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	15.000
	0650- 1-15	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 2-4 WAYS	AS	15.000
	0650- 1-16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	15.000
	0650- 1-17	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 2-4 WAYS	AS	15.000
	0650- 1-24	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W/ALUM TOP, 3 SECTION, 1 WAY	AS	15.000
	0650- 1-25	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE WITH ALUMINUM TOP SECTION, 3 SECTION, 2-4 W	AS	15.000
	0650- 1-26	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W/ALUM TOP, 4 SECTION, 1 WAY	AS	15.000
	0650- 1-29	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W ALUMIN, 5 SECTION CLUSTER, 1 WAY	AS	15.000

٩LT	Item	Call Order: 007 Proposal: E50A3 Description	Unit	Quantity
	0650- 1-34	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL	AS	15.000
		POLYCARBONATE, 3 SECTION, 1 WAY		
	0650- 1-35	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 3 SECTION, 2-4 WAYS	AS	15.000
	0650- 1-36	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 4 SECTION, 1 WAY	AS	15.000
	0650- 1-39	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 5 SECTION CLUSTER, 1 WAY	AS	15.000
	0650- 1-50	VEHICULAR TRAFFIC SIGNAL, INSTALL	AS	15.000
	0650- 1-60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	15.000
	0650- 1-70	VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION	AS	15.000
	0650- 2-102	VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER	EA	15.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	15.000
	0653- 1-12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	15.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	15.000
	0654- 1-10	IN ROADWAY LIGHT ASSEMBLY, FURNISH & INSTALL- AC POWERED, COMPLETE CROSSING	AS	2.000
	0654- 1-20	IN ROADWAY LIGHT ASSEMBLY, FURNISH & INSTALL- SOLAR POWERED, COMPLETE CROSSING	AS	2.000
	0654- 2-11	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION	AS	10.000
	0654- 2-12	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	10.000
	0654- 2-21	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION	AS	10.000
	0654- 2-22	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	10.000
	0654- 2-30	RECTANGULAR RAPID FLASHING BEACON, INSTALL COMPLETE SIGN ASSEMBLY	AS	10.000
	0654- 2-40	RECTANGULAR RAPID FLASHING BEACON, RELOCATE COMPLETE SIGN ASSEMBLY	AS	10.000
	0654- 2-50	RECTANGULAR RAPID FLASHING BEACON, ADJUST/MODIFY	AS	10.000
	0654- 2-60	RECTANGULAR RAPID FLASHING BEACON, REMOVE COMPLETE SIGN ASSEMBLY	AS	10.000
	0654- 3-10	PEDESTRIAN HYBRID BEACON ASSEMBLY, FURNISH & INSTALL COMPLETE ASSEMBLY	AS	10.000
	0654- 3-60	PEDESTRIAN HYBRID BEACON ASSEMBLY, REMOVE	AS	10.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	20.000
	0660- 1-110	LOOP DETECTOR INDUCTIVE, F&I, TYPE 10	EA	20.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	20.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	20.000
	0660- 3-11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	EA	5.000
	0660- 3-12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	5.000

ALT	Item	Description	Unit	Quantity
	0660- 3-31	VEHICLE DETECTION SYSTEM- MICROWAVE, INSTALL- FDOT FURNISHED CABINET EQUIPMENT	EA	5.000
	0660- 3-32	VEHICLE DETECTION SYSTEM- MICROWAVE, INSTALL- FDOT FURNISHED, ABOVE GROUND EQUIPMENT	EA	5.000
	0660- 4-11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	5.000
	0660- 4-12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	5.000
	0663- 1-111	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, CABINET ELECTRONICS	EA	5.000
	0663- 1-112	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, DETECTOR	EA	5.000
	0663- 1-121	SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, REPLACE CABINET ELECTRONICS	EA	5.000
	0663- 1-122	SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, DETECTOR	EA	5.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	30.000
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	30.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	15.000
	0670- 4- 1	INTERSECTION CONTROL BEACON CONTROLLER ASSEMBLY, FURNISH & INSTALL	AS	5.000
	0670- 5-110	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA	AS	2.000
	0670- 5-111	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 1 PREEMPTION	AS	2.000
	0670- 5-112	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 2 PREEMPTION	AS	2.000
	0670- 5-140	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 207(AS	5.000
	0670- 5-141	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL, MODEL 2070, 1 PREEMPTION	AS	5.000
	0670- 5-142	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL, MODEL 2070, 2 PREEMPTION	AS	5.000
	0670- 5-300	TRAFFIC CONTROLLER ASSEMBLY, INSTALL	AS	2.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	2.000
	0670- 5-500	TRAFFIC CONTROLLER ASSEMBLY, RELOCATE CONTROLLER WITH CABINET	AS	2.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	10.000
	0670- 5-700	TRAFFIC CONTROLLER ASSEMBLY, RESTORE- MINOR REPAIRS	AS	2.000
	0678- 1-107	CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTALL, TYPE 1 TIME SWITCH	EA	5.000
	0682- 1-133	ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION	EA	5.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	2.000
	0685- 1-11	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE	EA	5.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	2.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	2.000
	0695- 7-132	TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 3, PEDESTAL MOUNT	EA	2.000
	0695- 7-162	TRAFFIC MONITORING SITE CABINET, F&I, TYPE 3, 2 PANE BACK, PEDESTAL MOUNT	EA	2.000

ALT	Item	Description	Unit	Quantity
	0695- 7-600	TRAFFIC MONITORING SITE CABINET, REMOVE EXISTING CABINET	EA	2.000
	0695- 8-11	TRAFFIC MONITORING SITE COMMUNICATIONS MODEM FURNISH & INSTALL	EA	2.000

Letting:	05190402	Call Order: 002	Proposal:	E5U79	District:05
Counties:	MARION				
Road Name:	Mill and Resurface As	sphalt Pavement			
Limits:	Midpoint				
Project(s): 423	339127209(*)	Federal Aid	No: N/A		
Total Roadway	Length:	0.000 Miles		Contract Days:	90
Total Bridge Ler	ngth:	0.000 Miles		Letting Date:	04/02/19
Total Proposal L	_ength:	0.000 Miles		Contract Execution Days:	
				Special Start Date:	N/A
				Aquis/Flexible Start Time:	14
Proposal Budget Estimate: \$350,000.00					
Please read the	full advertisement				
Description:					
FDOT District 5					
Proposal ID: E		`			
Fiscal Year: 201	xt No.: 423391-2-72-09 9	9			
County: Marion					
Contract Calence Lead Time: 14	lar Days: 90				
Load Hille. 14					
Intent and Scop	Sum Maintenance Con e: The work under this aint on various roadwa	s Contract consists o			nent and replacing pavement
Asphalt Paving: For this Contrac		uired to have at least	three (3) v	ears of experience in the pe	erformance of asphalt paving

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of asphalt paving projects, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Hot Plant Mix Bituminous Course" will suffice to meet the above requirements.

ALT	Item	Description	Unit	Quantity			
Section 0001	Section 0001 ASPHALT REPAIR (MECHANICAL) (TN)						
0999	9- 2-	LUMP SUM CONTRACT, ALTERNATIVE BIDDING	LS	1.000			

Letting:	05190402	Call Order: 003	Proposal:	E5U86	District:05
Counties:	Counties: VOLUSIA				
Road Name:	Asphalt Pavement Re	epair			
Limits:	Midpoint				
Project(s): 441	69417201(*)	Federal Aid	No: N/A		
Total Roadway	Length:	0.000 Miles		Contract Days:	90
Total Bridge Ler	ngth:	0.000 Miles		Letting Date:	04/02/19
Total Proposal L	ength:	0.000 Miles		Contract Execution Days:	
				Special Start Date:	N/A
				Aquis/Flexible Start Time:	14
Proposal Budge	t Estimate:	\$	382,182.00		
Please read the	full advertisement				
Description:					
FDOT District 5	551100				
Proposal ID No. Financial Projec	t No. 441694-1-72-01				
Fiscal Year 2019	9				
County: Volusia Contract Calence					
Lead Time: 14 D					

This is a Maintenance Pay Item Contract.

Intent:

Work under this contract consists of milling & resurfacing asphalt pavement and pavement markings installation in two locations of SR 44.

EXPERTISE REQUIRED:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Asphalt Repair, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Hot Plant Mix Bituminous Course" will suffice to meet the above requirements.

		Call Order: 003 Proposal: E5U86		
ALT	Item	Description	Unit	Quantity
Sectior	n 0001 ASPHALT	REPAIR (MECHANICAL) (TN)		
	0101- 1-	MOBILIZATION	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC	LS	1.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	90.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	90.000
	0327-70-5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH	SY	24,367.900
	0327-70-6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	4,163.300
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	3,018.500
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	8.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	2.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	4.000
	0706- 3-	RETRO-REFLECTIVE/RAISED PAVEMENT MARKERS	EA	420.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	96.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	231.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	110.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	17.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	15.550
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	4.000
	E711- 11-121	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	LF	5,140.000
	E711- 11-141	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	LF	3,720.000
	E711- 11-221	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	LF	6,230.000

Letting:	05190402	Call Order: 004	4 Proposal:	E5U90	District:05
Counties:	ORANGE, SEMINOLE	Ē	I.		
Road Name:	ASPHALT PAVEMEN	T REPAIR			
Limits:	Midpoint				
Project(s): 429	914217207(*)	Federal	Aid No: N/A		
Total Roadway	Length:	0.000 Mil	es	Contract Days:	180
Total Bridge Le	ngth:	0.000 Mil	es	Letting Date:	04/02/19
Total Proposal I	Length:	0.000 Mil	es	Contract Execution Days:	
				Special Start Date:	N/A
				Aquis/Flexible Start Time:	14
Proposal Budge	et Estimate:		\$171,000.00		
Please read the	e full advertisement				
Proposal ID No Financial Projec	Description: FDOT District 5 Proposal ID No.: E5U90 Financial Project No: 429142-1-72-07 Fiscal Year: 2019				
Counties: Orange and Seminole Contract Calendar Days: 180 Lead Time: 14 days					
This is a Maintenance Lump Sum Project.					
INTENT AND S	INTENT AND SCOPE:				
The work under this Contract consists of asphalt pavement mill and resurfacing, painted pavement markings, and reflective pavement markings on various roadways in Orange and Seminole Counties.					

EXPERIENCE REQUIRED:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Asphalt Paving, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalified with the Department in "Hot Plant Mix Bituminous Course" will suffice to meet the above requirements.

Call Order: 004	Proposal: E5U90
-----------------	-----------------

ALT	Item	Description	Unit	Quantity			
Section 0001 ASPHALT REPAIR (MECHANICAL) (TN)							
C)999- 2-	LUMP SUM CONTRACT, ALTERNATIVE BIDDING	LS	1.000			

Letting:	05190402	Call Order: 005	Proposal:	E5Z73	District:05	
Counties:	VOLUSIA					
Road Name: Limits:	I-4 (SR 400) EB & W 79110000	B OVER DIRKSEN	DR BRIDG	ES		
Project(s): 440	096615201(*)	Federal Aid	l No: N/A			
Total Roadway Length:		0.062 Miles		Contract Days:	80	
Total Bridge Length:		0.125 Miles		Letting Date:	04/02/19	
Total Proposal Length:		0.187 Miles		Contract Execution Days:		
				Special Start Date:	N/A	
				Aquis/Flexible Start Time:	60	
Proposal Budget Estimate:		\$1	,044,374.00)		
	C III II C C					

Please read the full advertisement

Description:

The Improvements under this Contract consist of bearing pad replacements and bridge deck epoxy overlay at SR 400 (I-4) over Dirksen Drive (Bridge Nos. 790042 and 790100) in Volusia County.

PREQUALIFICATION REQUIRED

		Call Order: 005 Proposal: E5Z73		
ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Structures	5		
	0400-140- 1	NEOPRENE PAD REPLACEMENT, BENT/PIER	EA	90.000
	0400-140- 2	NEOPRENE PAD REPLACEMENT, ABUTMENT	EA	22.000
	0403- 1-12	EPOXY CONCRETE OVERLAY FOR CONCRETE BRIDGE DECKS, PROJECT 440966-1-52-01	SY	2,345.000
	0403- 2-12	RESTORE SPALLED AREAS FOR CONCRETE BRIDGE DECKS, PROJECT 440966-1-52-01	CF	50.000
	0458- 1-21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	900.000
Sectio	n 0002 Roadway			
	0101- 1-	MOBILIZATION (44096615201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44096615201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44096615201)	LS	1.000
Sectio	n 0003 Signing			
	0706- 3-	RETRO-REFLECTIVE/RAISED PAVEMENT MARKERS	EA	18.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.124
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.124
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.062