

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

| | | | | |
|---------------------------|-----------------|----------------------------|-------------------|-------------|
| Letting: | 05210908 | Call Order: 001 | Proposal: E56A6 | District:05 |
| Counties: | SUMTER | | | |
| Road Name: | SR 50 | | | |
| Limits: | 11070000 | | | |
| Project(s): | 43585935201(*) | Federal Aid No: N/A | | |
| Total Roadway Length: | 3.242 Miles | Contract Days: | 700 | |
| Total Bridge Length: | 0.095 Miles | Letting Date: | 09/08/21 | |
| Total Proposal Length: | 3.337 Miles | Contract Execution Days: | 10 | |
| | | Special Start Date: | N/A | |
| | | Aquis/Flexible Start Time: | 30 Days Lead Time | |
| Proposal Budget Estimate: | \$26,168,970.00 | | | |

Please read the full advertisement

Description:

SR 50 FROM HERNANDO/SUMTER COUNTY LINE (US 301) TO EAST OF CR 478A - ADD LANES & RECONSTRUCT

The Improvements under this Contract consist of Milling and Resurfacing, Base Work, Shoulder Treatment, Drainage Improvements, Curb & Gutters, Highway Signing, Guardrail, Box Culverts, Bridges, Sidewalks/Bicycle Path and other incidental construction on SR 50 from Hernando/Sumter County line (US 301) to East of CR 478A in Sumter County.

PREQUALIFICATION REQUIRED

Call Order: 001 Proposal: E56A6

| ALT | Item | Description | Unit | Quantity |
|--------------------------------|-------------|--|------|-------------|
| Section 0001 Structures | | | | |
| | 0400- 2- 4 | CONC CLASS II, BRIDGE SUPERSTRUCTURE | CY | 383.500 |
| | 0400- 2- 10 | CONCRETE CLASS II, APPROACH SLABS | CY | 159.200 |
| | 0400- 4- 5 | CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE | CY | 223.800 |
| | 0400- 7- 1 | BRIDGE DECK GROOVING | SY | 1,134.000 |
| | 0400- 9- 1 | BRIDGE DECK PLANING | SY | 1,134.000 |
| | 0400-147- | COMPOSITE NEOPRENE PADS | CF | 14.700 |
| | 0415- 1- 4 | REINFORCING STEEL - BRIDGE SUPERSTRUCTURE | LB | 103,338.000 |
| | 0415- 1- 5 | REINFORCING STEEL- BRIDGE SUBSTRUCTURE | LB | 35,650.000 |
| | 0415- 1- 9 | REINFORCING STEEL- APPROACH SLABS | LB | 30,812.000 |
| | 0450- 1- 1 | PRESTRESSED BEAMS, TYPE II | LF | 1,750.000 |
| | 0455- 34- 5 | PRESTRESSED CONCRETE PILING, 24" SQ | LF | 3,752.000 |
| | 0455-143- 5 | TEST PILES-PRESTRESSED CONCRETE,24" SQ | LF | 300.000 |
| | 0457- 1- 22 | STANDARD INTEGRAL PILE JACKET, STRUCTURAL, 16.1 to 30.0" | LF | 210.000 |
| | 0458- 1- 11 | BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD | LF | 136.000 |
| | 0459- 71- | PILES, POLYETHYLENE SHEETING | SY | 330.000 |
| | 0515- 4- 2 | BULLET RAIL, DOUBLE RAIL | LF | 326.000 |
| | 0521- 5- 13 | CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE | LF | 652.000 |
| | 0521- 6- 11 | CONCRETE PARAPET, PEDESTRIAN/BICYCLE, 27" HEIGHT | LF | 326.000 |
| | 0530- 3- 3 | RIPRAP- RUBBLE, BANK AND SHORE | TN | 1,560.000 |
| | 0530- 74- | BEDDING STONE | TN | 556.000 |

Call Order: 001 Proposal: E56A6

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|-------------|
| | 0630- 2- 16 | CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS | LF | 652.000 |
| | 0635- 3- 13 | JUNCTION BOX, FURNISH & INSTALL, EMBEDDED | EA | 4.000 |
| Section 0002 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (43585935201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (43585935201) | LS | 1.000 |
| | 0102- 2-200 | SPECIAL DETOUR- TEMPORARY PAVEMENT (43585935201) | LS | 1.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 83,192.000 |
| | 0102- 71- 15 | TEMPORARY BARRIER, F&I, ANCHORED | LF | 4,939.000 |
| | 0102- 71- 25 | TEMPORARY BARRIER, RELOCATE, ANCHORED | LF | 3,316.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 434,248.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 392.000 |
| | 0102- 78- 1 | TEMPORARY RAISED/RETROREFLECTIVE PAVEMENT MARKER, TYPE D | EA | 8,769.000 |
| | 0102- 89- 1 | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION | LO | 22.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 2,599.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 65,033.000 |
| | 0102-909- | TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS | DA | 1,120.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 17,109.000 |
| | 0104- 11- | FLOATING TURBIDITY BARRIER | LF | 682.000 |
| | 0104- 12- | STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC | LF | 26,307.000 |
| | 0104- 15- | SOIL TRACKING PREVENTION DEVICE | EA | 6.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 2,188.500 |
| | 0107- 2- | MOWING | AC | 1,383.930 |
| | 0110- 1- 1 | CLEARING & GRUBBING (43585935201) | LS | 1.000 |
| | 0110- 7- 1 | MAILBOX, F&I SINGLE | EA | 25.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 167,841.000 |
| | 0120- 4- | SUBSOIL EXCAVATION | CY | 37,414.000 |
| | 0120- 6- | EMBANKMENT | CY | 445,129.000 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 223,692.000 |
| | 0285-701- | OPTIONAL BASE, BASE GROUP 01 | SY | 24,304.000 |
| | 0285-704- | OPTIONAL BASE, BASE GROUP 04 | SY | 42,457.000 |
| | 0285-706- | OPTIONAL BASE, BASE GROUP 06 | SY | 2,213.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 113,639.000 |
| | 0285-715- | OPTIONAL BASE, BASE GROUP 15 | SY | 1,085.000 |
| | 0327- 70- 15 | MILLING EXISTING ASPHALT PAVEMENT, 2 3/4" AVG DEPTH | SY | 2,103.000 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 1,756.700 |
| | 0334- 1- 14 | SUPERPAVE ASPHALTIC CONC, TRAFFIC D | TN | 12,500.000 |
| | 0334- 1- 54 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC D, PG76-22 | TN | 17,176.100 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 5,794.900 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 320.200 |
| | 0350- 3- 1 | PLAIN CEMENT CONCRETE PAVEMENT, 6" | SY | 704.000 |
| | 0400- 4- 1 | CONCRETE CLASS IV, CULVERTS | CY | 407.200 |
| | 0415- 1- 1 | REINFORCING STEEL- ROADWAY | LB | 83,144.000 |
| | 0425- 1-361 | INLETS, CURB, TYPE P-6, <10' | EA | 1.000 |

Call Order: 001 Proposal: E56A6

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|-----------|
| | 0425- 1-471 | INLETS, CURB, TYPE 7, <10' | EA | 7.000 |
| | 0425- 1-521 | INLETS, DT BOT, TYPE C,<10' | EA | 6.000 |
| | 0425- 1-541 | INLETS, DT BOT, TYPE D, <10' | EA | 16.000 |
| | 0425- 1-543 | INLETS, DITCH BOTTOM, TYPE D, J BOT, <10' | EA | 9.000 |
| | 0425- 1-544 | INLETS, DITCH BOTTOM, TYPE D, J BOT, >10' | EA | 10.000 |
| | 0425- 1-545 | INLETS, DITCH BOTTOM, TYPE D, PARTIAL | EA | 2.000 |
| | 0425- 1-549 | INLETS, DT BOT, TYPE D, MODIFY | EA | 3.000 |
| | 0425- 1-551 | INLETS, DT BOT, TYPE E, <10' | EA | 2.000 |
| | 0425- 1-553 | INLETS, DT BOT, TYPE E, J BOT, <10' | EA | 1.000 |
| | 0425- 1-581 | INLETS, DT BOT, TYPE H, <10' | EA | 1.000 |
| | 0425- 1-701 | INLETS, GUTTER, TYPE S, <10' | EA | 20.000 |
| | 0425- 1-703 | INLETS, GUTTER, TYPE S, J BOTTOM <10' | EA | 2.000 |
| | 0425- 1-704 | INLETS, GUTTER, TYPE S, J BOTTOM, >10' | EA | 1.000 |
| | 0425- 1-921 | INLETS, ADJACENT BARRIER, <=10' | EA | 2.000 |
| | 0425- 2- 61 | MANHOLES, P-8, <10' | EA | 2.000 |
| | 0425- 2- 91 | MANHOLES, J-8, <10' | EA | 2.000 |
| | 0425- 2- 92 | MANHOLES, J-8, >10' | EA | 2.000 |
| | 0430-174-118 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD | LF | 85.000 |
| | 0430-174-124 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD | LF | 79.000 |
| | 0430-174-218 | PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD | LF | 378.000 |
| | 0430-174-248 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 48"SD | LF | 57.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 4,578.000 |
| | 0430-175-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD | LF | 2,564.000 |
| | 0430-175-130 | PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD | LF | 1,697.000 |
| | 0430-175-136 | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD | LF | 744.000 |
| | 0430-175-142 | PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD | LF | 637.000 |
| | 0430-175-148 | PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD | LF | 1,491.000 |
| | 0430-175-154 | PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD | LF | 1,427.000 |
| | 0430-175-160 | PIPE CULVERT, OPT MATERIAL, ROUND, 60"S/CD | LF | 1,150.000 |
| | 0430-175-166 | PIPE CULVERT, OPT MATERIAL, ROUND, 66"S/CD | LF | 440.000 |
| | 0430-175-224 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD | LF | 202.000 |
| | 0430-175-230 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30"S/CD | LF | 318.000 |
| | 0430-175-236 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 36"S/CD | LF | 562.000 |
| | 0430-175-242 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 42"S/C | LF | 165.000 |
| | 0430-175-248 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 48"S/C | LF | 415.000 |
| | 0430-175-260 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 60"S/C | LF | 468.000 |
| | 0430-175-266 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 66"S/C | LF | 76.000 |
| | 0430-185-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 18" , STORM AND CROSS DRAIN | LF | 48.000 |
| | 0430-518-100 | STRAIGHT CONCRETE ENDWALLS, 18", SINGLE, 0 DEGREES, ROUND | EA | 1.000 |
| | 0430-524-100 | STRAIGHT CONCRETE ENDWALLS, 24", SINGLE, 0 DEGREES, ROUND | EA | 1.000 |
| | 0430-530-100 | STRAIGHT CONCRETE ENDWALLS, 30", SINGLE, 0 DEGREES, ROUND | EA | 2.000 |

Call Order: 001 Proposal: E56A6

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-----------|
| | 0430-530-110 | STRAIGHT CONCRETE ENDWALLS, 30", SINGLE, 15 DEGREES, ROUND | EA | 3.000 |
| | 0430-536-100 | STRAIGHT CONCRETE ENDWALLS, 36", SINGLE, 0 DEGREES, ROUND | EA | 2.000 |
| | 0430-536-102 | STRAIGHT CONCRETE ENDWALLS, 36", SINGLE, 0 DEGREES, ELLIPTICAL | EA | 2.000 |
| | 0430-536-110 | STRAIGHT CONCRETE ENDWALLS, 36", SINGLE, 15 DEGREES, ROUND | EA | 2.000 |
| | 0430-542-102 | STRAIGHT CONCRETE ENDWALLS, 42", SINGLE, 0 DEGREES, ELLIPTICAL | EA | 2.000 |
| | 0430-548-100 | STRAIGHT CONCRETE ENDWALLS, 48", SINGLE, 0 DEGREES, ROUND | EA | 4.000 |
| | 0430-548-102 | STRAIGHT CONCRETE ENDWALLS, 48" SINGLE, 0 DEGREES, ELLIPTICAL | EA | 4.000 |
| | 0430-548-110 | STRAIGHT CONCRETE ENDWALLS, 48", SINGLE, 15 DEGREES, ROUND | EA | 2.000 |
| | 0430-554-100 | STRAIGHT CONCRETE ENDWALLS, 54", SINGLE, 0 DEGREES, ROUND | EA | 2.000 |
| | 0430-554-200 | STRAIGHT CONCRETE ENDWALLS, 54", DOUBLE, 0 DEGREES, ROUND | EA | 2.000 |
| | 0430-560-102 | STRAIGHT CONCRETE ENDWALLS, 60", SINGLE, 0 DEGREES, ELLIPTICAL | EA | 6.000 |
| | 0430-982-125 | MITERED END SECTION, OPTIONAL ROUND, 18" CD | EA | 3.000 |
| | 0430-982-129 | MITERED END SECTION, OPTIONAL ROUND, 24" CD | EA | 1.000 |
| | 0430-982-133 | MITERED END SECTION, OPTIONAL ROUND, 30" CD | EA | 1.000 |
| | 0430-982-138 | MITERED END SECTION, OPTIONAL ROUND, 36" CD | EA | 1.000 |
| | 0430-982-143 | MITERED END SECTION, OPTIONAL ROUND, 60" CD | EA | 1.000 |
| | 0430-982-644 | MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 66" CD | EA | 1.000 |
| | 0430-984-125 | MITERED END SECTION, OPTIONAL ROUND, 18" SD | EA | 4.000 |
| | 0430-984-129 | MITERED END SECTION, OPTIONAL ROUND, 24" SD | EA | 4.000 |
| | 0430-984-625 | MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD | EA | 14.000 |
| | 0515- 2-211 | PEDESTRIAN / BICYCLE RAILING, STEEL, 42" TYPE 1 | LF | 227.000 |
| | 0520- 1- 7 | CONCRETE CURB & GUTTER, TYPE E | LF | 3,884.000 |
| | 0520- 5- 11 | TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE | LF | 176.000 |
| | 0520- 6- | SHOULDER GUTTER- CONCRETE | LF | 3,606.000 |
| | 0521- 72- 40 | SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT | LF | 92.000 |
| | 0524- 1- 1 | CONCRETE DITCH PAVT, NON REINFORCED, 3" | SY | 19.000 |
| | 0524- 1- 29 | CONCRETE DITCH PAVEMENT, 4", REINFORCED | SY | 137.000 |
| | 0530- 3- 4 | RIPRAP, RUBBLE, F&I, DITCH LINING | TN | 58.000 |
| | 0530- 74- | BEDDING STONE | TN | 41.500 |
| | 0536- 1- 1 | GUARDRAIL -ROADWAY, GENERAL TL-3 | LF | 2,352.000 |
| | 0536- 1- 3 | GUARDRAIL- ROADWAY, DOUBLE FACE | LF | 344.000 |
| | 0536- 6- | PIPE RAIL FOR GUARDRAIL | LF | 432.000 |
| | 0536- 8-112 | GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-3 | EA | 2.000 |
| | 0536- 8-122 | GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-002, APPROACH TL-3 | EA | 2.000 |
| | 0536- 8-123 | GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-002, TRAILING | EA | 1.000 |

Call Order: 001 Proposal: E56A6

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|-------------|
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 2,368.000 |
| | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE | EA | 1.000 |
| | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL | EA | 4.000 |
| | 0536- 85- 27 | GUARDRAIL END TREATMENT- DOUBLE FACE APPROACH TERMINA | EA | 2.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 252,326.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 16.059 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 328.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 17.179 |
| | 0999- 20- 1 | DISPUTES REVIEW BOARD, MEETING- DO NOT BID | DA | 8.000 |
| | 0999- 20- 2 | DISPUTES REVIEW BOARD, HEARING- DO NOT BID | EA | 3.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43585935201) | LS | 1.000 |
| Section 0003 Signing | | | | |
| | 0546- 72- 2 | GROUND-IN RUMBLE STRIPS, 8" CYLINDRICAL | GM | 10.917 |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 86.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 30.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 4.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 47.000 |
| | 0700- 2- 13 | MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 1.000 |
| | 0700- 2- 15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 2.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 3.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 34.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 1,614.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43585935201) | LS | 1.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 2,002.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 89.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.390 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 3.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 64.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 1,316.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.678 |
| | 0711- 14-560 | THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL | EA | 1.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 7.395 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 1.176 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 7.187 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 0.629 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 5.855 |

Call Order: 001 Proposal: E56A6

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|----------|
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 0.467 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.119 |
| | 0713-103-131 | PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 0.096 |
| | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.119 |
| | 0713-103-331 | PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 0.094 |