

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 05221101 Call Order: 006 Proposal: E55B0 District:05

Counties: DIST/ST-WIDE

Road Name: Traffic Operations Pushbutton Roadway Contract

Limits:

Project(s): 44081635201

Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length: | 0.000 Miles | Contract Days: | 730 |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 11/01/22 |
| Total Proposal Length: | 0.000 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | |

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

Description:

Work Document driven quick response contract installing traffic operational improvements including new or modifying existing turn lanes, median modifications, concrete (curb gutter and sidewalks), milling, removal of flexible pavement, asphalt, sodding, loop assemblies, and pedestrian feature installation (intersection crosswalks mid-block crosswalks standard and accessible pedestrian buttons) for a period of two years or until the contracted amount has been reached. The number of work documents for the contract will be limited by a budgetary ceiling of \$1,000,000 dollars.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

PREQUALIFICATION REQUIRED

Call Order: 006 Proposal: E55B0

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|-------------|--|------|------------|
| Section 0001 Roadway | | | | |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 100.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 5,000.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 10,000.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 100.000 |
| | 0102- 75- 2 | TEMPORARY SEPARATOR, F&I REMAIN | LF | 500.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 400.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 100.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 100.000 |
| | 0102-150- 1 | PORTABLE REGULATORY, SIGN | ED | 10.000 |
| | 0102-150- 2 | RADAR SPEED DISPLAY UNIT | ED | 10.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 2,000.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 10.000 |
| | 0110- 2- 1 | CLEARING & GRUBBING (PUSH BUTTON CONTRACT) | AC | 5.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 1,000.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 1,000.000 |

Call Order: 006 Proposal: E55B0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|------------|
| | 0120- 2- 2 | BORROW EXCAVATION, TRUCK MEASURE | CY | 1,000.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 10,000.000 |
| | 0327- 70- 1 | MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH | SY | 10,000.000 |
| | 0327- 70- 4 | MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH | SY | 10,000.000 |
| | 0327- 70- 5 | MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH | SY | 10,000.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 10,000.000 |
| | 0327- 70- 8 | MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH | SY | 10,000.000 |
| | 0327- 70- 19 | MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH | SY | 10,000.000 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 2,000.000 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 2,000.000 |
| | 0337- 7- 82 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22 | TN | 2,000.000 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22 | TN | 2,000.000 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 1,000.000 |
| | 0425- 1-471 | INLETS, CURB, TYPE 7, <10' | EA | 2.000 |
| | 0425- 1-503 | INLETS, DT BOT, TYPE A, J BOT, <10' | EA | 2.000 |
| | 0425- 1-541 | INLETS, DT BOT, TYPE D, <10' | EA | 5.000 |
| | 0425- 3- 43 | JUNCTION BOX, DRAINAGE, P-7, PARTIAL | EA | 2.000 |
| | 0425- 5- | MANHOLE, ADJUST | EA | 2.000 |
| | 0425- 6- | VALVE BOXES, ADJUST | EA | 2.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 100.000 |
| | 0430-175-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD | LF | 100.000 |
| | 0430-175-218 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD | LF | 100.000 |
| | 0430-175-224 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD | LF | 100.000 |
| | 0430-982-125 | MITERED END SECTION, OPTIONAL ROUND, 18" CD | EA | 2.000 |
| | 0430-982-129 | MITERED END SECTION, OPTIONAL ROUND, 24" CD | EA | 2.000 |
| | 0430-984-125 | MITERED END SECTION, OPTIONAL ROUND, 18" SD | EA | 2.000 |
| | 0430-984-129 | MITERED END SECTION, OPTIONAL ROUND, 24" SD | EA | 2.000 |
| | 0443- 70- 3 | FRENCH DRAIN, 18" | LF | 100.000 |
| | 0515- 2-311 | PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY,42" TYPE 1 | LF | 50.000 |
| | 0520- 1- 7 | CONCRETE CURB & GUTTER, TYPE E | LF | 1,000.000 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 1,000.000 |
| | 0520- 2- 2 | CONCRETE CURB, TYPE B | LF | 1,000.000 |
| | 0520- 2- 4 | CONCRETE CURB, TYPE D | LF | 1,000.000 |
| | 0520- 5- 11 | TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE | LF | 500.000 |
| | 0520- 5- 12 | TRAFFIC SEPARATOR CONCRETE-TYPE I, 6' WIDE | LF | 500.000 |
| | 0520- 5- 16 | TRAFFIC SEPARATOR CONCRETE- TYPE I, 8.5' WIDE | LF | 500.000 |
| | 0520- 5- 21 | TRAFFIC SEPARATOR - CONCRETE, TYPE II, 4' WIDE | LF | 500.000 |
| | 0520- 5- 22 | TRAFFIC SEPARATOR - CONCRETE, TYPE II, 6' WIDE | LF | 500.000 |
| | 0520- 5- 26 | TRAFFIC SEPARATOR CONCRETE- TYPE II, 8.5' WIDE | LF | 500.000 |
| | 0520- 5- 41 | TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE | LF | 500.000 |
| | 0520- 5- 42 | TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE | LF | 500.000 |
| | 0520- 5- 46 | TRAFFIC SEPARATOR CONCRETE- TYPE IV, 8.5' WIDE | LF | 500.000 |
| | 0520- 70- | CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH | SY | 500.000 |

Call Order: 006 Proposal: E55B0

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|--|------|-----------|
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 600.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 600.000 |
| | 0523- 3- | PATTERNED PAVEMENT | SY | 50.000 |
| | 0526- 1- 2 | PAVERS, ARCHITECTURAL, SIDEWALK | SY | 50.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 200.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 4,000.000 |
| Section 0002 Signing | | | | |
| | 0546- 71- 1 | RAISED RUMBLE STRIP SET- PERMANENT | EA | 10.000 |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 50.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 25.000 |
| | 0700- 1- 13 | SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 5.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 50.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 50.000 |
| | 0700- 2- 13 | MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 2.000 |
| | 0700- 2- 14 | MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF | AS | 1.000 |
| | 0700- 2- 15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 2.000 |
| | 0700- 2- 50 | MULTI- POST SIGN, GROUND MOUNT, RELOCATE | AS | 25.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 50.000 |
| | 0700- 3-101 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF | EA | 50.000 |
| | 0700- 3-102 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF | EA | 25.000 |
| | 0700- 3-103 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF | EA | 5.000 |
| | 0700- 3-206 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF | EA | 1.000 |
| | 0700- 3-207 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF | EA | 1.000 |
| | 0700- 3-208 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 301-400 SF | EA | 1.000 |
| | 0700- 3-501 | SIGN PANEL, RELOCATE, UP TO 12 SF | EA | 50.000 |
| | 0700- 3-502 | SIGN PANEL, RELOCATE, 12-20 SF | EA | 25.000 |
| | 0700- 3-504 | SIGN PANEL, RELOCATE, 31-50 SF | EA | 3.000 |
| | 0700- 3-505 | SIGN PANEL, RELOCATE, 51-100 SF | EA | 3.000 |
| | 0700- 3-506 | SIGN PANEL, RELOCATE, 101-200 SF | EA | 3.000 |
| | 0700- 3-601 | SIGN PANEL, REMOVE, UP TO 12 SF | EA | 5.000 |
| | 0700- 3-602 | SIGN PANEL, REMOVE, 12-20 SF | EA | 50.000 |
| | 0700- 11-132 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK SIGN, 12-20 SF | AS | 2.000 |
| | 0700- 11-162 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK W/FLASHING BEACON, 12-20 SF | AS | 2.000 |
| | 0700- 11-232 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, SPEED FEEDBACK, 12-20 SF | AS | 2.000 |
| | 0700- 11-262 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWERED, SPEED FEEDBACK W/FLASHING BEACON, 12-20 SF | EA | 2.000 |
| | 0700- 11-263 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWERED, SPEED FEEDBACK W/FLASHING BEACON, 21-30 SF | EA | 2.000 |
| | 0700- 13- 12 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2' | EA | 100.000 |
| | 0700- 13- 15 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5' | EA | 100.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 100.000 |
| | 0705- 11- 2 | DELINEATOR, NON-FLEXIBLE | EA | 100.000 |

Call Order: 006 Proposal: E55B0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-----------|
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 100.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 1.000 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 1.000 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 5,280.000 |
| | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 5,280.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 5,280.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 1.000 |
| | 0710- 11-133 | PAINTED PAVEMENT MARKING, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE, | GM | 1.000 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 1.000 |
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 50.000 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 50.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 1.000 |
| | 0710- 11-202 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 1.000 |
| | 0710- 11-203 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 12" | GM | 1.000 |
| | 0710- 11-224 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 5,280.000 |
| | 0710- 11-231 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" | GM | 1.000 |
| | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 1,000.000 |
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 1.000 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 5,280.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 5,280.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 5,280.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 1.000 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 50.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 50.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 5,280.000 |
| | 0711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK | LF | 5,280.000 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 5,280.000 |
| | 0711- 14-191 | THERMOPLASTIC, PREFORMED, 6" WHITE, RAILROAD DYNAMIC ENVELOPE | LF | 200.000 |
| | 0711- 14-526 | THERMOPLASTIC, PREFORMED, 24" WHITE WITH 4" BLACK CONTRAST FOR CROSSWALK ON CONCRETE PAVEMENT, 32" | LF | 200.000 |

Call Order: 006 Proposal: E55B0

| ALT | Item | Description | Unit | Quantity |
|-----------------------------------|--------------|--|------|-----------|
| | 0711- 14-527 | THERMOPLASTIC, PREFORMED, 24" WHITE WITH 4" BLACK CONTRAST FOR STOP LINE ON CONCRETE PAVEMENT, 32" | LF | 200.000 |
| | 0711- 14-528 | THERMOPLASTIC, PREFORMED, 12" WHITE WITH 4" BLACK CONTRAST FOR CROSSWALK ON CONCRETE PAVEMENT, 20" | LF | 200.000 |
| | 0711- 14-660 | THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD | EA | 25.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 1.000 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 1.000 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 1.000 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 1.000 |
| | 0711- 15-202 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8" | GM | 1.000 |
| | 0711- 15-231 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6" | GM | 1.000 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 0.500 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 1.000 |
| | 0711- 16-133 | THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | GM | 1.000 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 0.500 |
| | 0711- 16-202 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8" | GM | 1.000 |
| | 0711- 17- 1 | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN | SF | 1,000.000 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.500 |
| | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.500 |
| Section 0003 Signalization | | | | |
| | 0632- 7- 2 | SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL | LF | 100.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 5.000 |
| | 0635- 2- 12 | PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE | EA | 5.000 |
| | 0635- 2- 13 | PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE | EA | 1.000 |
| | 0639- 1-112 | ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY | AS | 3.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 3.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 100.000 |
| | 0646- 1- 12 | ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST | EA | 5.000 |
| | 0653- 1- 11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 2.000 |
| | 0653- 1- 12 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS | AS | 2.000 |
| | 0654- 1- 10 | MIDBLOCK CROSSWALK: IN ROADWAY LIGHT ASSEMBLY, FURNISH & INSTALL- AC POWERED, COMPLETE CROSSING | AS | 2.000 |
| | 0654- 1- 20 | MIDBLOCK CROSSWALK: IN ROADWAY LIGHT ASSEMBLY, FURNISH & INSTALL- SOLAR POWERED, COMPLETE CROSSING | AS | 2.000 |

Call Order: 006 Proposal: E55B0

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|---|------|----------|
| | 0654- 2- 17 | MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH/INSTALL- AC, SIGN ASSY- SINGLE DIR ACCESSIBLE DETECTOR | AS | 4.000 |
| | 0654- 2- 18 | MIDBLOCK CROSSWALK: REC RAPID FLASHING BEACON, FURNISH/INSTALL- AC, SIGN ASSEMBLY- BACK-BACK ACCESSIBLE DETECTOR | AS | 4.000 |
| | 0654- 2- 27 | MIDBLOCK CROSSWALK: REC RAPID FLASHING BEACON, FURNISH/INSTALL- SOLAR, SIGN ASSEMBLY- SINGLE DIR ACCESSIBLE DETECTOR | AS | 4.000 |
| | 0654- 2- 28 | MIDBLOCK CROSSWALK: REC RAPID FLASHING BEACON, FURNISH/INSTALL- SOLAR, SIGN ASSEMBLY- BACK-BACK ACCESSIBLE DETECTOR | AS | 4.000 |
| | 0654- 2- 40 | MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, RELOCATE COMPLETE SIGN ASSEMBLY | AS | 5.000 |
| | 0660- 1-109 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 | EA | 5.000 |
| | 0660- 1-110 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 10 | EA | 5.000 |
| | 0660- 2-102 | LOOP ASSEMBLY, F&I, TYPE B | AS | 6.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 9.000 |
| | 0665- 1- 11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 10.000 |
| | 0665- 1- 12 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE | EA | 10.000 |
| | 0671- 2- 40 | TRAFFIC CONTROLLER, MODIFY | EA | 5.000 |