BID SOLICITATION NOTICE – District 5 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Deland, FL January 06, 2023 Advertisement No. 1

Procurement Services, MS 4-524 719 S. Woodland Blvd, DeLand, FL 32720

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: http://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at http://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 2:00PM Local Time on Thursday, February 09, 2023.

Bid totals for each bid submitted will be read aloud for those present and will be available at 2:30 PM February 09, 2023 in the Seminole County Conference Room, 4th Floor, DeLand, Florida. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (386) 943-5514. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: https://fdotwp1.dot.state.fl.us/wTBidLetting/Letting/Main, select District 5 then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d5, click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

----NOTE-----

Proposals will not be issued after 2:00PM Local Time on Wednesday, February 08, 2023.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at CPP.Web (fdot.gov). There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit
 http://dms.myflorida.com/egovernment_tools/myflorida_marketplace
 for more information. Please allow 24 to 48
 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
 Department of Transportation at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/.
 Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid rejection or contract award</u> shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at http://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d5, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit https://www.surety2000.com for Surety2000 or https://www.tinubu.com for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web-based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae 2

POSTING NOTICE

The bid tabulation and intent to award will be posted on February 21, 2023 or February 28, 2023 at www.fdot.gov/contracts/d5, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.**

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at http://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to http://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to http://www.fdot.gov/contracts/distco.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: January 06, 2023

Letting ID: 05230209

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the February 09, 2023 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E51C8		41232657232(*)	OSCEOLA
8	E52C6-R0		42795817213(*)	MARION
Ü	20200 No		12700017210()	W/ d d Old
10	E56B5		44520815201(*)	VOLUSIA
16	E56B7		44852015201(*)	ORANGE
			45077015201	
19	E5X38		42917517206(*)	LAKE, MARION
21	E5X54-R0		44410017204(*)	ORANGE, SEMINOLE
			- ()	- , - ,
24	E5X55-R0		44192817206(*)	ORANGE, SEMINOLE
26	E5X57		42914217210(*)	ORANGE, SEMINOLE
27	E5X62		42927617227(*)	BREVARD
			` '	
28	E5X65		42798617232(*)	VOLUSIA
30	E5X94-R0		42795717239(*)	BREVARD

Proposal Note Codes:

Letting: 05230209 Call Order: 001 Proposal: E51C8 District:05

Counties: OSCEOLA

Road Name: Drainage Repair @ Hancock Circle

Limits: Midpoint

Project(s): 41232657232(*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 60

Total Bridge Length: 0.000 Miles Letting Date: 02/09/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$185,000.00

Please read the full advertisement

Description: FDOT District 5

Proposal ID No.: E51C8

Financial Project No.: 412326-5-72-32

Fiscal Year: 2023 County: Osceola

Contract Calendar Days: 60 Lead Time: 14 Days

This is a Maintenance Lump Sum Contract.

Intent:

Repair a section of damaged outfall located near Hancock Circle in St. Cloud. Work includes the installation of metal arch pipe, embankment, articulating concrete blocks, rip rap, and sod.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Drainage Repair, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Drainage" will suffice to meet the above requirements.

Call Order: 001 Proposal: E51C8

	Juli Gruori	701 110p00aii 20100		
ALT It	tem [Description	Unit	Quantity
Section 0001 RE	EPAIR/REPLACE STRM-SIDE-CROSS DE	RAIN(LF)		
0999- 2	2- LUMP SUM CONTRACT, ALTE	RNATIVE BIDDING	LS	1.000

Letting: 05230209 Call Order: 002 Proposal: E52C6-R0 District:05

Counties: MARION

Road Name: Tree & Brush Removal

Limits: Midpoint

Project(s): 42795817213(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:02/09/23Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$300,000.00

Please read the full advertisement

Description:

FDOT District 5

Proposal ID No.: E52C6

Financial Project No.: 427958-1-72-13

Fiscal Year: 2023 County: Marion

Contract Calendar Days: 365

This is a Maintenance Work Document driven Contract with a Budgetary Ceiling of \$300,000. This Contract includes a renewal option.

Intent:

The work under this Contract consists of tree & brush removal on an as-needed basis on Department maintained roadways in Marion County.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

		Call Order: 002 Proposal: E52C6-R0		
ALT	Item	Description	Unit	Quantity
Section	0001 TREE TRI	MMING AND REMOVAL (MH)		
	E580-332- 21	TREE REMOVAL (4" TO 12")	EA	25.000
	E580-332- 22	TREE REMOVAL (13" TO 24")	EA	10.000
	E580-332- 23	TREE REMOVAL (25" TO 36")	EA	5.000
	E580-332- 24	TREE REMOVAL (37" TO 48")	EA	4.000
	E580-332- 25	TREE REMOVAL (> 48")	EA	4.000
	E580-332- 99	TREE AND BRUSH REMOVAL	AC	35.000
	E580-333- 1	STUMP REMOVAL (4" TO 24")	EA	5.000
	E580-333- 2	STUMP REMOVAL (25" TO 48")	EA	5.000
	E580-333- 3	STUMP REMOVAL (> 48")	EA	2.000
	E580-336-	PRUNING AND TRIMMING (LESS THAN 4")	EA	225.000
	E580-336- 1	PRUNING AND TRIMMING (4" TO 24")	EA	325.000
	E580-336- 2	PRUNING AND TRIMMING (> 24")	EA	180.000
	E580-336- 4	PRUNING AND TRIMMING (TREES AND SHRUBS)	PM	100.000

Letting: 05230209 Call Order: 003 Proposal: E56B5 District:05

Counties: VOLUSIA
Road Name: SR 600
Limits: 79060000

Project(s): 44520815201(*) Federal Aid No: N/A

Total Roadway Length:2.261 MilesContract Days:290Total Bridge Length:0.034 MilesLetting Date:02/09/23Total Proposal Length:2.295 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time: 120 LEAD

Proposal Budget Estimate: \$5,309,827.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of milling and resurfacing existing SR 600 from north of Educators Road (MP 13.149) to north of Tomoka Farms Road (MP 15.613) in northeast Volusia County. The work includes pedestrian connectivity and bus pad improvements throughout the corridor, signalization upgrades at LGPA Blvd, Grand Champion Blvd., and Tomoka Farms Road intersections, and a 260ft extension of the eastbound right turn lane at Tomaka Farms Road. Additional improvements include extension of the culvert under Tomoka Farms road and lighting upgrades to the signalized intersections.

PREQUALIFICATION REQUIRED

ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Structures	3		
	0458- 1-21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	252.000
	0458- 2-	POLYMER NOSING FOR BRIDGE DECK EXPANSION JOINT	CF	105.000
Sectio	n 0002 Roadway			
	0101- 1-	MOBILIZATION (44520815201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44520815201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	996.000
	0102- 60-	WORK ZONE SIGN	ED	4,545.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	26,744.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	930.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	290.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	616.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	870.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	870.000
	0102-115-	TYPE III BARRICADE	ED	6.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	580.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	580.000
	0104- 10- 3	SEDIMENT BARRIER	LF	3,097.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	271.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	8,079.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	10.000

ALT	Item	Description	Unit	Quantity
	0107- 1-	LITTER REMOVAL	AC	62.870
	0107- 2-	MOWING	AC	62.870
	0110- 1- 1	CLEARING & GRUBBING (44520815201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	46.000
	0120- 1-	REGULAR EXCAVATION	CY	1,402.200
	0120- 6-	EMBANKMENT	CY	803.200
	0160- 4-	TYPE B STABILIZATION	SY	3,168.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	2,096.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	235.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	553.000
	0327-70-4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	21,390.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	12,328.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	3,668.000
	0327-70-7	MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH	SY	11,201.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	10,546.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	6,637.700
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	1,868.400
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	678.100
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	12.200
	0400- 2- 1	CONCRETE CLASS II, CULVERTS	CY	61.900
	0415- 1- 1	REINFORCING STEEL- ROADWAY	LB	7,389.000
	0515- 2-111	PEDESTRIAN / BICYCLE RAILING, NS, 42" TYPE 1	LF	158.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	164.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	1,892.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	314.000
	0522- 3-	BUS BOARDING PAD- CONCRETE	SY	39.000
	0527- 2-	DETECTABLE WARNINGS	SF	413.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	453.000
	0536- 5- 1	RUB RAIL FOR GUARDRAIL, SINGLE SIDED RUB RAIL	LF	514.000
	0536- 73-	GUARDRAIL REMOVAL	LF	596.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	1.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	2.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	6,805.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	17.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	86.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	3.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	4.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	4.000
	0695- 7-132	TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 3, PEDESTAL MOUNT	EA	1.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	3.775
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.207

		Can C. ac. 1		
ALT	Item	Description	Unit	Quantity
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	0.093
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	1,910.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	775.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	369.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	2.639
	0710- 11-133	PAINTED PAVEMENT MARKING, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE,	GM	0.059
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.338
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	7.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	66.000
	0710- 11-180	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE	LF	15.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	2.263
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	231.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.248
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44520815201)	LS	1.000
Sectio	n 0003 Signing			
	0546- 72- 2	GROUND-IN RUMBLE STRIPS, 8" CYLINDRICAL	GM	3.550
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	41.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	6.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	3.000
	0700- 1-14	SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF	AS	1.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	15.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	24.000
	0700- 2-50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	2.000
	0704- 1- 1	TUBULAR MARKER, DURABLE, 36" WHITE POST	EA	1.000
	0704- 1- 2	TUBULAR MARKER, DURABLE, 36" YELLOW POST	EA	11.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	13.000
	0705-10- 2	OBJECT MARKER, TYPE 2	EA	10.000
	0705-10-3	OBJECT MARKER, TYPE 3	EA	2.000
	0705- 11- 6	DELINEATOR, REPLACE DELINEATOR ON EXISTING BARRIER	EA	16.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,500.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44520815201)	LS	1.000
	0710- 90-	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR	GM	0.207
		INTERCHANGE AND URBAN ISLAND		
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.093
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	1,910.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	775.000

		Can Order. 003 Troposai. E30B3		
ALT	Item	Description	Unit	Quantity
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	369.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.338
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	7.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	66.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	15.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	273.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.248
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,137.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	3.551
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	2.369
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"-APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.059
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	2.488
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	71.000
Sectio	n 0004 Lighting			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	1,063.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,497.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	38.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	7,332.000
	0715- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	2,778.000
	0715- 5-31	LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE	EA	2.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	1.000
	0715- 7-21	LOAD CENTER, REWORK, SECONDARY VOLTAGE	EA	2.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	6.000
	0715- 61-452	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 15' ARM LENGTH	EA	13.000
	0715- 68-000	LIGHT POLE COMPLETE, RELOCATE	EA	4.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	21.000
Sectio	n 0005 Signalizat	ion		
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	888.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	786.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	3.000
	0634- 4-153	SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX	PI	1.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	16.000
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	4.000
	0641- 2-18	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VIII	EA	4.000

ALT Item Description Unit 0641- 2- 70 PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE EA 30' AND GREATER 0646- 1- 11 ALUMINUM SIGNALS POLE, PEDESTAL EA 0646- 1- 40 ALUMINUM SIGNALS POLE, RELOCATE EA 0650- 1- 24 VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE WALUM TOP, 3 SECTION, 1 WAY 0650- 1- 26 VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE AS W/ALUM TOP, 4 SECTION, 1 WAY 0653- 1- 11 PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 AS	Quantity 2.000 11.000 1.000 6.000 1.000 11.000 1.000 9.000
30' AND GREATER 0646- 1- 11 ALUMINUM SIGNALS POLE, PEDESTAL EA 0646- 1- 40 ALUMINUM SIGNALS POLE, RELOCATE EA 0650- 1- 24 VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE AS W/ALUM TOP, 3 SECTION, 1 WAY 0650- 1- 26 VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE AS W/ALUM TOP, 4 SECTION, 1 WAY	11.000 1.000 6.000 1.000 11.000
0646- 1- 40 ALUMINUM SIGNALS POLE, RELOCATE EA 0650- 1- 24 VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE AS W/ALUM TOP, 3 SECTION, 1 WAY VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE AS W/ALUM TOP, 4 SECTION, 1 WAY	1.000 6.000 1.000 11.000 1.000
0650- 1- 24 VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE AS W/ALUM TOP, 3 SECTION, 1 WAY 0650- 1- 26 VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE AS W/ALUM TOP, 4 SECTION, 1 WAY	6.000 1.000 11.000 1.000
W/ALUM TOP, 3 SECTION, 1 WAY 0650- 1-26 VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE AS W/ALUM TOP, 4 SECTION, 1 WAY	1.000 11.000 1.000
W/ALUM TOP, 4 SECTION, 1 WAY	11.000 1.000 1.000
OCES 4 44 DEDECTRIAN CIONAL FURNICUS INCTALL LED COUNTDOWN 4 AC	1.000 1.000
0653- 1-11 PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 AS WAY	1.000
0653- 1-12 PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 AS WAYS	
0653- 1-60 PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO AS REMAIN	9.000
0660- 1-109 LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 EA	
0660- 2-102 LOOP ASSEMBLY, F&I, TYPE B AS	16.000
0660- 2-106 LOOP ASSEMBLY, F&I, TYPE F AS	11.000
0660- 3-11 VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL EA CABINET EQUIPMENT	1.000
0660- 3-12 VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, EA ABOVE GROUND EQUIPMENT	5.000
0665- 1-11 PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD EA	12.000
0665- 1-50 PEDESTRIAN DETECTOR, ADJUST/MODIFY ON EXISTING POLE EA	1.000
0671- 2-40 TRAFFIC CONTROLLER, MODIFY EA	3.000
0682- 1-113 ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, EA HIGH DEFINITION	2.000
0700- 5-22 INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD EA MOUNT, 12-18 SF	8.000
0700- 11-500 ELECTRONIC DISPLAY SIGN, RELOCATE AS	1.000
Section 0006 Intelligent Transportation System	
0611- 1- 1 ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH MI	2.464
0611- 2- 1 ITSFM LOCATION DOCUMENTATION- INTERSECTION EA	1.000
0611- 2- 2 ITSFM LOCATION DOCUMENTATION- ITS SITE EA	1.000
0630- 2-11 CONDUIT, FURNISH & INSTALL, OPEN TRENCH LF	1,775.000
0630- 2-12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF	168.000
0630- 2-14 CONDUIT, FURNISH & INSTALL, ABOVEGROUND LF	35.000
0633- 1-121 FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS LF	1,787.000
0633- 2-32 FIBER OPTIC CONNECTION, INSTALL, TERMINATION EA	24.000
0633- 3- 14 FIBER OPTIC CONNECTION HARDWARE, F&I, BUFFER TUBE FAN EA OUT KIT	2.000
0633- 3-16 FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD EA TERMINATED	2.000
0633- 3- 17 FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL EA	1.000
0633- 6- FIBER OPTIC CABLE LOCATOR DA	290.000
0635- 2-11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA	12.000
0635- 2-12 PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE EA	3.000
0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS PURCHASED BY CONTRACTOR	1.000
0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF	1,804.000

ALT	Item	Description	Unit	Quantity
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	2.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	2.000
	0660- 7-21	VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 1 OR 2 LANES, AC POWERED	EA	1.000
	0676- 2-122	ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D	EA	1.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
	0685- 1-11	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE	EA	1.000
	0685- 2- 1	REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL	EA	1.000
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	4.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	4.000
	0700- 6-11	HIGHLIGHTED SIGN, F&I GROUND MOUNT- AC POWERED, UP TO 12 SF	AS	4.000
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	8.000

Letting: 05230209 Call Order: 004 Proposal: E56B7 District:05

Counties: ORANGE
Road Name: SR 400
Limits: 75280000

 Project(s):
 44852015201(*)
 Federal Aid No: N/A

 Project(s):
 45077015201
 Federal Aid No: N/A

Total Roadway Length:

19.843 Miles

Contract Days:

300

Total Bridge Length:

0.000 Miles

Letting Date:

02/09/23

Total Proposal Length:

19.843 Miles

Contract Execution Days:

10

Special Start Date:

N/A

Aquis/Flexible Start Time: 120 LEAD

Proposal Budget Estimate: \$4,870,988.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of installation of wrong way driving deterrents—wrong way vehicle detection systems and signing and striping enhancements—off-ramps at the following interchanges:

- I-4 at SR 435
- I-4 at Conroy Road
- I-4 at South John Young Parkway.
- I-4 at US 441 (Orange Blossom Trail)
- I-4 at Michigan Street
- I-4 at Amelia Street
- I-4 at Colonial Drive

PREQUALIFICATION REQUIRED

ALT	Item	Description	Unit	Quantity
Section	on 0001 Roadway			
	0101- 1-	MOBILIZATION (44852015201)	LS	1.000
	0101- 1-	MOBILIZATION (45077015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44852015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45077015201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	528.000
	0102- 60-	WORK ZONE SIGN	ED	2,453.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	8,119.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	54,026.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	67.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	480.000
	0102-115-	TYPE III BARRICADE	ED	86.000
	0104- 10- 3	SEDIMENT BARRIER	LF	970.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44852015201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45077015201)	LS	1.000
Section	on 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	45.000

A 1 T	lkama	Call Order: 004 Proposal: E56B7	l lmit	O contitu
ALT	Item	Description	Unit	Quantity
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	8.000
	0700- 1-31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	6.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	16.000
	0700- 1-106	SINGLE POST SIGN, F&I BRIDGE MOUNT, SPECIAL DESIGN, PROJECT 448520-1-52-01	AS	3.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	4.000
	0700- 6-11	HIGHLIGHTED SIGN, F&I GROUND MOUNT- AC POWERED, UP TO 12 SF	AS	42.000
	0700- 6-21	HIGHLIGHTED SIGN, F&I GROUND MOUNT- SOLAR POWERED, UP TO 12 SF	AS	1.000
	0700- 6-109	HIGHLIGHTED SIGN, F&I BRIDGE MOUNT- WRONG WAY, AC POWERED , PROJECT 448520-1-52-01	AS	2.000
	0700- 6-110	HIGHLIGHTED SIGN, F&I BRIDGE MOUNT- WRONG WAY, SOLAR POWERED, PROJECT 448520-1-52-01	AS	11.000
	0700- 6-111	HIGHLIGHTED SIGN, F&I BARRIER MOUNT- WRONG WAY, SOLAR POWERED , PROJECT 448520-1-52-01	AS	2.000
	0700- 6-113	HIGHLIGHTED SIGN, F&I BRIDGE MOUNT- WRONG WAY, AC POWERED , PROJECT 450770-1-52-01	AS	4.000
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	58.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	120.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	510.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	6.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.060
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	6.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	34.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.170
	0711- 14-570	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE	EA	2.000
Sectio	n 0003 Intelligent	Transportation System		
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	8.982
	0611- 2- 1	ITSFM LOCATION DOCUMENTATION- INTERSECTION	EA	12.000
	0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	24.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	13,530.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	6,148.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	945.000
	0630- 2-15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	554.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	13,220.000
	0633- 2-31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	288.000
	0633- 3-11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	1.000
	0633- 3-12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	28.000
	0633- 3-13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	256.000
	0633- 3-16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	19.000
	0633- 3-17	FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	23.000

ALT	Item	Description	Unit	Quantity
	0633- 3-51	FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY SPLICE ENCLOSURE	EA	5.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	600.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	173.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	47.000
	0635- 3-11	JUNCTION BOX, FURNISH & INSTALL, AERIAL	EA	6.000
	0635- 3-12	JUNCTION BOX, FURNISH & INSTALL, MOUNTED	EA	7.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	1.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	10.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	16,784.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	25.000
	0639- 6- 1	ELECTRICAL POWER SERVICE- TRANSFORMER FURNISH & INSTALL	EA	14.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	25.000
	0660- 7-21	VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 1 OR 2 LANES, AC POWERED	EA	8.000
	0660- 7-22	VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 3 OR MORE LANES, AC POWERED	EA	8.000
	0676- 1-500	TRAFFIC SIGNAL CONTROLLER CABINET, ADJUST/MODIFY	EA	1.000
	0676- 2-143	ITS CABINET, FURNISH & INSTALL, BASE MOUNT, 334, 24" W X 66" H X 30" D	EA	16.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
	0684- 1- 5	MANAGED FIELD ETHERNET SWITCH, ADJUST / MODIFY	EA	1.000
	0684- 5- 1	MEDIA CONVERTER, FURNISH & INSTALL	EA	1.000
	0684- 90-101	NETWORK DEVICE, MANAGED HUB ETHERNET SWITCH, LAYER 3	EA	16.000
	0684- 90-102	NETWORK DEVICE, CELLULAR MODEM	EA	6.000
	0685- 1-11	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE	EA	16.000
	0685- 2- 1	REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL	EA	16.000

Proposal: E5X38 District:05 Letting: 05230209 Call Order: 005

Counties: LAKE, MARION

Road Name: PAVEMENT MARKINGS

Limits: Midpoint

Project(s): 42917517206(*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 210 Total Bridge Length: 0.000 Miles Letting Date: 02/09/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

> Special Start Date: N/A Aquis/Flexible Start Time: 14

\$460,000.00 Proposal Budget Estimate:

Please read the full advertisement

Description: FDOT District 5

Proposal ID No.: E5X38

Financial Project No.: 429175-1-72-06

Fiscal Year: 2023 Counties: Lake & Marion Contract Calendar Days: 210

Lead Time: 14 Days

This is a Maintenance Pay Item Project.

The Work under this Contract includes removal and replacement of Thermoplastic Pavement Markings and RPMs in various locations.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Pavement Markings, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Pavement Markings" will suffice to meet the above requirements.

		• • • • • • • • • • • • • • • • • • •		
ALT	Item	Description	Unit	Quantity
Section	0001 PAVEMEN	IT STRIPING (LARGE MACHINE) (LM)		
	0101- 1-	MOBILIZATION	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC	LS	1.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	27.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	441.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	830.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.020
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	11.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	34.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	1,724.000

ALT	Item	Description	Unit	Quantity
	0711- 12-121	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6" FOR MAINTENANCE USE	LF	12,175.000
	0711- 12-122	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 8" FOR MAINTENANCE USE	LF	618.000
	0711- 12-123	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT- MAINTENANCE USE ONLY	LF	2,287.000
	0711- 12-125	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 24" FOR STOP LINE OR CROSSWALK, MAINTENANCE USE ONLY	LF	192.000
	0711- 12-131	THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6"	GM	4.000
	0711- 12-141	THERMOPLASTIC, REFURBISHMENT, WHITE, 2-4 DOTTED GUIDELINE / 6-10 GAP EXTENSION, 6", MAINTENANCE USE ONLY	GM	0.050
	0711- 12-160	THERMOPLASTIC, REFURBISH, WHITE, MESSAGE	EA	14.000
	0711- 12-170	THERMOPLASTIC, REFURBISH, WHITE, ARROWS	EA	74.000
	0711- 12-221	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6" MAINTENANCE USE ONLY	LF	3,245.000
	0711- 12-224	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	158.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	3,147.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	5,308.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	2.640
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	3.470
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	2.714
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	2.615
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	1.586
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	1.200
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	74,227.000
	E706- 1-42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	11,660.000
	E711- 11-121	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	LF	21,142.000
	E711- 11-221	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	LF	18,709.000

Letting: 05230209 Call Order: 006 Proposal: E5X54-R0 District:05

Counties: ORANGE, SEMINOLE

Road Name: Thermoplastic Pavement Markings & RPMs

Limits: Midpoint

Project(s): 44410017204(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:02/09/23Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$500,000.00

Please read the full advertisement

Description:

FDOT District 5

Proposal ID No.: E5X54

Financial Project No.: 444100-1-72-04

Fiscal Year: 2023

Counties: Seminole, Orange Contract Calendar Days: 365

This is a Maintenance Work Document driven Contract with a budgetary ceiling of \$500,000. This Contract includes an option for renewal.

Intent:

The work under this Contract consists of the installation and removal of Thermoplastic Pavement Markings and RPMs in various locations in Seminole and Orange Counties.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Pavement Markings, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Pavement Markings" will suffice to meet the above requirements.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

Call Order: 006 Proposal: E5X54-R0

ALT	Item	Description	Unit	Quantity
Section	n 0001 PAVEMEN	IT STRIPING (LARGE MACHINE) (LM)		
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	7.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	12,000.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	2,000.000

Call Order: 006 Proposal: E5X54-R0

		Call Order: 000 Troposal: L3X34-R0		
ALT	Item	Description	Unit	Quantity
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	2,500.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	5.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	150.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	700.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	10,000.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	3.000
	0711- 12-101	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6"	GM	35.000
	0711- 12-123	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT- MAINTENANCE USE ONLY	LF	30,000.000
	0711- 12-124	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	2,000.000
	0711- 12-125	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 24" FOR STOP LINE OR CROSSWALK, MAINTENANCE USE ONLY	LF	8,000.000
	0711- 12-131	THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6"	GM	30.000
	0711- 12-141	THERMOPLASTIC, REFURBISHMENT, WHITE, 2-4 DOTTED GUIDELINE / 6-10 GAP EXTENSION, 6", MAINTENANCE USE ONLY	GM	4.000
	0711- 12-160	THERMOPLASTIC, REFURBISH, WHITE, MESSAGE	EA	200.000
	0711- 12-170	THERMOPLASTIC, REFURBISH, WHITE, ARROWS	EA	825.000
	0711- 12-201	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6"	GM	10.000
	0711- 12-222	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 8" MAINTENANCE USE ONLY	LF	500.000
	0711- 12-224	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	500.000
	0711- 12-231	THERMOPLASTIC, REFURBISHMENT, YELLOW, SKIP, 6"	GM	1.000
	0711- 12-241	THERMOPLASTIC, REFURBISHMENT, YELLOW 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" MAINT USE ONLY	GM	1.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	500.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	500.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	50.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	50.000
	0711- 14-560	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA	40.000
	0711- 14-570	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE	EA	30.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	10.000
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	4.000
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.000
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	15.000
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	1.000
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	2.000

Call Order: 006 Proposal: E5X54-R0

ALT	Item	Description	Unit	Quantity
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	60,000.000
	E706- 1-42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	45,000.000

Letting: 05230209 Call Order: 007 Proposal: E5X55-R0 District:05

Counties: ORANGE, SEMINOLE

Road Name: Drainage Repair

Limits: Midpoint

Project(s): 44192817206(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:02/09/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$500,000.00

Please read the full advertisement

Description: FDOT District 5

Proposal ID No.: E5X55

Financial Project No.: 441928-1-72-06

Fiscal Year: 2023

Counties: Seminole & Orange

Calendar Days: 365

This is a Maintenance Work Document driven Contract with a Budgetary Ceiling of \$500,000. This Contract has an option for renewal.

Intent:

The Work under this Contract includes storm water pipe desilting, video, lining and structure cleaning on State maintained roadways in various locations in Seminole and Orange Counties on an as-needed basis.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Drainage Repair, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Drainage" will suffice to meet the above requirements.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

		Call Order: 007 Proposal: E5X55-R0		
ALT	Item	Description	Unit	Quantity
Section	n 0001 REPAIR/F	REPLACE STRM-SIDE-CROSS DRAIN(LF)		
	0430-950-	DESILTING CONCRETE BOX CULVERT	CY	25.000
	E425-73-1	CLEANING MANHOLES AND INLETS (MECHANICAL)	EA	100.000
	E430- 94- 1	DESILT PIPE, 0 to 24"	LF	5,500.000
	E430- 94- 2	DESILT PIPE, 25-36"	LF	2,250.000
	E430- 94- 3	DESILT PIPE, 37-48"	LF	1,250.000
	E430- 94- 4	DESILT PIPE, 49-60"	LF	250.000
	E430- 94- 5	DESILT PIPE, 61" OR GREATER	LF	750.000
	E431- 1-21	PIPE LINER, CURED IN PLACE, 0-24"	LF	1,250.000
	E431- 1-22	PIPE LINER, CURED IN PLACE, 25-36"	LF	750.000
	E431- 1-23	PIPE LINER, CURED IN PLACE, 37-48"	LF	400.000
	E431- 1-24	PIPE LINER, CURED IN PLACE, 49-60"	LF	250.000
	E431- 1-25	PIPE LINER, CURED IN PLACE, 61" AND GREATER	LF	150.000
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	12,500.000

Letting: 05230209 Call Order: 008 Proposal: E5X57 District:05

Counties: ORANGE, SEMINOLE

Road Name: Asphalt Pavement Repair

Limits: Midpoint

Project(s): 42914217210(*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 120
Total Bridge Length: 0.000 Miles Letting Date: 02/09/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

Description: FDOT District 5

Proposal ID No.: E5X57

Financial Project No.: 429142-1-72-10

Fiscal Year: 2023

Counties: Seminole and Orange

Calendar Days: 120 Lead Time: 14 days

This is a Maintenance Lump Sum Contract.

Intent:

The work under this Contract consists of milling and resurfacing asphalt pavement in various locations on state-maintained roadways; work includes replacement of thermoplastic pavement markings, RPMs and traffic loops.

EXPERTISE REQUIRED:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Asphalt Paving projects, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Hot Plant Mix Bituminous Course" will suffice to meet the above requirements.

ALT	Item	Description	Unit	Quantity		
Section 0001 ASPHALT REPAIR (MECHANICAL) (TN)						
099	99- 2-	LUMP SUM CONTRACT, ALTERNATIVE BIDDING	LS	1.000		

Letting: 05230209 Call Order: 009 Proposal: E5X62 District:05

Counties: BREVARD

Road Name: DRAINAGE REPAIR

Limits: Midpoint

Project(s): 42927617227(*) Federal Aid No: N/A

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aguis/Flexible Start Time: 14

Proposal Budget Estimate: \$550,000.00

Please read the full advertisement

Description:
FDOT District: 5

Proposal ID No.: E5X62

Financial Project No.: 429276-1-72-27

County: Brevard Calendar Days: 180 Lead Time: 14 days

This is a Maintenance Pay Item Contract.

Intent: The work under this Contract consists of drainage repair on various roadways in Brevard County. Work includes culvert pipe replacement, installation of pipe liner, mitered end sections repair and driveway surface restoration.

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Drainage Repair, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Drainage" will suffice to meet the above requirements.

		•		
ALT	Item	Description	Unit	Quantity
Section	n 0001 ASPHALT	REPAIR (MECHANICAL) (TN)		
	0101- 1-	MOBILIZATION	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC	LS	1.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	17.500
	0430- 96-	DRAINAGE PIPE REPAIR- CONCRETE COLLAR AT JOINT	EA	2.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	689.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	259.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	18.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	195.560
	0526- 1- 1	PAVERS, ARCHITECTURAL, ROADWAY	SY	88.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	233.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	198.000
	E425-73-1	CLEANING MANHOLES AND INLETS (MECHANICAL)	EA	4.000
	E425-73-2	REPAIR LEAKS IN MANHOLES AND INLETS	EA	12.000
	E431- 1-21	PIPE LINER, CURED IN PLACE, 0-24"	LF	114.000

Letting: 05230209 Call Order: 010 Proposal: E5X65 District:05

Counties: VOLUSIA

Road Name: Drainage Outfall Repair

Limits: Midpoint

Project(s): 42798617232(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:280Total Bridge Length:0.000 MilesLetting Date:02/09/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$1,800,000.00

Please read the full advertisement

Description: FDOT District 5

Proposal ID No.: E5X65

Financial Project No.: 427986-1-72-32

Fiscal Year: 2023

Counties: Volusia

Contract Calendar Days: 280

Lead Time: 14 Days

This is a Maintenance Pay Item Project.

INTENT AND SCOPE:

The work under this contract consists of stormwater pipe lining and repair of SR A1A outfall pipe at Driftwood Ave in Daytona Beach, Volusia County.

EXPERTISE REQUIRED:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Drainage Repair, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of pregualification with the Department in "Drainage" will suffice to meet the above requirements.

Item	Description	Unit	Quantity
0001 ASPHALT	REPAIR (MECHANICAL) (TN)		
0101- 1-	MOBILIZATION	LS	1.000
0102- 1-	MAINTENANCE OF TRAFFIC	LS	1.000
0110- 1- 1	CLEARING & GRUBBING	LS	1.000
0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	27.000
0285-715-	OPTIONAL BASE, BASE GROUP 15	SY	453.330
0327- 70- 4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	1,966.300
0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	186.520
0337- 7-81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	186.520
0425- 5-	MANHOLE, ADJUST	EA	2.000
0425- 74- 2	MANHOLES & INLETS CLEANING & SEALING, >10'	EA	5.000
0430- 95- 5	OUTFALL BARNACLE REMOVAL, 61" AND GREATER	LF	425.000
0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	123.000
0570- 1- 2	PERFORMANCE TURF, SOD	SY	6.200
0580- 1- 1	LANDSCAPE COMPLETE- SMALL PLANTS	LS	1.000
0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	2.000
0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	3.000
0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE	LS	1.000
0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	25.000
0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	2.000
0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.039
E431- 1-25	PIPE LINER, CURED IN PLACE, 61" AND GREATER	LF	2,937.000
	0001 ASPHALT 0101- 1- 0102- 1- 0110- 1- 1 0110- 4- 10 0285-715- 0327- 70- 4 0334- 1- 12 0337- 7- 81 0425- 5- 0425- 74- 2 0430- 95- 5 0520- 1- 10 0570- 1- 2 0580- 1- 1 0660- 2-106 0706- 1- 3 0710- 90- 0711- 11-125	0001 ASPHALT REPAIR (MECHANICAL) (TN) 0101- 1- MOBILIZATION 0102- 1- MAINTENANCE OF TRAFFIC 0110- 1- 1 CLEARING & GRUBBING 0110- 4- 10 REMOVAL OF EXISTING CONCRETE 0285-715- OPTIONAL BASE, BASE GROUP 15 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH 0334- 1- 12 SUPERPAVE ASPHALTIC CONC, TRAFFIC B 0337- 7- 81 ASPHALT CONCRETE FRICTION COURSE,TRAFFIC B, FC-12.5, PG 76-22 0425- 5- MANHOLE, ADJUST 0425- 74- 2 MANHOLES & INLETS CLEANING & SEALING, >10' 0430- 95- 5 OUTFALL BARNACLE REMOVAL, 61" AND GREATER 0520- 1- 10 CONCRETE CURB & GUTTER, TYPE F 0570- 1- 2 PERFORMANCE TURF, SOD 0580- 1- 1 LANDSCAPE COMPLETE- SMALL PLANTS 0660- 2-106 LOOP ASSEMBLY, F&I, TYPE F 0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK 0711- 11-170 THERMOPLASTIC, STANDARD, WHITE, ARROW 0711- 16-101 THERMOPLASTIC, STANDARD, WHITE, ARROW	0001 ASPHALT REPAIR (MECHANICAL) (TN) 0101- 1- MOBILIZATION LS 0102- 1- MAINTENANCE OF TRAFFIC LS 0110- 1- 1 CLEARING & GRUBBING LS 0110- 4- 10 REMOVAL OF EXISTING CONCRETE SY 0285-715- OPTIONAL BASE, BASE GROUP 15 SY 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 0334- 1- 12 SUPERPAVE ASPHALTIC CONC, TRAFFIC B TN 0337- 7- 81 ASPHALT CONCRETE FRICTION COURSE,TRAFFIC B, FC-12.5, PG 76-22 TN 0425- 5- MANHOLE, ADJUST EA 0425- 74- 2 MANHOLES & INLETS CLEANING & SEALING, >10' EA 0430- 95- 5 OUTFALL BARNACLE REMOVAL, 61" AND GREATER LF 0520- 1- 10 CONCRETE CURB & GUTTER, TYPE F LF 0570- 1- 2 PERFORMANCE TURF, SOD SY 0580- 1- 1 LANDSCAPE COMPLETE- SMALL PLANTS LS 0660- 2-106 LOOP ASSEMBLY, F&I, TYPE F AS 0710- 90- PAINTED PAVEMENT MARKER, TYPE B EA 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE

Letting: 05230209 Call Order: 011 Proposal: E5X94-R0 District:05

Counties: BREVARD

Road Name: Concrete Repair

Limits: Midpoint

Project(s): 42795717239(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:02/09/23Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$567,500.00

Please read the full advertisement

Description: FDOT District: 5

Proposal ID Number: E5X94

Financial Project Number: 427957-1-72-39

County: Brevard Calendar Days: 365

This is a Maintenance Work Document driven Contract with a Budgetary Ceiling of \$567,500. This Contract has an option for a renewal.

Intent:

The work under this Contract consists of miscellaneous concrete repair on Department maintained roadways in Brevard County on an as-needed basis. Work includes repair of mitered end sections, curbs, sidewalks, and ditch pavement.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

		Call Order: 011 Proposal: E5X94-R0		
ALT	Item	Description	Unit	Quantity
Sectio	on 0001 CONCRET	TE REPAIR (CY)		
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	200.000
	0430-984-120	MITERED END SECTION, OPTIONAL ROUND, 8" SD	EA	1.000
	0430-984-121	MITERED END SECTION, OPTIONAL ROUND, 12" SD	EA	1.000
	0430-984-123	MITERED END SECTION, OPTIONAL ROUND, 15" SD	EA	1.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	1.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	1.000
	0430-984-133	MITERED END SECTION , OPTIONAL ROUND, 30" SD	EA	1.000
	0430-984-138	MITERED END SECTION , OPTIONAL ROUND, 36" SIDE DRAIN	EA	1.000
	0430-984-140	MITERED END SECTION , OPTIONAL ROUND, 42" SD	EA	1.000
	0430-984-141	MITERED END SECTION , OPTIONAL ROUND, 48" SD	EA	1.000
	0430-984-142	MITERED END SECTION , OPTIONAL ROUND, 54" SD	EA	1.000
	0430-984-143	MITERED END SECTION , OPTIONAL ROUND, 60" SD	EA	1.000
	0430-984-144	MITERED END SECTION, OPTIONAL ROUND, 66" SIDE DRAIN	EA	1.000
	0430-984-145	MITERED END SECTION, OPTIONAL ROUND, 72" SIDE DRAIN	EA	1.000
	0430-984-147	MITERED END SECTION, OPTIONAL ROUND, 84" SD	EA	1.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	500.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	500.000
	0520- 2- 1	CONCRETE CURB, TYPE A	LF	100.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	100.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	100.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	100.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	100.000
	0524- 3-	CONC CORE DITCH BLOCKS	CY	100.000
	0527- 2-	DETECTABLE WARNINGS	SF	160.000
	0530- 1-100	RIPRAP, SAND-CEMENT BAGS	CY	250.000
	E110- 2-	CLEARING & GRUBBING	AC	5.000
	E524- 1- 1	CONCRETE DITCH PAVEMENT REPAIR	CY	250.000
	E524- 2- 1	CONCRETE SLOPE PAVEMENT REPAIR	CY	250.000