BID SOLICITATION NOTICE – District 5 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Deland, FL October 31, 2025 Advertisement No. 1

Procurement Services, MS 4-524 719 S. Woodland Blvd, DeLand, FL 32720

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: https://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at https://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 2:00 PM Local Time on Tuesday, December 02, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 2:30 PM December 02, 2025 in the Seminole County Conference Room, 4th Floor, DeLand, Florida. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (386) 943-5514. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: Select District, select District 5 then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d5, click "Letting and Project Information" and select letting date from the Lettings Menu.

----NOTE----

Proposals will not be issued after 2:00 PM Local Time on Monday, December 01, 2025.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at CPP.fdot.gov. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

A current State of Florida Vendor Number is required prior to first-time registration; please visit
 https://vendor.myfloridamarketplace.com
 for more information. Please allow 24 to 48 hours for receipt of a new
 vendor number.

Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at CPP.fdot.gov. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribe d in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a bid rejection or contract award shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at https://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d5, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://bqa.fdot.gov.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit https://www.tinubu.com for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2

POSTING NOTICE

The bid tabulation and intent to award will be posted on December 16, 2025 or December 23, 2025 at www.fdot.gov/contracts/d5, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that**

the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at https://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to https://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to https://www.fdot.gov/contracts/district-offices/distro.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: October 31, 2025

Letting ID: 05251202

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the December 02, 2025 letting.

Page Number 7	Proposal Id E54D0-R0	Proposal Notes	Fin Proj Numbers 42914217222(*)	County FLAGLER, LAKE, SEMINOLE, VOLUSIA
13	E54D8-R0		41232657264(*)	FLAGLER, LAKE, SEMINOLE, VOLUSIA
15	E55D6		41232657265(*)	LAKE
16	E56D3-R0		42914217224(*)	ORANGE, OSCEOLA
18	E58F7		44558715201(*)	BREVARD
22	E58F8		45058015201(*)	LAKE
24	E58F9		45058115201(*)	LAKE
27	E59F0		45066615201(*) 45066625201	VOLUSIA

Proposal Note Codes:

Letting: 05251202 Call Order: 001 Proposal: E54D0-R0 District:05

Counties: FLAGLER, LAKE, SEMINOLE, VOLUSIA

Road Name: ROADWAY REPAIR

Limits: Midpoint

Project(s): 42914217222(*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365 Total Bridge Length: 0.000 Miles Letting Date: 12/02/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10 N/A

Special Start Date:

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$600,000.00

Please read the full advertisement

Description: FDOT District 5

Proposal ID No.: E54D0

Financial Project No.: 429142-1-72-22

Fiscal Year: 2026

County: Flagler, Lake, Seminole, and Volusia

Calender Days: 365

This is a Maintenance Work Document Driven Contract with a budget estimate of \$600,000.00. The Contract will be awarded at the budget estimate amount. This Contract includes an option for renewal(s).

Intent

The work under this Contract consists of asphalt pavement milling and resurfacing; handrail, guardrail, crash cushion (attenuator) repair: concrete slab repair, pipe desilt & video; and pavement markings replacement on Department maintained roadways on an as-need basis in Lake, Seminole, Volusia and Flagler Counties.

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of asphalt paving projects, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of pregualification with the Department in "Hot Plant Mix Bituminous Course" will suffice to meet the above requirements.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

ALT	Item	Description	Unit	Quantity
Section	0001 ASPHALT	REPAIR (MECHANICAL) (TN)		
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	250.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	100.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	25.000
	0120- 1-	REGULAR EXCAVATION	CY	50.000
	0120- 6-	EMBANKMENT	CY	50.000
	0173- 76-	GROUT PIPE INSTALLATION	LF	25.000
	0173- 77- 1	SUBSURFACE PRESSURE GROUTING, SAND CEMENT	CY	50.000

ALT	Item	Description	Unit	Quantity
ALI	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	100.000
	0327-70- 5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	500.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	500.000
	0327-70-7	MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH	SY	500.000
	0327-70-8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	500.000
	0327- 70- 19	MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH	SY	500.000
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	20.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22	TN	20.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	20.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	50.000
	0352- 70-	GRINDING CONCRETE PAVEMENT	SY	50.000
	0353- 70-	CONCRETE PAVEMENT SLAB REPLACEMENT	CY	100.000
	0401-70- 1	RESTORE SPALLED AREAS, EPOXY	CF	10.000
	0430- 94- 1	DESILTING PIPE, 0 - 24"	LF	250.000
	0430- 94- 2	DESILTING PIPE, 25 - 36"	LF	250.000
	0430- 94- 3	DESILTING PIPE, 37 - 48"	LF	150.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	10.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	10.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	10.000
	0430-821- 25	CLEANING & SEALING EXISTING PIPE JOINT, 18" STORM SEWER	EA	10.000
	0430-821- 29	CLEANING & SEALING EXISTING PIPE JOINT, 24" STORM SEWER	EA	10.000
	0430-821- 38	CLEANING & SEALING EXISTING PIPE JOINT, 36" STORM SEWER	EA	10.000
	0515- 1- 1	PIPE HANDRAIL - GUIDERAIL, STEEL	LF	10.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	10.000
	0515- 1-41	PIPE HANDRAIL - GUIDERAIL, RELOCATE, STEEL	LF	10.000
	0515- 1-100	PIPE HANDRAIL, INSTALL ONLY- MAINTENANCE USE ONLY	LF	10.000
	0515- 2-211	PEDESTRIAN / BICYCLE RAILING, STEEL, 42" TYPE 1	LF	10.000
	0515- 2-221	PEDESTRIAN/ BICYCLE RAILING, STEEL ONLY,54" TYPE 1	LF	10.000
	0515- 2-311	PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY,42" TYPE 1	LF	20.000
	0515- 2-312	PEDESTRIAN / BICYCLE RAILING, ALUMINUM, 42" TYPE 2	LF	20.000
	0515- 2-313	PEDESTRIAN / BICYCLE RAILING, ALUMINUM, 42" TYPE 3	LF	20.000
	0515- 2-321	PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY,54" TYPE 1	LF	20.000
	0515- 2-601	PEDESTRIAN / BICYCLE RAILING, POWDER COAT REPLACEMENT PANEL	LF	20.000
	0515- 3- 2	PIPE HANDRAIL- RETROFIT TO EXISTING RAILING, ALUMINUM	LF	20.000
	0515- 4- 1	BULLET RAIL, SINGLE RAIL	LF	20.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	20.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	20.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	10.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	10.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	10.000
	0527- 2-	DETECTABLE WARNINGS	SF	20.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	20.000
	0530- 74-	BEDDING STONE	TN	30.000

ALT	Item	Description	Unit	Quantity
	0536- 73-	GUARDRAIL REMOVAL	LF	20.000
	0538- 1-	GUARDRAIL RESET	LF	20.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	50.000
	0571- 1-11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	25.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	4.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	6.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	10.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	600.000
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	10.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	10.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	50.000
	E110- 2-	CLEARING & GRUBBING	AC	5.000
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	500.000
	E524- 1- 1	CONCRETE DITCH PAVEMENT REPAIR	CY	5.000
	E524- 2- 1	CONCRETE SLOPE PAVEMENT REPAIR	CY	5.000
	E536- 3-141	GUARDRAIL STANDARD PANEL (REPLACE) (SHOP BENT)	LF	10.000
	E536- 3-142	GUARDRAIL STANDARD PANEL (REPLACE) (0' - 50')	LF	30.000
	E536- 3-143	GUARDRAIL STANDARD PANEL (REPLACE) (51' - 200')	LF	60.000
	E536- 3-144	GUARDRAIL STANDARD PANEL (REPLACE) (> 200')	LF	200.000
	E536- 3-242	GUARDRAIL THRIE BEAM (REPLACE) (0' - 50')	LF	20.000
	E536- 3-540	GUARDRAIL (PIPE RAIL) (REPLACE)	LF	5.000
	E536- 3-642	GUARDRAIL DOUBLE FACE (REPLACE) (0' - 50')	LF	20.000
	E536- 3-643	GUARDRAIL DOUBLE FACE (REPLACE) (51' - 200')	LF	50.000
	E536- 6-47	END ANCHORAGE ASSEM (REPLACE) (BARRIER WALL)	EA	5.000
	E536- 6-48	END ANCHORAGE ASSEM (REPLACE) (TYPE SRT-350)	EA	3.000
	E536- 6-414	END ANCHORAGE ASSEM (REPLACE) (TYPE SRT-350/8)	EA	3.000
	E536- 6-423	GUARDRAIL END TREATMENT-FLARED APPROACH TERMINAL, REPLACE, NCHRP 350	EA	5.000
	E536- 6-424	END ANCHORAGE ASSEM (REPLACE) (PARALLEL)	EA	5.000
	E536- 6-425	GUARDRAIL END TREATMENT-FLARED APPROACH TERMINAL, REPLACE, MASH	EA	5.000
	E536- 12-604	GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN CONC.)	EA	5.000
	E536- 12-605	GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN ASPH.)	EA	5.000
	E536- 12-606	GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN SOIL)	EA	5.000
	E536- 12-608	GUARDRAIL REPAIRS (REPLACE) (WOOD POST IN ASPH.)	EA	5.000
	E536- 12-609	GUARDRAIL REPAIRS (REPLACE) (WOOD POST IN SOIL)	EA	5.000
	E536- 12-613	GUARDRAIL REPAIRS (REPLACE) (RUB RAIL)	EA	5.000
	E536- 12-615	GUARDRAIL REPAIRS (REPLACE) (FILLER BLOCKS)	EA	5.000
	E536- 12-616	GUARDRAIL REPAIRS(REPLACE)(OFFSET BLOCK)	EA	5.000
	E536- 12-617	GUARDRAIL REPAIRS(REPLACE)(PANEL, 12-1/2')	EA	5.000
	E536- 12-618	GUARDRAIL REPAIRS(REPLACE)(PANEL, 25')	EA	5.000
	E536- 12-619	GUARDRAIL REPAIRS (REPLACE) (THRIE-BEAM PANEL, 12-1/2')	EA	5.000
	E536- 12-620	GUARDRAIL REPAIRS (REPLACE) (THRIE-BEAM PANEL, 25')	EA	5.000
	E536- 15-	MISCELLANEOUS GUARDRAIL MAINTENANCE	LF	5.000

ΛΙ Τ	ltom	Call Order: 001 Proposal: E54D0-R0	l loit	Ougstitu
ALT	Item	Description	Unit	Quantity
	E536- 21-501	END ANCHORAGE ASSEMBLY FLEAT SP, FURNISH & INSTALL, FIRST POST UPPER	EA	5.000
	E536- 21-502	END ANCHORAGE ASSEMBLY FLEAT SP, FURNISH & INSTALL, FIRST POST LOWER	EA	5.000
	E536- 21-503	END ANCHORAGE ASSEMBLY FLEAT SP, FURNISH & INSTALL, SECOND POST UPPER	EA	5.000
	E536- 21-504	END ANCHORAGE ASSEMBLY FLEAT SP, FURNISH & INSTALL, SECOND POST LOWER	EA	5.000
	E536- 65-	END ANCHORAGE ASSEM (REMOVE)	EA	5.000
	E536-301-	END ANCHOR ASSEM TYPE II TRAILING ANCHORAGE, REPLACE EXISTING	EA	5.000
	E536-301-501	END ANCHOR ASSEM TYPE II (REPL FLARED END SECT)	EA	5.000
	E536-301-502	END ANCHOR ASSEM TYPE II (REPL ROUND END SECT)	EA	5.000
	E536-301-503	END ANCHOR ASSEM TYPE II (REPL BUFFER END SECT)	EA	5.000
	E536-301-506	END ANCHOR ASSEM TYPE II (REPL GUARDRAIL BEAM)	EA	5.000
	E536-301-508	END ANCHOR ASSEM TYPE II (REPL TIMBER BREAK POST)	EA	5.000
	E536-302-503	END ANCHOR ASSEM TYPE IV (REPL BUFFER END SECT)	EA	5.000
	E536-302-504	END ANCHOR ASSEM TYPE IV (REPL ANCHOR PANEL SECT)	EA	5.000
	E536-302-505	END ANCHOR ASSEM TYPE IV (REPL CABLE ASSEMBLY)	EA	5.000
	E536-303-503	END ANCHOR ASSEM CRT (REPL BUFFER END SECTION)	EA	5.000
	E536-303-508	END ANCHOR ASSEM CRT (REPL TIMBER BREAK POST)	EA	5.000
	E536-306-501	END ANCHOR ASSEM BRIDGE (REPL SPECIAL END SHOE)	EA	5.000
	E536-308-501	END ANCHOR ASSEM SRT-350 (REPL CABLE ASSEMBLY)	EA	5.000
	E536-308-503	END ANCHOR ASSEM SRT-350 (REPL AMBER REFL SHEET)	EA	5.000
	E536-308-504	END ANCHOR ASSEM SRT-350 (REPL BEARING PLATE)	EA	5.000
	E536-308-505	END ANCHOR ASSEM SRT-350 (REPL TIMBER BREAK POST)	EA	5.000
	E536-308-507	END ANCHOR ASSEM SRT-350 (REPL BUFFER END SECT)	EA	5.000
	E536-308-509	END ANCHOR ASSEM SRT-350 (REPL STRUT & YOKE ASSM)	EA	5.000
	E536-308-510	END ANCHOR ASSEM SRT-350 (REPL TIMBER LINE POST)	EA	5.000
	E536-308-511	END ANCHOR ASSEM SRT-350 (REPL GUARDRAIL BEAM)	EA	5.000
	E536-308-517	END ANCHOR ASSEM SRT-350 (REPL BRK TRM POST SLV)	EA	5.000
	E536-313-508	END ANCHOR ASSEMBLY SKT-350 (REPL GUARDRAIL BEAM)	EA	5.000
	E536-313-509	END ANCHOR ASSEMBLY SKT-350 (REPL MISC HARDWARE)	EA	5.000
	E536-313-514	END ANCHOR ASSEMBLY SKT-350 (REPL IMPACT HEAD)	EA	1.000
	E536-314-501	END ANCHOR ASSEM SRT-350/8 (REPL CABLE ASSEMBLY)	EA	1.000
	E536-314-503	END ANCHOR ASSEM SRT-350/8 (REPL AMBER REFL SHT)	EA	1.000
	E536-314-504	END ANCHOR ASSEM SRT-350/8 (REPL BEARING PLATE)	EA	1.000
	E536-314-505	END ANCHOR ASSEM SRT-350/8 (REPL TIMBER BRK POST)	EA	1.000
	E536-314-507	END ANCHOR ASSEM SRT-350/8 (REPL BUFFER END SECT)	EA	1.000
	E536-314-510	END ANCHOR ASSEM SRT-350/8 (REPL TMBR LINE POST)	EA	1.000
	E536-314-511	END ANCHOR ASSEM SRT-350/8 (REPL GUARDRAIL BEAM)	EA	1.000
	E536-316-501	END ANCHOR ASSEMBLY FLEAT-350 (REPL TMBER BRKWAY POST)	EA	1.000
	E536-316-503	END ANCHOR ASSEMBLY FLEAT-350 (REPL CABLE ANCHOR ASSY)	EA	1.000
	E536-316-504	END ANCHOR ASSEMBLY FLEAT-350 (REPL GROUND STRUT)	EA	1.000
	E536-316-505	END ANCHOR ASSEMBLY FLEAT-350 (REPL BEARING PLATE)	EA	1.000
	E536-316-508	END ANCHOR ASSEMBLY FLEAT-350 (REPL GUARDRAIL BEAM)	EA	1.000
		` '		

		Can Cracii Co. Tropodan 20120 No		
ALT	Item	Description	Unit	Quantity
	E536-316-514	END ANCHOR ASSEMBLY FLEAT-350 (REPL IMPACT HEAD)	EA	1.000
	E536-322-502	END ANCHOR ASSEM FLARED (REPL ROUND END SECT)	EA	1.000
	E536-322-503	END ANCHOR ASSEM FLARED (REPL BUFFER END SECT)	EA	1.000
	E536-322-506	END ANCHOR ASSEM FLARED (REPL GUARDRAIL BEAM)	EA	1.000
	E536-322-508	END ANCHOR ASSEM FLARED (REPL TIMBER BREAK POST)	EA	1.000
	E536-322-515	END ANCHOR ASSEM FLARED (REPL AMBER REFLECT SHEET)	EA	1.000
	E536-322-517	END ANCHOR ASSEM FLARED (REPL SHORT TIMBR BREAK POST)	EA	1.000
	E536-324-506	END ANCHOR ASSEM PARALLEL (REPL GUARDRAIL BEAM)	EA	1.000
	E536-324-515	END ANCHOR ASSEM PARALLEL (REPL AMBER REFLECT SHEET)	EA	1.000
	E536-324-517	END ANCHOR ASSEM PARALLEL (REPL SHORT TIMBR BREAK POST)	EA	1.000
	E536-325- 1	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE IMPACT HEAD	EA	1.000
	E536-325- 2	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE ANCHOR RAIL 12.5'	EA	1.000
	E536-325- 3	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE SYSTEM RAIL 12.5'	EA	1.000
	E536-325- 4	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE ANCHOR POST- POST 0	EA	1.000
	E536-325- 5	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE SYT POST 4' 9.5"	EA	1.000
	E536-325- 6	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE SYTP POST 6'	EA	1.000
	E536-325- 7	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE SYSTEM LINE POST 6'	EA	1.000
	E536-325- 8	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE OFFSET BLOCK	EA	1.000
	E536-325- 9	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE ANCHOR PADDLE	EA	1.000
	E536-325- 10	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE KEEPER PLATE	EA	1.000
	E536-325- 11	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE PLATE WASHER	EA	1.000
	E536-325- 12	END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE ANCHOR ANGLE	EA	1.000
	E540- 0-22	PRE-STRETCHED GALVANIZED WIRE ROPE, INC INCIDENTALS TURNBUCKLES, TESTING AND RETENTIONING	LF	5.000
	E540- 0-23	CABLE BARRIER LINE POST, INC ALL INCIDENTALS SOCKETS, SHEETING, CAPS, ETC.	EA	5.000
	E540- 0-25	END ANCHOR REPAIR/REPLACE INCLUDES ALL INCIDENTALS FOUNDATION, GATING END TERMINALS & ASSOC HARDWARE	EA	5.000
	E540- 0-26	CABLE BARRIER HAIRPIN AND LOCKPLATE ASSEMBLY	EA	5.000
	E540- 3- 1	GIBRALTAR TL 3 LINE POST REP INCL HAIRPIN & LOCKPLATE	EA	5.000
	E540- 3- 1	GIBRALTAR TL 3 LINE POST REP >4 INCL HAIRPIN & LOCKPLATE	EA	5.000
	E540- 3- 2	GIBRALTAR TERMINAL POST REP (INCL 1, 2, 3 & 4)	EA	5.000
	E540- 3- 3	GIBRALTAR ANCHOR POST REPLACEMENT	EA	5.000
	E544- 8- 1	CRASH CUSHION STANDARD PERIODIC INSPECTION TYPE I & II	EA	5.000
	E544- 8- 2	CRASH CUSHION STANDARD MAINT (CLEAN, ADJ MAINTAIN)	EA	5.000
	E544- 75-501	05 TRACC NOSEPIECE / REFLECTIVE SHEETING	EA	5.000
	E544- 76- 1	CRASH CUSHION (RESET)	EA	5.000
	E544- 76- 2	CRASH CUSHION (CLEAN & INSPECT)	EA	5.000
	E544-031-001	ATTENUATOR (QUADGUARD) F&I (FENDER PANEL)	EA	5.000

ALT	Item	Description	Unit	Quantity
	E544-031-020	ATTENUATOR (QUADGUARD) F&I (DIAPHRAM)	EA	5.000
	E544-031-026	ATTENUATOR (QUADGUARD) F&I (SIDE PANEL CONC CON)	EA	5.000
	E544-031-027	ATTENUATOR (QUADGRARD) F&I (HAZARD RFLT-9 BUTTON)	EA	5.000
	E544-031-039	ATTENUATOR (QUADGUARD) F&I (CARTRIDGE ASSEMBLY)	EA	5.000
	E544-031-040	ATTENUATOR (QUADGUARD) F&I (NOSE ASSEMBLY)	EA	5.000
	E544-031-042	ATTENUATOR (QUADGUARD) F&I (BACKUP ASSM TEN STRT)	EA	5.000
	E544-031-043	ATTENUATOR (QUADGUARD) F&I (BACKUP ASSM CONCRETE)	EA	5.000
	E544-031-046	ATTENUATOR (QUADGUARD) F&I (MONORAIL, 3 BAY)	EA	5.000
	E544-031-047	ATTENUATOR (QUADGUARD) F&I (MUSHROOM BOLT ASSM)	EA	5.000
	E544-031-051	ATTENUATOR (QUADGUARD) F&I (NEOPRENE GROMMET)	EA	5.000
	E544-051-027	ATTENUATOR (GREAT) F&I (HAZARD REFL - 9 BUTTON)	EA	5.000
	E544-091-001	ATTENUATOR (TAU II) F&I (FENDER PANEL)	EA	5.000
	E544-091-020	ATTENUATOR (TAU II) F&I (DIAPHRAM)	EA	5.000
	E544-091-040	ATTENUATOR (TAU II) F&I (NOSE ASSEMBLY)	EA	5.000
	E544-091-062	ATTENUATOR (TAU II) F&I (CARTRIDGE, TYPE A)	EA	5.000
	E544-091-063	ATTENUATOR (TAU II) F&I (CARTRIDGE, TYPE B)	EA	5.000
	E544-092-001	ATTENUATOR, TAU M, FURNISH AND INSTALL SLIDING PANEL	EA	5.000
	E544-092-002	ATTENUATOR, TAU M, FURNISH AND INSTALL DELINEATION BRACKET	EA	5.000
	E544-752-603	CRASH CUSHION (X-MAS) DUAL IMPACT HEADS F&I	EA	5.000
	E544-752-606	CRASH CUSHION (X-MAS) NOSE CONE F&I	EA	5.000
	E544-752-607	CRASH CUSHION (X-MAS) STEEL TOP POST F&I	EA	5.000
	E544-752-611	CRASH CUSHION (X-MAS) NOTCHED STEEL POST F&I	EA	5.000
	E711- 11-121	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	LF	1,000.000
	E711- 11-141	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	LF	1,000.000
	E711- 11-221	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	LF	1,000.000
	E711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6"	LF	1,000.000
	E711- 12-141	THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6"	LF	500.000

Letting: 05251202 Call Order: 002 Proposal: E54D8-R0 District:05

Counties: FLAGLER, LAKE, SEMINOLE, VOLUSIA

Road Name: DRAINAGE REPAIR

Limits: Midpoint

Project(s): 41232657264(*) Federal Aid No: N/A

Total Roadway Length:

O.000 Miles
Contract Days:
365
Total Bridge Length:

O.000 Miles
Letting Date:
12/02/25
Total Proposal Length:
O.000 Miles
Contract Execution Days:
10
Special Start Date:
N/A

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$1,250,000.00

Please read the full advertisement

Description:

FDOT DISTRICT 5 Proposal ID No.: E54D8

Financial Project No.: 412326-5-72-64

Fiscal Year: 2026

Counties: Volusia, Flagler, Lake and Seminole Counties

Contract Calendar Days: 365

This is a Maintenance Work Document driven Contract with a budget estimate of \$1,250,000.00. This Contract will be awarded at the budget estimate amount. This Contract includes an option for renewal(s).

Intent:

The work under this Contract consists of storm water culvert pipe & manhole repair; pipe lining, joint sealing; and desilting & video on Department maintained roadways on an as-needed basis.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Drainage Repair, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Drainage" will suffice to meet the above requirements.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

ALT	Item	Description	Unit	Quantity
Section	0001 CLEAN D	RAINAGE STRUCTURES (LF)		
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT)	AC	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	65.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	25.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	25.000
	0400-150-	CLEANING AND SEALING EXISTING CONCRETE SURFACE	SF	10.000
	0411- 1-	EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB	GA	15.000

ALT	Item	Description	Unit	Quantity
	0411- 2-	CRACKS INJECT & SEAL- STRUCTURES REHAB	LF	15.000
	0425- 2-110	MANHOLES, REPAIR	EA	30.000
	0425- 74- 1	MANHOLES & INLETS CLEANING & SEALING, <10'	EA	1.000
	0425-74-2	MANHOLES & INLETS CLEANING & SEALING, >10'	EA	1.000
	0430- 96-	DRAINAGE PIPE REPAIR- CONCRETE COLLAR AT JOINT	EA	3.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	30.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	25.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	165.000
	0430-821- 23	CLEANING & SEALING EXISTING PIPE JOINT, 15" STORM SEWER	EA	10.000
	0430-821- 25	CLEANING & SEALING EXISTING PIPE JOINT, 18" STORM SEWER	EA	30.000
	0430-821- 29	CLEANING & SEALING EXISTING PIPE JOINT, 24" STORM SEWER	EA	30.000
	0430-821- 33	CLEANING & SEALING EXISTING PIPE JOINT, 30" STORM SEWER	EA	10.000
	0430-821- 38	CLEANING & SEALING EXISTING PIPE JOINT, 36" STORM SEWER	EA	30.000
	0430-821- 40	CLEANING & SEALING EXISTING PIPE JOINT, 42", STORM SEWER	EA	30.000
	0430-821- 41	CLEANING & SEALING EXISTING PIPE JOINT, 48", STORM SEWER	EA	10.000
	0430-821- 42	CLEANING & SEALING EXISTING PIPE JOINT, 54", STORM SEWER	EA	5.000
	0430-821- 43	CLEANING & SEALING EXISTING PIPE JOINT, 60", STORM SEWER	EA	5.000
	0430-821- 61	CLEANING & SEALING EXISTING PIPE JOINT, >60", STORM SEWER	EA	10.000
	0430-822- 15	CLEANING & SEALING EXISTING PIPE JOINT, 15" CD	EA	10.000
	0430-822- 25	CLEANING & SEALING EXISTING PIPE JOINT, 18" CD	EA	10.000
	0430-822- 29	CLEANING & SEALING EXISTING PIPE JOINT, 24" CD	EA	10.000
	0430-822- 33	CLEANING & SEALING EXISTING PIPE JOINT, 30" CD	EA	10.000
	0430-822- 38	CLEANING & SEALING EXISTING PIPE JOINT, 36" CD	EA	10.000
	0430-822- 41	CLEANING & SEALING EXISTING PIPE JOINT, 48" CD	EA	10.000
	0430-822- 42	CLEANING & SEALING EXISTING PIPE JOINT, 54" CD	EA	5.000
	0430-822- 43	CLEANING & SEALING EXISTING PIPE JOINT, 60" CD	EA	5.000
	0430-822- 61	CLEANING & SEALING EXISTING PIPE JOINT, 61" AND GREATER CD	EA	5.000
	0430-950-	DESILTING CONCRETE BOX CULVERT	CY	50.000
	0430-991- 1	MITERED END SECT, REPLACE SLAB- MAINTENANCE USE ONLY	CY	50.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	10.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	75.000
	0906-173-100	SINGLE COMPONENT POLYURETHANE INJECTION	GA	10.000
	0906-173-200	TWO COMPONENT POLYURETHANE INJECTION	LB	5.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	15.000
	E425-73- 1	CLEANING MANHOLES AND INLETS (MECHANICAL)	EA	75.000
	E430- 94- 1	DESILT PIPE, 0 to 24"	LF	5,000.000
	E430- 94- 2	DESILT PIPE, 25-36"	LF	1,000.000
	E430- 94- 3	DESILT PIPE, 37-48"	LF	1,000.000
	E431- 1-21	PIPE LINER, CURED IN PLACE, 0-24"	LF	300.000
	E431- 1-22	PIPE LINER, CURED IN PLACE, 25-36"	LF	125.000
	E431- 1-23	PIPE LINER, CURED IN PLACE, 37-48"	LF	125.000
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	71,400.000

Letting: 05251202 Call Order: 003 Proposal: E55D6 District:05

Counties: LAKE

Road Name: Drainage Repair

Limits: Midpoint

Project(s): 41232657265(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:240Total Bridge Length:0.000 MilesLetting Date:12/02/25Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$265,000.00

Please read the full advertisement

Description:

FDOT District 5

Proposal ID No.: E55D6

Financial Project No.: 412326-5-72-65

Fiscal Year: 2026 County: Lake

Calendar Days: 240 Days Lead Time: 14 Calendar Days

INTENT AND SCOPE:

The Work under this Contract consists of miscellaneous drainage repairs, including removal and replacement of concrete culvert pipes and mitered end sections (MES); extension of concrete culvert pipes; regrading ditches to restore the free and unobstructed flow of stormwater; and regrading non-paved shoulders and slopes in various locations on State Road 19 in Lake County.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Drainage Repair, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of pregualification with the Department in "Drainage" will suffice to meet the above requirements.

Call Order: 003 Proposal: E55D6

		• • • • • • • • • • • • • • • • • • •		
ALT	Item	Description	Unit	Quantity
Section	0001 REPAIR/R	EPLACE STRM-SIDE-CROSS DRAIN(LF)		
	0101- 1-	MOBILIZATION	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	95.080
	0110- 1- 1	CLEARING & GRUBBING	LS	1.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	608.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	32.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	1,343.544
	E120- 10- 2	CLEAN AND RESHAPE DITCH (HAUL)	LF	800.000
	E577- 70-	SHOULDER REWORK	SY	142.080

Letting: 05251202 Call Order: 004 Proposal: E56D3-R0 District:05

Counties: ORANGE, OSCEOLA

Road Name: ASPHALT ROADWAY REPAIR

Limits: Midpoint

Project(s): 42914217224(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:12/02/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$1,600,000.00

Please read the full advertisement

Description:

FDOT District 5 Proposal ID: E56D3

Financial Project: 429142-1-72-24

Fiscal Year: 2026

Counties: Orange & Osceola

Calendar Days: 365

This is a Maintenance Work Document driven Contract with a budget estimate of \$1,600,000. The Contract will be awarded at the budget estimate amount. This Contract includes an option for renewal(s).

Intent:

The work under this Contract consists of asphalt roadway repair, including milling & resurfacing and replacing pavement markings on various Department maintained roadways in Orange and Osceola Counties on an as-needed basis.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Asphalt Paving, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Hot Plant Mix Bituminous Course" will suffice to meet the above requirements.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractor bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract, in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

	Call Order: 004 Proposal: E56D3-R0		
ALT Item	Description	Unit	Quantity
Section 0001 ASPHALT	REPAIR (MECHANICAL) (TN)		
0160- 4-	TYPE B STABILIZATION	SY	2,150.000
0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	3,000.000
0327- 70- 4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	10,000.000
0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	20,000.000
0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	10,000.000
0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	30.000
0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	1,100.000
0337- 7-82	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22	TN	1,050.000
0337- 7-83	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76 -22	TN	1,500.000
0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	20.000
0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	20.000
0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	25.000
0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	5,000.000
0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	5,000.000
0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	20.000
E706- 1-42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	900.000
E710- 11-121	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	LF	10,000.000
E710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 6"	LF	8,500.000
E710- 11-221	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	LF	8,500.000
E710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	LF	5,000.000

Letting: 05251202 Call Order: 005 Proposal: E58F7 District:05

Counties: BREVARD

Road Name: SR 5 Limits: 70020000

Project(s): 44558715201(*) Federal Aid No: N/A

Total Roadway Length: 0.039 Miles Contract Days: 100

Total Bridge Length: 0.000 Miles Letting Date: 12/02/25

Total Proposal Length: 0.039 Miles Contract Execution Days: 10

Total Proposal Length: 0.039 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$1,133,557.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of milling and resurfacing, curb and gutter, sidewalk, traffic signals, signing & pavement markings on State Road 5 from south of Fay Boulevard to north of Fay Boulevard, approximately 0.039 miles in Brevard County.

PREQUALIFICATION REQUIRED

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44558715201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44558715201)	LS	1.000
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (44558715201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	116.000
	0102- 60-	WORK ZONE SIGN	ED	3,650.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	9,568.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	34,235.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	150.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	342.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	100.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	100.000
	0102-115-	TYPE III BARRICADE	ED	200.000
	0104- 10- 3	SEDIMENT BARRIER	LF	187.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	9.000
	0107- 1-	LITTER REMOVAL	AC	1.540
	0107- 2-	MOWING	AC	0.420
	0110- 1- 1	CLEARING & GRUBBING (44558715201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	154.000
	0120- 1-	REGULAR EXCAVATION	CY	26.200
	0120- 6-	EMBANKMENT	CY	18.800
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	1,314.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	3,090.000

ALT	Item	Call Order: 005 Proposal: E56F7	Unit	Quantity
ALI	0334- 1-53	Description SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	Quantity 255.000
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	124.000
	0337- 7- 23	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	108.400
	0337- 7-03	-22	IIN	100.400
	0425- 5-	MANHOLE, ADJUST	EA	1.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	65.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	166.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	28.000
	0520- 5-41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	14.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	112.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	156.000
	0527- 2-	DETECTABLE WARNINGS	SF	101.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	497.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	51.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	0.158
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	173.000
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.042
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	4.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.045
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44558715201)	LS	1.000
ection	0002 Signing			
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	3.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	1.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	7.000
	0704- 1- 4	TUBULAR MARKER, 36" YELLOW POST	EA	7.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	5.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	141.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	45.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44558715201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	544.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	131.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.049
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	13.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	42.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	457.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	3.000

		Can Order: 005 1 Toposai. E301 7		
ALT	Item	Description	Unit	Quantity
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	0.198
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.015
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.088
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.113
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.036
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.060
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	17.000
Sectio	n 0003 Signalizat	ion		
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	0.039
	0611- 2- 1	ITSFM LOCATION DOCUMENTATION- INTERSECTION	EA	1.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	293.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	250.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	5.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	23.000
	0635- 2-13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	1.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	150.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	2.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0641- 2-60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	1.000
	0641- 2-70	PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER	EA	3.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	6.000
	0649- 21- 6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50'	EA	1.000
	0649- 21- 10	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60'	EA	1.000
	0649- 21- 15	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 70'	EA	1.000
	0650- 1-34	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 3 SECTION, 1 WAY	AS	8.000
	0650- 1-39	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 5 SECTION CLUSTER, 1 WAY	AS	2.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	6.000
	0660- 4-11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	1.000
	0660- 4-12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	3.000

ALT	Item	Description	Unit	Quantity
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	6.000
	0670- 5-160	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA W/STANDARD LOCK	AS	1.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	1.000
	0682- 1-173	ITS CCTV CAMERA, NON-PRESSURIZED, IP, HIGH DEFINITION	EA	1.000
	0684- 7- 1	MANAGED HUB ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
	0684- 8- 1	CELLULAR MODEM, FURNISH AND INSTALL	EA	1.000
	0685- 1-13	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET	EA	1.000
	0685- 2- 1	REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	1.000
	0700- 5-21	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	1.000
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	2.000
	0700-141-360	ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I OVERHEAD MOUNT, BLANK OUT SIGN <12 SF	EA	1.000

Letting: 05251202 Call Order: 006 Proposal: E58F8 District:05

Counties: LAKE
Road Name: SR 500
Limits: 11010047

Project(s): 45058015201(*) Federal Aid No: N/A

Total Roadway Length:1.390 MilesContract Days:170Total Bridge Length:0.000 MilesLetting Date:12/02/25Total Proposal Length:1.390 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 30 Days

Proposal Budget Estimate: \$2,241,269.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of Milling & Resurfacing, Curb & Gutter, Sidewalk, and Signing/Pavement Markings on State Road 500 (US 441) from Perkins Street to Mills Street, approximately 1.390 miles in Lake County.

PREQUALIFICATION REQUIRED

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (45058015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45058015201)	LS	1.000
	0102- 5-	PEDESTRIAN ESCORT/FLAGGER	HR	96.000
	0102- 60-	WORK ZONE SIGN	ED	5,855.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	33,020.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	227.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	170.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	850.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	850.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	3.000
	0107- 1-	LITTER REMOVAL	AC	56.880
	0107- 2-	MOWING	AC	60.600
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	54.000
	0327-70-2	MILLING EXISTING ASPHALT PAVEMENT, 3 1/2" AVG DEPTH	SY	31,853.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	11,374.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	17,370.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	3,503.900
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	5,312.100
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	63.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	39.000
	0527- 2-	DETECTABLE WARNINGS	SF	44.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	3.000

A —		Call Order, 000 Proposal, Eporo	11.4	0 "
ALT	Item	Description	Unit	Quantity
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	57.000
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	2.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	4.000
	0695- 6-11	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 1 LOOP	EA	8.000
	0695- 7-162	TRAFFIC MONITORING SITE CABINET, F&I, TYPE 3, 2 PANE BACK, PEDESTAL MOUNT	EA	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	830.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	3.120
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	1,001.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	1,344.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	5.030
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	22.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	2.160
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.410
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45058015201)	LS	1.000
ection	0002 Signing			
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	6.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,008.000
	0710- 12-290	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE	SF	24.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45058015201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	1,121.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	452.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.424
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	30.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.519
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	961.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	45.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	45.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	2.261
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.370
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	2.465
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	2.227

Letting: 05251202 Call Order: 007 Proposal: E58F9 District:05

Counties: LAKE
Road Name: SR 500
Limits: 11010000

Project(s): 45058115201(*) Federal Aid No: N/A

Total Roadway Length:1.314 MilesContract Days:180Total Bridge Length:0.000 MilesLetting Date:12/02/25Total Proposal Length:1.314 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 30

Proposal Budget Estimate: \$2,784,842.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of Milling & Resurfacing, Curb & Gutter, Sidewalk, and Signing/Pavement Markings on State Road 500 (US 441) from Lakeshore Boulevard to Lake Eustis Drive, approximately 1.314 miles in Lake County.

PREQUALIFICATION REQUIRED

		Call Order, 007 Proposal, E36F9		
ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (45058115201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45058115201)	LS	1.000
	0102- 5-	PEDESTRIAN ESCORT/FLAGGER	HR	192.000
	0102- 60-	WORK ZONE SIGN	ED	5,210.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	48,960.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	1,373.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	360.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	900.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	900.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	23.000
	0107- 1-	LITTER REMOVAL	AC	31.630
	0107- 2-	MOWING	AC	31.630
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	384.000
	0327-70-4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	31,541.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	31,050.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	13,645.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	985.000
	0327- 70- 17	MILLING EXISTING ASPHALT PAVEMENT, 3 1/4" AVG DEPTH	SY	913.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	2,677.500
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	7,326.900
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	460.000

ALT	Item	Description	Unit	Quantity
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	281.000
	0527- 2-	DETECTABLE WARNINGS	SF	829.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	33.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	75.000
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	2.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	6.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	6.000
	0695- 7-162	TRAFFIC MONITORING SITE CABINET, F&I, TYPE 3, 2 PANE BACK, PEDESTAL MOUNT	EA	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,136.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	4.110
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	3,143.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	2,294.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	4.630
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.230
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	74.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	2.310
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.620
	0908-333-100	HIGH FRICTION SURFACE COURSE	SY	1,898.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45058115201)	LS	1.000
Section	n 0002 Signing			
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,406.000
	0710- 12-290	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE	SF	100.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45058115201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	4,248.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	458.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	782.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.240
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	10.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	75.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	15.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	52.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.194
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	2,287.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	3.999

ALT	Item	Description	Unit	Quantity
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.318
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	4.422
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	2.363

Letting: 05251202 Call Order: 008 Proposal: E59F0 District:05

Counties: VOLUSIA
Road Name: SR A1A
Limits: 79180000

Project(s): 45066615201(*) Federal Aid No: N/A
Project(s): 45066625201 Federal Aid No: N/A

Total Roadway Length:

6.064 Miles

Contract Days:

170

Total Bridge Length:

0.521 Miles

Letting Date:

12/02/25

Total Proposal Length:

6.585 Miles

Contract Execution Days:

Special Start Date:

N/A

Aquis/Flexible Start Time: 30 Days

Proposal Budget Estimate: \$7,671,427.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of Milling & Resurfacing, Curb and Gutter, Sidewalk, Signing/Pavement markings, Lighting, Traffic Signal work, and other incidental construction on SR A1A from SR 5 (S. Ridgewood Ave) to north of Davis St, approximately 6.585 miles in Volusia County.

PREQUALIFICATION REQUIRED

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (45066615201)	LS	1.000
	0101- 1-	MOBILIZATION (45066625201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45066615201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45066625201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	272.000
	0102- 60-	WORK ZONE SIGN	ED	7,025.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	26,607.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	6,780.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	471.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	448.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	1,190.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	1,190.000
	0102-115-	TYPE III BARRICADE	ED	1,452.000
	0104- 10- 3	SEDIMENT BARRIER	LF	2,234.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	247.000
	0107- 1-	LITTER REMOVAL	AC	118.140
	0107- 2-	MOWING	AC	21.440
	0110- 1- 1	CLEARING & GRUBBING (45066625201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	556.000
	0120- 71-	REGULAR EXCAVATION (3-R PROJECTS ONLY) (45066615201)	LS	1.000
	0120- 71-	REGULAR EXCAVATION (3-R PROJECTS ONLY) (45066625201)	LS	1.000

		Can Order: 000 Troposal. E3910		
ALT	Item	Description	Unit	Quantity
	0327- 70- 4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	305.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	86,673.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	139,574.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	25.100
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76 -22	TN	21,068.500
	0425- 5-	MANHOLE, ADJUST	EA	3.000
	0425- 6-	VALVE BOXES, ADJUST	EA	7.000
	0425- 7-	MANHOLE COVER- REPLACE	EA	3.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	580.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	232.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	171.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	261.000
	0527- 2-	DETECTABLE WARNINGS	SF	4,275.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	75.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	10.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	113.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	4.000
	0635- 2-15	PULL & SPLICE BOX, F&I, 30" X 48" COVER SIZE	EA	1.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	4.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	4.000
	0695- 7-132	TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 3, PEDESTAL MOUNT	EA	1.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45066615201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45066625201)	LS	1.000
Sectio	n 0002 Signing	,		
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	31.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	8.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	3.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	16.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	7.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	1.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	7.000
	0704- 1- 4	TUBULAR MARKER, 36" YELLOW POST	EA	3.000
	0705- 10- 3	OBJECT MARKER, TYPE 3	EA	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	5,660.000
	0710- 12-290	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE	SF	306.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45066615201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45066625201)	LS	1.000
		,		

		Can Order. 000 Troposal. E331 0		
ALT	Item	Description	Unit	Quantity
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.072
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.134
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	8,251.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	1,701.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	1,989.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.614
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	90.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	265.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	14.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	2,337.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	1.162
	0711- 12-123	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT	LF	88.000
	0711- 12-201	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6"	GM	0.010
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	970.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	3,152.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	10.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	10.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	13.539
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	10.919
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"-APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.058
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	11.921
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	5.536
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	891.000
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	2.088
	0713-103-181	PERMANENT TAPE, WHITE, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	1.041
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	1.044
	0713-103-381	PERMANENT TAPE, BLACK, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	1.041
Sectio	n 0003 Signalizat	ion		
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	68.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	3,349.000
	0630- 2-17	CONDUIT, FURNISH & INSTALL, OPEN TRENCH UNDER PAVEMENT	LF	621.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000

				_
ALT	Item	Description	Unit	Quantity
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	170.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	56.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	7.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	4,024.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	9.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	9.000
	0646- 1-40	ALUMINUM SIGNALS POLE, RELOCATE	EA	2.000
	0654- 1-10	MIDBLOCK CROSSWALK: IN ROADWAY LIGHT ASSEMBLY, FURNISH & INSTALL- AC POWERED, COMPLETE CROSSING	AS	9.000
	0654- 1-60	MIDBLOCK CROSSWALK: IN ROADWAY LIGHT ASSEMBLY, REMOVE, COMPLETE CROSSING	AS	2.000
	0654- 2-11	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION	AS	8.000
	0654- 2-40	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, RELOCATE COMPLETE SIGN ASSEMBLY	AS	5.000
	0654- 2-50	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, ADJUST/MODIFY	AS	27.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	5.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	17.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	28.000