

BID SOLICITATION NOTICE – District 5
FLORIDA DEPARTMENT OF TRANSPORTATION
CONSTRUCTION AND MAINTENANCE PROGRAMS
Procurement Services, MS 4-524
719 S. Woodland Blvd, DeLand, FL 32720

DeLand, FL
October 31, 2025
Advertisement No. 1

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <https://www.fdot.gov/contracts> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <https://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 2:00 PM Local Time on Tuesday, December 02, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 2:30 PM December 02, 2025 in the Seminole County Conference Room, 4th Floor, DeLand, Florida. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (386) 943-5514. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: [Select District](#), select District 5 then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d5, click “[Letting and Project Information](#)” and select letting date from the Lettings Menu.

-----NOTE-----

Proposals will not be issued after 2:00 PM Local Time on Monday, December 01, 2025 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at CPP.fdot.gov. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit <https://vendor.myfloridamarketplace.com> for more information. Please allow 24 to 48 hours for receipt of a new vendor number.

Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at CPP.fdot.gov. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department’s budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <https://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. **BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.**

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d5, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.**

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://bqa.fdot.gov>.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit <https://www.surety2000.com> for Surety2000 or <https://www.tinubu.com> for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2

POSTING NOTICE

The bid tabulation and intent to award will be posted on December 16, 2025 or December 23, 2025 at www.fdot.gov/contracts/d5, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that

the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at <https://www.floridajobs.org>.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to <https://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <https://www.fdot.gov/contracts/district-offices/distco.shtm>.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation
Notice to Contractors Index**

Published: October 31, 2025

Letting ID: 05251202

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the December 02, 2025 letting.

| Page Number | Proposal Id | Proposal Notes | Fin Proj Numbers | County |
|--------------------|--------------------|-----------------------|-------------------------------|-------------------------------------|
| 7 | E54D0-R0 | | 42914217222(*) | FLAGLER, LAKE, SEMINOLE, VOLUSIA |
| 13 | E54D8-R0 | | 41232657264(*) | FLAGLER, LAKE, SEMINOLE, VOLUSIA |
| 15 | E55D6 | | 41232657265(*) | LAKE |
| 16 | E56D3-R0 | | 42914217224(*) | ORANGE, OSCEOLA |
| 18 | E58F7 | | 44558715201(*) | BREVARD |
| 22 | E58F8 | | 45058015201(*) | LAKE |
| 24 | E58F9 | | 45058115201(*) | LAKE |
| 27 | E59F0 | | 45066615201(*) 45066625201 | VOLUSIA |

Proposal Note Codes:

Note: () indicates lead project*

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 05251202 Call Order: 001 Proposal: E54D0-R0 District:05

Counties: FLAGLER, LAKE, SEMINOLE, VOLUSIA

Road Name: ROADWAY REPAIR

Limits: Midpoint

Project(s): 42914217222(*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365

Total Bridge Length: 0.000 Miles Letting Date: 12/02/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$600,000.00

Please read the full advertisement

Description:

FDOT District 5

Proposal ID No.: E54D0

Financial Project No.: 429142-1-72-22

Fiscal Year: 2026

County: Flagler, Lake, Seminole, and Volusia

Calendar Days: 365

This is a Maintenance Work Document Driven Contract with a budget estimate of \$600,000.00. The Contract will be awarded at the budget estimate amount. This Contract includes an option for renewal(s).

Intent

The work under this Contract consists of asphalt pavement milling and resurfacing; handrail, guardrail, crash cushion (attenuator) repair; concrete slab repair, pipe desilt & video; and pavement markings replacement on Department maintained roadways on an as-needed basis in Lake, Seminole, Volusia and Flagler Counties.

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of asphalt paving projects, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Hot Plant Mix Bituminous Course" will suffice to meet the above requirements.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

Call Order: 001 Proposal: E54D0-R0

| ALT | Item | Description | Unit | Quantity |
|--|-------------|---|------|----------|
| Section 0001 ASPHALT REPAIR (MECHANICAL) (TN) | | | | |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 250.000 |
| | 0104- 11- | FLOATING TURBIDITY BARRIER | LF | 100.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 25.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 50.000 |
| | 0120- 6- | EMBANKMENT | CY | 50.000 |
| | 0173- 76- | GROUT PIPE INSTALLATION | LF | 25.000 |
| | 0173- 77- 1 | SUBSURFACE PRESSURE GROUTING, SAND CEMENT | CY | 50.000 |

Call Order: 001 Proposal: E54D0-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|----------|
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 100.000 |
| | 0327- 70- 5 | MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH | SY | 500.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 500.000 |
| | 0327- 70- 7 | MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH | SY | 500.000 |
| | 0327- 70- 8 | MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH | SY | 500.000 |
| | 0327- 70- 19 | MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH | SY | 500.000 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 20.000 |
| | 0337- 7- 82 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22 | TN | 20.000 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22 | TN | 20.000 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 50.000 |
| | 0352- 70- | GRINDING CONCRETE PAVEMENT | SY | 50.000 |
| | 0353- 70- | CONCRETE PAVEMENT SLAB REPLACEMENT | CY | 100.000 |
| | 0401- 70- 1 | RESTORE SPALLED AREAS, EPOXY | CF | 10.000 |
| | 0430- 94- 1 | DESILTING PIPE, 0 - 24" | LF | 250.000 |
| | 0430- 94- 2 | DESILTING PIPE, 25 - 36" | LF | 250.000 |
| | 0430- 94- 3 | DESILTING PIPE, 37 - 48" | LF | 150.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 10.000 |
| | 0430-175-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD | LF | 10.000 |
| | 0430-175-136 | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD | LF | 10.000 |
| | 0430-821- 25 | CLEANING & SEALING EXISTING PIPE JOINT, 18" STORM SEWER | EA | 10.000 |
| | 0430-821- 29 | CLEANING & SEALING EXISTING PIPE JOINT, 24" STORM SEWER | EA | 10.000 |
| | 0430-821- 38 | CLEANING & SEALING EXISTING PIPE JOINT, 36" STORM SEWER | EA | 10.000 |
| | 0515- 1- 1 | PIPE HANDRAIL - GUIDERAIL, STEEL | LF | 10.000 |
| | 0515- 1- 2 | PIPE HANDRAIL - GUIDERAIL, ALUMINUM | LF | 10.000 |
| | 0515- 1- 41 | PIPE HANDRAIL - GUIDERAIL, RELOCATE, STEEL | LF | 10.000 |
| | 0515- 1-100 | PIPE HANDRAIL, INSTALL ONLY- MAINTENANCE USE ONLY | LF | 10.000 |
| | 0515- 2-211 | PEDESTRIAN / BICYCLE RAILING, STEEL, 42" TYPE 1 | LF | 10.000 |
| | 0515- 2-221 | PEDESTRIAN/ BICYCLE RAILING, STEEL ONLY,54" TYPE 1 | LF | 10.000 |
| | 0515- 2-311 | PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY,42" TYPE 1 | LF | 20.000 |
| | 0515- 2-312 | PEDESTRIAN / BICYCLE RAILING, ALUMINUM, 42" TYPE 2 | LF | 20.000 |
| | 0515- 2-313 | PEDESTRIAN / BICYCLE RAILING, ALUMINUM, 42" TYPE 3 | LF | 20.000 |
| | 0515- 2-321 | PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY,54" TYPE 1 | LF | 20.000 |
| | 0515- 2-601 | PEDESTRIAN / BICYCLE RAILING, POWDER COAT REPLACEMENT PANEL | LF | 20.000 |
| | 0515- 3- 2 | PIPE HANDRAIL- RETROFIT TO EXISTING RAILING, ALUMINUM | LF | 20.000 |
| | 0515- 4- 1 | BULLET RAIL, SINGLE RAIL | LF | 20.000 |
| | 0520- 1- 7 | CONCRETE CURB & GUTTER, TYPE E | LF | 20.000 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 20.000 |
| | 0520- 3- | VALLEY GUTTER- CONCRETE | LF | 10.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 10.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 10.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 20.000 |
| | 0530- 3- 3 | RIPRAP- RUBBLE, BANK AND SHORE | TN | 20.000 |
| | 0530- 74- | BEDDING STONE | TN | 30.000 |

Call Order: 001 Proposal: E54D0-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|----------|
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 20.000 |
| | 0538- 1- | GUARDRAIL RESET | LF | 20.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 50.000 |
| | 0571- 1- 11 | PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1 | SY | 25.000 |
| | 0660- 2-102 | LOOP ASSEMBLY, F&I, TYPE B | AS | 4.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 6.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 10.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 600.000 |
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 10.000 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 10.000 |
| | E101- 72- | MOBILIZATION (EMERGENCY RESPONSE) | EA | 50.000 |
| | E110- 2- | CLEARING & GRUBBING | AC | 5.000 |
| | E432- 4- | STORM SEWER INSPECTION (VIDEO CAMERA) | LF | 500.000 |
| | E524- 1- 1 | CONCRETE DITCH PAVEMENT REPAIR | CY | 5.000 |
| | E524- 2- 1 | CONCRETE SLOPE PAVEMENT REPAIR | CY | 5.000 |
| | E536- 3-141 | GUARDRAIL STANDARD PANEL (REPLACE) (SHOP BENT) | LF | 10.000 |
| | E536- 3-142 | GUARDRAIL STANDARD PANEL (REPLACE) (0' - 50') | LF | 30.000 |
| | E536- 3-143 | GUARDRAIL STANDARD PANEL (REPLACE) (51' - 200') | LF | 60.000 |
| | E536- 3-144 | GUARDRAIL STANDARD PANEL (REPLACE) (> 200') | LF | 200.000 |
| | E536- 3-242 | GUARDRAIL THRIE BEAM (REPLACE) (0' - 50') | LF | 20.000 |
| | E536- 3-540 | GUARDRAIL (PIPE RAIL) (REPLACE) | LF | 5.000 |
| | E536- 3-642 | GUARDRAIL DOUBLE FACE (REPLACE) (0' - 50') | LF | 20.000 |
| | E536- 3-643 | GUARDRAIL DOUBLE FACE (REPLACE) (51' - 200') | LF | 50.000 |
| | E536- 6- 47 | END ANCHORAGE ASSEM (REPLACE) (BARRIER WALL) | EA | 5.000 |
| | E536- 6- 48 | END ANCHORAGE ASSEM (REPLACE) (TYPE SRT-350) | EA | 3.000 |
| | E536- 6-414 | END ANCHORAGE ASSEM (REPLACE) (TYPE SRT-350/8) | EA | 3.000 |
| | E536- 6-423 | GUARDRAIL END TREATMENT-FLARED APPROACH TERMINAL, REPLACE, NCHRP 350 | EA | 5.000 |
| | E536- 6-424 | END ANCHORAGE ASSEM (REPLACE) (PARALLEL) | EA | 5.000 |
| | E536- 6-425 | GUARDRAIL END TREATMENT-FLARED APPROACH TERMINAL, REPLACE, MASH | EA | 5.000 |
| | E536- 12-604 | GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN CONC.) | EA | 5.000 |
| | E536- 12-605 | GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN ASPH.) | EA | 5.000 |
| | E536- 12-606 | GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN SOIL) | EA | 5.000 |
| | E536- 12-608 | GUARDRAIL REPAIRS (REPLACE) (WOOD POST IN ASPH.) | EA | 5.000 |
| | E536- 12-609 | GUARDRAIL REPAIRS (REPLACE) (WOOD POST IN SOIL) | EA | 5.000 |
| | E536- 12-613 | GUARDRAIL REPAIRS (REPLACE) (RUB RAIL) | EA | 5.000 |
| | E536- 12-615 | GUARDRAIL REPAIRS (REPLACE) (FILLER BLOCKS) | EA | 5.000 |
| | E536- 12-616 | GUARDRAIL REPAIRS(REPLACE)(OFFSET BLOCK) | EA | 5.000 |
| | E536- 12-617 | GUARDRAIL REPAIRS(REPLACE)(PANEL, 12-1/2') | EA | 5.000 |
| | E536- 12-618 | GUARDRAIL REPAIRS(REPLACE)(PANEL, 25') | EA | 5.000 |
| | E536- 12-619 | GUARDRAIL REPAIRS (REPLACE) (THRIE-BEAM PANEL, 12-1/2') | EA | 5.000 |
| | E536- 12-620 | GUARDRAIL REPAIRS (REPLACE) (THRIE-BEAM PANEL, 25') | EA | 5.000 |
| | E536- 15- | MISCELLANEOUS GUARDRAIL MAINTENANCE | LF | 5.000 |

Call Order: 001 Proposal: E54D0-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|----------|
| | E536- 21-501 | END ANCHORAGE ASSEMBLY FLEAT SP, FURNISH & INSTALL, FIRST POST UPPER | EA | 5.000 |
| | E536- 21-502 | END ANCHORAGE ASSEMBLY FLEAT SP, FURNISH & INSTALL, FIRST POST LOWER | EA | 5.000 |
| | E536- 21-503 | END ANCHORAGE ASSEMBLY FLEAT SP, FURNISH & INSTALL, SECOND POST UPPER | EA | 5.000 |
| | E536- 21-504 | END ANCHORAGE ASSEMBLY FLEAT SP, FURNISH & INSTALL, SECOND POST LOWER | EA | 5.000 |
| | E536- 65- | END ANCHORAGE ASSEM (REMOVE) | EA | 5.000 |
| | E536-301- | END ANCHOR ASSEM TYPE II TRAILING ANCHORAGE, REPLACE EXISTING | EA | 5.000 |
| | E536-301-501 | END ANCHOR ASSEM TYPE II (REPL FLARED END SECT) | EA | 5.000 |
| | E536-301-502 | END ANCHOR ASSEM TYPE II (REPL ROUND END SECT) | EA | 5.000 |
| | E536-301-503 | END ANCHOR ASSEM TYPE II (REPL BUFFER END SECT) | EA | 5.000 |
| | E536-301-506 | END ANCHOR ASSEM TYPE II (REPL GUARDRAIL BEAM) | EA | 5.000 |
| | E536-301-508 | END ANCHOR ASSEM TYPE II (REPL TIMBER BREAK POST) | EA | 5.000 |
| | E536-302-503 | END ANCHOR ASSEM TYPE IV (REPL BUFFER END SECT) | EA | 5.000 |
| | E536-302-504 | END ANCHOR ASSEM TYPE IV (REPL ANCHOR PANEL SECT) | EA | 5.000 |
| | E536-302-505 | END ANCHOR ASSEM TYPE IV (REPL CABLE ASSEMBLY) | EA | 5.000 |
| | E536-303-503 | END ANCHOR ASSEM CRT (REPL BUFFER END SECTION) | EA | 5.000 |
| | E536-303-508 | END ANCHOR ASSEM CRT (REPL TIMBER BREAK POST) | EA | 5.000 |
| | E536-306-501 | END ANCHOR ASSEM BRIDGE (REPL SPECIAL END SHOE) | EA | 5.000 |
| | E536-308-501 | END ANCHOR ASSEM SRT-350 (REPL CABLE ASSEMBLY) | EA | 5.000 |
| | E536-308-503 | END ANCHOR ASSEM SRT-350 (REPL AMBER REFL SHEET) | EA | 5.000 |
| | E536-308-504 | END ANCHOR ASSEM SRT-350 (REPL BEARING PLATE) | EA | 5.000 |
| | E536-308-505 | END ANCHOR ASSEM SRT-350 (REPL TIMBER BREAK POST) | EA | 5.000 |
| | E536-308-507 | END ANCHOR ASSEM SRT-350 (REPL BUFFER END SECT) | EA | 5.000 |
| | E536-308-509 | END ANCHOR ASSEM SRT-350 (REPL STRUT & YOKE ASSM) | EA | 5.000 |
| | E536-308-510 | END ANCHOR ASSEM SRT-350 (REPL TIMBER LINE POST) | EA | 5.000 |
| | E536-308-511 | END ANCHOR ASSEM SRT-350 (REPL GUARDRAIL BEAM) | EA | 5.000 |
| | E536-308-517 | END ANCHOR ASSEM SRT-350 (REPL BRK TRM POST SLV) | EA | 5.000 |
| | E536-313-508 | END ANCHOR ASSEMBLY SKT-350 (REPL GUARDRAIL BEAM) | EA | 5.000 |
| | E536-313-509 | END ANCHOR ASSEMBLY SKT-350 (REPL MISC HARDWARE) | EA | 5.000 |
| | E536-313-514 | END ANCHOR ASSEMBLY SKT-350 (REPL IMPACT HEAD) | EA | 1.000 |
| | E536-314-501 | END ANCHOR ASSEM SRT-350/8 (REPL CABLE ASSEMBLY) | EA | 1.000 |
| | E536-314-503 | END ANCHOR ASSEM SRT-350/8 (REPL AMBER REFL SHT) | EA | 1.000 |
| | E536-314-504 | END ANCHOR ASSEM SRT-350/8 (REPL BEARING PLATE) | EA | 1.000 |
| | E536-314-505 | END ANCHOR ASSEM SRT-350/8 (REPL TIMBER BRK POST) | EA | 1.000 |
| | E536-314-507 | END ANCHOR ASSEM SRT-350/8 (REPL BUFFER END SECT) | EA | 1.000 |
| | E536-314-510 | END ANCHOR ASSEM SRT-350/8 (REPL TMBR LINE POST) | EA | 1.000 |
| | E536-314-511 | END ANCHOR ASSEM SRT-350/8 (REPL GUARDRAIL BEAM) | EA | 1.000 |
| | E536-316-501 | END ANCHOR ASSEMBLY FLEAT-350 (REPL TMBER BRKWAY POST) | EA | 1.000 |
| | E536-316-503 | END ANCHOR ASSEMBLY FLEAT-350 (REPL CABLE ANCHOR ASSY) | EA | 1.000 |
| | E536-316-504 | END ANCHOR ASSEMBLY FLEAT-350 (REPL GROUND STRUT) | EA | 1.000 |
| | E536-316-505 | END ANCHOR ASSEMBLY FLEAT-350 (REPL BEARING PLATE) | EA | 1.000 |
| | E536-316-508 | END ANCHOR ASSEMBLY FLEAT-350 (REPL GUARDRAIL BEAM) | EA | 1.000 |

Call Order: 001 Proposal: E54D0-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|----------|
| | E536-316-514 | END ANCHOR ASSEMBLY FLEAT-350 (REPL IMPACT HEAD) | EA | 1.000 |
| | E536-322-502 | END ANCHOR ASSEM FLARED (REPL ROUND END SECT) | EA | 1.000 |
| | E536-322-503 | END ANCHOR ASSEM FLARED (REPL BUFFER END SECT) | EA | 1.000 |
| | E536-322-506 | END ANCHOR ASSEM FLARED (REPL GUARDRAIL BEAM) | EA | 1.000 |
| | E536-322-508 | END ANCHOR ASSEM FLARED (REPL TIMBER BREAK POST) | EA | 1.000 |
| | E536-322-515 | END ANCHOR ASSEM FLARED (REPL AMBER REFLECT SHEET) | EA | 1.000 |
| | E536-322-517 | END ANCHOR ASSEM FLARED (REPL SHORT TIMBR BREAK POST) | EA | 1.000 |
| | E536-324-506 | END ANCHOR ASSEM PARALLEL (REPL GUARDRAIL BEAM) | EA | 1.000 |
| | E536-324-515 | END ANCHOR ASSEM PARALLEL (REPL AMBER REFLECT SHEET) | EA | 1.000 |
| | E536-324-517 | END ANCHOR ASSEM PARALLEL (REPL SHORT TIMBR BREAK POST) | EA | 1.000 |
| | E536-325- 1 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE IMPACT HEAD | EA | 1.000 |
| | E536-325- 2 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE ANCHOR RAIL 12.5' | EA | 1.000 |
| | E536-325- 3 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE SYSTEM RAIL 12.5' | EA | 1.000 |
| | E536-325- 4 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE ANCHOR POST- POST 0 | EA | 1.000 |
| | E536-325- 5 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE SYT POST 4' 9.5" | EA | 1.000 |
| | E536-325- 6 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE SYTP POST 6' | EA | 1.000 |
| | E536-325- 7 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE SYSTEM LINE POST 6' | EA | 1.000 |
| | E536-325- 8 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE OFFSET BLOCK | EA | 1.000 |
| | E536-325- 9 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE ANCHOR PADDLE | EA | 1.000 |
| | E536-325- 10 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE KEEPER PLATE | EA | 1.000 |
| | E536-325- 11 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE PLATE WASHER | EA | 1.000 |
| | E536-325- 12 | END ANCHORAGE ASSEMBLY- SOFTSTOP, REPLACE ANCHOR ANGLE | EA | 1.000 |
| | E540- 0- 22 | PRE-STRETCHED GALVANIZED WIRE ROPE, INC INCIDENTALS TURNBUCKLES, TESTING AND RETENTIONING | LF | 5.000 |
| | E540- 0- 23 | CABLE BARRIER LINE POST, INC ALL INCIDENTALS SOCKETS, SHEETING, CAPS, ETC. | EA | 5.000 |
| | E540- 0- 25 | END ANCHOR REPAIR/REPLACE INCLUDES ALL INCIDENTALS FOUNDATION, GATING END TERMINALS & ASSOC HARDWARE | EA | 5.000 |
| | E540- 0- 26 | CABLE BARRIER HAIRPIN AND LOCKPLATE ASSEMBLY | EA | 5.000 |
| | E540- 3- 1 | GIBRALTAR TL 3 LINE POST REP INCL HAIRPIN & LOCKPLATE | EA | 5.000 |
| | E540- 3- 1 | GIBRALTAR TL 3 LINE POST REP >4 INCL HAIRPIN & LOCKPLATE | EA | 5.000 |
| | E540- 3- 2 | GIBRALTAR TERMINAL POST REP (INCL 1, 2, 3 & 4) | EA | 5.000 |
| | E540- 3- 3 | GIBRALTAR ANCHOR POST REPLACEMENT | EA | 5.000 |
| | E544- 8- 1 | CRASH CUSHION STANDARD PERIODIC INSPECTION TYPE I & II | EA | 5.000 |
| | E544- 8- 2 | CRASH CUSHION STANDARD MAINT (CLEAN, ADJ MAINTAIN) | EA | 5.000 |
| | E544- 75-501 | 05 TRACC NOSEPIECE / REFLECTIVE SHEETING | EA | 5.000 |
| | E544- 76- 1 | CRASH CUSHION (RESET) | EA | 5.000 |
| | E544- 76- 2 | CRASH CUSHION (CLEAN & INSPECT) | EA | 5.000 |
| | E544-031-001 | ATTENUATOR (QUADGUARD) F&I (FENDER PANEL) | EA | 5.000 |

Call Order: 001 Proposal: E54D0-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|-----------|
| | E544-031-020 | ATTENUATOR (QUADGUARD) F&I (DIAPHRAM) | EA | 5.000 |
| | E544-031-026 | ATTENUATOR (QUADGUARD) F&I (SIDE PANEL CONC CON) | EA | 5.000 |
| | E544-031-027 | ATTENUATOR (QUADGRARD) F&I (HAZARD RFLT-9 BUTTON) | EA | 5.000 |
| | E544-031-039 | ATTENUATOR (QUADGUARD) F&I (CARTRIDGE ASSEMBLY) | EA | 5.000 |
| | E544-031-040 | ATTENUATOR (QUADGUARD) F&I (NOSE ASSEMBLY) | EA | 5.000 |
| | E544-031-042 | ATTENUATOR (QUADGUARD) F&I (BACKUP ASSM TEN STRT) | EA | 5.000 |
| | E544-031-043 | ATTENUATOR (QUADGUARD) F&I (BACKUP ASSM CONCRETE) | EA | 5.000 |
| | E544-031-046 | ATTENUATOR (QUADGUARD) F&I (MONORAIL, 3 BAY) | EA | 5.000 |
| | E544-031-047 | ATTENUATOR (QUADGUARD) F&I (MUSHROOM BOLT ASSM) | EA | 5.000 |
| | E544-031-051 | ATTENUATOR (QUADGUARD) F&I (NEOPRENE GROMMET) | EA | 5.000 |
| | E544-051-027 | ATTENUATOR (GREAT) F&I (HAZARD REFL - 9 BUTTON) | EA | 5.000 |
| | E544-091-001 | ATTENUATOR (TAU II) F&I (FENDER PANEL) | EA | 5.000 |
| | E544-091-020 | ATTENUATOR (TAU II) F&I (DIAPHRAM) | EA | 5.000 |
| | E544-091-040 | ATTENUATOR (TAU II) F&I (NOSE ASSEMBLY) | EA | 5.000 |
| | E544-091-062 | ATTENUATOR (TAU II) F&I (CARTRIDGE, TYPE A) | EA | 5.000 |
| | E544-091-063 | ATTENUATOR (TAU II) F&I (CARTRIDGE, TYPE B) | EA | 5.000 |
| | E544-092-001 | ATTENUATOR, TAU M, FURNISH AND INSTALL SLIDING PANEL | EA | 5.000 |
| | E544-092-002 | ATTENUATOR, TAU M, FURNISH AND INSTALL DELINEATION BRACKET | EA | 5.000 |
| | E544-752-603 | CRASH CUSHION (X-MAS) DUAL IMPACT HEADS F&I | EA | 5.000 |
| | E544-752-606 | CRASH CUSHION (X-MAS) NOSE CONE F&I | EA | 5.000 |
| | E544-752-607 | CRASH CUSHION (X-MAS) STEEL TOP POST F&I | EA | 5.000 |
| | E544-752-611 | CRASH CUSHION (X-MAS) NOTCHED STEEL POST F&I | EA | 5.000 |
| | E711- 11-121 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 6" | LF | 1,000.000 |
| | E711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, SKIP, 6" | LF | 1,000.000 |
| | E711- 11-221 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6" | LF | 1,000.000 |
| | E711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6" | LF | 1,000.000 |
| | E711- 12-141 | THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6" | LF | 500.000 |

Call Order: 002 Proposal: E54D8-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|------------|
| | 0411- 2- | CRACKS INJECT & SEAL- STRUCTURES REHAB | LF | 15.000 |
| | 0425- 2-110 | MANHOLES, REPAIR | EA | 30.000 |
| | 0425- 74- 1 | MANHOLES & INLETS CLEANING & SEALING, <10' | EA | 1.000 |
| | 0425- 74- 2 | MANHOLES & INLETS CLEANING & SEALING, >10' | EA | 1.000 |
| | 0430- 96- | DRAINAGE PIPE REPAIR- CONCRETE COLLAR AT JOINT | EA | 3.000 |
| | 0430-175-115 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD | LF | 30.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 25.000 |
| | 0430-175-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD | LF | 165.000 |
| | 0430-821- 23 | CLEANING & SEALING EXISTING PIPE JOINT, 15" STORM SEWER | EA | 10.000 |
| | 0430-821- 25 | CLEANING & SEALING EXISTING PIPE JOINT, 18" STORM SEWER | EA | 30.000 |
| | 0430-821- 29 | CLEANING & SEALING EXISTING PIPE JOINT, 24" STORM SEWER | EA | 30.000 |
| | 0430-821- 33 | CLEANING & SEALING EXISTING PIPE JOINT, 30" STORM SEWER | EA | 10.000 |
| | 0430-821- 38 | CLEANING & SEALING EXISTING PIPE JOINT, 36" STORM SEWER | EA | 30.000 |
| | 0430-821- 40 | CLEANING & SEALING EXISTING PIPE JOINT, 42", STORM SEWER | EA | 30.000 |
| | 0430-821- 41 | CLEANING & SEALING EXISTING PIPE JOINT, 48", STORM SEWER | EA | 10.000 |
| | 0430-821- 42 | CLEANING & SEALING EXISTING PIPE JOINT, 54", STORM SEWER | EA | 5.000 |
| | 0430-821- 43 | CLEANING & SEALING EXISTING PIPE JOINT, 60", STORM SEWER | EA | 5.000 |
| | 0430-821- 61 | CLEANING & SEALING EXISTING PIPE JOINT, >60", STORM SEWER | EA | 10.000 |
| | 0430-822- 15 | CLEANING & SEALING EXISTING PIPE JOINT, 15" CD | EA | 10.000 |
| | 0430-822- 25 | CLEANING & SEALING EXISTING PIPE JOINT, 18" CD | EA | 10.000 |
| | 0430-822- 29 | CLEANING & SEALING EXISTING PIPE JOINT, 24" CD | EA | 10.000 |
| | 0430-822- 33 | CLEANING & SEALING EXISTING PIPE JOINT, 30" CD | EA | 10.000 |
| | 0430-822- 38 | CLEANING & SEALING EXISTING PIPE JOINT, 36" CD | EA | 10.000 |
| | 0430-822- 41 | CLEANING & SEALING EXISTING PIPE JOINT, 48" CD | EA | 10.000 |
| | 0430-822- 42 | CLEANING & SEALING EXISTING PIPE JOINT, 54" CD | EA | 5.000 |
| | 0430-822- 43 | CLEANING & SEALING EXISTING PIPE JOINT, 60" CD | EA | 5.000 |
| | 0430-822- 61 | CLEANING & SEALING EXISTING PIPE JOINT, 61" AND GREATER CD | EA | 5.000 |
| | 0430-950- | DESILTING CONCRETE BOX CULVERT | CY | 50.000 |
| | 0430-991- 1 | MITERED END SECT, REPLACE SLAB- MAINTENANCE USE ONLY | CY | 50.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 10.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 75.000 |
| | 0906-173-100 | SINGLE COMPONENT POLYURETHANE INJECTION | GA | 10.000 |
| | 0906-173-200 | TWO COMPONENT POLYURETHANE INJECTION | LB | 5.000 |
| | E101- 72- | MOBILIZATION (EMERGENCY RESPONSE) | EA | 15.000 |
| | E425- 73- 1 | CLEANING MANHOLES AND INLETS (MECHANICAL) | EA | 75.000 |
| | E430- 94- 1 | DESILT PIPE, 0 to 24" | LF | 5,000.000 |
| | E430- 94- 2 | DESILT PIPE, 25-36" | LF | 1,000.000 |
| | E430- 94- 3 | DESILT PIPE, 37-48" | LF | 1,000.000 |
| | E431- 1- 21 | PIPE LINER, CURED IN PLACE, 0-24" | LF | 300.000 |
| | E431- 1- 22 | PIPE LINER, CURED IN PLACE, 25-36" | LF | 125.000 |
| | E431- 1- 23 | PIPE LINER, CURED IN PLACE, 37-48" | LF | 125.000 |
| | E432- 4- | STORM SEWER INSPECTION (VIDEO CAMERA) | LF | 71,400.000 |

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: 05251202 Call Order: 004 Proposal: E56D3-R0 District:05
Counties: ORANGE, OSCEOLA
Road Name: ASPHALT ROADWAY REPAIR
Limits: Midpoint
Project(s): 42914217224(*) Federal Aid No: N/A
Total Roadway Length: 0.000 Miles Contract Days: 365
Total Bridge Length: 0.000 Miles Letting Date: 12/02/25
Total Proposal Length: 0.000 Miles Contract Execution Days: 10
Special Start Date: N/A
Aquis/Flexible Start Time:

Proposal Budget Estimate: \$1,600,000.00

Please read the full advertisement

Description:

FDOT District 5
Proposal ID: E56D3
Financial Project: 429142-1-72-24
Fiscal Year: 2026
Counties: Orange & Osceola
Calendar Days: 365

This is a Maintenance Work Document driven Contract with a budget estimate of \$1,600,000. The Contract will be awarded at the budget estimate amount. This Contract includes an option for renewal(s).

Intent:

The work under this Contract consists of asphalt roadway repair, including milling & resurfacing and replacing pavement markings on various Department maintained roadways in Orange and Osceola Counties on an as-needed basis.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Asphalt Paving, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Hot Plant Mix Bituminous Course" will suffice to meet the above requirements.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractor bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract, in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Call Order: 004 Proposal: E56D3-R0

| ALT | Item | Description | Unit | Quantity |
|--|--------------|---|------|------------|
| Section 0001 ASPHALT REPAIR (MECHANICAL) (TN) | | | | |
| | 0160- 4- | TYPE B STABILIZATION | SY | 2,150.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 3,000.000 |
| | 0327- 70- 4 | MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH | SY | 10,000.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 20,000.000 |
| | 0327- 70- 11 | MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH | SY | 10,000.000 |
| | 0334- 1- 53 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 | TN | 30.000 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 1,100.000 |
| | 0337- 7- 82 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 | TN | 1,050.000 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 | TN | 1,500.000 |
| | 0660- 2-102 | LOOP ASSEMBLY, F&I, TYPE B | AS | 20.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 20.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 25.000 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 5,000.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 5,000.000 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 20.000 |
| | E706- 1- 42 | REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B) | EA | 900.000 |
| | E710- 11-121 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | LF | 10,000.000 |
| | E710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 6" | LF | 8,500.000 |
| | E710- 11-221 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | LF | 8,500.000 |
| | E710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" | LF | 5,000.000 |

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: 05251202 Call Order: 005 Proposal: E58F7 District:05

Counties: BREVARD

Road Name: SR 5

Limits: 70020000

Project(s): 44558715201(*)

Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length: | 0.039 Miles | Contract Days: | 100 |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 12/02/25 |
| Total Proposal Length: | 0.039 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | 120 |

Proposal Budget Estimate: \$1,133,557.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of milling and resurfacing, curb and gutter, sidewalk, traffic signals, signing & pavement markings on State Road 5 from south of Fay Boulevard to north of Fay Boulevard, approximately 0.039 miles in Brevard County.

PREQUALIFICATION REQUIRED

Call Order: 005 Proposal: E58F7

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|--|------|------------|
| Section 0001 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (44558715201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (44558715201) | LS | 1.000 |
| | 0102- 4- 1 | PEDESTRIAN OR BICYCLE SPECIAL DETOUR (44558715201) | LS | 1.000 |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 116.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 3,650.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 9,568.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 34,235.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 150.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 342.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 100.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 100.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 200.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 187.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 9.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 1.540 |
| | 0107- 2- | MOWING | AC | 0.420 |
| | 0110- 1- 1 | CLEARING & GRUBBING (44558715201) | LS | 1.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 154.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 26.200 |
| | 0120- 6- | EMBANKMENT | CY | 18.800 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 1,314.000 |
| | 0327- 70- 11 | MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH | SY | 3,090.000 |

Call Order: 005 Proposal: E58F7

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|----------|
| | 0334- 1- 53 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 | TN | 255.000 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 124.000 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 | TN | 108.400 |
| | 0425- 5- | MANHOLE, ADJUST | EA | 1.000 |
| | 0520- 1- 7 | CONCRETE CURB & GUTTER, TYPE E | LF | 65.000 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 166.000 |
| | 0520- 2- 2 | CONCRETE CURB, TYPE B | LF | 28.000 |
| | 0520- 5- 41 | TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE | LF | 14.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 112.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 156.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 101.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 497.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 51.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 0.158 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 173.000 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 0.042 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 4.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 0.045 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (44558715201) | LS | 1.000 |
| Section 0002 Signing | | | | |
| | 0700- 1-111 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF | EA | 3.000 |
| | 0700- 1-112 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF | EA | 1.000 |
| | 0700- 1-600 | SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE | EA | 7.000 |
| | 0704- 1- 4 | TUBULAR MARKER, 36" YELLOW POST | EA | 7.000 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 5.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 141.000 |
| | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 45.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44558715201) | LS | 1.000 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 544.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 131.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.049 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 13.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 42.000 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 457.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 3.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 3.000 |

Call Order: 005 Proposal: E58F7

| ALT | Item | Description | Unit | Quantity |
|-----------------------------------|--------------|---|------|----------|
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 0.198 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 0.015 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 0.088 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 0.113 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 0.036 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 0.060 |
| | 0711- 17- 1 | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN | SF | 17.000 |
| Section 0003 Signalization | | | | |
| | 0611- 1- 1 | ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH | MI | 0.039 |
| | 0611- 2- 1 | ITSFM LOCATION DOCUMENTATION- INTERSECTION | EA | 1.000 |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 293.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 250.000 |
| | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND | LF | 5.000 |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 1.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 23.000 |
| | 0635- 2- 13 | PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE | EA | 1.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 1.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 150.000 |
| | 0639- 3- 11 | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT | EA | 2.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 1.000 |
| | 0641- 2- 60 | PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE | EA | 1.000 |
| | 0641- 2- 70 | PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER | EA | 3.000 |
| | 0646- 1- 11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 6.000 |
| | 0649- 21- 6 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50' | EA | 1.000 |
| | 0649- 21- 10 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60' | EA | 1.000 |
| | 0649- 21- 15 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 70' | EA | 1.000 |
| | 0650- 1- 34 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 3 SECTION, 1 WAY | AS | 8.000 |
| | 0650- 1- 39 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE, 5 SECTION CLUSTER, 1 WAY | AS | 2.000 |
| | 0653- 1- 11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 6.000 |
| | 0660- 4- 11 | VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT | EA | 1.000 |
| | 0660- 4- 12 | VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT | EA | 3.000 |

Call Order: 005 Proposal: E58F7

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|----------|
| | 0665- 1- 11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 6.000 |
| | 0670- 5-160 | TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA W/STANDARD LOCK | AS | 1.000 |
| | 0670- 5-600 | TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET | AS | 1.000 |
| | 0682- 1-173 | ITS CCTV CAMERA, NON-PRESSURIZED, IP, HIGH DEFINITION | EA | 1.000 |
| | 0684- 7- 1 | MANAGED HUB ETHERNET SWITCH, FURNISH & INSTALL | EA | 1.000 |
| | 0684- 8- 1 | CELLULAR MODEM, FURNISH AND INSTALL | EA | 1.000 |
| | 0685- 1- 13 | UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET | EA | 1.000 |
| | 0685- 2- 1 | REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL | EA | 1.000 |
| | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 1.000 |
| | 0700- 5- 21 | INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 1.000 |
| | 0700- 5- 22 | INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF | EA | 2.000 |
| | 0700-141-360 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I OVERHEAD MOUNT, BLANK OUT SIGN <12 SF | EA | 1.000 |

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

| | | | | |
|------------------------|----------------|----------------------------|-----------------|-------------|
| Letting: | 05251202 | Call Order: 006 | Proposal: E58F8 | District:05 |
| Counties: | LAKE | | | |
| Road Name: | SR 500 | | | |
| Limits: | 11010047 | | | |
| Project(s): | 45058015201(*) | Federal Aid No: N/A | | |
| Total Roadway Length: | 1.390 Miles | Contract Days: | 170 | |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 12/02/25 | |
| Total Proposal Length: | 1.390 Miles | Contract Execution Days: | 10 | |
| | | Special Start Date: | N/A | |
| | | Aquis/Flexible Start Time: | 30 Days | |

Proposal Budget Estimate: \$2,241,269.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of Milling & Resurfacing, Curb & Gutter, Sidewalk, and Signing/Pavement Markings on State Road 500 (US 441) from Perkins Street to Mills Street, approximately 1.390 miles in Lake County.

PREQUALIFICATION REQUIRED

Call Order: 006 Proposal: E58F8

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|-------------|--|------|------------|
| Section 0001 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (45058015201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (45058015201) | LS | 1.000 |
| | 0102- 5- | PEDESTRIAN ESCORT/FLAGGER | HR | 96.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 5,855.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 33,020.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 227.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 170.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 850.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 850.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 3.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 56.880 |
| | 0107- 2- | MOWING | AC | 60.600 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 54.000 |
| | 0327- 70- 2 | MILLING EXISTING ASPHALT PAVEMENT, 3 1/2" AVG DEPTH | SY | 31,853.000 |
| | 0327- 70- 5 | MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH | SY | 11,374.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 17,370.000 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 3,503.900 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 | TN | 5,312.100 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 63.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 39.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 44.000 |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 3.000 |

Call Order: 006 Proposal: E58F8

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|-----------|
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 57.000 |
| | 0635- 2- 14 | PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE | EA | 2.000 |
| | 0695- 1- 1 | TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL | EA | 4.000 |
| | 0695- 6- 11 | TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 1 LOOP | EA | 8.000 |
| | 0695- 7-162 | TRAFFIC MONITORING SITE CABINET, F&I, TYPE 3, 2 PANE BACK, PEDESTAL MOUNT | EA | 1.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 830.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 3.120 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 1,001.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 1,344.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 5.030 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 22.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 2.160 |
| | 0710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | GM | 0.410 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (45058015201) | LS | 1.000 |
| Section 0002 Signing | | | | |
| | 0700- 1-111 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF | EA | 6.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 1,008.000 |
| | 0710- 12-290 | PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE | SF | 24.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45058015201) | LS | 1.000 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 1,121.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 452.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.424 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 30.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.519 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 961.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 45.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 45.000 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 2.261 |
| | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 0.370 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 2.465 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 2.227 |

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: 05251202 Call Order: 007 Proposal: E58F9 District:05

Counties: LAKE

Road Name: SR 500

Limits: 11010000

Project(s): 45058115201(*)

Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length: | 1.314 Miles | Contract Days: | 180 |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 12/02/25 |
| Total Proposal Length: | 1.314 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | 30 |

Proposal Budget Estimate: \$2,784,842.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of Milling & Resurfacing, Curb & Gutter, Sidewalk, and Signing/Pavement Markings on State Road 500 (US 441) from Lakeshore Boulevard to Lake Eustis Drive, approximately 1.314 miles in Lake County.

PREQUALIFICATION REQUIRED

Call Order: 007 Proposal: E58F9

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|--|------|------------|
| Section 0001 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (45058115201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (45058115201) | LS | 1.000 |
| | 0102- 5- | PEDESTRIAN ESCORT/FLAGGER | HR | 192.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 5,210.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 48,960.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 1,373.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 360.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 900.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 900.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 23.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 31.630 |
| | 0107- 2- | MOWING | AC | 31.630 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 384.000 |
| | 0327- 70- 4 | MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH | SY | 31,541.000 |
| | 0327- 70- 5 | MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH | SY | 31,050.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 13,645.000 |
| | 0327- 70- 11 | MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH | SY | 985.000 |
| | 0327- 70- 17 | MILLING EXISTING ASPHALT PAVEMENT, 3 1/4" AVG DEPTH | SY | 913.000 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 2,677.500 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 | TN | 7,326.900 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 460.000 |

Call Order: 007 Proposal: E58F9

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|-----------|
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 281.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 829.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 33.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 75.000 |
| | 0635- 2- 14 | PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE | EA | 2.000 |
| | 0695- 1- 1 | TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL | EA | 6.000 |
| | 0695- 6- 12 | TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS | EA | 6.000 |
| | 0695- 7-162 | TRAFFIC MONITORING SITE CABINET, F&I, TYPE 3, 2 PANE BACK, PEDESTAL MOUNT | EA | 1.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 1,136.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 4.110 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 3,143.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 2,294.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 4.630 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 0.230 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 74.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 2.310 |
| | 0710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | GM | 0.620 |
| | 0908-333-100 | HIGH FRICTION SURFACE COURSE | SY | 1,898.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (45058115201) | LS | 1.000 |
| Section 0002 Signing | | | | |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 1,406.000 |
| | 0710- 12-290 | PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE | SF | 100.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45058115201) | LS | 1.000 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 4,248.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 458.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 782.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.240 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 10.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 75.000 |
| | 0711- 11-180 | THERMOPLASTIC, STANDARD, WHITE, YIELD LINE | LF | 15.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 52.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.194 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 2,287.000 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 3.999 |

Call Order: 007 Proposal: E58F9

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|----------|
| | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 0.318 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 4.422 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 2.363 |

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

| | | | |
|------------------------------------|------------------------------------|-----------------|-------------|
| Letting: 05251202 | Call Order: 008 | Proposal: E59F0 | District:05 |
| Counties: VOLUSIA | | | |
| Road Name: SR A1A | | | |
| Limits: 79180000 | | | |
| Project(s): 45066615201(*) | Federal Aid No: N/A | | |
| Project(s): 45066625201 | Federal Aid No: N/A | | |
| Total Roadway Length: 6.064 Miles | Contract Days: 170 | | |
| Total Bridge Length: 0.521 Miles | Letting Date: 12/02/25 | | |
| Total Proposal Length: 6.585 Miles | Contract Execution Days: 10 | | |
| | Special Start Date: N/A | | |
| | Aquis/Flexible Start Time: 30 Days | | |
| Proposal Budget Estimate: | \$7,671,427.00 | | |

Please read the full advertisement

Description:

The Improvements under this Contract consist of Milling & Resurfacing, Curb and Gutter, Sidewalk, Signing/Pavement markings, Lighting, Traffic Signal work, and other incidental construction on SR A1A from SR 5 (S. Ridgewood Ave) to north of Davis St, approximately 6.585 miles in Volusia County.

PREQUALIFICATION REQUIRED

Call Order: 008 Proposal: E59F0

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|-------------|--|------|------------|
| Section 0001 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (45066615201) | LS | 1.000 |
| | 0101- 1- | MOBILIZATION (45066625201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (45066615201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (45066625201) | LS | 1.000 |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 272.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 7,025.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 26,607.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 6,780.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 471.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 448.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 1,190.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 1,190.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 1,452.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 2,234.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 247.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 118.140 |
| | 0107- 2- | MOWING | AC | 21.440 |
| | 0110- 1- 1 | CLEARING & GRUBBING (45066625201) | LS | 1.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 556.000 |
| | 0120- 71- | REGULAR EXCAVATION (3-R PROJECTS ONLY) (45066615201) | LS | 1.000 |
| | 0120- 71- | REGULAR EXCAVATION (3-R PROJECTS ONLY) (45066625201) | LS | 1.000 |

Call Order: 008 Proposal: E59F0

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|--|------|-------------|
| | 0327- 70- 4 | MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH | SY | 305.000 |
| | 0327- 70- 5 | MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH | SY | 86,673.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 139,574.000 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 25.100 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22 | TN | 21,068.500 |
| | 0425- 5- | MANHOLE, ADJUST | EA | 3.000 |
| | 0425- 6- | VALVE BOXES, ADJUST | EA | 7.000 |
| | 0425- 7- | MANHOLE COVER- REPLACE | EA | 3.000 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 580.000 |
| | 0520- 70- | CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH | SY | 232.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 171.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 261.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 4,275.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 75.000 |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 10.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 113.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 4.000 |
| | 0635- 2- 15 | PULL & SPLICE BOX, F&I, 30" X 48" COVER SIZE | EA | 1.000 |
| | 0695- 1- 1 | TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL | EA | 4.000 |
| | 0695- 6- 12 | TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS | EA | 4.000 |
| | 0695- 7-132 | TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 3, PEDESTAL MOUNT | EA | 1.000 |
| | 0715- 69-000 | LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION | EA | 1.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (45066615201) | LS | 1.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (45066625201) | LS | 1.000 |
| Section 0002 Signing | | | | |
| | 0700- 1-111 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF | EA | 31.000 |
| | 0700- 1-112 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF | EA | 8.000 |
| | 0700- 1-500 | SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE | EA | 3.000 |
| | 0700- 1-600 | SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE | EA | 16.000 |
| | 0700- 3-101 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF | EA | 1.000 |
| | 0700- 3-501 | SIGN PANEL, RELOCATE, UP TO 12 SF | EA | 7.000 |
| | 0700- 3-601 | SIGN PANEL, REMOVE, UP TO 12 SF | EA | 1.000 |
| | 0700- 13- 15 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5' | EA | 7.000 |
| | 0704- 1- 4 | TUBULAR MARKER, 36" YELLOW POST | EA | 3.000 |
| | 0705- 10- 3 | OBJECT MARKER, TYPE 3 | EA | 1.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 5,660.000 |
| | 0710- 12-290 | PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE | SF | 306.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45066615201) | LS | 1.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45066625201) | LS | 1.000 |

Call Order: 008 Proposal: E59F0

| ALT | Item | Description | Unit | Quantity |
|-----------------------------------|--------------|--|------|-----------|
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 0.072 |
| | 0711- 11-103 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS | GM | 0.134 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 8,251.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 1,701.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 1,989.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.614 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 90.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 265.000 |
| | 0711- 11-180 | THERMOPLASTIC, STANDARD, WHITE, YIELD LINE | LF | 14.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 2,337.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 1.162 |
| | 0711- 12-123 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT | LF | 88.000 |
| | 0711- 12-201 | THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6" | GM | 0.010 |
| | 0711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK | LF | 970.000 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 3,152.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 10.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 10.000 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 13.539 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 10.919 |
| | 0711- 16-133 | THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | GM | 0.058 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 11.921 |
| | 0711- 16-231 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6" | GM | 5.536 |
| | 0711- 17- 1 | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN | SF | 891.000 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 2.088 |
| | 0713-103-181 | PERMANENT TAPE, WHITE, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES | GM | 1.041 |
| | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES | GM | 1.044 |
| | 0713-103-381 | PERMANENT TAPE, BLACK, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES | GM | 1.041 |
| Section 0003 Signalization | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 68.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 3,349.000 |
| | 0630- 2- 17 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH UNDER PAVEMENT | LF | 621.000 |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 1.000 |

Call Order: 008 Proposal: E59F0

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|--|------|-----------|
| | 0632- 7- 6 | SIGNAL CABLE, REMOVE- INTERSECTION | PI | 1.000 |
| | 0633- 6- | FIBER OPTIC CABLE LOCATOR | DA | 170.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 56.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 7.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 4,024.000 |
| | 0639- 3- 11 | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT | EA | 9.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 9.000 |
| | 0646- 1- 40 | ALUMINUM SIGNALS POLE, RELOCATE | EA | 2.000 |
| | 0654- 1- 10 | MIDBLOCK CROSSWALK: IN ROADWAY LIGHT ASSEMBLY, FURNISH & INSTALL- AC POWERED, COMPLETE CROSSING | AS | 9.000 |
| | 0654- 1- 60 | MIDBLOCK CROSSWALK: IN ROADWAY LIGHT ASSEMBLY, REMOVE, COMPLETE CROSSING | AS | 2.000 |
| | 0654- 2- 11 | MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION | AS | 8.000 |
| | 0654- 2- 40 | MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, RELOCATE COMPLETE SIGN ASSEMBLY | AS | 5.000 |
| | 0654- 2- 50 | MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, ADJUST/MODIFY | AS | 27.000 |
| | 0660- 1-109 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 | EA | 5.000 |
| | 0660- 2-102 | LOOP ASSEMBLY, F&I, TYPE B | AS | 17.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 28.000 |