BID SOLICITATION NOTICE – District 5 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Deland, FL October 03, 2025 Advertisement No. 1

Procurement Services, MS 4-524 719 S. Woodland Blvd, DeLand, FL 32720

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: https://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at https://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 2:00 PM Local Time on Tuesday, November 04, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 2:30 PM November 04, 2025 in the Seminole County Conference Room, 4th Floor, DeLand, Florida. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (386) 943-5514. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: Select District, select District 5 then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d5, click "Letting and Project Information" and select letting date from the Lettings Menu.

----NOTE----

Proposals will not be issued after 2:00 PM Local Time on Monday, November 03, 2025.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at CPP.fdot.gov. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

A current State of Florida Vendor Number is required prior to first-time registration; please visit
 https://vendor.myfloridamarketplace.com
 for more information. Please allow 24 to 48 hours for receipt of a new
 vendor number.

Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at CPP.fdot.gov. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribe d in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a bid rejection or contract award shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at https://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d5, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://bqa.fdot.gov.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit https://www.tinubu.com for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web-based application for P rime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae 2

POSTING NOTICE

The bid tabulation and intent to award will be posted on November 18, 2025 or November 25, 2025 at www.fdot.gov/contracts/d5, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.**

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at https://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to https://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to https://www.fdot.gov/contracts/district-offices/distro.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: October 03, 2025

Letting ID: 05251104

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the November 04, 2025 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E50G0		45460015201(*)	ORANGE
9	E55D1-R0		44410017221(*)	LAKE, ORANGE
13	E55D4-R0		44400117214(*)	LAKE, ORANGE
15	E58F5		45072915201(*)	BREVARD
18	E58F6		45064015201(*) 45064025201	ORANGE
22	E59D3-R0		42795617269(*)	LAKE, ORANGE
24	E59D9		41232657268(*)	LAKE

Proposal Note Codes:

Letting: 05251104 Call Order: 001 Proposal: E50G0 District:05

Counties: ORANGE
Road Name: US 441
Limits: 75010000

Project(s): 45460015201(*) Federal Aid No: N/A

Total Roadway Length:0.606 MilesContract Days:100Total Bridge Length:0.000 MilesLetting Date:11/04/25

Total Proposal Length: 0.606 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time: 30 Days

Proposal Budget Estimate: \$556,694.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of extending three northbound left turning lanes approximately 300 feet each on S.R. 500 (South Orange Blossom Trail) from Town Center Blvd to SR 417 South on-off ramp approximately 0.606 miles in Orange County.

PREQUALIFICATION REQUIRED

	Call Order: 001 Proposal: E50G0			
ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (45460015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45460015201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	2,600.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	8,000.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	200.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	228.000
	0107- 1-	LITTER REMOVAL	AC	4.800
	0107- 2-	MOWING	AC	2.270
	0110- 1- 1	CLEARING & GRUBBING (45460015201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	235.000
	0120- 1-	REGULAR EXCAVATION	CY	237.300
	0120- 6-	EMBANKMENT	CY	28.000
	0160- 4-	TYPE B STABILIZATION	SY	2,190.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	1,781.000
	0334- 1-15	SUPERPAVE ASPHALTIC CONC, TRAFFIC E	TN	220.400
	0337- 7-88	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC E, FC-12.5, PG 76-22	TN	146.900
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	507.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	263.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	175.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45460015201)	LS	1.000
Section	n 0002 Signing			
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	1.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	3.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	2.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	58.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.060
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	12.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.209
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.188
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	504.000

Letting: 05251104 Call Order: 002 Proposal: E55D1-R0 District:05

Counties: LAKE, ORANGE

Road Name: Pavement Markings

Limits: Midpoint

Project(s): 44410017221(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:11/04/25Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$400,000.00

Please read the full advertisement

Description:

FDOT District 5

Proposal ID No.: E55D1

Financial Project No.: 444100-1-72-21

Fiscal Year: 2026 Counties: Lake & Orange Calendar Days: 365

This is a Maintenance Work Document driven Contract with a budget estimate of \$400,000.00. The Contract will be awarded at the budget estimate amount. This Contract includes an option for renewal(s).

Intent:

The work under this Contract consists of the removal, replacement, and refurbishment of pavement markings and RPMs on Department maintained roadways in Lake and Orange Counties on an as-needed basis.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Pavement Markings, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Pavement Markings" will suffice to meet the above requirements.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

ALT	Item	Description	Unit	Quantity
Section	n 0001 PAVEMEN	IT STRIPING (LARGE MACHINE) (LM)		
	0102-913- 11	REMOVABLE TAPE, BLACK, SOLID 6"	GM	0.010
	0102-913- 12	REMOVABLE TAPE, BLACK, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP	GM	0.010
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.010
	0102-913- 22	REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE	GM	0.010
	0102-913- 23	REMOVABLE TAPE, WHITE, 24" STOP BAR	LF	100.000
	0102-913- 24	REMOVABLE TAPE, WHITE, 12" CROSSWALK	LF	100.000

		Cuit C. Co. 1. 10 posuit 2002 1 110		
ALT	Item	Description	Unit	Quantity
	0102-913- 29	REMOVABLE TAPE, WHITE, MESSAGE, SYMBOL OR ARROW	EA	5.000
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.010
	0102-913- 32	REMOVABLE TAPE, YELLOW, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP	GM	0.010
	0701- 17-101	PROFILED THERMOPLASTIC, STANDARD- CONCRETE SURFACES, WHITE, SOLID, 6"	GM	0.210
	0701- 17-201	PROFILED THERMOPLASTIC, STANDARD- CONCRETE SURFACES, YELLOW, SOLID, 6"	GM	0.210
	0701- 17-221	PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SKIP,6"	GM	0.168
	0701- 18-101	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6"	GM	0.168
	0701- 18-201	PROFILED THERMOPLASTIC, STANDARD- ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.231
	0704- 1- 3	TUBULAR MARKER, 36" WHITE POST	EA	63.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	8.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.105
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	210.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	34.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	168.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.315
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	31.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	63.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	50.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	34.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.210
	0711- 12-101	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6"	GM	6.300
	0711- 12-123	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT	LF	95.000
	0711- 12-124	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	34.000
	0711- 12-125	THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 24" FOR STOP LINE OR CROSSWALK	LF	185.000
	0711- 12-131	THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6"	GM	8.400
	0711- 12-141	THERMOPLASTIC, REFURBISHMENT, WHITE, 2-4 DOTTED GUIDELINE / 6-10 GAP EXTENSION, 6", MAINTENANCE USE ONLY	GM	5.040
	0711- 12-160	THERMOPLASTIC, REFURBISH, WHITE, MESSAGE	EA	21.000
	0711- 12-170	THERMOPLASTIC, REFURBISH, WHITE, ARROWS	EA	29.000
	0711- 12-201	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6"	GM	7.140
	0711- 12-224	THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY	LF	92.000
	0711- 12-231	THERMOPLASTIC, REFURBISHMENT, YELLOW, SKIP, 6"	GM	7.350
	0711- 12-241	THERMOPLASTIC, REFURBISHMENT, YELLOW 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" MAINT USE ONLY	GM	1.260

		Can Order: 002 Troposai. L33DT-No		
ALT	Item	Description	Unit	Quantity
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	126.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	105.000
	0711- 14-141	THERMOPLASTIC, PREFORMED, WHITE, 2-4 DOTTED GUIDELINE ON CONCRETE SURFACES	GM	0.042
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	6.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	10.000
	0711- 14-241	THERMOPLASTIC, PREFORMED, YELLOW, 2-4 DOTTED GUIDELINE ON CONCRETE SURFACES	GM	0.050
	0711- 14-341	THERMOPLASTIC, PREFORMED, BLACK, 2-4 DOTTED GUIDELINE ON CONCRETE SURFACES	GM	0.050
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	5.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	7.245
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	5.250
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	3.780
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"	GM	0.021
	0711- 15-231	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6"	GM	1.890
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	7.455
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	6.720
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"-APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.042
	0711- 16-171	THERMOPLASTIC, STANDARD OTHER SURFACES, WHITE, 6", 6-10 DOTTED MANAGED LANE MARKING	GM	0.016
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	7.770
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	0.105
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	1.680
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	4,200.000
	0714- 10-	GREEN-COLORED PAVEMENT MARKINGS, BIKE LANE	SF	50.400
	E701- 18-101	PROFILED THERMOPLASTIC, STANDARD- ASPHALT SURFACES, WHITE, SOLID, 6"	GM	0.105
	E701- 18-201	PROFILED THERMOPLASTIC, STANDARD- ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.105
	E701- 18-221	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SKIP,6"	GM	0.105
	E706- 1-42	REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B)	EA	1,680.000
	E711- 14- 1	THERMOPLASTIC, PREFORMED, WHITE, HELMETED BICYCLIST SYMBOL	EA	8.000
	E711- 14- 2	THERMOPLASTIC, PREFORMED, WHITE, ALPHANUMERIC MESSAGE	SF	2.100
	E711- 14- 3	THERMOPLASTIC, PREFORMED, WHITE, BIKE LANE ARROW	EA	10.000

ALT	Item	Description	Unit	Quantity
	E711- 14- 4	THERMOPLASTIC, PREFORMED, WHITE, TRAVELED WAY ARROW, SINGLE DIRECTION	EA	10.000
	E711- 14- 5	THERMOPLASTIC, PREFORMED, WHITE, TRAVELED WAY ARROW, BI-DIRECTIONAL	EA	10.000

Letting: 05251104 Call Order: 003 Proposal: E55D4-R0 District:05

Counties: LAKE, ORANGE Road Name: Drainage Repair

Limits: Midpoint

Project(s): 44400117214(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:11/04/25

Total Proposal Length:

0.000 Miles

Contract Execution Days:

N/A

Special Start Date:

N/A

Special Start Date:
Aquis/Flexible Start Time:

Proposal Budget Estimate: \$500,000.00

Please read the full advertisement

Description: FDOT District 5

Proposal ID No.: E55D4

Financial Project No.: 444001-1-72-14

Fiscal Year: 2026 County: Lake & Orange Calendar Days: 365

This is a Maintenance Work Document driven Contract with a budget estimate of \$500,000.00. The Contract will be awarded at the budget estimate amount. This Contract includes an option for renewal(s).

Intent:

The work under this Contract consists of drainage repairs, including manhole adjustments with lid & ring replacement and desilting & video inspection of storm water pipes on an as-needed basis on Department maintained rights of way in Lake and Orange Counties.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Drainage Repair, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Drainage" will suffice to meet the above requirements.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

		Call Order: 003 Proposal: E55D4-R0		
ALT	Item	Description	Unit	Quantity
Section (0001 CLEAN DI	RAINAGE STRUCTURES (LF)		
	0425- 5-	MANHOLE, ADJUST	EA	55.000
	0425- 16- 11	DRAINAGE MANHOLE- REPLACE TOP AND RIM	EA	55.000
	0430- 94- 1	DESILTING PIPE, 0 - 24"	LF	1,000.000
	0430- 94- 2	DESILTING PIPE, 25 - 36"	LF	1,000.000
	0430- 94- 3	DESILTING PIPE, 37 - 48"	LF	1,000.000
	0430- 94- 4	DESILTING PIPE, 49 - 60"	LF	750.000
	0430- 94- 5	DESILTING PIPE, 61" OR GREATER	LF	200.000
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	3,950.000

Letting: 05251104 Call Order: 004 Proposal: E58F5 District:05

Counties: BREVARD Road Name: SR 514 Limits: 70180000

Project(s): 45072915201(*) Federal Aid No: N/A

Total Roadway Length:0.878 MilesContract Days:140Total Bridge Length:0.000 MilesLetting Date:11/04/25Total Proposal Length:0.878 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 30 Days

Proposal Budget Estimate: \$1,947,857.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of milling and resurfacing to restore the functional condition of the pavement, reconstruction of existing curb ramps for ADA compliance, and signing and pavement markings on State Road 514 from West of I-95 to East of SR 507 (Babcock Street), approximately 0.878 miles in Brevard County.

PREQUALIFICATION REQUIRED

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (45072915201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45072915201)	LS	1.000
	0102- 5-	PEDESTRIAN ESCORT/FLAGGER	HR	30.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	540.000
	0102- 60-	WORK ZONE SIGN	ED	4,568.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	32,930.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	392.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	110.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	110.000
	0102-115-	TYPE III BARRICADE	ED	14.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	23.000
	0107- 1-	LITTER REMOVAL	AC	32.540
	0107- 2-	MOWING	AC	28.270
	0110- 1- 1	CLEARING & GRUBBING (45072915201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	184.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	42.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	28,605.000
	0327-70-7	MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH	SY	2,033.000
	0327-70-8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	19,018.000
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	282.500
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	5,145.500
	0425- 5-	MANHOLE, ADJUST	EA	1.000

		Can Order. 004 Troposal. E3013		
ALT	Item	Description	Unit	Quantity
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	76.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	329.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	22.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	116.000
	0527- 2-	DETECTABLE WARNINGS	SF	290.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	100.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	148.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	6.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	6.000
	0695- 7-162	TRAFFIC MONITORING SITE CABINET, F&I, TYPE 3, 2 PANE BACK, PEDESTAL MOUNT	EA	1.000
	0695- 7-600	TRAFFIC MONITORING SITE CABINET, REMOVE EXISTING CABINET	EA	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,299.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	2.374
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.495
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	1,976.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	685.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	558.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	2.972
	0710- 11-133	PAINTED PAVEMENT MARKING, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE,	GM	0.108
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.707
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	19.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	70.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	1.707
	0710- 11-202	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.038
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	291.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.130
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45072915201)	LS	1.000
Section	n 0002 Signing			
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	12.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	1.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	10.000
	0700- 1-913	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I CANTILEVER	EA	1.000

ALT	Item	Description	Unit	Quantity
	0700- 2-112	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	1.000
	0700- 2-113	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF	EA	1.000
	0700- 2-600	MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	3.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	14.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	14.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	16.000
	0704- 1- 4	TUBULAR MARKER, 36" YELLOW POST	EA	7.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	3.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,299.000
	0710- 12-290	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE	SF	126.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45072915201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	1,976.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	685.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	558.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.707
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	19.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	70.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	291.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.130
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,192.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	20.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	20.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	6.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	2.374
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.495
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	2.972
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"-APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.108
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.707
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	0.038

Letting: 05251104 Call Order: 005 Proposal: E58F6 District:05

Counties: ORANGE
Road Name: SR 436
Limits: 75120000

Project(s): 45064015201(*) Federal Aid No: N/A
Project(s): 45064025201 Federal Aid No: N/A

Total Roadway Length:

2.274 Miles

Contract Days:

270

Total Bridge Length:

0.000 Miles

Letting Date:

11/04/25

Total Proposal Length:

Contract Execution Days:

Special Start Date:

N/A

Aquis/Flexible Start Time: 30 FLEXIBLE

Proposal Budget Estimate: \$7,433,562.00

Please read the full advertisement

Description:

The Improvements under this Contract consist of milling & resurfacing, sidewalk, traffic signals, signing and pavement markings on State Road 436 from US 441 to the Seminole County Line, approximately 2.27 miles in Orange County.

PREQUALIFICATION REQUIRED

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (45064015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45064015201)	LS	1.000
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (45064015201)	LS	1.000
	0102- 5-	PEDESTRIAN ESCORT/FLAGGER	HR	42.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	512.000
	0102- 60-	WORK ZONE SIGN	ED	27,609.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	33,924.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	13,091.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	340.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	866.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	1,080.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	1,080.000
	0102-115-	TYPE III BARRICADE	ED	12.000
	0104- 10- 3	SEDIMENT BARRIER	LF	2,316.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	229.000
	0107- 1-	LITTER REMOVAL	AC	270.290
	0107- 2-	MOWING	AC	198.900
	0110- 1- 1	CLEARING & GRUBBING (45064015201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	1,024.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	47.000
	0120- 71-	REGULAR EXCAVATION (3-R PROJECTS ONLY) (45064015201)	LS	1.000

		Can Order: 003 Troposai. E3010		
ALT	Item	Description	Unit	Quantity
	0327- 70- 4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	125,063.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	25,350.000
	0327- 70- 7	MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH	SY	1,508.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	10,525.100
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	12,534.100
	0425- 5-	MANHOLE, ADJUST	EA	10.000
	0425- 5- 1	MANHOLE, ADJUST, UTILITIES	EA	6.000
	0425- 6-	VALVE BOXES, ADJUST	EA	18.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	1,064.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	833.000
	0527- 2-	DETECTABLE WARNINGS	SF	741.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	1,162.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	168.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	164.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	21.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	16.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	16.000
	0695- 7-162	TRAFFIC MONITORING SITE CABINET, F&I, TYPE 3, 2 PANE BACK, PEDESTAL MOUNT	EA	2.000
	0695- 7-600	TRAFFIC MONITORING SITE CABINET, REMOVE EXISTING CABINET	EA	2.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	2,354.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	8.295
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.336
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	12,130.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	538.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	4,184.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	10.172
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	1.706
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	69.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	82.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	4.207
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.005
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45064015201)	LS	1.000
Sectio	n 0002 Signing			
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	60.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	11.000

		Call Order: 003 Troposal: E3010		
Quantity	Unit	Description	Item	ALT
14.000	EA	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF	0700- 1-113	
44.000	EA	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	0700- 1-600	
11.000	EA	SIGN PANEL, REMOVE, UP TO 12 SF	0700- 3-601	
55.000	EA	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	0700- 13- 15	
3,854.000	EA	RAISED PAVEMENT MARKER, TYPE B	0706- 1- 3	
552.000	SF	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE	0710- 12-290	
1.000	LS	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45064015201)	0710- 90-	
0.336	GM	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	0711- 11-102	
5,628.000	LF	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	0711- 11-123	
538.000	LF	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	0711- 11-124	
1,139.000	LF	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	0711- 11-125	
1.865	GM	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	0711- 11-141	
14.000	EA	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	0711- 11-160	
197.000	EA	THERMOPLASTIC, STANDARD, WHITE, ARROW	0711- 11-170	
214.000	LF	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	0711- 11-224	
0.281	GM	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	0711- 11-241	
2,813.000	LF	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	0711- 14-125	
69.000	EA	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	0711- 14-160	
61.000	EA	THERMOPLASTIC, PREFORMED, WHITE, ARROW	0711- 14-170	
64.000	LF	THERMOPLASTIC, PREFORMED, 24" WHITE WITH 4" BLACK CONTRAST FOR CROSSWALK ON CONCRETE PAVEMENT, 32"	0711- 14-526	
78.000	LF	THERMOPLASTIC, PREFORMED, 12" WHITE WITH 4" BLACK CONTRAST FOR CROSSWALK ON CONCRETE PAVEMENT, 20"	0711- 14-528	
6.000	EA	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	0711- 14-660	
8.264	GM	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	0711- 16-101	
10.200	GM	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	0711- 16-131	
0.060	GM	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"-APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	0711- 16-133	
4.180	GM	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	0711- 16-201	
0.027	GM	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	0713-103-101	
0.027	GM	PERMANENT TAPE, WHITE, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	0713-103-181	
0.027	GM	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	0713-103-201	
0.027	GM	PERMANENT TAPE, BLACK, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	0713-103-381	
194.000	SF	PREFORMED/PERMANENT TAPE, REMOVE	0713-107-	
2,055.000	SF	GREEN-COLORED PAVEMENT MARKINGS, BIKE LANE	0714- 10-	

ALT	Item	Description	Unit	Quantity
Section	0003 Signalizat	tion		
	0101- 1-	MOBILIZATION (45064025201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45064025201)	LS	1.000
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	2.274
	0611- 2- 1	ITSFM LOCATION DOCUMENTATION- INTERSECTION	EA	4.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	108.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	458.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	150.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	2.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	2.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	270.000
	0633- 8-12	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL, COMPOSITE	LF	2,673.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	20.000
	0646- 1-12	ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST	EA	2.000
	0660- 1-600	LOOP DETECTOR INDUCTIVE, REMOVE- CABINET TO REMAIN	EA	46.000
	0660- 4-11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	4.000
	0660- 4-12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	16.000
	0660- 4-51	VEHICLE DETECTION SYSTEM- VIDEO, ADJUST/MODIFY CABINET EQUIPMENT	EA	6.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	2.000
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	2.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	4.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	6.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45064025201)	LS	1.000

Proposal: E59D3-R0 Lettina: 05251104 Call Order: 006 District:05

Counties: LAKE, ORANGE

MISCELLANEOUS CONCRETE REPAIR Road Name:

Limits: Midpoint

Project(s): 42795617269(*) Federal Aid No: N/A

0.000 Miles Total Roadway Length: Contract Days: 365 Total Bridge Length: 0.000 Miles Letting Date: 11/04/25 Total Proposal Length: 0.000 Miles Contract Execution Days: 10 N/A

Special Start Date:

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$400,000.00

Please read the full advertisement

Description:

FDOT District 5

Proposal ID No.: E59D3

Financial Project No.: 427956-1-72-69

Fiscal Year: 2026

Counties: Lake and Orange Calendar Days: 365

This is a Maintenance Work Document driven Contract with a budget estimate of \$400,000.00. The Contract will be awarded at the budget estimate amount. This Contract includes an option for renewal(s).

Intent:

The work under this Contract consists of performing miscellaneous concrete repairs, including sidewalks, inlet tops, curb and gutter, mitered end sections, and concrete slope pavement on an as-needed basis within Department rights-of-way, easements, and parcels located in Lake County and a small portion of Orange County.

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of concrete repair, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Portland Cement Concrete Roadway Paving" will suffice to meet the above requirements.

Note:

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

ALT	Item	Description	Unit	Quantity		
Section	Section 0001 CONCRETE REPAIR (CY)					
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	1,200.000		
	0120- 6-	EMBANKMENT	CY	10.000		
	0425- 15- 41	INLET TOP, REPAIR, CURB INLET	EA	1.000		
	0425- 15- 42	INLET TOP, REPAIR, DITCH BOTTOM INLET	EA	10.000		
	0425- 15- 51	INLET TOP, REPLACE, CURB INLET	EA	8.000		

ALT	Item	Description	Unit	Quantity
ALI	0425- 15- 52	INLET TOP, REPLACE, DITCH BOTTOM INLET	EA	1.000
	0425- 16- 11	DRAINAGE MANHOLE- REPLACE TOP AND RIM	EA	10.000
	0430-518-100	STRAIGHT CONCRETE ENDWALLS, 18", SINGLE, 0 DEGREES,	EA	2.000
	0430-310-100	ROUND	LA	2.000
	0430-524-100	STRAIGHT CONCRETE ENDWALLS, 24", SINGLE, 0 DEGREES, ROUND	EA	1.000
	0430-602-125	U-ENDWALL, WITH GRATE, INDEX 260/430-010, 1:4 SLOPE, 18"	EA	1.000
	0430-602-129	U-ENDWALL, WITH GRATE, INDEX 260/430-010, 1:4 SLOPE, 24"	EA	1.000
	0430-602-133	U-ENDWALL, WITH GRATE, INDEX 260/430-010, 1:4 SLOPE, 30"	EA	1.000
	0430-982-123	MITERED END SECTION, OPTIONAL ROUND, 15" CD	EA	5.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	25.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	12.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	5.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	5.000
	0430-982-140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	1.000
	0430-982-141	MITERED END SECTION, OPTIONAL ROUND, 48" CD	EA	1.000
	0430-984-121	MITERED END SECTION, OPTIONAL ROUND, 12" SD	EA	1.000
	0430-984-123	MITERED END SECTION, OPTIONAL ROUND, 15" SD	EA	1.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	5.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	5.000
	0430-984-133	MITERED END SECTION, OPTIONAL ROUND, 30" SD	EA	3.000
	0430-984-138	MITERED END SECTION, OPTIONAL ROUND, 36" SIDE DRAIN	EA	1.000
	0430-984-140	MITERED END SECTION , OPTIONAL ROUND, 42" SD	EA	1.000
	0430-991-	MITERED END SECT, REPLACE SLAB- CONSTRUCTION USE	EA	5.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	100.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	250.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	100.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	125.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	1,000.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	200.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	20.000
	0524- 1- 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	20.000
	0524- 1- 4	CONCRETE DITCH PAVEMENT, NON REINFORCED, 6"	SY	20.000
	0524- 1-29	CONCRETE DITCH PAVEMENT, 4", REINFORCED	SY	20.000
	0524- 1-49	CONCRETE DITCH PAVEMENT, 6", REINFORCED	SY	20.000
	0527- 2-	DETECTABLE WARNINGS	SF	20.000
	0530- 1-100	RIPRAP, SAND-CEMENT BAGS	CY	5.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	250.000
	0920-530-100	FABRIC FORMED CONCRETE RIPRAP	SY	100.000
	E110- 2-	CLEARING & GRUBBING	AC	0.500
	E524- 1- 1	CONCRETE DITCH PAVEMENT REPAIR	CY	25.000
	E524- 2- 1	CONCRETE SLOPE PAVEMENT REPAIR	CY	15.000

Letting: 05251104 Call Order: 007 Proposal: E59D9 District:05

Counties: LAKE

Road Name: Drainage Repair

Limits: Midpoint

Project(s): 41232657268(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:170Total Bridge Length:0.000 MilesLetting Date:11/04/25Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$220,000.00

Please read the full advertisement

Description:

FDOT District 5

Proposal ID No.: E59D9

Financial Project No.: 412326-5-72-68

County: Lake

Calendar Days: 170 days Lead Time: 14 days

This is a Maintenance Lump Sum Contract.

Intent:

The work under this Contract consists of drainage repairs, including clearing & grubbing and ditch reshaping; pipe, drainage inlet, endwall with baffles and mitered end sections installation; and sidewalk reconstruction, slope restoration, and sodding in specified locations in Lake County.

Experience:

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of drainage repair, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Drainage" will suffice to meet the above requirements.

Call Order: 007 Proposal: E59D9

ALT	tem Description	Unit	Quantity		
Section 0001 CLEAN DRAINAGE STRUCTURES (LF)					
0999-	2- LUMP SUM CONTRACT, ALTERNATIVE BIDDING	LS	1.000		