

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

Letting: 05260106 Call Order: 003 Proposal: E55D0-R0 District:05  
 Counties: FLAGLER, LAKE, SEMINOLE, VOLUSIA

Road Name: PAVEMENT MARKINGS & RPMs  
 Limits: Midpoint

Project(s): 44410017225(\*) Federal Aid No: N/A

|                        |             |                            |          |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length:  | 0.000 Miles | Contract Days:             | 365      |
| Total Bridge Length:   | 0.000 Miles | Letting Date:              | 01/06/26 |
| Total Proposal Length: | 0.000 Miles | Contract Execution Days:   | 10       |
|                        |             | Special Start Date:        | N/A      |
|                        |             | Aquis/Flexible Start Time: |          |

Proposal Budget Estimate: \$500,000.00

Please read the full advertisement

**Description:**

FDOT District 5  
 Proposal ID No.: E55D0  
 Financial Project No.: 444100-1-72-25  
 Fiscal Year: 2026  
 Counties: Volusia, Flagler & Lake, Seminole  
 Calendar Days: 365

This is a Maintenance Work Document driven Contract with a budget estimate of \$500,000.00. The Contract will be awarded at the budget estimate amount. This Contract includes an option for renewal(s).

**Intent:**

The work under this Contract consists of the removal and replacement of pavement markings and RPMs on Department maintained roadways on an as-needed basis in Lake, Seminole, Volusia and Flagler Counties.

**Experience:**

For this Contract the Contractor is required to have at least three (3) years of experience in the performance of Pavement Markings, or the Project Superintendent must have at least three (3) years of like experience as a Superintendent. A Contractor that presently has a certificate of prequalification with the Department in "Pavement Markings" will suffice to meet the above requirements.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

**Call Order: 003 Proposal: E55D0-R0**

| ALT  | Item         | Description   | Unit | Quantity  |
|--|--------------|---|------|-----------|
| <b>Section 0001 PAVEMENT STRIPING (LARGE MACHINE) (LM)</b> |              |   |      |           |
|  | 0102- 14-    | TRAFFIC CONTROL OFFICER   | HR   | 150.000   |
|  | 0701- 17-101 | PROFIED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, WHITE, SOLID,6"  | GM   | 2.000     |
|  | 0701- 17-201 | PROFIED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SOLID,6" | GM   | 1.000     |
|  | 0706- 1- 3   | RAISED PAVEMENT MARKER, TYPE B                                      | EA   | 2,000.000 |
|  | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE            | SF   | 10.000    |

**Call Order: 003 Proposal: E55D0-R0**

| ALT | Item         | Description  | Unit | Quantity  |
|-----|--------------|--|------|-----------|
|     | 0710- 11-331 | PAINTED PAVEMENT MARKINGS, STANDARD,BLACK, SKIP, 6"  | GM   | 1.000     |
|     | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND                         | GM   | 0.200     |
|     | 0711- 11-103 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS                                | GM   | 1.000     |
|     | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT                            | LF   | 3,000.000 |
|     | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS                              | LF   | 100.000   |
|     | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK                             | LF   | 1,000.000 |
|     | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"                       | GM   | 15.000    |
|     | 0711- 11-144 | THERMOPLASTIC, STANDARD, WHITE, 2-2 DOTTED EXTENSION LINE, 12" FOR ROUNDABOUT                      | GM   | 3.000     |
|     | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL  | EA   | 20.000    |
|     | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW  | EA   | 30.000    |
|     | 0711- 11-180 | THERMOPLASTIC, STANDARD, WHITE, YIELD LINE   | LF   | 60.000    |
|     | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON                                | LF   | 500.000   |
|     | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"             | GM   | 5.000     |
|     | 0711- 12-101 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6"   | GM   | 5.000     |
|     | 0711- 12-122 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 8"   | LF   | 5.000     |
|     | 0711- 12-131 | THERMOPLASTIC, REFURBISHMENT, WHITE, SKIP, 6"  | GM   | 2,200.000 |
|     | 0711- 12-201 | THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6"  | GM   | 3,500.000 |
|     | 0711- 12-222 | THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 8" MAINTENANCE USE ONLY                               | LF   | 20.000    |
|     | 0711- 12-231 | THERMOPLASTIC, REFURBISHMENT, YELLOW, SKIP, 6"   | GM   | 7.000     |
|     | 0711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK  | LF   | 500.000   |
|     | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK  | LF   | 400.000   |
|     | 0711- 14-141 | THERMOPLASTIC, PREFORMED, WHITE, 2-4 DOTTED GUIDELINE ON CONCRETE SURFACES                         | GM   | 7.000     |
|     | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE   | EA   | 40.000    |
|     | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW   | EA   | 40.000    |
|     | 0711- 14-241 | THERMOPLASTIC, PREFORMED, YELLOW, 2-4 DOTTED GUIDELINE ON CONCRETE SURFACES                        | GM   | 5.000     |
|     | 0711- 14-341 | THERMOPLASTIC, PREFORMED, BLACK, 2-4 DOTTED GUIDELINE ON CONCRETE SURFACES                         | GM   | 7.000     |
|     | 0711- 14-526 | THERMOPLASTIC, PREFORMED, 24" WHITE WITH 4" BLACK CONTRAST FOR CROSSWALK ON CONCRETE PAVEMENT, 32" | LF   | 200.000   |
|     | 0711- 14-527 | THERMOPLASTIC, PREFORMED, 24" WHITE WITH 4" BLACK CONTRAST FOR STOP LINE ON CONCRETE PAVEMENT, 32" | LF   | 200.000   |
|     | 0711- 14-528 | THERMOPLASTIC, PREFORMED, 12" WHITE WITH 4" BLACK CONTRAST FOR CROSSWALK ON CONCRETE PAVEMENT, 20" | LF   | 200.000   |
|     | 0711- 14-560 | THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL        | EA   | 14.000    |
|     | 0711- 14-570 | THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE                     | EA   | 14.000    |

**Call Order: 003 Proposal: E55D0-R0**

| ALT | Item         | Description  | Unit | Quantity  |
|-----|--------------|--|------|-----------|
|     | 0711- 14-660 | THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD   | EA   | 1.000     |
|     | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES<br>WHITE, SOLID, 6"                             | GM   | 2.000     |
|     | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES,<br>WHITE, SOLID, 8"                            | GM   | 2.000     |
|     | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES,<br>WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM   | 2.000     |
|     | 0711- 15-171 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES,<br>WHITE, 6", 6-10 DOTTED MANAGED LANE MARKING | GM   | 2.000     |
|     | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES,<br>YELLOW, SOLID, 6"                           | GM   | 2.000     |
|     | 0711- 15-202 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES<br>YELLOW, SOLID, 8"                            | GM   | 0.400     |
|     | 0711- 15-231 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES,<br>YELLOW, SKIP, 6"                            | GM   | 3.000     |
|     | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"   | GM   | 10.000    |
|     | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"   | GM   | 4.000     |
|     | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP,<br>6",10-30 SKIP OR 3-9 LANE DROP               | GM   | 7.000     |
|     | 0711- 16-171 | THERMOPLASTIC, STANDARD OTHER SURFACES, WHITE, 6", 6-10<br>DOTTED MANAGED LANE MARKING               | GM   | 7.000     |
|     | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID,<br>6"   | GM   | 8.000     |
|     | 0711- 16-202 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID,<br>8"   | GM   | 1.000     |
|     | 0711- 16-231 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"   | GM   | 4.800     |
|     | 0711- 17- 1  | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT<br>MARKINGS- SURFACE TO REMAIN                 | SF   | 1,000.000 |
|     | 0713-103-102 | PERMANENT TAPE, WHITE, SOLID, 8" EXIT LANE AT INTERCHANGE<br>ON CONCRETE PAVEMENT                    | GM   | 0.250     |
|     | 0713-103-103 | PERMANENT TAPE, WHITE, SOLID LANE DROP MARKING, 12" FOR<br>CONCRETE BRIDGES                          | GM   | 0.250     |
|     | 0713-103-173 | PERMANENT TAPE, WHITE, 3-9 DOTTED, 12" WIDE, FOR CONCRETE<br>SURFACES                                | GM   | 0.500     |
|     | 0713-103-181 | PERMANENT TAPE, WHITE, 10-30 SKIP, 6" WIDE, FOR CONCRETE<br>SURFACES                                 | GM   | 0.500     |
|     | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES   | GM   | 0.500     |
|     | 0713-103-281 | PERMANENT TAPE, YELLOW, 10-30 SKIP, 6" WIDE, FOR CONCRETE<br>SURFACES                                | GM   | 0.500     |
|     | 0713-103-381 | PERMANENT TAPE, BLACK, 10-30 SKIP, 6" WIDE, FOR CONCRETE<br>SURFACES                                 | GM   | 0.500     |
|     | E706- 1- 42  | REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS<br>B)   | EA   | 7,000.000 |
|     | E711- 3- 1   | PAVEMENT MESSAGES (THERMOPLASTIC)  | SF   | 35.000    |