

BID SOLICITATION NOTICE – District 6
FLORIDA DEPARTMENT OF TRANSPORTATION
CONSTRUCTION AND MAINTENANCE PROGRAMS
District Six, Adam Leigh Cann Building
1000 NW 111 Avenue Procurement Office, Room 6202-B
Miami, FL 33172

Miami, FL
June 18, 2020
Advertisement No. 01

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <http://www.fdot.gov/contracts> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <http://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 11:00 AM Local Time on **Thursday, July 30, 2020.**

Bid totals for each bid submitted will be read aloud for those present and will be available at 11:00 AM **July 30, 2020** in the above referenced location.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (305)470-5457. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain>, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d6, click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

-----NOTE-----

Proposals will not be issued after 11:00 AM Local Time on Wednesday, July 29, 2020 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit http://dms.myflorida.com/egovernment_tools/myflorida_marketplace for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid,

the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <http://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d6, click "[Letting and Project Information](#)" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.**

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal>.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <http://www.surety2000.com> for Surety2000 or <http://www.insurevision.com> for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance (EOC)** system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <https://www.fdot.gov/equalopportunity/eoc.shtm>

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2

POSTING NOTICE

The bid tabulation and intent to award will be posted on **August 25, 2020** or **August 25, 2020** at www.fdot.gov/contracts/d6, click the **"Letting and Project Information"** and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely

monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm>, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at <http://www.floridajobs.org>.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to <http://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <http://www.fdot.gov/contracts/distco.shtm>.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5).Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation
Notice to Contractors Index**

Published: June 18, 2020

Letting ID: 06200730

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the July 30, 2020 letting.

| Page Number | Proposal Id | Proposal Notes | Fin Proj Numbers | County |
|--------------------|--------------------|-----------------------|-------------------------|---------------|
| 7 | E6L94 | | 43653915201(*) | MIAMI-DADE |
| 8 | E6M46 | | 43468435201(*) | MONROE |
| 17 | E6M53 | | 43143335201(*) | MIAMI-DADE |
| 26 | E6N32-R0 | | 43368367201(*) | MIAMI-DADE |
| 28 | E6N33-R0 | | 42829537201(*) | MIAMI-DADE |

Proposal Note Codes:

Note: () indicates lead project*

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 06200730 Call Order: 001 Proposal: E6L94 District:06

Counties: MIAMI-DADE

Road Name: SR 856/WM LEHMAN CSWAY OVER INTRACOASTAL CANAL

Limits: 87210000

Project(s): 43653915201(*) Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length: | 0.894 Miles | Contract Days: | 240 |
| Total Bridge Length: | 0.493 Miles | Letting Date: | 07/30/20 |
| Total Proposal Length: | 1.387 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | 30 |

Proposal Budget Estimate: \$2,510,417.00

Please read the full advertisement

Description:

Electronic bids are requested for a contract that consists of Bridge-Painting along SR 856/Lehman Causeway over Intracoastal Canal Bridges No# 870606 and 870607 in Miami-Dade County. The Summary of pay items for this project is listed in the Plans. Prequalification is required.

Visit www.bidx.com for more information

Call Order: 001 Proposal: E6L94

| ALT | Item | Description | Unit | Quantity |
|--------------------------------|-------------|--|------|------------|
| Section 0001 Structures | | | | |
| | 0400-143- | CLEANING & COATING CONCRETE SURFACE, CLASS 5 | SF | 83,743.000 |
| | 0401- 70- 3 | RESTORE SPALLED AREAS, LATEX MODIFIED MORTAR- ACRYLIC | CF | 53.000 |
| | 0411- 1- | EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB | GA | 4.000 |
| | 0411- 2- | CRACKS INJECT & SEAL- STRUCTURES REHAB | LF | 131.000 |
| | 0413-149- | PENETRANT SEALER | GA | 8.000 |
| | 0506- 2- | BRIDGE DRAINAGE PIPE | LF | 296.000 |
| | 0561- 1- | COATING EXISTING STRUCTURAL STEEL (43953915201 870606-870607) | LS | 1.000 |
| Section 0002 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (43653915201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (43653915201) | LS | 1.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 3,360.000 |
| | 0102- 62- | BARRIER MOUNTED WORK ZONE SIGN- INDEX 11871/700-013 | ED | 150.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 19,760.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 4,260.000 |
| | 0102- 75- 1 | TEMPORARY SEPARATOR, F&I REMOVE | LF | 120.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 240.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 340.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 300.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43653915201) | LS | 1.000 |

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: 06200730 Call Order: 002 Proposal: E6M46 District:06

Counties: MONROE

Road Name: MONROE COUNTYWIDE TRAFFIC OPERATIONS IMPROVEMENT

Limits: Midpoint

Project(s): 43468435201(*) Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length: | 0.000 Miles | Contract Days: | 730 |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 07/30/20 |
| Total Proposal Length: | 0.000 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | 30 |

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

Description: Bid Factor Bidding

Electronic bids are requested for a Push-button/ Bid Factor/Budgetary Ceiling contract that consists of Traffic Operations-Signals-Traffic Operation OPS Improvements at various Countywide Locations in Monroe County. Pre-qualification is required.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or exact quantities shown for each bid item. Use the Department's quantities and prices listed for each item in the bid Price Proposal to determine a single bid factor. The bid factor will be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed.

METHOD OF PROCUREMENT-Bid Factor Method:

- o The Department provides quantities and predetermined Base Unit Prices for pay items which are included in the Contract Plans and Advertisement.
- o The Bidder shall propose a single Bid Factor expressed as a number carried out to 3 decimal places. The proposed Bid Factor will be applied to all predetermined pay item Base Unit Prices included in the advertisement.
- o The Bid Factor of 1.000 shall be 100% of the Base Unit Price, any number above 1.000 will increase the Base Unit Price, and any number below 1.000 will decrease the Base Unit Price.
- o The lowest Bidder will be determined by the lowest Bid Factor submitted in response to the advertisement.
- o Award of the contract is based upon the bidder who submits a responsive and responsible bid with the lowest Bid Factor.

The Award Amount shall be based on the Budgetary ceiling Amount of \$1,000,000.00 and not the vendors bid total over the two (2) year term of the contract. If vendors bid is above the Budgetary Ceiling amount, vendor will receive the budgetary ceiling amount. If vendors bid is below the Budgetary Ceiling amount, vendor will receive their bid amount.

REQUIRED SUBMITTAL WITH BID: Bid Factor Bidding Sheet must be submitted with the bid as an attachment.

PERFORMANCE BOND: A Contract / Performance bond is required for this project

Visit www.bidx.com for more information

Call Order: 002 Proposal: E6M46

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|--|------|-----------|
| Section 0001 Roadway | | | | |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 400.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 1,600.000 |
| | 0102- 71- 15 | TEMPORARY BARRIER, F&I, ANCHORED | LF | 200.000 |
| | 0102- 71- 16 | TEMPORARY BARRIER, F&I, FREE STANDING | LF | 200.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 2,000.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 1,000.000 |

Call Order: 002 Proposal: E6M46

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-----------|
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 300.000 |
| | 0102- 78- | TEMPORARY RETROREFLECTIVE PAVEMENT MARKER | EA | 100.000 |
| | 0102- 89- 1 | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION | LO | 4.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 30.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 300.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 300.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 50.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 20.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 1,500.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 100.000 |
| | 0120- 6- | EMBANKMENT | CY | 100.000 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 200.000 |
| | 0210- 1- 1 | REWORKING LIMEROCK BASE, 6" | SY | 300.000 |
| | 0285-702- | OPTIONAL BASE, BASE GROUP 02 | SY | 200.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 300.000 |
| | 0285-715- | OPTIONAL BASE, BASE GROUP 15 | SY | 200.000 |
| | 0327- 70- 1 | MILLING EXIST ASPH PAVT, 1" AVG DEPTH | SY | 500.000 |
| | 0327- 70- 19 | MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH | SY | 800.000 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 200.000 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 50.000 |
| | 0337- 7- 82 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22 | TN | 50.000 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 10.000 |
| | 0400- 0- 11 | CONCRETE CLASS NS, GRAVITY WALL | CY | 40.000 |
| | 0425- 1-351 | INLETS, CURB, TYPE P-5, <10' | EA | 10.000 |
| | 0425- 5- | MANHOLE, ADJUST | EA | 10.000 |
| | 0425- 6- | VALVE BOXES, ADJUST | EA | 10.000 |
| | 0430-174-118 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD | LF | 20.000 |
| | 0515- 1- 2 | PIPE HANDRAIL - GUIDERAIL, ALUMINUM | LF | 100.000 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 200.000 |
| | 0520- 2- 4 | CONCRETE CURB, TYPE D | LF | 100.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 400.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 800.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 200.000 |
| | 0536- 1- 0 | GUARDRAIL -ROADWAY, GENERAL/LOW SPEED TL-2 | LF | 100.000 |
| | 0536- 1- 1 | GUARDRAIL -ROADWAY, GENERAL TL-3 | LF | 100.000 |
| | 0536- 7- 1 | SPECIAL GUARDRAIL POST- DEEP POST FOR SLOPE BREAK CONDITION- TIMBER OR STEEL | EA | 8.000 |
| | 0536- 8- 12 | APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-2 | EA | 4.000 |
| | 0536- 8- 13 | APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3 | EA | 4.000 |
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 200.000 |
| | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE | EA | 2.000 |
| | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL | EA | 2.000 |

Call Order: 002 Proposal: E6M46

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|-----------|
| | 0538- 1- | GUARDRAIL RESET | LF | 100.000 |
| | 0546- 71- 1 | RAISED RUMBLE STRIP SET- PERMANENT | EA | 40.000 |
| | 0546- 72- 1 | GROUND-IN RUMBLE STRIPS, 16" | GM | 1.000 |
| | 0546- 72- 2 | GROUND-IN RUMBLE STRIPS, 8" CYLINDRICAL | GM | 2.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 1,000.000 |
| | 0570- 1- 3 | PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 | SY | 300.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 1.000 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 1.000 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 300.000 |
| | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 300.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 300.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 1.000 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 1.000 |
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 20.000 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 20.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 1.000 |
| | 0710- 11-202 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 1.000 |
| | 0710- 11-224 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 200.000 |
| | 0710- 11-231 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" | GM | 1.000 |
| | 0710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | GM | 1.000 |
| Section 0002 Signing | | | | |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 32.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 12.000 |
| | 0700- 1- 13 | SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 4.000 |
| | 0700- 1- 14 | SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF | AS | 4.000 |
| | 0700- 1- 21 | SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF | AS | 4.000 |
| | 0700- 1- 22 | SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF | AS | 4.000 |
| | 0700- 1- 31 | SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF | AS | 4.000 |
| | 0700- 1- 32 | SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF | AS | 4.000 |
| | 0700- 1- 33 | SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 21-30 SF | AS | 4.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 12.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 12.000 |
| | 0700- 2- 11 | MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 1.000 |
| | 0700- 2- 12 | MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 1.000 |

Call Order: 002 Proposal: E6M46

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|----------|
| | 0700- 2- 13 | MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 1.000 |
| | 0700- 2- 14 | MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF | AS | 1.000 |
| | 0700- 2- 15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 2.000 |
| | 0700- 2- 50 | MULTI- POST SIGN, GROUND MOUNT, RELOCATE | AS | 2.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 2.000 |
| | 0700- 3-101 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF | EA | 4.000 |
| | 0700- 3-102 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF | EA | 2.000 |
| | 0700- 3-103 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF | EA | 2.000 |
| | 0700- 3-104 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF | EA | 2.000 |
| | 0700- 3-105 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF | EA | 2.000 |
| | 0700- 3-106 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF | EA | 2.000 |
| | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 10.000 |
| | 0700- 3-202 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF | EA | 2.000 |
| | 0700- 3-206 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF | EA | 2.000 |
| | 0700- 3-501 | SIGN PANEL, RELOCATE, UP TO 12 SF | EA | 2.000 |
| | 0700- 3-502 | SIGN PANEL, RELOCATE, 12-20 SF | EA | 1.000 |
| | 0700- 3-503 | SIGN PANEL, RELOCATE, 21-30 SF | EA | 1.000 |
| | 0700- 3-504 | SIGN PANEL, RELOCATE, 31-50 SF | EA | 1.000 |
| | 0700- 3-505 | SIGN PANEL, RELOCATE, 51-100 SF | EA | 1.000 |
| | 0700- 3-506 | SIGN PANEL, RELOCATE, 101-200 SF | EA | 1.000 |
| | 0700- 3-601 | SIGN PANEL, REMOVE, UP TO 12 SF | EA | 8.000 |
| | 0700- 3-602 | SIGN PANEL, REMOVE, 12-20 SF | EA | 1.000 |
| | 0700- 3-603 | SIGN PANEL, REMOVE, 21-30 SF | EA | 1.000 |
| | 0700- 3-604 | SIGN PANEL, REMOVE, 31-50 SF | EA | 1.000 |
| | 0700- 3-605 | SIGN PANEL, REMOVE, 51-100 SF | EA | 1.000 |
| | 0700- 11-131 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK SIGN, UP TO 12 SF | AS | 2.000 |
| | 0700- 11-132 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK SIGN, 12-20 SF | AS | 2.000 |
| | 0700- 11-231 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- SOLAR POWER, SPEED FEEDBACK, UP TO 12 SF | AS | 2.000 |
| | 0700- 11-391 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL OVERHEAD MOUNT- AC POWERED, BLANK OUT SIGN, UP TO 12 SF | AS | 2.000 |
| | 0700- 12- 11 | SIGN BEACON, F&I GROUND MOUNT- AC POWERED, ONE BEACON | AS | 2.000 |
| | 0700- 12- 12 | SIGN BEACON, F&I GROUND MOUNT- AC POWERED, TWO BEACONS | AS | 2.000 |
| | 0700- 12- 21 | SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, ONE BEACON | AS | 2.000 |
| | 0700- 12- 22 | SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, TWO BEACONS | AS | 2.000 |
| | 0700- 12- 31 | SIGN BEACON, F&I OVERHEAD MOUNT, ONE BEACON | AS | 2.000 |
| | 0700- 12- 32 | SIGN BEACON, F&I OVERHEAD MOUNT, TWO BEACONS | AS | 2.000 |
| | 0700- 13- 12 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2' | EA | 4.000 |
| | 0701- 17-101 | PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, WHITE, SOLID,6" | GM | 2.000 |
| | 0701- 17-201 | PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SOLID,6" | GM | 2.000 |
| | 0701- 17-221 | PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SKIP,6" | GM | 1.000 |

Call Order: 002 Proposal: E6M46

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-----------|
| | 0701- 18-101 | PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6" | GM | 1.000 |
| | 0701- 18-201 | PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6" | GM | 1.000 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 8.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 40.000 |
| | 0705- 11- 3 | DELINEATOR, FLEXIBLE HIGH VISIBILITY MEDIAN | EA | 20.000 |
| | 0705- 11- 4 | DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48" | EA | 10.000 |
| | 0706- 1- 1 | RAISED PAVEMENT MARKER, TYPE B WITHOUT FINAL SURFACE MARKINGS | EA | 200.000 |
| | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 100.000 |
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 1.000 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 500.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 500.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 500.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 1.000 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 20.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 20.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 200.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 1.000 |
| | 0711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK | LF | 1,000.000 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 500.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 20.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 20.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 1.000 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 1.000 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 1.000 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 1.000 |
| | 0711- 15-202 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8" | GM | 1.000 |
| | 0711- 15-231 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6" | GM | 1.000 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 1.000 |
| | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 1.000 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 1.000 |

Call Order: 002 Proposal: E6M46

| ALT | Item | Description | Unit | Quantity |
|-----------------------------------|--------------|---|------|-----------|
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 1.000 |
| | 0711- 16-202 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8" | GM | 1.000 |
| | 0711- 16-231 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6" | GM | 1.000 |
| | 0711- 17- 1 | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN | SF | 800.000 |
| Section 0003 Lighting | | | | |
| | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 | LF | 4,000.000 |
| | 0715- 1- 13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2 | LF | 1,000.000 |
| | 0715- 1- 70 | LIGHTING CONDUCTORS, REMOVE & STOCKPILE, FDOT OR MAINT AGENCY OWNS | LF | 4,000.000 |
| | 0715- 4- 14 | LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT | EA | 8.000 |
| | 0715- 4- 70 | LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION | EA | 4.000 |
| | 0715- 7- 11 | LOAD CENTER, F&I, SECONDARY VOLTAGE | EA | 4.000 |
| | 0715- 11-211 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD | EA | 8.000 |
| | 0715- 11-500 | LUMINAIRE, REMOVE | EA | 4.000 |
| | 0715-500- 1 | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL | EA | 8.000 |
| Section 0004 Signalization | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 500.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 2,000.000 |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 5.000 |
| | 0632- 7- 2 | SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL | LF | 1,500.000 |
| | 0632- 7- 6 | SIGNAL CABLE, REMOVE- INTERSECTION | PI | 4.000 |
| | 0632- 7- 7 | SIGNAL CABLE, REMOVE- OUTSIDE OF INTERSECTION | LF | 600.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 150.000 |
| | 0635- 2- 12 | PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE | EA | 16.000 |
| | 0639- 1-111 | ELECTRICAL POWER SERVICE, F&I, OVERHEAD, METER FURNISHED BY POWER COMPANY | AS | 4.000 |
| | 0639- 1-112 | ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY | AS | 20.000 |
| | 0639- 1-113 | ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER NOT REQUIRED | AS | 4.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 4.000 |
| | 0639- 1-610 | ELECTRICAL POWER SERVICE, REMOVE OVERHEAD | AS | 4.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 2,500.000 |
| | 0639- 2- 6 | ELECTRICAL SERVICE WIRE, REMOVE | LF | 2,000.000 |
| | 0639- 3- 11 | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT | EA | 15.000 |
| | 0639- 3- 60 | ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN | EA | 15.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 20.000 |
| | 0641- 2- 60 | PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE | EA | 4.000 |

Call Order: 002 Proposal: E6M46

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|----------|
| | 0641- 2- 70 | PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER | EA | 4.000 |
| | 0641- 2- 80 | PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER | EA | 4.000 |
| | 0646- 1- 11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 30.000 |
| | 0646- 1- 12 | ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST | EA | 8.000 |
| | 0646- 1- 60 | ALUMINUM SIGNALS POLE, REMOVE | EA | 4.000 |
| | 0646- 2-115 | ALUMINUM POLE- INDEX 17900/695-001, FURNISH & INSTALL, 15' | EA | 2.000 |
| | 0649- 21- 1 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 30' | EA | 4.000 |
| | 0649- 21- 3 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40' | EA | 4.000 |
| | 0649- 21- 6 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50' | EA | 4.000 |
| | 0649- 21- 10 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60' | EA | 4.000 |
| | 0649- 21- 15 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 70' | EA | 4.000 |
| | 0649- 21- 21 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78' | EA | 4.000 |
| | 0649- 26- 3 | STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION- BOLT ON ATTACHMENT | EA | 8.000 |
| | 0649- 26- 5 | STEEL MAST ARM ASSEMBLY, REMOVE, DEEP FOUNDATION- BOLT ON ATTACHMENT | EA | 4.000 |
| | 0650- 1- 11 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY | AS | 10.000 |
| | 0650- 1- 14 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY | AS | 20.000 |
| | 0650- 1- 16 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY | AS | 8.000 |
| | 0650- 1- 18 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY | AS | 8.000 |
| | 0650- 1- 44 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 3 SECTION, 1 WAY | AS | 8.000 |
| | 0650- 1- 46 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 4 SECTION, 1 WAY | AS | 8.000 |
| | 0650- 1- 48 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 5 SECTION- STRAIGHT, 1 WAY | AS | 8.000 |
| | 0650- 1- 60 | VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN | AS | 20.000 |
| | 0650- 1- 70 | VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION | AS | 32.000 |
| | 0650- 2-102 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER | EA | 35.000 |
| | 0650- 2-105 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, TUNNEL VISOR | EA | 16.000 |
| | 0653- 1- 11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 8.000 |
| | 0653- 1- 12 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS | AS | 16.000 |
| | 0653- 1- 40 | PEDESTRIAN SIGNAL, RELOCATE | AS | 4.000 |

Call Order: 002 Proposal: E6M46

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|---|------|----------|
| | 0653- 1- 60 | PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN | AS | 4.000 |
| | 0654- 2- 11 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION | AS | 16.000 |
| | 0654- 2- 12 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK | AS | 16.000 |
| | 0654- 2- 15 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWER, MAST ARM MOUNT RRFB SIGN ASSEMBLY | AS | 16.000 |
| | 0654- 2- 16 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWER, POLE MOUNT RRFB SIGN ASSEMBLY | AS | 16.000 |
| | 0654- 2- 21 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION | AS | 16.000 |
| | 0654- 2- 22 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK | AS | 16.000 |
| | 0654- 2- 60 | RECTANGULAR RAPID FLASHING BEACON, REMOVE COMPLETE SIGN ASSEMBLY | AS | 4.000 |
| | 0654- 3- 10 | PEDESTRIAN HYBRID BEACON ASSEMBLY, FURNISH & INSTALL COMPLETE ASSEMBLY | AS | 8.000 |
| | 0660- 1-109 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 | EA | 10.000 |
| | 0660- 1-600 | LOOP DETECTOR INDUCTIVE, REMOVE- CABINET TO REMAIN | EA | 4.000 |
| | 0660- 2-101 | LOOP ASSEMBLY- F&I, TYPE A | AS | 10.000 |
| | 0660- 3- 11 | VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT | EA | 10.000 |
| | 0660- 3- 12 | VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT | EA | 10.000 |
| | 0660- 3- 32 | VEHICLE DETECTION SYSTEM- MICROWAVE, INSTALL- FDOT FURNISHED, ABOVE GROUND EQUIPMENT | EA | 5.000 |
| | 0660- 3- 51 | VEHICLE DETECTION SYSTEM- MICROWAVE, ADJUST & MODIFY, CABINET EQUIPMENT | EA | 8.000 |
| | 0660- 3- 52 | VEHICLE DETECTION SYSTEM - MICROWAVE, ADJUST & MODIFY, ABOVE GROUND EQUIPMENT | EA | 8.000 |
| | 0660- 4- 11 | VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT | EA | 4.000 |
| | 0660- 4- 12 | VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT | EA | 8.000 |
| | 0660- 4- 51 | VEHICLE DETECTION SYSTEM- VIDEO, ADJUST/MODIFY CABINET EQUIPMENT | EA | 8.000 |
| | 0660- 4- 52 | VEHICLE DETECTION SYSTEM- VIDEO, ADJUST/MODIFY ABOVE GROUND EQUIPMENT | EA | 8.000 |
| | 0660- 6-121 | VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT | EA | 8.000 |
| | 0660- 6-122 | VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT | EA | 8.000 |
| | 0663- 1-121 | SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, REPLACE CABINET ELECTRONICS | EA | 5.000 |
| | 0663- 1-122 | SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, DETECTOR | EA | 5.000 |
| | 0665- 1- 11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 16.000 |
| | 0665- 1- 12 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE | EA | 30.000 |
| | 0665- 1- 40 | PEDESTRIAN DETECTOR, RELOCATE | EA | 16.000 |
| | 0665- 1- 60 | PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN | EA | 30.000 |

Call Order: 002 Proposal: E6M46

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|--|------|----------|
| | 0670- 4- 1 | INTERSECTION CONTROL BEACON CONTROLLER ASSEMBLY, FURNISH & INSTALL | AS | 8.000 |
| | 0670- 5-140 | TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 2070 | AS | 10.000 |
| | 0670- 5-141 | TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL, MODEL 2070, 1 PREEMPTION | AS | 5.000 |
| | 0670- 5-400 | TRAFFIC CONTROLLER ASSEMBLY, MODIFY | AS | 50.000 |
| | 0670- 5-600 | TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET | AS | 15.000 |
| | 0671- 2- 30 | TRAFFIC CONTROLLER, INSTALL | EA | 10.000 |
| | 0676- 1-500 | TRAFFIC SIGNAL CONTROLLER CABINET, ADJUST/MODIFY | EA | 20.000 |
| | 0678- 1-104 | CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTALL, LOAD SWITCH | EA | 8.000 |
| | 0682- 1-113 | ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, HIGH DEFINITION | EA | 10.000 |
| | 0685- 1- 13 | UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET | EA | 20.000 |
| | 0685- 1- 60 | UNINTERRUPTIBLE POWER SUPPLY, REMOVE- POLE/CABINET REMAINS | EA | 20.000 |
| | 0700- 5- 21 | INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 16.000 |
| | 0700- 5- 50 | INTERNALLY ILLUMINATED SIGN, RELOCATE | EA | 8.000 |
| | 0700- 5- 60 | INTERNALLY ILLUMINATED SIGN, REMOVE | EA | 8.000 |

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: 06200730 Call Order: 003 Proposal: E6M53 District:06

Counties: MIAMI-DADE

Road Name: MIAMI-DADE TRAFFIC OPS PUSH-BUTTON –ROADS– MISC CONSTRUCTION

Limits: Midpoint

Project(s): 43143335201(*) Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length: | 0.000 Miles | Contract Days: | 730 |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 07/30/20 |
| Total Proposal Length: | 0.000 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | 30 |

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

Description: Bid Factor Bidding

Electronic bids are requested for a Push-button/Bid Factor/Budgetary Ceiling contract that consists of Traffic Operations/Roads/Miscellaneous Construction at various Countywide locations in Miami-Dade County. Pre-qualification is required.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or exact quantities shown for each bid item. Use the Departments quantities and prices listed for each item in the Bid Price Proposal to determine a single bid factor. The bid factor will be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed.

METHOD OF PROCUREMENT-Bid Factor Method:

- The Department provides quantities and predetermined Base Unit Prices for pay items which are included in the Contract Plans and Advertisement.
- The Bidder shall propose a single Bid Factor expressed as a number carried out to 3 decimal places.
- The proposed Bid Factor will be applied to all predetermined pay item Base Unit Prices included in the advertisement.
- The Bid Factor of 1.000 shall be 100% of the Base Unit Price, any number above 1.000 will increase the Base Unit Price, and any number below 1.000 will decrease the Base Unit Price.
- The lowest Bidder will be determined by the lowest Bid Factor submitted in response to the advertisement.
- Award of the contract is based upon the bidder who submits a responsive and responsible bid with the lowest Bid Factor.

The Award Amount shall be based on the Budgetary Ceiling Amount of \$1,000,000.00 and not the vendors bid total over the two (2) year term of the contract. If vendors bid is above the Budgetary Ceiling amount, vendor will receive the budgetary ceiling amount. If vendors bid is below the Budgetary Ceiling amount, vendor will receive their bid amount.

REQUIRED SUBMITTAL WITH BID: Bid Factor Bidding Sheet must be submitted with the bid as an attachment.

PERFORMANCE BOND: A Contract / Performance bond is required for this project

Visit www.bidx.com for more information.

Call Order: 003 Proposal: E6M53

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|-----------|
| Section 0001 Roadway | | | | |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 160.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 3,000.000 |
| | 0102- 71- 13 | TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE | LF | 200.000 |
| | 0102- 71- 15 | TEMPORARY BARRIER, F&I, ANCHORED | LF | 500.000 |
| | 0102- 71- 16 | TEMPORARY BARRIER, F&I, FREE STANDING | LF | 500.000 |
| | 0102- 71- 23 | TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE | LF | 200.000 |

Call Order: 003 Proposal: E6M53

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|------------|
| | 0102- 71- 25 | TEMPORARY BARRIER, RELOCATE, ANCHORED | LF | 500.000 |
| | 0102- 71- 26 | TEMPORARY BARRIER, RELOCATE, FREE STANDING | LF | 500.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 15,000.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 1,000.000 |
| | 0102- 75- 1 | TEMPORARY SEPARATOR, F&I REMOVE | LF | 200.000 |
| | 0102- 75- 2 | TEMPORARY SEPARATOR, F&I REMAIN | LF | 500.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 400.000 |
| | 0102- 78- | TEMPORARY RETROREFLECTIVE PAVEMENT MARKER | EA | 250.000 |
| | 0102- 89- 1 | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION | LO | 5.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 1,000.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 200.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 200.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 100.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 2,000.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 40.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 10.000 |
| | 0107- 2- | MOWING | AC | 10.000 |
| | 0110- 2- 1 | CLEARING & GRUBBING (PUSH BUTTON CONTRACT) | AC | 2.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 3,000.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 700.000 |
| | 0120- 6- | EMBANKMENT | CY | 200.000 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 2,500.000 |
| | 0285-706- | OPTIONAL BASE, BASE GROUP 06 | SY | 1,500.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 500.000 |
| | 0285-715- | OPTIONAL BASE, BASE GROUP 15 | SY | 500.000 |
| | 0327- 70- 1 | MILLING EXIST ASPH PAVT, 1" AVG DEPTH | SY | 7,000.000 |
| | 0327- 70- 5 | MILLING EXIST ASPH PAVT, 2" AVG DEPTH | SY | 3,000.000 |
| | 0327- 70- 6 | MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH | SY | 5,000.000 |
| | 0327- 70- 11 | MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH | SY | 300.000 |
| | 0327- 70- 13 | MILLING EXIST ASPH PAVT, 1 3/4" AVG DEPTH | SY | 8,000.000 |
| | 0327- 70- 19 | MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH | SY | 2,000.000 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 500.000 |
| | 0334- 1- 14 | SUPERPAVE ASPHALTIC CONC, TRAFFIC D | TN | 100.000 |
| | 0334- 1- 54 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC D, PG76-22 | TN | 200.000 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 400.000 |
| | 0337- 7- 82 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 | TN | 1,000.000 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 | TN | 200.000 |
| | 0337- 7- 85 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC D, FC-12.5, PG 76-22 | TN | 100.000 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 300.000 |
| | 0400- 0- 11 | CONCRETE CLASS NS, GRAVITY WALL | CY | 60.000 |
| | 0425- 1-351 | INLETS, CURB, TYPE P-5, <10' | EA | 1.000 |

Call Order: 003 Proposal: E6M53

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|-----------|
| | 0425- 1-355 | INLETS, CURB, TYPE P-5, PARTIAL | EA | 1.000 |
| | 0425- 1-359 | INLETS, CURB, TYPE P-5, MODIFY | EA | 1.000 |
| | 0425- 1-361 | INLETS, CURB, TYPE P-6, <10' | EA | 1.000 |
| | 0425- 1-365 | INLETS, CURB, TYPE P-6, PARTIAL | EA | 1.000 |
| | 0425- 1-369 | INLETS, CURB, TYPE P-6, MODIFY | EA | 1.000 |
| | 0425- 1-501 | INLETS, DT BOT, TYPE A, <10' | EA | 1.000 |
| | 0425- 1-521 | INLETS, DT BOT, TYPE C, <10' | EA | 1.000 |
| | 0425- 1-541 | INLETS, DT BOT, TYPE D, <10' | EA | 1.000 |
| | 0425- 1-549 | INLETS, DT BOT, TYPE D, MODIFY | EA | 1.000 |
| | 0425- 1-561 | INLETS, DT BOT, TYPE F, <10' | EA | 1.000 |
| | 0425- 1-569 | INLETS, DITCH BOTTOM, TYPE F, MODIFY | EA | 1.000 |
| | 0425- 1-571 | INLETS, DITCH BOTTOM, TYPE G, <10' | EA | 1.000 |
| | 0425- 5- | MANHOLE, ADJUST | EA | 10.000 |
| | 0425- 6- | VALVE BOXES, ADJUST | EA | 10.000 |
| | 0430-174-118 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD | LF | 200.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 200.000 |
| | 0430-175-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD | LF | 200.000 |
| | 0430-175-136 | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD | LF | 200.000 |
| | 0443- 70- 3 | FRENCH DRAIN, 18" | LF | 200.000 |
| | 0443- 70- 4 | FRENCH DRAIN, 24" | LF | 200.000 |
| | 0515- 1- 1 | PIPE HANDRAIL - GUIDERAIL, STEEL | LF | 500.000 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 800.000 |
| | 0520- 2- 4 | CONCRETE CURB, TYPE D | LF | 500.000 |
| | 0520- 5- 12 | TRAFFIC SEPARATOR CONCRETE-TYPE I, 6' WIDE | LF | 250.000 |
| | 0520- 5- 41 | TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE | LF | 500.000 |
| | 0520- 5- 42 | TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE | LF | 250.000 |
| | 0520- 70- | CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH | SY | 100.000 |
| | 0521- 72- 43 | SHOULDER CONCRETE BARRIER, CURB AND GUTTER BARRIER | LF | 100.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 500.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 500.000 |
| | 0523- 2- | PATTERNED PAVEMENT, NON-VEHICULAR AREAS | SY | 300.000 |
| | 0526- 1- 2 | PAVERS, ARCHITECTURAL, SIDEWALK | SY | 40.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 250.000 |
| | 0536- 1- 0 | GUARDRAIL -ROADWAY, GENERAL/LOW SPEED TL-2 | LF | 2,000.000 |
| | 0536- 1- 1 | GUARDRAIL -ROADWAY, GENERAL TL-3 | LF | 2,000.000 |
| | 0536- 6- | PIPE RAIL FOR GUARDRAIL | LF | 400.000 |
| | 0536- 7- 2 | SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT | EA | 5.000 |
| | 0536- 7- 3 | SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT | EA | 100.000 |
| | 0536- 8- 12 | APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-2 | EA | 5.000 |
| | 0536- 8- 13 | APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3 | EA | 5.000 |
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 150.000 |
| | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE | EA | 4.000 |
| | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL | EA | 4.000 |

Call Order: 003 Proposal: E6M53

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|-----------|
| | 0538- 1- | GUARDRAIL RESET | LF | 100.000 |
| | 0546- 72- 2 | GROUND-IN RUMBLE STRIPS, 8" CYLINDRICAL | GM | 2.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 5,000.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 2.000 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 1.000 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 1,000.000 |
| | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 500.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 700.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 1.000 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 0.250 |
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 20.000 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 20.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 1.000 |
| | 0710- 11-202 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 1.000 |
| | 0710- 11-224 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 300.000 |
| | 0710- 11-231 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" | GM | 1.000 |
| | 0710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | GM | 1.000 |
| Section 0002 Signing | | | | |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 80.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 10.000 |
| | 0700- 1- 13 | SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 2.000 |
| | 0700- 1- 14 | SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF | AS | 2.000 |
| | 0700- 1- 21 | SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF | AS | 5.000 |
| | 0700- 1- 22 | SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF | AS | 5.000 |
| | 0700- 1- 31 | SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF | AS | 5.000 |
| | 0700- 1- 32 | SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF | AS | 5.000 |
| | 0700- 1- 33 | SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 21-30 SF | AS | 2.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 5.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 10.000 |
| | 0700- 2- 11 | MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 2.000 |
| | 0700- 2- 12 | MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 1.000 |
| | 0700- 2- 13 | MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 1.000 |
| | 0700- 2- 14 | MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF | AS | 1.000 |
| | 0700- 2- 15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 1.000 |

Call Order: 003 Proposal: E6M53

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|----------|
| | 0700- 2- 50 | MULTI- POST SIGN, GROUND MOUNT, RELOCATE | AS | 2.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 2.000 |
| | 0700- 3-101 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF | EA | 10.000 |
| | 0700- 3-102 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF | EA | 10.000 |
| | 0700- 3-103 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF | EA | 1.000 |
| | 0700- 3-104 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF | EA | 1.000 |
| | 0700- 3-105 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF | EA | 1.000 |
| | 0700- 3-106 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF | EA | 4.000 |
| | 0700- 3-107 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 201-300 SF | EA | 1.000 |
| | 0700- 3-108 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 301-400 SF | EA | 1.000 |
| | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 4.000 |
| | 0700- 3-202 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF | EA | 1.000 |
| | 0700- 3-203 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF | EA | 1.000 |
| | 0700- 3-204 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF | EA | 1.000 |
| | 0700- 3-205 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF | EA | 1.000 |
| | 0700- 3-206 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF | EA | 1.000 |
| | 0700- 3-207 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF | EA | 1.000 |
| | 0700- 3-501 | SIGN PANEL, RELOCATE, UP TO 12 SF | EA | 20.000 |
| | 0700- 3-502 | SIGN PANEL, RELOCATE, 12-20 SF | EA | 2.000 |
| | 0700- 3-503 | SIGN PANEL, RELOCATE, 21-30 SF | EA | 2.000 |
| | 0700- 3-504 | SIGN PANEL, RELOCATE, 31-50 SF | EA | 2.000 |
| | 0700- 3-505 | SIGN PANEL, RELOCATE, 51-100 SF | EA | 2.000 |
| | 0700- 3-506 | SIGN PANEL, RELOCATE, 101-200 SF | EA | 2.000 |
| | 0700- 3-601 | SIGN PANEL, REMOVE, UP TO 12 SF | EA | 2.000 |
| | 0700- 3-602 | SIGN PANEL, REMOVE, 12-20 SF | EA | 2.000 |
| | 0700- 3-603 | SIGN PANEL, REMOVE, 21-30 SF | EA | 2.000 |
| | 0700- 3-604 | SIGN PANEL, REMOVE, 31-50 SF | EA | 2.000 |
| | 0700- 3-605 | SIGN PANEL, REMOVE, 51-100 SF | EA | 2.000 |
| | 0700- 11-131 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK SIGN, UP TO 12 SF | AS | 2.000 |
| | 0700- 11-132 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK SIGN, 12-20 SF | AS | 2.000 |
| | 0700- 11-391 | ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL OVERHEAD MOUNT- AC POWERED, BLANK OUT SIGN, UP TO 12 SF | AS | 5.000 |
| | 0700- 12- 11 | SIGN BEACON, F&I GROUND MOUNT- AC POWERED, ONE BEACON | AS | 5.000 |
| | 0700- 12- 12 | SIGN BEACON, F&I GROUND MOUNT- AC POWERED, TWO BEACONS | AS | 5.000 |
| | 0700- 12- 31 | SIGN BEACON, F&I OVERHEAD MOUNT, ONE BEACON | AS | 4.000 |
| | 0700- 12- 32 | SIGN BEACON, F&I OVERHEAD MOUNT, TWO BEACONS | AS | 3.000 |
| | 0700- 13- 12 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2' | EA | 10.000 |
| | 0701- 17-101 | PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, WHITE, SOLID,6" | GM | 1.000 |
| | 0701- 17-201 | PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SOLID,6" | GM | 1.000 |
| | 0701- 17-221 | PROFILED THERMOPLASTIC,STANDARD- CONCRETE SURFACES, YELLOW, SKIP,6" | GM | 1.000 |
| | 0701- 18-101 | PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6" | GM | 1.000 |

Call Order: 003 Proposal: E6M53

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-----------|
| | 0701- 18-201 | PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6" | GM | 1.000 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 6.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 100.000 |
| | 0705- 11- 3 | DELINEATOR, FLEXIBLE HIGH VISIBILITY MEDIAN | EA | 50.000 |
| | 0705- 11- 4 | DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48" | EA | 50.000 |
| | 0706- 1- 1 | RAISED PAVEMENT MARKER, TYPE B WITHOUT FINAL SURFACE MARKINGS | EA | 800.000 |
| | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 50.000 |
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 0.500 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 1,200.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 500.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 1,000.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.500 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 50.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 50.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 100.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.500 |
| | 0711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK | LF | 2,000.000 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 1,500.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 10.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 10.000 |
| | 0711- 14-660 | THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD | EA | 5.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 1.000 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 1.000 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 1.000 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 1.000 |
| | 0711- 15-202 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8" | GM | 1.000 |
| | 0711- 15-231 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6" | GM | 1.000 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 1.000 |
| | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 1.000 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 1.000 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 1.000 |

Call Order: 003 Proposal: E6M53

| ALT | Item | Description | Unit | Quantity |
|-----------------------------------|--------------|---|------|-----------|
| | 0711- 16-202 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8" | GM | 1.000 |
| | 0711- 16-231 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6" | GM | 1.000 |
| | 0711- 17- 1 | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN | SF | 600.000 |
| Section 0003 Lighting | | | | |
| | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 | LF | 400.000 |
| | 0715- 1- 13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2 | LF | 400.000 |
| | 0715- 4- 14 | LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT | EA | 2.000 |
| | 0715- 7- 11 | LOAD CENTER, F&I, SECONDARY VOLTAGE | EA | 2.000 |
| | 0715- 11-211 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD | EA | 12.000 |
| | 0715-500- 1 | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL | EA | 8.000 |
| Section 0004 Signalization | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 200.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 500.000 |
| | 0630- 2- 15 | CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT | LF | 100.000 |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 2.000 |
| | 0632- 7- 2 | SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL | LF | 2,000.000 |
| | 0632- 7- 6 | SIGNAL CABLE, REMOVE- INTERSECTION | PI | 2.000 |
| | 0632- 7- 7 | SIGNAL CABLE, REMOVE- OUTSIDE OF INTERSECTION | LF | 100.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 20.000 |
| | 0635- 2- 12 | PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE | EA | 2.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 2.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 500.000 |
| | 0639- 3- 11 | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT | EA | 4.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 2.000 |
| | 0641- 2- 60 | PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE | EA | 2.000 |
| | 0641- 2- 70 | PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER | EA | 2.000 |
| | 0646- 1- 11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 4.000 |
| | 0646- 1- 12 | ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST | EA | 4.000 |
| | 0646- 1- 30 | ALUMINUM SIGNALS POLE, INSTALL | EA | 2.000 |
| | 0646- 1- 60 | ALUMINUM SIGNALS POLE, REMOVE | EA | 2.000 |
| | 0646- 2-115 | ALUMINUM POLE- INDEX 17900/695-001, FURNISH & INSTALL, 15' | EA | 2.000 |
| | 0649- 21- 1 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 30' | EA | 1.000 |
| | 0649- 21- 3 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40' | EA | 1.000 |
| | 0649- 21- 6 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50' | EA | 1.000 |
| | 0649- 21- 10 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60' | EA | 1.000 |

Call Order: 003 Proposal: E6M53

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|--|------|----------|
| | 0649- 26- 3 | STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION-BOLT ON ATTACHMENT | EA | 2.000 |
| | 0650- 1- 11 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY | AS | 4.000 |
| | 0650- 1- 14 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY | AS | 4.000 |
| | 0650- 1- 16 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY | AS | 2.000 |
| | 0650- 1- 18 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY | AS | 2.000 |
| | 0650- 1- 44 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 3 SECTION, 1 WAY | AS | 2.000 |
| | 0650- 1- 46 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 4 SECTION, 1 WAY | AS | 2.000 |
| | 0650- 1- 48 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 5 SECTION- STRAIGHT, 1 WAY | AS | 2.000 |
| | 0650- 1- 60 | VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN | AS | 4.000 |
| | 0650- 1- 70 | VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION | AS | 12.000 |
| | 0650- 1- 80 | VEHICULAR TRAFFIC SIGNAL, ADJUST/MODIFY EXISTING SIGNAL | AS | 4.000 |
| | 0650- 2-102 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT-FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER | EA | 8.000 |
| | 0650- 2-105 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT-FURNISH & INSTALL, TUNNEL VISOR | EA | 4.000 |
| | 0650- 2-106 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- 12" LED STANDARD MODULE | EA | 4.000 |
| | 0650- 2-108 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT-FURNISH & INSTALL, ADD SECTION TO EXISTING SIGNAL ASSEMBLY | EA | 2.000 |
| | 0653- 1- 11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 4.000 |
| | 0653- 1- 12 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS | AS | 4.000 |
| | 0653- 1- 60 | PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN | AS | 4.000 |
| | 0654- 2- 11 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION | AS | 2.000 |
| | 0654- 2- 12 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK | AS | 2.000 |
| | 0654- 2- 15 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWER, MAST ARM MOUNT RRFB SIGN ASSEMBLY | AS | 2.000 |
| | 0654- 2- 16 | RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWER, POLE MOUNT RRFB SIGN ASSEMBLY | AS | 2.000 |
| | 0654- 3- 10 | PEDESTRIAN HYBRID BEACON ASSEMBLY, FURNISH & INSTALL COMPLETE ASSEMBLY | AS | 4.000 |
| | 0660- 1-109 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 | EA | 8.000 |
| | 0660- 1-600 | LOOP DETECTOR INDUCTIVE, REMOVE- CABINET TO REMAIN | EA | 2.000 |
| | 0660- 2-101 | LOOP ASSEMBLY- F&I, TYPE A | AS | 8.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 10.000 |
| | 0660- 3- 11 | VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT | EA | 10.000 |
| | 0660- 3- 12 | VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT | EA | 10.000 |

Call Order: 003 Proposal: E6M53

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|--|------|----------|
| | 0665- 1- 11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 4.000 |
| | 0665- 1- 12 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE | EA | 4.000 |
| | 0665- 1- 40 | PEDESTRIAN DETECTOR, RELOCATE | EA | 2.000 |
| | 0665- 1- 60 | PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN | EA | 4.000 |
| | 0670- 4- 1 | INTERSECTION CONTROL BEACON CONTROLLER ASSEMBLY, FURNISH & INSTALL | AS | 2.000 |
| | 0670- 5-140 | TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 207C | AS | 2.000 |
| | 0670- 5-400 | TRAFFIC CONTROLLER ASSEMBLY, MODIFY | AS | 4.000 |
| | 0670- 5-600 | TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET | AS | 2.000 |
| | 0700- 5- 21 | INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 4.000 |
| | 0700- 5- 50 | INTERNALLY ILLUMINATED SIGN, RELOCATE | EA | 1.000 |
| | 0700- 5- 60 | INTERNALLY ILLUMINATED SIGN, REMOVE | EA | 1.000 |

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

| | | | | |
|------------------------|--|----------------------------|--------------------|-------------|
| Letting: | 06200730 | Call Order: 005 | Proposal: E6N32-R0 | District:06 |
| Counties: | MIAMI-DADE | | | |
| Road Name: | STRIPING MIAMI-DADE COUNTY - ROUTINE MAINTENANCE | | | |
| Limits: | Midpoint | | | |
| Project(s): | 43368367201(*) | Federal Aid No: N/A | | |
| Total Roadway Length: | 0.000 Miles | Contract Days: | 365 | |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 07/30/20 | |
| Total Proposal Length: | 0.000 Miles | Contract Execution Days: | 10 | |
| | | Special Start Date: | N/A | |
| | | Aquis/Flexible Start Time: | | |

Proposal Budget Estimate: \$200,000.00

Please read the full advertisement

Description:

Electronic bids are requested for a Work Order Driven contract that consists of providing labor equipment and materials to apply new and refurbish existing Thermoplastic Pavement Markings in different locations in Miami-Dade County. This contract excludes Hot Spray.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department estimated quantities and the Contractor bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of the Letting, the Engineer will issue a Work Document. This Work Document will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

Award will be made at the Budgetary Ceiling Amount of \$200,000.00.

Visit www.bidx.com for more information.

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Call Order: 005 Proposal: E6N32-R0

| ALT | Item | Description | Unit | Quantity |
|--|--------------|--|------|------------|
| Section 0001 PAVEMENT STRIPING (LARGE MACHINE) (LM) | | | | |
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 0.150 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 100.000 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 10.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 100.000 |
| | 0711- 12-121 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6" FOR MAINTENANCE USE | LF | 20,000.000 |
| | 0711- 12-122 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 8" FOR MAINTENANCE USE | LF | 1,500.000 |
| | 0711- 12-123 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT- MAINTENANCE USE ONLY | LF | 45,000.000 |
| | 0711- 12-124 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY | LF | 7,500.000 |
| | 0711- 12-125 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 24" FOR STOP LINE OR CROSSWALK, MAINTENANCE USE ONLY | LF | 20,000.000 |
| | 0711- 12-160 | THERMOPLASTIC, REFURBISH, WHITE, MESSAGE | EA | 100.000 |
| | 0711- 12-170 | THERMOPLASTIC, REFURBISH, WHITE, ARROWS | EA | 1,000.000 |
| | 0711- 12-221 | THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6" MAINTENANCE USE ONLY | LF | 23,000.000 |
| | 0711- 12-222 | THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 8" MAINTENANCE USE ONLY | LF | 1,000.000 |
| | 0711- 12-224 | THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY | LF | 2,000.000 |
| | 0711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK | LF | 700.000 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 300.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 5.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 50.000 |
| | 0711- 17- 1 | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN | SF | 2,000.000 |
| | E711- 11-121 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 6" | LF | 800.000 |
| | E711- 11-221 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6" | LF | 800.000 |

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: 06200730 Call Order: 006 Proposal: E6N33-R0 District:06

Counties: MIAMI-DADE

Road Name: TREE TRIMMING MIAMI-DADE COUNTY - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 42829537201(*) Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length: | 0.000 Miles | Contract Days: | 365 |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 07/30/20 |
| Total Proposal Length: | 0.000 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | |

Proposal Budget Estimate: \$210,000.00

Please read the full advertisement

Description:

Electronic bids are requested for a Work Order Driven contract to provide labor, equipment and material to trim/prune trees and vegetation, remove undesired trees and vegetation, and dispose of resulting debris as directed in work documents in Miami-Dade County.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Departments estimated quantities and the Contractors bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

Award will be made at the Budgetary Ceiling amount of \$210,000.00

Visit www.bidx.com for more information.

Call Order: 006 Proposal: E6N33-R0

| ALT | Item | Description | Unit | Quantity |
|--|--------------|---|------|---------------|
| Section 0001 TREE TRIMMING AND REMOVAL (MH) | | | | |
| | E570- 5- | FERTILIZER | TN | 2.000 |
| | E570- 9- 1 | WATER FOR GRASS & PLANTS | MG | 1.000 |
| | E575- 1- | SODDING | SY | 2,000.000 |
| | E580-332- 21 | TREE REMOVAL (4" TO 12") | EA | 15.000 |
| | E580-332- 22 | TREE REMOVAL (13" TO 24") | EA | 15.000 |
| | E580-332- 23 | TREE REMOVAL (25" TO 36") | EA | 15.000 |
| | E580-332- 24 | TREE REMOVAL (37" TO 48") | EA | 2.000 |
| | E580-333- 1 | STUMP REMOVAL (4" TO 24") | EA | 15.000 |
| | E580-333- 2 | STUMP REMOVAL (25" TO 48") | EA | 15.000 |
| | E580-336- | PRUNING AND TRIMMING (LESS THAN 4") | EA | 100.000 |
| | E580-336- 1 | PRUNING AND TRIMMING (4" TO 24") | EA | 2,100.000 |
| | E580-336- 2 | PRUNING AND TRIMMING (> 24") | EA | 550.000 |
| | E580-336- 4 | PRUNING AND TRIMMING (TREES AND SHRUBS) | PM | 4.000 |
| | E580-336- 5 | PRUNING AND TRIMMING (TREES AND SHRUBS) | SF | 1,000,000.000 |
| | E580-336- 14 | PRUNING AND TRIMMING (PALMS) | EA | 2,400.000 |