BID SOLICITATION NOTICE – District 6 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Miami, FL April 16, 2020 Advertisement No. 01

District Six, Adam Leigh Cann Building 1000 NW 111 Avenue Procurement Office, Room 6202-B Miami, FL 33172

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: http://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at http://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 11:00 AM Local Time on Thursday, May 28, 2020.

Bid totals for each bid submitted will be read aloud for those present and will be available at 11:00 AM May 28, 2020 in the above referenced location.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (305)470-5457. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d6, click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

----NOTE----

Proposals will not be issued after 11:00 AM Local Time on Wednesday, May 27, 2020.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit
 http://dms.myflorida.com/egovernment_tools/myflorida_marketplace for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
 Department of Transportation at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/.
 Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid,

the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at http://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d6, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal.aspx/

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit http://www.insurevision.com for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae 2

POSTING NOTICE

The bid tabulation and intent to award will be posted on **June 09, 2020** or **June 23, 2020** at www.fdot.gov/contracts/d6, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964**, **42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S.** Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at http://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to http://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to http://www.fdot.gov/contracts/distco.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5). Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: April 16, 2020

Letting ID: 06200528

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the May 28, 2020 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E6L97		44596315201(*)	DIST/ST-WIDE, MIAMI- DADE, MONROE
16	E6N05		44188615201(*)	MIAMI-DADE
19	E6N22-R0		44520737201(*)	MIAMI-DADE

Proposal Note Codes:

Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 06200528 Call Order: 001 Proposal: E6L97 District:06

Counties: DIST/ST-WIDE, MIAMI-DADE, MONROE

Road Name: DISTRICTWIDE DRAINAGE PUSHBUTTON

Limits: Midpoint

Project(s): 44596315201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:730Total Bridge Length:0.000 MilesLetting Date:05/28/20

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 30

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

Description: Bid Factor Bidding

Electronic bids are requested for a Push-button/ Bid Factor contract that consist of Drainage improvements at various District Wide Locations. Pre-qualification is required.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or exact quantities shown for each bid item. Use the Department's quantities and prices listed for each item in the bid Price Proposal to determine a single bid factor. The bid factor will be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed.

METHOD OF PROCUREMENT-Bid Factor Method:

- The Department provides quantities and predetermined Base Unit Prices for pay items which are included in the Contract Plans and Advertisement.
- The Bidder shall propose a single Bid Factor expressed as a number carried out to 3 decimal places. The proposed Bid Factor will be applied to all predetermined pay item Base Unit Prices included in the advertisement.
- The Bid Factor of 1.000 shall be 100% of the Base Unit Price, any number above 1.000 will increase the Base Unit Price, and any number below 1.000 will decrease the Base Unit Price.
- The lowest Bidder will be determined by the lowest Bid Factor submitted in response to the advertisement.
- Award of the contract is based upon the bidder who submits a responsive and responsible bid with the lowest Bid Factor.

The Award Amount shall be based on the Budgetary Amount of \$1,000,000.00 and not the vendors bid total over the two (2) year term of the contract. If vendors bid is above the Budgetary Ceiling amount, vendor will receive the budgetary ceiling amount. If vendors bid is below the Budgetary Ceiling amount, vendor will receive their bid amount.

REQUIRED SUBMITTAL WITH BID: Bid Factor Bidding Sheet must be submitted with the bid as an attachment.

PERFORMANCE BOND: A Contract / Performance bond is required for this project

Visit www.bidx.com for more information.

		•		
ALT	Item	Description	Unit	Quantity
Section	0001 Roadway			
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE (Miami-Dade County)	CY	50.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE (Monroe County)	CY	10.000
	0102- 14-	TRAFFIC CONTROL OFFICER (Miami-Dade County)	HR	100.000
	0102- 14-	TRAFFIC CONTROL OFFICER (Monroe County)	HR	30.000
	0102-60-	WORK ZONE SIGN (Miami-Dade County)	ED	6,000.000

		Can Graci. 601 Troposai. E0E37		
ALT	Item	Description	Unit	Quantity
	0102- 60-	WORK ZONE SIGN (Monroe County)	ED	1,000.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED (Miami-Dade County)	LF	200.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED (Monroe County)	LF	100.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING (Miami-Dade County)	LF	1,000.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING (Monroe County)	LF	300.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD (Miami-Dade County)	ED	20,000.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD (Monroe County)	ED	1,500.000
	0102-74- 2	CHANNELIZING DEVICE, TYPE III, 6' (Miami-Dade County)	ED	1,500.000
	0102-74- 2	CHANNELIZING DEVICE, TYPE III, 6' (Monroe County)	ED	200.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL (Miami-Dade County)	ED	500.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL (Monroe County)	ED	50.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER (Miami-Dade County)	EA	100.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER (Monroe County)	EA	50.000
	0102-89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION (Miami-Dade County)	LO	5.000
	0102-89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION (Monroe County)	LO	2.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY (Miami-Dade County)	ED	200.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY (Monroe County)	ED	20.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6" (Miami-Dade County)	GM	5.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6" (Monroe County)	GM	5.000
	0104- 10- 3	SEDIMENT BARRIER (Miami-Dade County)	LF	100.000
	0104- 10- 3	SEDIMENT BARRIER (Monroe County)	LF	50.000
	0104- 11-	FLOATING TURBIDITY BARRIER (Miami-Dade County)	LF	100.000
	0104- 11-	FLOATING TURBIDITY BARRIER (Monroe County)	LF	100.000
	0104- 18-	INLET PROTECTION SYSTEM (Miami-Dade County)	EA	40.000
	0104- 18-	INLET PROTECTION SYSTEM (Monroe County)	EA	20.000
	0107- 1-	LITTER REMOVAL (Miami-Dade County)	AC	5.000
	0107- 1-	LITTER REMOVAL (Monroe County)	AC	1.000
	0107- 2-	MOWING (Miami-Dade County)	AC	5.000
	0107- 2-	MOWING (Monroe County)	AC	1.000
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT) (Miami-Dade County)	AC	5.000
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT) (Monroe County)	AC	2.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE (Miami-Dade County)	SY	500.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE (Monroe County)	SY	100.000
	0120- 1-	REGULAR EXCAVATION (Miami-Dade County)	CY	100.000
	0120- 1-	REGULAR EXCAVATION (Monroe County)	CY	50.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE (Miami-Dade County)	CY	100.000

ALT	Item	Description	Unit	Quantity
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE (Monroe County)	CY	50.000
	0120- 3-	LATERAL DITCH EXCAVATION (Miami-Dade County)	CY	50.000
	0120- 3-	LATERAL DITCH EXCAVATION (Monroe County)	CY	20.000
	0160- 4-	TYPE B STABILIZATION (Miami-Dade County)	SY	1,600.000
	0160- 4-	TYPE B STABILIZATION (Monroe County)	SY	400.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04 (Miami-Dade County)	SY	1,600.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04 (Monroe County)	SY	800.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09 (Miami-Dade County)	SY	600.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09 (Monroe County)	SY	200.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11 (Miami-Dade County)	SY	500.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11 (Monroe County)	SY	250.000
	0285-712-	OPTIONAL BASE, BASE GROUP 12 (Miami-Dade County)	SY	100.000
	0285-712-	OPTIONAL BASE, BASE GROUP 12 (Monroe County)	SY	50.000
	0285-713-	OPTIONAL BASE, BASE GROUP 13 (Miami-Dade County)	SY	100.000
	0285-713-	OPTIONAL BASE, BASE GROUP 13 (Monroe County)	SY	50.000
	0327- 70- 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH (Miami-Dade County)	SY	2,500.000
	0327- 70- 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH (Monroe County)	SY	800.000
	0327- 70- 4	MILLING EXIST ASPH PAVT, 3" AVG DEPTH (Miami-Dade County)	SY	800.000
	0327- 70- 4	MILLING EXIST ASPH PAVT, 3" AVG DEPTH (Monroe County)	SY	800.000
	0327-70-5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH (Miami-Dade County)	SY	400.000
	0327-70-5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH (Monroe County)	SY	200.000
	0327-70-6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH (Miami-Dade County)	SY	100.000
	0327-70-6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH (Monroe County)	SY	60.000
	0327- 70- 16	MILLING EXIST ASPH PAVT, 1/2" AVG DEPTH (Miami-Dade County)	SY	800.000
	0327- 70- 16	MILLING EXIST ASPH PAVT, 1/2" AVG DEPTH (Monroe County)	SY	400.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C (Miami-Dade County)	TN	160.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C (Monroe County)	TN	80.000
	0334- 1-14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D (Miami-Dade County)	TN	20.000
	0334- 1-14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D (Monroe County)	TN	10.000
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 (Miami-Dade County)	TN	20.000
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 (Monroe County)	TN	12.000
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 (Miami-Dade County)	TN	20.000
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 (Monroe County)	TN	8.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22 (Miami-Dade County)	TN	250.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 (Monroe County)	TN	40.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 (Miami-Dade County)	TN	40.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 (Monroe County)	TN	40.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT (Miami-Dade County)	TN	50.000
			TN	4.000

ALT	Item	Description	Unit	Quantity
	0400- 2- 1	CONCRETE CLASS II, CULVERTS (Miami-Dade County)	CY	50.000
	0400- 2- 1	CONCRETE CLASS II, CULVERTS (Monroe County)	CY	10.000
	0400- 3- 1	CONCRETE CLASS III, CULVERTS (Miami-Dade County)	CY	10.000
	0400- 3- 1	CONCRETE CLASS III, CULVERTS (Monroe County)	CY	5.000
	0400- 4- 1	CONCRETE CLASS IV, CULVERTS (Miami-Dade County)	CY	30.000
	0400- 4- 1	CONCRETE CLASS IV, CULVERTS (Monroe County)	CY	6.000
	0425- 1-311	INLETS, CURB, TYPE P-1, <10' (Miami-Dade County)	EA	20.000
	0425- 1-311	INLETS, CURB, TYPE P-1, <10' (Monroe County)	EA	2.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10' (Miami-Dade County)	EA	20.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10' (Monroe County)	EA	2.000
	0425- 1-352	INLETS, CURB, TYPE P-5, >10' (Miami-Dade County)	EA	20.000
	0425- 1-352	INLETS, CURB, TYPE P-5, >10' (Monroe County)	EA	2.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL (Miami-Dade County)	EA	10.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL (Monroe County)	EA	2.000
	0425- 1-359	INLETS, CURB, TYPE P-5, MODIFY (Miami-Dade County)	EA	10.000
	0425- 1-359	INLETS, CURB, TYPE P-5, MODIFY (Monroe County)	EA	2.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10' (Miami-Dade County)	EA	15.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10' (Monroe County)	EA	2.000
	0425- 1-362	INLETS, CURB, TYPE P-6, >10' (Miami-Dade County)	EA	15.000
	0425- 1-362	INLETS, CURB, TYPE P-6, >10' (Monroe County)	EA	2.000
	0425- 1-365	INLETS, CURB, TYPE P-6, PARTIAL (Miami-Dade County)	EA	10.000
	0425- 1-365	INLETS, CURB, TYPE P-6, PARTIAL (Monroe County)	EA	2.000
	0425- 1-369	INLETS, CURB, TYPE P-6, MODIFY (Miami-Dade County)	EA	10.000
	0425- 1-369	INLETS, CURB, TYPE P-6, MODIFY (Monroe County)	EA	2.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10' (Miami-Dade County)	EA	4.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10' (Monroe County)	EA	2.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10' (Miami-Dade County)	EA	4.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10' (Monroe County)	EA	2.000
	0425- 1-455	INLETS, CURB, TYPE J-5, PARTIAL (Miami-Dade County)	EA	4.000
	0425- 1-455	INLETS, CURB, TYPE J-5, PARTIAL (Monroe County)	EA	2.000
	0425- 1-459	INLETS, CURB, TYPE J-5, MODIFY (Miami-Dade County)	EA	2.000
	0425- 1-459	INLETS, CURB, TYPE J-5, MODIFY (Monroe County)	EA	2.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10' (Miami-Dade County)	EA	2.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10' (Monroe County)	EA	2.000
	0425- 1-462	INLETS, CURB, TYPE J-6, >10' (Miami-Dade County)	EA	2.000
	0425- 1-462	INLETS, CURB, TYPE J-6, >10' (Monroe County)	EA	2.000
	0425- 1-465	INLETS, CURB, TYPE J-6, PARTIAL (Miami-Dade County)	EA	4.000
	0425- 1-465	INLETS, CURB, TYPE J-6, PARTIAL (Monroe County)	EA	2.000
	0425- 1-469	INLETS, CURB, TYPE J-6, MODIFY (Miami-Dade County)	EA	2.000
	0425- 1-469	INLETS, CURB, TYPE J-6, MODIFY (Monroe County)	EA	2.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10' (Miami-Dade County)	EA	10.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10' (Monroe County)	EA	2.000
	0425- 1-523	INLETS, DT BOT, TYPE C,JBOT, <10' (Miami-Dade County)	EA	5.000
	0425- 1-523	INLETS, DT BOT, TYPE C,JBOT, <10' (Monroe County)	EA	2.000
	0425- 1-524	INLETS, DT BOT, TYPE C, JBOT, >10' (Miami-Dade County)	EA	5.000

	Item 0425- 1-524	Description	Unit	Quantity
	0425- 1-524			•
	0720- 1-027	INLETS, DT BOT, TYPE C, JBOT, >10' (Monroe County)	EA	2.000
(0425- 1-541	INLETS, DT BOT, TYPE D, <10' (Miami-Dade County)	EA	10.000
(0425- 1-541	INLETS, DT BOT, TYPE D, <10' (Monroe County)	EA	2.000
(0425- 1-542	INLETS, DT BOT, TYPE D, >10' (Miami-Dade County)	EA	10.000
(0425- 1-542	INLETS, DT BOT, TYPE D, >10' (Monroe County)	EA	2.000
(0425- 1-571	INLETS, DITCH BOTTOM, TYPE G, <10' (Miami-Dade County)	EA	4.000
(0425- 1-571	INLETS, DITCH BOTTOM, TYPE G, <10' (Monroe County)	EA	2.000
(0425- 1-572	INLETS, DITCH BOTTOM, TYPE G, >10' (Miami-Dade County)	EA	4.000
(0425- 1-572	INLETS, DITCH BOTTOM, TYPE G, >10' (Monroe County)	EA	2.000
(0425- 1-573	INLETS, DITCH BOTTOM, TYPE G, J BOT, <10' (Miami-Dade County)	EA	4.000
(0425- 1-573	INLETS, DITCH BOTTOM, TYPE G, J BOT, <10' (Monroe County)	EA	2.000
(0425- 1-574	INLETS, DITCH BOTTOM, TYPE G, J BOT, >10' (Miami-Dade County)	EA	4.000
(0425- 1-574	INLETS, DITCH BOTTOM, TYPE G, J BOT, >10' (Monroe County)	EA	2.000
(0425- 1-711	INLETS, GUTTER, TYPE V, <10' (Miami-Dade County)	EA	6.000
(0425- 1-711	INLETS, GUTTER, TYPE V, <10' (Monroe County)	EA	2.000
(0425- 1-712	INLETS, GUTTER, TYPE V, >10' (Miami-Dade County)	EA	6.000
(0425- 1-712	INLETS, GUTTER, TYPE V, >10' (Monroe County)	EA	2.000
(0425- 1-713	INLETS, GUTTER, TYPE V, J BOT, <10' (Miami-Dade County)	EA	4.000
(0425- 1-713	INLETS, GUTTER, TYPE V, J BOT, <10' (Monroe County)	EA	2.000
(0425- 1-714	INLETS, GUTTER, TYPE V, J BOTTOM, >10' (Miami-Dade County)	EA	3.000
(0425- 1-714	INLETS, GUTTER, TYPE V, J BOTTOM, >10' (Monroe County)	EA	2.000
(0425- 2-41	MANHOLES, P-7, <10' (Miami-Dade County)	EA	6.000
(0425- 2-41	MANHOLES, P-7, <10' (Monroe County)	EA	2.000
(0425- 2-42	MANHOLES, P-7, >10' (Miami-Dade County)	EA	6.000
(0425- 2-42	MANHOLES, P-7, >10' (Monroe County)	EA	2.000
(0425- 2-43	MANHOLES, P-7, PARTIAL (Miami-Dade County)	EA	6.000
(0425- 2-43	MANHOLES, P-7, PARTIAL (Monroe County)	EA	2.000
(0425- 2-71	MANHOLES, J-7, <10' (Miami-Dade County)	EA	3.000
(0425- 2-71	MANHOLES, J-7, <10' (Monroe County)	EA	2.000
(0425- 2-72	MANHOLES, J-7, >10' (Miami-Dade County)	EA	3.000
(0425- 2-72	MANHOLES, J-7, >10' (Monroe County)	EA	2.000
(0425- 2-73	MANHOLES, J-7, PARTIAL (Miami-Dade County)	EA	3.000
(0425- 2-73	MANHOLES, J-7, PARTIAL (Monroe County)	EA	2.000
(0425- 4-	INLETS, ADJUST (Miami-Dade County)	EA	10.000
(0425- 4-	INLETS, ADJUST (Monroe County)	EA	2.000
(0425- 5-	MANHOLE, ADJUST (Miami-Dade County)	EA	10.000
(0425- 5-	MANHOLE, ADJUST (Monroe County)	EA	2.000
(0425- 6-	VALVE BOXES, ADJUST (Miami-Dade County)	EA	10.000
(0425- 6-	VALVE BOXES, ADJUST (Monroe County)	EA	5.000
(0425- 8-	DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST (Miami-Dade County)	EA	5.000
(0425- 8-	DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST (Monroe County)	EA	2.000
(0425- 82-	REPLACE GRATE (Miami-Dade County)	EA	50.000
(0425- 82-	REPLACE GRATE (Monroe County)	EA	10.000

		Can Cruci. 601 1 Toposai. E0E37		
ALT	Item	Description	Unit	Quantity
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD (Miami-Dade County)	LF	100.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD (Monroe County)	LF	50.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD (Miami-Dade County)	LF	300.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD (Monroe County)	LF	150.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD (Miami-Dade County)	LF	200.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD (Monroe County)	LF	100.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD (Miami-Dade County)	LF	100.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD (Monroe County)	LF	50.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD (Miami-Dade County)	LF	100.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD (Monroe County)	LF	50.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD (Miami-Dade County)	LF	100.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD (Monroe County)	LF	100.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD (Miami-Dade County)	LF	100.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD (Monroe County)	LF	50.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE (Miami-Dade County)	CY	20.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE (Monroe County)	CY	5.000
	0436- 1- 1	TRENCH DRAIN, STANDARD (Miami-Dade County)	LF	150.000
	0436- 1- 1	TRENCH DRAIN, STANDARD (Monroe County)	LF	50.000
	0443- 70- 4	FRENCH DRAIN, 24" (Miami-Dade County)	LF	200.000
	0443- 70- 4	FRENCH DRAIN, 24" (Monroe County)	LF	50.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F (Miami-Dade County)	LF	1,500.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F (Monroe County)	LF	100.000
	0520- 2- 4	CONCRETE CURB, TYPE D (Miami-Dade County)	LF	100.000
	0520- 2- 4	CONCRETE CURB, TYPE D (Monroe County)	LF	20.000
	0520- 3-	VALLEY GUTTER- CONCRETE (Miami-Dade County)	LF	100.000
	0520- 3-	VALLEY GUTTER- CONCRETE (Monroe County)	LF	20.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK (Miami-Dade County)	SY	150.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK (Monroe County)	SY	50.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK (Miami-Dade County)	SY	200.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK (Monroe County)	SY	60.000
	0526- 1- 2	PAVERS, ARCHITECTURAL, SIDEWALK (Miami-Dade County)	SY	50.000
	0526- 1- 2	PAVERS, ARCHITECTURAL, SIDEWALK (Monroe County)	SY	10.000
	0527- 2-	DETECTABLE WARNINGS (Miami-Dade County)	SF	30.000
	0527- 2-	DETECTABLE WARNINGS (Monroe County)	SF	10.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING (Miami-Dade County)	TN	4.000

Quantity	Unit	Item Description	LT Item
10.000	TN	0530- 3- 4 RIPRAP, RUBBLE, F&I, DITCH LINING (Monroe County)	0530- 3- 4
50.000	LF	0536- 1- 1 GUARDRAIL -ROADWAY, GENERAL TL-3 (Miami-Dade County)	0536- 1- 1
50.000	LF	0536- 1-11 GUARDRAIL, ROADWAY, MODIFIED THRIE BEAM (Miami-Dade County)	0536- 1-11
50.000	LF	9550- 10-220 FENCING, TYPE B, 5.1-6.0', STANDARD (Miami-Dade County)	0550- 10-220
40.000	LF	9550- 10-220 FENCING, TYPE B, 5.1-6.0', STANDARD (Monroe County)	0550- 10-220
50.000	LF	9550- 10-228 FENCING, TYPE B, 5.1-6.0, RESET EXISTING (Miami-Dade County)	0550- 10-228
40.000	LF	550- 10-228 FENCING, TYPE B, 5.1-6.0, RESET EXISTING (Monroe County)	0550- 10-228
500.000	SY	D570- 1- 1 PERFORMANCE TURF (Miami-Dade County)	0570- 1- 1
100.000	SY	D570- 1- 1 PERFORMANCE TURF (Monroe County)	0570- 1- 1
500.000	SY	• (0570- 1- 2
100.000	SY	D570- 1- 2 PERFORMANCE TURF, SOD (Monroe County)	0570- 1- 2
0.600	GM	0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" (Miami-Dade County)	0710- 11-101
0.600	GM	0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" (Monroe County)	0710- 11-101
0.200	GM	0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" (Miami-Dade County)	0710- 11-102
0.200	GM	0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" (Monroe County)	0710- 11-102
300.000	LF	0710- 11-123 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" (Miami-Dade County)	0710- 11-123
200.000	LF	0710- 11-123 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" (Monroe County)	0710- 11-123
150.000	LF	0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" (Miami-Dade County)	0710- 11-124
150.000	LF	0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" (Monroe County)	0710- 11-124
150.000	LF		0710- 11-125
50.000	LF		0710- 11-125
0.300	GM		0710- 11-131
0.300	GM	0710- 11-131 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE (Monroe County)	0710- 11-131
5.000	EA	0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS (Miami-Dade County)	0710- 11-170
2.000	EA	0710- 11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS (Monroe County)	0710- 11-170
0.600	GM	0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" (Miami-Dade County)	0710- 11-201
0.600	GM	0710- 11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" (Monroe County)	0710- 11-201
50.000	LF	` · · · · · · · · · · · · · · · · · · ·	0710- 11-224
20.000	LF	•	0710- 11-224
		• • • • • • • • • • • • • • • • • • • •	ection 0002 Signing
10.000	AS	0700- 1-11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF (Miami-Dade County)	0700- 1-11

		Can Order: 001 1 Toposai. E0E37		
ALT	Item	Description	Unit	Quantity
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF (Monroe County)	AS	5.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE (Miami-Dade County)	AS	10.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE (Monroe County)	AS	5.000
	0700- 1-60	SINGLE POST SIGN, REMOVE (Miami-Dade County)	AS	10.000
	0700- 1-60	SINGLE POST SIGN, REMOVE (Monroe County)	AS	5.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND (Miami-Dade County)	GM	0.200
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND (Monroe County)	GM	0.200
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT (Miami-Dade County)	LF	300.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT (Monroe County)	LF	50.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS (Miami-Dade County)	LF	150.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS (Monroe County)	LF	50.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK (Miami-Dade County)	LF	150.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK (Monroe County)	LF	50.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" (Miami-Dade County)	GM	0.300
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" (Monroe County)	GM	0.300
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL (Miami-Dade County)	EA	8.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL (Monroe County)	EA	4.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW (Miami-Dade County)	EA	3.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW (Monroe County)	EA	2.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON (Miami-Dade County)	LF	70.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON (Monroe County)	LF	20.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK (Miami-Dade County)	LF	300.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK (Monroe County)	LF	100.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK (Miami-Dade County)	LF	150.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK (Monroe County)	LF	50.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE (Miami-Dade County)	EA	4.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE (Monroe County)	EA	4.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW (Miami-Dade County	EA	4.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW (Monroe County)	EA	4.000
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" (Miami-Dade County)	GM	0.200

ALT	Item	Description	Unit	Quantity
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" (Monroe County)	GM	0.200
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8" (Miami-Dade County)	GM	0.200
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8" (Monroe County)	GM	0.200
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" (Miami-Dade County)	GM	0.500
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" (Monroe County)	GM	0.500
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP (Miami-Dade County)	GM	0.200
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP (Monroe County)	GM	0.200
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" (Miami-Dade County)	GM	0.200
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" (Monroe County)	GM	0.200
Section	n 0003 Signalizat	tion		
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL (Miami-Dade County)	EA	8.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL (Monroe County)	EA	8.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY (Miami-Dade County)	AS	8.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY (Monroe County)	AS	8.000
	0653- 1-12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS (Miami-Dade County)	AS	8.000
	0653- 1-12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS (Monroe County)	AS	8.000
	0653- 1-40	PEDESTRIAN SIGNAL, RELOCATE (Miami-Dade County)	AS	8.000
	0653- 1-40	PEDESTRIAN SIGNAL, RELOCATE (Monroe County)	AS	8.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN (Miami-Dade County)	AS	8.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN (Monroe County)	AS	8.000
	0660- 1-101	LOOP DETECTOR INDUCTIVE, F&I, TYPE 1 (Miami-Dade County)	EA	5.000
	0660- 1-101	LOOP DETECTOR INDUCTIVE, F&I, TYPE 1 (Monroe County)	EA	2.000
	0660- 1-102	LOOP DETECTOR INDUCTIVE, F&I, TYPE 2 (Miami-Dade County)	EA	5.000
	0660- 1-102	LOOP DETECTOR INDUCTIVE, F&I, TYPE 2 (Monroe County)	EA	2.000
	0660- 1-103	LOOP DETECTOR INDUCTIVE, F&I, TYPE 3 (Miami-Dade County)	EA	5.000
	0660- 1-103	LOOP DETECTOR INDUCTIVE, F&I, TYPE 3 (Monroe County)	EA	2.000
	0660- 1-105	LOOP DETECTOR, INDUCTIVE, F&I, TYPE 5, 2CHANNEL, SOLID STATE, SHELF MOUNTED (Miami-Dade County)	EA	5.000
	0660- 1-105	LOOP DETECTOR, INDUCTIVE, F&I, TYPE 5, 2CHANNEL, SOLID STATE, SHELF MOUNTED (Monroe County)	EA	2.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 (Miami-Dade County)	EA	5.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 (Monroe County)	EA	2.000
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A (Miami-Dade County)	AS	5.000
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A (Monroe County)	AS	2.000

Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 06200528 Call Order: 002 Proposal: E6N05 District:06

Counties: MIAMI-DADE

Road Name: SR A1A/COLLINS AVE AT 36TH, 83RD AND 87TH STREETS

Limits: 87060000

Project(s): 44188615201(*) Federal Aid No: N/A

Total Roadway Length:0.133 MilesContract Days:180Total Bridge Length:0.000 MilesLetting Date:05/28/20Total Proposal Length:0.133 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$643,638.00

Please read the full advertisement

Description:

Electronic bids are requested for a contract that consists of Pedestrian Safety Improvements along SR A1A/Collins Ave at 36, 83 and 87 Streets in Miami-Dade County. The Summary of pay items for this project is listed in the Plans. Prequalification is required.

Visit www.bidx.com for more information.

ALT	Item	Description	Unit	Quantity
Section	0001 Roadway			
	0101- 1-	MOBILIZATION (44188615201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44188615201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	516.000
	0102- 60-	WORK ZONE SIGN	ED	10,140.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	12,480.000
	0102-74-7	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	LF	60.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	540.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	582.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	9.000
	0107- 1-	LITTER REMOVAL	AC	1.610
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44188615201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (44188615201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44188615201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	293.000
	0120- 1-	REGULAR EXCAVATION	CY	28.000
	0327- 70- 12	MILLING EXIST ASPH PAVT, 1 1/4" AVG DEPTH	SY	3,518.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	241.900
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	135.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	299.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	7.000
	0527- 2-	DETECTABLE WARNINGS	SF	48.000

Section 0002 Signing					
	ALT	Item	·	Unit	Quantity
0700- 1-111 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF			INITIAL CONTINGENCY AMOUNT, DO NOT BID (44188615201)	LS	1.000
0700- 1-60 SINGLE POST SIGN, REMOVE AS 7.0 0710- 11-290 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND SF 23.1 0710- 90- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44188615201) LS 1.1 0711- 11-123 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12° FOR CROSSWALK LF 275.0 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18° FOR DIAGONALS LF 191.0 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24° FOR STOP LINE AND CROSSWALK LF 191.2 0711- 11-160 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL EA 4.0 0711- 11-224 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL EA 4.0 0711- 14-160 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL LF 256.1 0711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24° FOR LF 250.4 CROSSWALK O711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, SURFACES, WHITE, SOLID, 6° GM 0.2 0711- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6° GM 0.2 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHIT	Sectio	n 0002 Signing			
0710- 11-290			,	AS	8.000
NOSE					7.000
0711- 11-123 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT 191.4 0711- 11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS 191.4 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK 190.6 0711- 11-160 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL EA AU. 4.4 0711- 11-120 THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON 15 0711- 14-125 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK 16 0711- 14-126 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK 17 0711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, MESSAGE EA 0711- 14-160 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.2 0711- 16-131 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.6 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" 6M 0635- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 136.6 0715- 1- 12 LIGHTING CONDUCTORS, FAI, INSULATED, NO.8 - 6 LF 741.1 0715- 1- 1- 12 LIGHTING CONDUCTORS, FAI, INSTALL STANDARD POLE		0710- 11-290		SF	23.000
AND ROUNDABOUT 0711-11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS LF 191.6 0711-11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK 0711-11-160 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL EA 4.0 0711-11-124 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL EA 4.0 0711-11-125 THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL LF 255.6 0R CHEVRON OR CHEVRON LF CROSSWALK 0711-14-125 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR LF 250.0 0711-14-160 THERMOPLASTIC, PREFORMED, WHITE, MESSAGE EA 3.6 0711-14-170 THERMOPLASTIC, PREFORMED, WHITE, ARROW EA 1.0 0711-16-101 THERMOPLASTIC, OTHER SURFACES, WHITE, SOLID, 6" GM 0.2 0711-16-101 THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 9-9 LANE DROP 0711-16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" GM 0.6 6" Section 0003 Lighting 0630- 2-12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 135.6 0715- 1-12 LIGHTING CONDUCTORS, F&I, 13" x 24" COVER SIZE EA 5.1 0715- 4-70 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA 2.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING EA 8.1 0715- 4-70 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA 2.0 0715- 500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, EA 2.0 0715- 500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, EA 2.0 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, PI 3.0 0639- 2- 12 LECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS 3.1 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS 3.1 0639- 2- 1 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 3.6 0639- 1-122 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.1 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LEF EA 3.6 0649- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL AC AS 6.6		0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44188615201)	LS	1.000
AND CHEVRONS 0711- 11-125 THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE LF 109.0 AND CROSSWALK 0711- 11-160 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL EA 4.0 AND CROSSWALK 0711- 11-1224 THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL LF 255.0 OR CHEVRON 0711- 14-125 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR LF 250.0 CROSSWALK 0711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, MESSAGE EA 3.0 OR 11- 14-170 THERMOPLASTIC, PREFORMED, WHITE, ARROW EA 1.0 OR 11- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.1 OR 3-9 LANE DROP 0711- 16-131 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.1 OR 3-9 LANE DROP 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" GM 0.1 OR 3-9 LANE DROP 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" GM 0.1 OR 3-9 LANE DROP 0715- 1- 12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 LF 741.0 OR 3-2 - 11 PULL & SPLICE BOX, F&I, INSULATED, NO.8 - 6 LF 741.0 OR 3-2 - 11 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA STANDARD FOUNDATION, 40' MOUNTING HEIGHT 0715- 4- 13 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA STANDARD FOUNDATION, 40' MOUNTING HEIGHT 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING EA POLE/ARM, ROADWAY, COBRA HEAD POLE/ARM, SOADWAY, COBRA HEAD POL		0711- 11-123		LF	275.000
AND CROSSWALK 0711- 11-160 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL 0711- 11-224 THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL 0711- 14-125 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR 0711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR 0711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, ARROW 0711- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0711- 16-101 THERMOPLASTIC, OTHER SURFACES, WHITE, SVIP, 6",10-30 SKIP 0711- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SVIP, 6",10-30 SKIP 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6M 0803- 2-12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE 155.0635- 2-11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE 0715- 1-12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 16 T41.0715- 4-70 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT 0715- 4-70 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE 0715-11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, 0639- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE 1.0639- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE 1.1.310.0 0639- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE 1.2.0 0639- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE 1.310.0 0639- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE 1.310.0 0639- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE 1.310.0 0639- 2- 12 POLL & SPLICE BOX, F&I, 13" x 24" COVER SIZE 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER 0639- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE 0639- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL 0649- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL 0649- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INS		0711- 11-124	·	LF	191.000
0711- 11-224 THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON LF 255.0 0711- 14-125 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK LF 250.0 0711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, MESSAGE EA 3.0 0711- 14-170 THERMOPLASTIC, PREFORMED, WHITE, ARROW EA 1.0 0711- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.2 0711- 16-131 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP GN GM 0.2 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, GM GM 0.0 6" CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 135.0 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 141.0 0715- 4- 13 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 -6 LF 741.0 0715- 4- 70 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA 2.0 0715- 4- 70 LIGHT POLE COMPLETE, REPUBLIAGE EXISTING LUMINAIRE ON EXISTING EA 1.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING EA		0711- 11-125		LF	109.000
OR CHEVRON 0711- 14-125 THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR LF 250.0 CROSSWALK 0711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, MESSAGE EA 3.0 O711- 14-170 THERMOPLASTIC, PREFORMED, WHITE, ARROW EA 1.0 O711- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.3 O711- 16-131 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.5 OR 3-9 LANE DROP OR 3-1 LO CONVENTIONAL DROP OR 3-1 LO CONVERTIONAL DROP OR 3-1 LO CONVERT SERVICE, F&I, UNDERGROUND, METER AS 3-1 LO CONVERT SERVICE, F&I, UNDERGROUND, METER AS 3-1 LO CONTACTOR DROP OR 3-1 LO CONVERT SERVICE, F&I, UNDERGROUND, METER AS 3-1 LO CONTACTOR DROP OR 3-1 LO		0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	4.000
CROSSWALK 0711- 14-160 THERMOPLASTIC, PREFORMED, WHITE, MESSAGE EA 3.0 0711- 14-170 THERMOPLASTIC, PREFORMED, WHITE, ARROW EA 1.0 0711- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.3 0711- 16-131 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.7 0713- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP GM 0.7 0713- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, GM 0.0 0830- 2-12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 135.0 0835- 2-11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 5.1 0715- 1-12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 LF 741.0 0715- 4-13 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA 2.0 0715- 4-70 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA 2.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING EA POLE/ARM, ROADWAY, COBRA HEAD 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, EA 2.0 Section 0004 Signalization ED CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0 0830- 2-12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0 0830- 2-11 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, PI 3.0 0830- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS 3.0 0839- 2-1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 0839- 2-1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 0849- 2-1 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 3.0 0850- 2-12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL AS 6.0		0711- 11-224		LF	255.000
0711- 14-170 THERMOPLASTIC, PREFORMED, WHITE, ARROW EA 1.0 0711- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.2 0711- 16-131 THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP GN OR 3-9 LANE DROP GM 0.6 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" GM 0.0 Section 0003 Lighting 6" 6" 0.0 6635- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 135.0 6635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 5.0 6715- 1- 12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 LF 741.0 6715- 4- 13 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA 2.0 6715- 4- 70 LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION EA 1.0 6715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING EA 8.0 6715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CA EA 2.0 Section 0004 Signalization 0630- 2-12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0		0711- 14-125		LF	250.000
0711- 16-101 THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" GM 0.2 0711- 16-131 THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP GM 0.3 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" GM 0.0 Section 0003 Lighting 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 135.0 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 5.0 0715- 1- 12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 LF 741.0 0715- 4- 13 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA 2.0 0715- 4- 70 LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION EA 1.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING EA 8.0 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, EA 2.0 Section 0004 Signalization 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL PI 3.0 0639- 2- 11		0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	3.000
0711- 16-131 THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP 0.0 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" GM 0.0 Section 0003 Lighting 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 135.0 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 5.0 0715- 1- 12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 LF 741.0 0715- 4- 13 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA 2.0 STANDARD FOUNDATION, 40" MOUNTING HEIGHT 0715- 4-70 LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION EA 1.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING EA 8.0 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, EA 2.0 CONVENTIONAL Section 0004 Signalization 0630- 2-12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL PI 3.0 0635- 2- 11 PUL		0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	1.000
OR 3-9 LANE DROP 0711- 16-201 THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, GM 060-2-12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE 0630- 2-11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 5.0 0715- 1- 12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 UF 741.0 0715- 4- 13 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT 0715- 4- 70 LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION EA 1.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL Section 0004 Signalization 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL 0641- 2- 12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE A 3.0 0654- 2- 12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL AC AS 6.0		0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.287
Section 0003 Lighting		0711- 16-131		GM	0.122
0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 135.0 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 5.0 0715- 1- 12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 LF 741.0 0715- 4- 13 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE EA 2.0 0715- 4- 70 LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION EA 1.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING EA 8.0 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL EA 2.0 Section 0004 Signalization 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL PI 3.0 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 35.0 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS PURCHASED BY CONTRACTOR AS 3.0 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 0641- 2- 12 PR		0711- 16-201		GM	0.072
0635- 2-11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 5.0 0715- 1- 12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 LF 741.0 0715- 4- 13 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT EA 2.0 0715- 4- 70 LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION EA 1.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD EA 8.0 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, EA 2.0 CONVENTIONAL CONVENTIONAL EA 2.0 Section 0004 Signalization 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL PI 3.0 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 35.0 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS 3.0 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 0641- 2- 12 PRESTRESSED CONCRETE P	Sectio	n 0003 Lighting			
0715- 1- 12 LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 LF 741.0 0715- 4- 13 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT EA 2.0 0715- 4- 70 LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION EA 1.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD EA 8.0 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL EA 2.0 Section 0004 Signalization 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL PI 3.0 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 35.0 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR AS 3.0 0641- 2- 12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.0 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50' EA 3.0 0654- 2- 12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC <td></td> <td>0630- 2-12</td> <td>CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE</td> <td>LF</td> <td>135.000</td>		0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	135.000
0715- 4- 13 LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT 0715- 4- 70 LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION EA 1.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING EA POLE/ARM, ROADWAY, COBRA HEAD 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, EA CONVENTIONAL Section 0004 Signalization 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, PI FURNISH & INSTALL 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 35.0 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS PURCHASED BY CONTRACTOR 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 0641- 2- 12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.0 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 50' 0654- 2- 12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC AS 6.0		0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	5.000
STANDARD FOUNDATION, 40' MOUNTING HEIGHT 0715- 4-70 LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION EA 1.0 0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING EA POLE/ARM, ROADWAY, COBRA HEAD 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL Section 0004 Signalization 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, PI FURNISH & INSTALL 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 35.0 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS PURCHASED BY CONTRACTOR 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 0641- 2- 12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.0 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 50'		0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	741.000
0715- 11-211 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, EA CONVENTIONAL Section 0004 Signalization 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.6 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, PI FURNISH & INSTALL 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 35.6 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS PURCHASED BY CONTRACTOR 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.6 0641- 2- 12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.6 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 50' 0654- 2- 12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL AC AS 6.6		0715- 4-13	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT	EA	2.000
POLE/ARM, ROADWAY, COBRA HEAD 0715-500- 1 POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, EA 2.0 CONVENTIONAL Section 0004 Signalization 0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE LF 1,310.0 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, PI 3.0 FURNISH & INSTALL 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 35.0 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS PURCHASED BY CONTRACTOR 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 0641- 2- 12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.0 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 50' 0654- 2- 12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC AS 6.0		0715- 4-70	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	1.000
CONVENTIONAL Section 0004 Signalization 0630- 2- 12		0715- 11-211		EA	8.000
0630- 2- 12 CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE 0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL 0641- 2- 12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50' 0654- 2- 12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC 6.6		0715-500- 1		EA	2.000
0632- 7- 1 SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL 0635- 2- 11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 35.0 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS PURCHASED BY CONTRACTOR 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 0641- 2- 12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.0 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 50' 0654- 2- 12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC AS 6.0	Sectio	n 0004 Signalizat	tion		
FURNISH & INSTALL 0635- 2-11 PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE EA 35.0 0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS PURCHASED BY CONTRACTOR 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 0641- 2-12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.0 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 50' 0654- 2-12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC AS 6.0		0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,310.000
0639- 1-122 ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER AS 3.0 PURCHASED BY CONTRACTOR 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.0 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 50' 0654- 2- 12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC AS 6.0		0632- 7- 1		PI	3.000
PURCHASED BY CONTRACTOR 0639- 2- 1 ELECTRICAL SERVICE WIRE, FURNISH & INSTALL LF 725.0 0641- 2- 12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.0 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 50' 0654- 2- 12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC AS 6.0		0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	35.000
0641- 2-12 PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE EA 3.0 0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 50' 0654- 2-12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC AS 6.0		0639- 1-122		AS	3.000
0649- 21- 6 STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM EA 3.0 50' 0654- 2- 12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC AS 6.0		0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	725.000
50' 0654- 2-12 RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC AS 6.0		0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	3.000
		0649- 21- 6		EA	3.000
FOWERED, COMPLETE SIGN ASSEMBLY- DACK TO BACK		0654- 2-12	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	6.000

ALT	Item	Description	Unit	Quantity
	0654- 2-15	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWER, MAST ARM MOUNT RRFB SIGN ASSEMBLY	AS	9.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	6.000

Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 06200528 Call Order: 003 Proposal: E6N22-R0 District:06

Counties: MIAMI-DADE

Road Name: MOWING MIAMI-DADE COUNTY - ROUTINE MAINTENANCE- BID FACTOR

Limits: Midpoint

Project(s): 44520737201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:05/28/20Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$199,634.00

Please read the full advertisement

Description: Bid Factor Bidding

Electronic bids are requested for a Work Order Driven/Bid Factor contract that consist of providing labor, equipment and materials to perform mowing, litter removal and edging on various sections of State Roads 5,94,825,986,989992,994, and 90 in Miami-Dade County.

METHOD OF PROCUREMENT-Bid Factor Method:

- -The Department provides quantities and predetermined Base Unit Prices for pay items which are included in the Contract Plans and Advertisement.
- -The Bidder shall propose a single Bid Factor expressed as a number carried out to 3 decimal places. The proposed Bid Factor will be applied to all predetermined pay item Base Unit Prices included in the advertisement.
- -The Bid Factor of 1.000 shall be 100% of the Base Unit Price, any number above 1.000 will increase the Base Unit Price, and any number below 1.000 will decrease the Base Unit Price.
- -The lowest Bidder will be determined by the lowest Bid Factor submitted in response to the advertisement.
- -Award of the contract is based upon the bidder who submits a responsive and responsible bid with the lowest Bid Factor.

REQUIRED SUBMITTAL WITH BID: Bid Factor Bidding Sheet must be submitted with the bid as an attachment.

PERFORMANCE BOND: A Contract / Performance bond is required for this project

Visit www.bidx.com for more information.

Call Order: 003 Proposal: E6N22-R0

ALT	Item		Description	Unit	Quantity					
Section 0001 LARGE MACHINE MOWING (AC)										
	E104- 4- 1	MOWING	(REGULAR/LARGE MACHINE)	AC	904.230					
	E104- 4- 3	MOWING (SMA	ALL MACHINE)	AC	1,551.042					
	E104- 4- 4	MOWING (INTI	ERMEDIATE MACHINE)	AC	312.984					
	E110- 30-	LITTER REMO	VAL	AC	4,613.850					
	E110-32-2	EDGING		MI	2,355.384					