## Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 06201029 Call Order: 004 Proposal: E6N24 District:06

Counties: MIAMI-DADE

Road Name: TRAFFIC OPERATIONS PUSH BUTTON -SIGNALS - MISC. CONSTRUCTION

Limits: Midpoint

Project(s): 44626415201(\*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:730Total Bridge Length:0.000 MilesLetting Date:10/29/20

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 30

Proposal Budget Estimate: \$700,000.00

Please read the full advertisement

Description: Bid Factor Bidding

Electronic bids are requested for a Push-button/Bid Factor/Budgetary Ceiling Traffic Operations Signal Improvements Contract at various Miami-Dade countywide locations. Pre-qualification is required.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or exact quantities shown for each bid item. Use the Departments quantities and prices listed for each item in the Bid Price Proposal to determine a single bid factor. The bid factor will be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific site are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to accomplished, and the number calendar days to complete the work.

## METHOD OF PROCUREMENT-BID FACTOR METHOD:

- -The Department provides quantities and predetermined Base Unit Prices for pay items which are included in the Contract Plans and Advertisement.
- -The Bidder shall propose a single Bid Factor expressed as a number carried out to 3 decimal places. The proposed Bid Factor will be applied to all predetermined pay item Base Unit Prices included in the advertisement.
- -The Bid Factor of 1.000 shall be 100% of the Base Unit Price, any number above 1.000 will increase the Base Unit Price, and any number below 1.000 will decrease the Base Unit Price.
- -The lowest Bidder will be determined by the lowest Bid Factor submitted in response to the advertisement.
- -Award of the contract is based upon the bidder who submits a responsive and responsible bid with the lowest Bid Factor.

The Award Amount shall be based on the Budgetary Ceiling Amount of \$700,000.00 and not the vendors bid total over the two (2) year term of the contract. If vendors bid is above the budgetary ceiling amount, vendor will receive the budgetary ceiling amount. If vendors bid is below the budgetary ceiling amount, vendor will receive their bid amount.

REQUIRED SUBMITTAL WITH BID: Bid Factor Bidding Sheet must be submitted with the bid as an attachment.

PERFORMANCE BOND: A Contract / Performance bond is required for this project

Visit www.bidx.com for more information.

ALT	Item	Description	Unit	Quantity		
Section	Section 0001 Roadway					
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	400.000		
	0102- 60-	WORK ZONE SIGN	ED	3,500.000		
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	5,000.000		
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	5,000.000		

ALT	Item	Description	Unit	Quantity
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	300.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	40.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	200.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	200.000
	0102-115-	TYPE III BARRICADE	ED	200.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	500.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	100.000
	0327- 70- 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	SY	500.000
	0327- 70- 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	500.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	50.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22	TN	50.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22	TN	30.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	400.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	100.000
	0520- 5-11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	100.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	200.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	500.000
	0527- 2-	DETECTABLE WARNINGS	SF	100.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	100.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	1.000
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	1.000
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	1.000
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	300.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	100.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	300.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	1.000
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	1.000
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	20.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	20.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	1.000
	0710- 11-202	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	1.000
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	100.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	1.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	1.000

N.T. Branch Co.	Unit	
ALT Item Description	Offic	Quantity
Section 0002 Signing		
0700- 1-11 SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	100.000
0700- 1-12 SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	50.000
0700- 1-13 SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	40.000
0700- 1-14 SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF	AS	20.000
0700- 1-21 SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UF TO 12 SF	P AS	10.000
0700- 1-22 SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12 20 SF	2- AS	2.000
0700- 1-31 SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	4.000
0700- 1-32 SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-SF	20 AS	2.000
0700- 1-50 SINGLE POST SIGN, RELOCATE	AS	10.000
0700- 1-60 SINGLE POST SIGN, REMOVE	AS	100.000
0700- 2-11 MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	1.000
0700- 2-12 MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	1.000
0700- 2-13 MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.000
0700- 2-14 MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	1.000
0700- 2-15 MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	5.000
0700- 2-60 MULTI- POST SIGN, REMOVE	AS	4.000
0700- 3-101 SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	10.000
0700- 3-102 SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	2.000
0700- 3-103 SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	2.000
0700- 3-104 SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	2.000
0700- 3-105 SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF	EA	8.000
0700- 3-106 SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF	EA	2.000
0700- 3-107 SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 201-300 SF	EA	2.000
0700- 3-108 SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 301-400 SF	EA	2.000
0700- 3-201 SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 S		24.000
0700- 3-201 SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 01-10-12-0	EA	2.000
0700- 3-202 SIGN FANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SI	EA	4.000
0700- 3-203 SIGN FANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-50 SI		
· · · · · · · · · · · · · · · · · · ·	EA EA	8.000
		4.000
0700- 3-206 SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF		2.000
0700- 3-207 SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF		2.000
0700- 3-501 SIGN PANEL, RELOCATE, UP TO 12 SF	EA	10.000
0700- 3-502 SIGN PANEL, RELOCATE, 12-20 SF	EA	2.000
0700- 3-503 SIGN PANEL, RELOCATE, 21-30 SF	EA	2.000
0700- 3-504 SIGN PANEL, RELOCATE, 31-50 SF	EA	2.000
0700- 3-505 SIGN PANEL, RELOCATE, 51-100 SF	EA	2.000
0700- 3-506 SIGN PANEL, RELOCATE, 101-200 SF	EA	2.000
0700- 3-601 SIGN PANEL, REMOVE, UP TO 12 SF	EA	24.000
0700- 3-602 SIGN PANEL, REMOVE, 12-20 SF	EA	4.000
0700- 3-603 SIGN PANEL, REMOVE, 21-30 SF	EA	2.000
0700- 3-604 SIGN PANEL, REMOVE, 31-50 SF	EA	2.000

		Can Order. 004 Troposal. Lonz4		
ALT	Item	Description	Unit	Quantity
	0700- 3-605	SIGN PANEL, REMOVE, 51-100 SF	EA	18.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	2.000
	0700- 3-626	SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING	EA	2.000
	0700- 3-627	SIGN PANEL, REMOVE PANEL, 201-300 SF WITH LIGHTING	EA	2.000
	0700- 11-131	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK SIGN, UP TO 12 SF	AS	4.000
	0700- 11-132	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, SPEED FEEDBACK SIGN, 12-20 SF	AS	4.000
	0700- 11-391	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL OVERHEAD MOUNT- AC POWERED, BLANK OUT SIGN, UP TO 12 SF	AS	8.000
	0700- 12- 11	SIGN BEACON, F&I GROUND MOUNT- AC POWERED, ONE BEACON	AS	8.000
	0700- 12- 12	SIGN BEACON, F&I GROUND MOUNT- AC POWERED, TWO BEACONS	AS	8.000
	0700- 12- 31	SIGN BEACON, F&I OVERHEAD MOUNT, ONE BEACON	AS	8.000
	0700- 12- 32	SIGN BEACON, F&I OVERHEAD MOUNT, TWO BEACONS	AS	8.000
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	150.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	10.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	100.000
	0705-11-4	DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48"	EA	20.000
	0706- 1- 1	RAISED PAVEMENT MARKER, TYPE B WITHOUT FINAL SURFACE MARKINGS	EA	1,000.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	200.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	1.000
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	500.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	100.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	500.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION. 6"	GM	1.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	20.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	20.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	100.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	1.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	500.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,000.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	50.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	50.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	20.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	1.000

		Call Order: 004 Proposal: E6N24		
ALT	Item	Description	Unit	Quantity
071	1- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	1.000
071	1- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.000
071	1- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	1.000
071	1- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"	GM	1.000
071	1- 15-231	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6"	GM	1.000
071	1- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	1.000
071	1- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	1.000
071	1- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.000
071	1- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.000
071	1- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	1.000
071	1- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	1.000
071	1- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	2,000.000
Section 0003	Lighting			
071	5- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	5,000.000
071	5- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	5,000.000
071	5- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	1,000.000
071	5- 4-14	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT	EA	10.000
071	5- 4-60	LIGHT POLE COMPLETE, RELOCATE	EA	2.000
071	5- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	5.000
071	5- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	16.000
071	5-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	16.000
Section 0004	Signalizati	ion		
0630	0- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	2,000.000
0630	0- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	6,000.000
0632	2- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	4.000
0632	2- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	3,000.000
0632	2- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	4.000
0634	4- 4-400	SPAN WIRE ASSEMBLY, ADJUST	PI	2.000
063	5- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	100.000
063	5- 3-12	JUNCTION BOX, FURNISH & INSTALL, MOUNTED	EA	10.000
0639	9- 1-111	ELECTRICAL POWER SERVICE, F&I, OVERHEAD, METER FURNISHED BY POWER COMPANY	AS	4.000
0639	9- 1-113	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER NOT REQUIRED	AS	4.000

		Call Order: 004 Troposal: Loitz4		
ALT	Item	Description	Unit	Quantity
	0639- 1-123	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER NOT REQUIRED	AS	4.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	1,500.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	1,000.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	5.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	5.000
	0641- 2-70	PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER	EA	4.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	10.000
	0646- 1-12	ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST	EA	10.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	10.000
	0649- 21- 1	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 30'	EA	4.000
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40'	EA	4.000
	0649- 21- 6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50'	EA	4.000
	0649- 21- 10	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60'	EA	4.000
	0649- 21- 15	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 70'	EA	4.000
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	1.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION-BOLT ON ATTACHMENT	EA	4.000
	0649- 26- 5	STEEL MAST ARM ASSEMBLY, REMOVE, DEEP FOUNDATION- BOLT ON ATTACHMENT	EA	4.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	20.000
	0650- 1-16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	5.000
	0650- 1-18	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY	AS	10.000
	0650- 1-44	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 3 SECTION, 1 WAY	AS	4.000
	0650- 1-46	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 4 SECTION, 1 WAY	AS	4.000
	0650- 1-48	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 5 SECTION- STRAIGHT, 1 WAY	AS	4.000
	0650- 1-60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	20.000
	0650- 1-70	VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION	AS	10.000
	0650- 2-102	VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER	EA	10.000
	0650- 2-105	VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, TUNNEL VISOR	EA	10.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	60.000
	0653- 1-12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	30.000

ALT	Item	Description	Unit	Quantity
	0653- 1-40	PEDESTRIAN SIGNAL, RELOCATE	AS	5.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	10.000
	0654- 2-11	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION	AS	8.000
	0654- 2-12	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	8.000
	0654- 2-15	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWER, MAST ARM MOUNT RRFB SIGN ASSEMBLY	AS	8.000
	0654- 3-10	PEDESTRIAN HYBRID BEACON ASSEMBLY, FURNISH & INSTALL COMPLETE ASSEMBLY	AS	8.000
	0659- 1-101	MOUNTING ASSEMBLY, REPAIR/REPLACE/RETRO- FURNISH & INSTALL, MAST ARM MOUNTING ASSEMBLY	EA	2.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	12.000
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A	AS	16.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	16.000
	0660- 4-11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	4.000
	0660- 4-12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	4.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	16.000
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	16.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	16.000
	0670- 4- 1	INTERSECTION CONTROL BEACON CONTROLLER ASSEMBLY, FURNISH & INSTALL	AS	2.000
	0670- 5-140	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 207	AS	8.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	16.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	4.000
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	8.000
	0700- 5-50	INTERNALLY ILLUMINATED SIGN, RELOCATE	EA	4.000
	0700- 5-60	INTERNALLY ILLUMINATED SIGN, REMOVE	EA	4.000