BID SOLICITATION NOTICE - District 6 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Miami, FL April 14, 2022 Advertisement No. 01

District Six, Adam Leigh Cann Building 1000 NW 111 Avenue Procurement Office, Room 6202-B Miami, FL 33172

All bids must be completed using Project Bids software available on the Bid Express website at https://bidx.com/fl/main

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: http://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at http://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 11:00 AM Local Time on Thursday, May 26, 2022.

Bid totals for each bid submitted will be read aloud for those present and will be available at 11:00 AM May 26, 2022 in the above referenced location.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (305)470-5457. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d6, click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

----NOTE-----

Proposals will not be issued after 11:00 AM Local Time on Wednesday, May 25, 2022 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
 Department of Transportation at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/.
 Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) http://www.fdot.gov/contracts/PreQual Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid rejection or contract award</u> shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be pregualified by the Department to be eligible to bid,

the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at http://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary Letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d6, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal.

Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit http://www.insurevision.com for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae 2

POSTING NOTICE

The bid tabulation and intent to award will be posted on **June 14, 2022** or **June 28, 2022** at www.fdot.gov/contracts/d6, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at http://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to http://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to http://www.fdot.gov/contracts/distco.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5). Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: April 14, 2022

Letting ID: 06220526

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the May 26, 2022 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E6L20		25054885201(*) 25054885601 25054895201 44389215201 44389215202 44390015201 44600715201	MONROE
14	E6N47		44445015201(*)	MIAMI-DADE
19	E6O31		44596325201(*)	MIAMI-DADE
25	E6O36-R0		45066717201(*)	MIAMI-DADE

Proposal Note Codes:

Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 06220526 Call Order: 001 Proposal: E6L20 District:06

Counties: MONROE

Road Name: SR A1A/S. ROOSEVELT BLVD

Limits: 90003000

 Project(s):
 25054885201(*)
 Federal Aid No: N/A

 Project(s):
 25054885601
 Federal Aid No: N/A

 Project(s):
 25054895201
 Federal Aid No: N/A

Project(s): 44389215201 Federal Aid No: D621054B

 Project(s):
 44389215202
 Federal Aid No: N/A

 Project(s):
 44390015201
 Federal Aid No: N/A

 Project(s):
 44600715201
 Federal Aid No: N/A

Total Roadway Length:3.990 MilesContract Days:800Total Bridge Length:0.000 MilesLetting Date:05/26/22Total Proposal Length:3.990 MilesContract Execution Days:10

Special Start Date: N/A
Aguis/Flexible Start Time: 120

Proposal Budget Estimate: \$21,690,545.00

Please read the full advertisement

Description: Incentive / Disincentive

Electronic bids are requested for an Incentive-Disincentive contract that consists of Widen & Resurface Existing Lanes along SR A1A / South Roosevelt BLVD from Bertha Street to End of Smathers Beach. Resurfacing along SR 5/ Whitehead Street from Fleming Street to West of Truman Ave. Pavement Only Resurface (Flex) along SR 5/ Frontage Road at Boca Chica Key. Resurfacing Ride Only along SR A1A / South Roosevelt BLVD from Go Lane to North of Roosevelt BLVD and Traffic Operations Improvement along SR A1A / South Roosevelt BLVD from East of La Brisa to East of Key West of the Sea in Monroe County. The summary of pay items for this project is listed in the plans. Prequalification is required.

Visit www.bidx.com for more information.

ALT	Item	Description	Unit	Quantity
Section (0001 Roadway			
	0101- 1-	MOBILIZATION (25054885201)	LS	1.000
	0101- 1-	MOBILIZATION (44389215201)	LS	1.000
	0101- 1-	MOBILIZATION (44390015201)	LS	1.000
	0101- 1-	MOBILIZATION (44600715201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (25054885201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44389215201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44390015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44600715201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	69.100
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (25054885201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	544.000
	0102- 60-	WORK ZONE SIGN	ED	63,952.000
	0102- 61-	BUSINESS SIGN	EA	2.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	4,030.000

		Can Order: 001 Troposai. Loczo		
ALT	Item	Description	Unit	Quantity
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	5,642.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	67,525.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	1,558,680.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	885.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	22.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	2,564.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	570.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	570.000
	0102-115-	TYPE III BARRICADE	ED	5,740.000
	0104- 10- 3	SEDIMENT BARRIER	LF	8,795.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	67.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	116.000
	0107- 1-	LITTER REMOVAL	AC	371.770
	0107- 2-	MOWING	AC	202.300
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (25054885201)	LS	1.000
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44389215201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (25054885201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44389215201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44390015201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	10,462.000
	0110- 5-	PLUGGING WATER WELLS, ARTESIAN	EA	5.000
	0110- 21-	TREE PROTECTION BARRIER	LF	6,926.000
	0110- 22-	TREE ROOT AND BRANCH PRUNING	EA	140.000
	0110- 23-	TREE REMOVAL	EA	30.000
	0120- 1-	REGULAR EXCAVATION	CY	1,879.800
	0120- 4-	SUBSOIL EXCAVATION	CY	25.000
	0120- 6-	EMBANKMENT	CY	2,735.600
	0120- 71-	REGULAR EXCAVATION (3-R PROJECTS ONLY) (44389215201)	LS	1.000
	0121- 70-	FLOWABLE FILL	CY	34.900
	0160- 4-	TYPE B STABILIZATION	SY	629.000
	0210- 1- 1	REWORKING LIMEROCK BASE, 6"	SY	1,415.000
	0210- 1- 8	REWORKING LIMEROCK BASE, 4"	SY	2,497.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	225.000
	0285-703-	OPTIONAL BASE, BASE GROUP 03	SY	1,095.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	48.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	154.000
	0285-712-	OPTIONAL BASE, BASE GROUP 12	SY	1,165.000
	0327- 70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	20,034.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	5,617.000
	0327-70-8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	22,710.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	877.700
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	6,485.000

		Can Order: 001 Troposal: Loczo		
ALT	Item	Description	Unit	Quantity
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	649.800
	0337- 7-80	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-9.5, PG 76-22	TN	871.800
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	2,399.200
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	18.300
	0400- 3-20	CONC CLASS III, SEAL	CY	242.100
	0400- 4- 8	CONC CLASS IV, BULKHEAD	CY	40.200
	0400- 4-11	CONC CLASS IV, RETAINING WALLS	CY	154.500
	0415- 1- 3	REINFORCING STEEL- RETAINING WALL	LB	25,082.000
	0415- 1- 8	REINFORCING STEEL- BULKHEAD	LB	5,841.000
	0425- 1-202	INLETS, CURB, TYPE 9, >10'	EA	2.000
	0425- 1-341	INLETS, CURB, TYPE P-4, <10'	EA	1.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	13.000
	0425- 1-352	INLETS, CURB, TYPE P-5, >10'	EA	3.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL	EA	4.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	7.000
	0425- 1-362	INLETS, CURB, TYPE P-6, >10'	EA	2.000
	0425- 1-365	INLETS, CURB, TYPE P-6, PARTIAL	EA	2.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10'	EA	8.000
	0425- 1-455	INLETS, CURB, TYPE J-5, PARTIAL	EA	1.000
	0425- 1-462	INLETS, CURB, TYPE J-6, >10'	EA	4.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	6.000
	0425- 1-522	INLETS, DT BOT, TYPE C,>10'	EA	2.000
	0425- 2-41	MANHOLES, P-7, <10'	EA	1.000
	0425- 2-42	MANHOLES, P-7, >10'	EA	1.000
	0425- 2-72	MANHOLES, J-7, >10'	EA	1.000
	0425- 2-75	MANHOLES, J-7, >10' CONTROL STRUCTURE	EA	2.000
	0425- 5-	MANHOLE, ADJUST	EA	31.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	1,693.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	1,368.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	1,069.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	1,328.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	405.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	106.000
	0444- 70- 11	DEEP WELL- OPEN HOLE, 24"	LF	320.000
	0444- 71- 11	DEEP WELL CASING, 24"	LF	480.000
	0444- 73- 12	STEEL WELL GRATE, 24" AND GREATER	EA	8.000
	0444- 74- 1	DEEP WELL INJECTION BOX, STRUCTURE WITH NO OUTFLOW	EA	8.000
	0448- 73-	PUMPING STATION- DRAINAGE (25054885201)	LS	1.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	22,267.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	141.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	9,192.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	6.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	325.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	9,230.000

		Call Order: 001 Proposal: E6L20		
ALT	Item	Description	Unit	Quantity
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	835.000
	0522- 4-	BUS SHELTER PAD- CONCRETE	SY	12.000
	0527- 2-	DETECTABLE WARNINGS	SF	722.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	1,446.600
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	15.000
	0530- 4- 4	ARTICULATING CONCRETE BLOCK REVETMENT SYSTEM, THICKNESS 4"	SY	82.000
	0530- 74-	BEDDING STONE	TN	337.100
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	391.000
	0536- 73-	GUARDRAIL REMOVAL	LF	86.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	2.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	1.000
	0550- 10-212	FENCING, TYPE B, 0.5-5.0', W/ VINYL COATING	LF	142.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	6,030.000
	0639- 8-130	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), FPL (DO NOT BID) (25054885201)	LS	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	3,049.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	8.242
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.028
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	2,955.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	810.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	695.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.820
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	15.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	42.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	8.844
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	299.000
	0710- 11-421	PAINTED PAVEMENT MARKINGS, STANDARD, BLUE, SOLID FOR PARKING LOT- ACCESSIBLE MARKINGS, 6"	LF	160.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25054885201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44389215201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44390015201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44600715201)	LS	1.000
Section	on 0002 Signing	,		
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	101.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	3.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 12 20 GI	AS	1.000
	0700- 1- 13	SINGLE POST SIGN, RELOCATE	AS	30.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE SINGLE POST SIGN, REMOVE	AS	49.000
	0700- 1-00	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	3.000
	0700- 3-101	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	19.000
	0700- 3-301	SIGN I ANLL, NELOGATE, OF TO 12 OF	ᅜᄉ	19.000

		Can Order: 001 Troposai: Loczo		
ALT	Item	Description	Unit	Quantity
	0700- 11-121	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT-AC POWERED, ELECTRONIC REGULATORY SIGN, UP TO 12 SF	AS	3.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	7.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,489.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	16.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (25054885201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44389215201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44390015201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44600715201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	1,663.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	1,429.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	452.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	19.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	11.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	651.000
	0711- 11-421	THERMOPLASTIC, STANDARD, BLUE, SOLID,6"	LF	505.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,400.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	46.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	4.583
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.095
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.625
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"-APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.039
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	4.505
Sectio	n 0003 Lighting			
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	330.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	24.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	2,600.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	2,650.000
	0715- 7-21	LOAD CENTER, REWORK, SECONDARY VOLTAGE	EA	3.000
	0715- 11-213	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP	EA	1.000
	0715- 11-216	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, PENDANT/TEARDROP	EA	71.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	72.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44389215202)	LS	1.000
Sectio	n 0004 Signalizat	tion		
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,738.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	54.000

		Call Order: 001 Proposal: E6L20		
ALT	Item	Description	Unit	Quantity
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	5.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	3.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	69.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	6.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	3.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	640.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	6.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	13.000
	0646- 1-12	ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST	EA	4.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	1.000
	0649- 21- 1	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 30'	EA	4.000
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40°	EA	2.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	13.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	5.000
	0654- 3-10	MIDBLOCK CROSSWALK: PEDESTRIAN HYBRID BEACON ASSEMBLY, FURNISH & INSTALL COMPLETE ASSEMBLY	AS	12.000
	0660- 3-11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	EA	1.000
	0660- 3-12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	9.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	6.000
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	14.000
	0665- 1-60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	12.000
	0670- 5-140	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 207	AS	3.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	3.000
	0685- 1-13	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET	EA	3.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	4.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	6.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	4.000
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	6.000
Sectio	n 0005 Landscap	e / Peripheral		
	0580- 1- 1	LANDSCAPE COMPLETE- SMALL PLANTS (44389215201)	LS	1.000
	0580- 1- 1	LANDSCAPE COMPLETE- SMALL PLANTS (44390015201)	LS	1.000
	0581- 1- 2	RELOCATE TREES AND PALMS, PALM, >=14' OF CLEAR TRUNK	EA	5.000
Sectio	n 0006 Utilities			
	0999- 26-	LOCAL AGENCY INITIAL CONTINGENCY AMOUNT (DO NOT BID) (25054885601)	LS	1.000
	1050- 16-002	UTILITY PIPE,REMOVE & DISPOSE, 2-4.9"	LF	13.000
	1050- 16-003	UTILITY PIPE,REMOVE & DISPOSE, 5-7.9"	LF	346.000
	1050- 16-004	UTILITY PIPE,REMOVE & DISPOSE, 8-19.9"	LF	344.000

ALT	Item	Description	Unit	Quantity
	1050- 18-002	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 2- 4.9"	LF	17.000
	1050- 18-003	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 5-7.9"	LF	16.000
	1050- 18-004	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 8-19.9"	LF	1,922.000
	1050- 31-206	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 6"	LF	105.000
	1050- 31-212	UTILITY PIPE- POLY VINYL CHLORIDE, FURNISH & INSTALL, WATER/SEWER, 12"	LF	2,260.000
	1050- 41-202	UTILITY PIPE- POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 2"	LF	21.000
	1055- 51-112	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL ELBOW, 12"	EA	32.000
	1055- 51-212	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL TEE, 12"	EA	5.000
	1055- 51-512	UTILITY FITTINGS, DUCTILE IRON/CAST IRON, FURNISH & INSTALL, CAP/PLUG, 12"	EA	24.000
	1080- 23-106	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 6"	EA	5.000
	1080- 23-112	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 12"	EA	6.000
	1080- 24-106	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 6"	EA	5.000
	1080- 24-112	UTILITY FIXTURE, VALVE ASSEMBLY, FURNISH AND INSTALL, 12"	EA	8.000
	1080- 24-500	UTILITY FIXTURE, VALVE ASSEMBLY, ADJUST/MODIFY	EA	3.000
	1080- 29-112	UTILITY FIXTURE, MECHANICAL JOINT RESTRAINT, FURNISH & INSTALL, 12"	EA	85.000
Sectio	n 0007 Intelligent	t Transportation System		
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	0.313
	0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	2.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	52.000
	0633- 8- 1	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL	LF	140.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	2.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	3.000
	0682- 1-133	ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION	EA	2.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	3.000
	0684- 6-30	WIRELESS COMMUNICATION DEVICE, INSTALL	EA	3.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25054895201)	LS	1.000

Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 06220526 Call Order: 002 Proposal: E6N47 District:06

Counties: MIAMI-DADE

Road Name: SR 972/SW 13TH ST/SW 3RD AVE/CORAL WAY @ SW 15TH RD

Limits: 87054000

Project(s): 44445015201(*) Federal Aid No: N/A

Total Roadway Length:

0.134 Miles

Contract Days:

250

Total Bridge Length:

0.000 Miles

Letting Date:

0.134 Miles

Contract Execution Days:

10

Total Proposal Length: 0.134 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$2,766,178.89

Please read the full advertisement

Description: Incentive / Disincentive

Electronic bids are requested for an Incentive-Disincentive contract that consists of Roundabout along SR 972/SW 13th ST/SW 3rd AVE/CORAL WAY at SW15th RD in Miami-Dade County. The summary of pay items for this project is listed in the plans. Prequalification is Required.

Visit www.bidx.com for more information

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44445015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44445015201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (44445015201)	LS	1.000
	0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (44445015201)	LS	1.000
	0102- 4- 1	PEDESTRIAN OR BICYCLE SPECIAL DETOUR (44445015201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	240.000
	0102- 60-	WORK ZONE SIGN	ED	64,770.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	1,128.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	2,029.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	13,930.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	31,797.000
	0102- 75- 1	TEMPORARY SEPARATOR, F&I REMOVE	LF	2,066.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	500.000
	0102- 78- 1	TEMPORARY RAISED/RETROREFLECTIVE PAVEMENT MARKER, TYPE D	EA	108.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	18.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	500.000
	0102-115-	TYPE III BARRICADE	ED	720.000
	0102-909-	TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS	DA	180.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.107
	0102-913- 23	REMOVABLE TAPE, WHITE, 24" STOP BAR	LF	23.000
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.146

ALT	Item	Description	Unit	Quantity
	0104- 10- 3	SEDIMENT BARRIER	LF	1,673.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	20.000
	0107- 1-	LITTER REMOVAL	AC	10.900
	0107- 2-	MOWING	AC	2.710
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44445015201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44445015201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	1,728.000
	0110- 21-	TREE PROTECTION BARRIER	LF	873.000
	0110- 22-	TREE ROOT AND BRANCH PRUNING	EA	1.000
	0110- 23-	TREE REMOVAL	EA	5.000
	0120- 1-	REGULAR EXCAVATION	CY	2,574.200
	0120- 6-	EMBANKMENT	CY	796.600
	0121- 70-	FLOWABLE FILL	CY	1.800
	0160- 4-	TYPE B STABILIZATION	SY	7,143.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	389.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	5,922.000
	0285-714-	OPTIONAL BASE, BASE GROUP 14	SY	246.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	6,279.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	507.600
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	1,025.500
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	67.500
	0350- 30- 13	CONCRETE PAVEMENT FOR ROUNDABOUT APRON, 12" DEPTH	SY	325.000
	0425- 1-201	INLETS, CURB, TYPE 9, <10'	EA	1.000
	0425- 1-341	INLETS, CURB, TYPE P-4, <10'	EA	1.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	2.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	2.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	2.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	1.000
	0425- 2-63	MANHOLES, P-8, PARTIAL	EA	1.000
	0425- 5-	MANHOLE, ADJUST	EA	9.000
	0430-173-118	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN	LF	6.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	189.000
	0443-70-4	FRENCH DRAIN, 24"	LF	248.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	1,598.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	1,755.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	263.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	305.000
	0520- 2- 8	CONCRETE CURB, TYPE RA	LF	257.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	90.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	2,552.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	431.000
	0527- 2-	DETECTABLE WARNINGS	SF	521.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	947.000
	0536- 7- 3	SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT	EA	6.000
	- -			2.30

		Can Order: 002 Troposar. Lon-17		
ALT	Item	Description	Unit	Quantity
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	2.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	2.000
	0550- 10-220	FENCING, TYPE B, 5.1-6.0', STANDARD	LF	431.000
	0550- 10-228	FENCING, TYPE B, 5.1-6.0, RESET EXISTING	LF	204.000
	0550- 10-918	FENCING, SPECIAL TYPE, 0.0-5.0', RESET EXISTING	LF	386.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	1,515.000
	0639- 8-130	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), FPL (DO NOT BID) (44445015201)	LS	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	124.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	1.291
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	11.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.916
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44445015201)	LS	1.000
Sectio	n 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	36.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	10.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	39.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	4.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	13.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	2.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	289.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	29.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44445015201)	LS	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.064
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	721.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	156.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	221.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.104
	0711- 11-144	THERMOPLASTIC, STANDARD, WHITE, 2-2 DOTTED EXTENSION LINE, 12" FOR ROUNDABOUT	GM	0.040
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	7.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	18.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	13.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	19.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	714.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	4.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	4.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.891

ALT	Item	Description	Unit	Quantity
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10 -30 SKIP OR 3-9 LANE DROP	GM	0.322
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.758
Sectio	n 0003 Lighting			
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	565.000
	0630- 2-15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	560.000
	0630- 2-65	CONDUIT, REMOVE, BRIDGE MOUNT	LF	460.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	15.000
	0715- 1-11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	1,650.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	4,539.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	3,004.000
	0715- 11-125	LUMINAIRE, F&I, UNDER DECK, WALL MOUNT	EA	12.000
	0715- 11-216	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, PENDANT/TEARDROP	EA	14.000
	0715- 11-500	LUMINAIRE, REMOVE	EA	18.000
	0715- 21- 4	LIGHTING REPAIRS- TRANSFORMER BASE, REPLACE BASE FOR EXISTING POLE	EA	1.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	11.000
	0715-511-120	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, ALUMINUM, 20'	EA	11.000
	0715-540-000	LIGHT POLE COMPLETE- SPECIAL DESIGN, RELOCATE	EA	5.000
Sectio	n 0004 Signalizati	ion		
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	925.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0632- 7- 7	SIGNAL CABLE, REMOVE- OUTSIDE OF INTERSECTION	LF	70.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	38.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	1.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 1-620	ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	65.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0641- 2-60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	1.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	14.000
	0649- 21- 1	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 30'	EA	1.000
	0649- 21- 6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50'	EA	1.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	13.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	8.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	2.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	4.000

ALT	Item	Description	Unit	Quantity
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	8.000
	0670- 5-140	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 207	AS	1.000
	0685-522-	SYSTEM AUXILIARIES, MODEM- PROJECT 444450-1-52-01	EA	1.000
Section	n 0005 Landscap	e / Peripheral		
	0580- 1- 1	LANDSCAPE COMPLETE- SMALL PLANTS (44445015201)	LS	1.000
	0580- 1- 2	LANDSCAPE COMPLETE- LARGE PLANTS (44445015201)	LS	1.000
	0591- 1-200	IRRIGATION SLEEVE, 2" DIAMETER	LF	61.000
	0591- 1-400	IRRIGATION SLEEVE, 4" DIAMETER	LF	342.000
	0591- 1-600	IRRIGATION SLEEVE, 6" DIAMETER	LF	199.000

Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 06220526 Call Order: 004 Proposal: E6O31 District:06

Counties: MIAMI-DADE

Road Name: MIAMI-DADE COUNTY PUSHBUTTON - DRAINAGE IMPROVEMENTS

Limits: Midpoint

Project(s): 44596325201(*) Federal Aid No: N/A

Total Roadway Length:

0.000 Miles

Contract Days:

730

Total Bridge Length:

0.000 Miles

Letting Date:

0.002 Miles

Contract Everyties Days:

10

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 60

Proposal Budget Estimate: \$900,000.00

Please read the full advertisement

Description:

Electronic bids are requested for Pushbutton / Budgetary Ceiling contract to provide Drainage Improvements at various locations in Miami-Dade County. The summary of the pay items for this project is listed in the Plans. Pregualification is required.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each item to be bid. The Department's estimated quantities and the Contractors' bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will based on actual quantities completed. For this Contract in which specific site are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to accomplished, and the number calendar days to complete the work.

Visit www.bidx.com for more information.

ALT	Item	Description	Unit	Quantity
	n 0001 Roadway	2 3331. [•	<u> </u>
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE (Miami-Dade County)	CY	50.000
	0102- 14-	TRAFFIC CONTROL OFFICER (Miami-Dade County)	HR	150.000
	0102- 60-	WORK ZONE SIGN (Miami-Dade County)	ED	6,000.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED (Miami-Dade County)	LF	300.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING (Miami-Dade County)	LF	1,000.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD (Miami-Dade County)	ED	15,000.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) (Miami-Dade County)	FD	600.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL (Miami-Dade County)	ED	300.000
	0102-89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION (Miami-Dade County)	LO	5.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY (Miami-Dade County)	ED	300.000
	0102-913- 11	REMOVABLE TAPE, BLACK, SOLID 6" (Miami-Dade County)	GM	5.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6" (Miami-Dade County)	GM	5.000
		, , , , , , , , , , , , , , , , , , , ,		

^{****}Award will be made at the Budgetary Ceiling amount of \$ 900,000.00

		Can Order. 004 Troposal. E0031		
ALT	Item	Description	Unit	Quantity
	0104- 10- 3	SEDIMENT BARRIER (Miami-Dade County)	LF	100.000
	0104- 11-	FLOATING TURBIDITY BARRIER (Miami-Dade County)	LF	100.000
	0104- 18-	INLET PROTECTION SYSTEM (Miami-Dade County)	EA	40.000
	0107- 1-	LITTER REMOVAL (Miami-Dade County)	AC	5.000
	0107- 2-	MOWING (Miami-Dade County)	AC	5.000
	0110- 2- 1	CLEARING & GRUBBING (PUSH BUTTON CONTRACT) (Miami-Dade County)	AC	5.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE (Miami-Dade County)	SY	1,000.000
	0120- 1-	REGULAR EXCAVATION (Miami-Dade County)	CY	800.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE (Miami-Dade County)	CY	120.000
	0120- 3-	LATERAL DITCH EXCAVATION (Miami-Dade County)	CY	850.000
	0160- 4-	TYPE B STABILIZATION (Miami-Dade County)	SY	1,600.000
	0210- 1- 1	REWORKING LIMEROCK BASE, 6" (Miami-Dade County)	SY	50.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04 (Miami-Dade County)	SY	1,600.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09 (Miami-Dade County)	SY	600.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11 (Miami-Dade County)	SY	500.000
	0285-712-	OPTIONAL BASE, BASE GROUP 12 (Miami-Dade County)	SY	100.000
	0285-713-	OPTIONAL BASE, BASE GROUP 13 (Miami-Dade County)	SY	100.000
	0327- 70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH (Miami-Dade County)	SY	1,000.000
	0327-70-4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH (Miami-Dade County)	SY	200.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH (Miami-Dade County)	SY	200.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH (Miami-Dade County)	SY	2,000.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C (Miami-Dade County)	TN	160.000
	0334- 1-15	SUPERPAVE ASPHALTIC CONC, TRAFFIC E (Miami-Dade County)	TN	20.000
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 (Miami-Dade County)	TN	20.000
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 (Miami-Dade County)	TN	20.000
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 (Miami-Dade County)	TN	250.000
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 (Miami-Dade County)	TN	250.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT (Miami-Dade County)	TN	50.000
	0400- 2- 1	CONCRETE CLASS II, CULVERTS (Miami-Dade County)	CY	50.000
	0400- 3- 1	CONCRETE CLASS III, CULVERTS (Miami-Dade County)	CY	10.000
	0400- 4- 1	CONCRETE CLASS IV, CULVERTS (Miami-Dade County)	CY	30.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS (Miami-Dade County)	LB	400.000
	0425- 1-311	INLETS, CURB, TYPE P-1, <10' (Miami-Dade County)	EA	5.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10' (Miami-Dade County)	EA	5.000
	0425- 1-352	INLETS, CURB, TYPE P-5, >10' (Miami-Dade County)	EA	5.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL (Miami-Dade County)	EA	5.000
	0425- 1-359	INLETS, CURB, TYPE P-5, MODIFY (Miami-Dade County)	EA	5.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10' (Miami-Dade County)	EA	5.000
	0425- 1-362	INLETS, CURB, TYPE P-6, >10' (Miami-Dade County)	EA	5.000

ALT	Item	Description	Unit	Quantity
	0425- 1-365	INLETS, CURB, TYPE P-6, PARTIAL (Miami-Dade County)	EA	5.000
	0425- 1-369	INLETS, CURB, TYPE P-6, MODIFY (Miami-Dade County)	EA	5.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10' (Miami-Dade County)	EA	4.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10' (Miami-Dade County)	EA	4.000
	0425- 1-455	INLETS, CURB, TYPE J-5, PARTIAL (Miami-Dade County)	EA	4.000
	0425- 1-459	INLETS, CURB, TYPE J-5, MODIFY (Miami-Dade County)	EA	2.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10' (Miami-Dade County)	EA	2.000
	0425- 1-462	INLETS, CURB, TYPE J-6, >10' (Miami-Dade County)	EA	2.000
	0425- 1-465	INLETS, CURB, TYPE J-6, PARTIAL (Miami-Dade County)	EA	4.000
	0425- 1-469	INLETS, CURB, TYPE J-6, MODIFY (Miami-Dade County)	EA	2.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10' (Miami-Dade County)	EA	5.000
	0425- 1-523	INLETS, DT BOT, TYPE C,JBOT, <10' (Miami-Dade County)	EA	5.000
	0425- 1-524	INLETS, DT BOT, TYPE C, JBOT, >10' (Miami-Dade County)	EA	5.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10' (Miami-Dade County)	EA	5.000
	0425- 1-542	INLETS, DT BOT, TYPE D, >10' (Miami-Dade County)	EA	5.000
	0425- 1-571	INLETS, DITCH BOTTOM, TYPE G, <10' (Miami-Dade County)	EA	4.000
	0425- 1-572	INLETS, DITCH BOTTOM, TYPE G, >10' (Miami-Dade County)	EA	4.000
	0425- 1-573	INLETS, DITCH BOTTOM, TYPE G, J BOT, <10' (Miami-Dade County)	EA	4.000
	0425- 1-574	INLETS, DITCH BOTTOM, TYPE G, J BOT, >10' (Miami-Dade County)	EA	4.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10' (Miami-Dade County)	EA	4.000
	0425- 1-712	INLETS, GUTTER, TYPE V, >10' (Miami-Dade County)	EA	4.000
	0425- 1-713	INLETS, GUTTER, TYPE V, J BOT, <10' (Miami-Dade County)	EA	4.000
	0425- 1-714	INLETS, GUTTER, TYPE V, J BOTTOM, >10' (Miami-Dade County)	EA	3.000
	0425- 2-41	MANHOLES, P-7, <10' (Miami-Dade County)	EA	4.000
	0425- 2-42	MANHOLES, P-7, >10' (Miami-Dade County)	EA	5.000
	0425- 2-43	MANHOLES, P-7, PARTIAL (Miami-Dade County)	EA	5.000
	0425- 2-71	MANHOLES, J-7, <10' (Miami-Dade County)	EA	3.000
	0425- 2-72	MANHOLES, J-7, >10' (Miami-Dade County)	EA	3.000
	0425- 2-73	MANHOLES, J-7, PARTIAL (Miami-Dade County)	EA	3.000
	0425- 4-	INLETS, ADJUST (Miami-Dade County)	EA	3.000
	0425- 5-	MANHOLE, ADJUST (Miami-Dade County)	EA	5.000
	0425- 6-	VALVE BOXES, ADJUST (Miami-Dade County)	EA	5.000
	0425- 8-	DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST (Miami-Dade County)	EA	5.000
	0425- 82-	REPLACE GRATE (Miami-Dade County)	EA	10.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD (Miami-Dade County)	LF	100.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD (Miami-Dade County)	LF	600.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD (Miami-Dade County)	LF	600.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD (Miami-Dade County	LF	150.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD (Miami-Dade County	LF	100.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD (Miami-Dade County)	LF	100.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD (Miami-Dade County)	LF	100.000

	1.	5		•
ALT	Item	Description	Unit	Quantity
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE (Miami-Dade County)	CY	40.000
	0430-880- 01	FLAP GATES, 0-24"	EA	2.000
	0430-880- 02	FLAP GATES, 25-36"	EA	2.000
	0430-880- 03	FLAP GATES, 37-48"	EA	2.000
	0430-880- 04	FLAP GATES, 49-60"	EA	2.000
	0436- 1- 1	TRENCH DRAIN, STANDARD (Miami-Dade County)	LF	150.000
	0443- 70- 4	FRENCH DRAIN, 24" (Miami-Dade County)	LF	210.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F (Miami-Dade County)	LF	1,000.000
	0520- 2- 4	CONCRETE CURB, TYPE D (Miami-Dade County)	LF	100.000
	0520- 3-	VALLEY GUTTER- CONCRETE (Miami-Dade County)	LF	100.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK (Miami-Dade County)	SY	220.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK (Miami-Dade County)	SY	200.000
	0522- 4-	BUS SHELTER PAD- CONCRETE (Miami-Dade County)	SY	20.000
	0526- 1- 2	PAVERS, ARCHITECTURAL, SIDEWALK (Miami-Dade County)	SY	50.000
	0527- 2-	DETECTABLE WARNINGS (Miami-Dade County)	SF	30.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING (Miami-Dade County)	TN	4.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3 (Miami-Dade County)	LF	150.000
	0536- 73-	GUARDRAIL REMOVAL (Miami-Dade County)	LF	100.000
	0550- 10-220	FENCING, TYPE B, 5.1-6.0', STANDARD (Miami-Dade County)	LF	50.000
	0550- 10-228	FENCING, TYPE B, 5.1-6.0, RESET EXISTING (Miami-Dade County)	LF	50.000
	0570- 1- 1	PERFORMANCE TURF (Miami-Dade County)	SY	500.000
	0570- 1- 2	PERFORMANCE TURF, SOD (Miami-Dade County)	SY	5,000.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B (Miami-Dade County)	EA	500.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" (Miami-Dade County)	GM	0.600
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" (Miami-Dade County)	GM	0.200
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" (Miami-Dade County)	LF	300.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" (Miami-Dade County)	LF	150.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" (Miami-Dade County)	LF	150.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE (Miami-Dade County)	GM	0.300
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS (Miami-Dade County)	EA	5.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" (Miami-Dade County)	GM	0.600
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" (Miami-Dade County)	LF	50.000
Section	n 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF (Miami-Dade County)	AS	10.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE (Miami-Dade County)	AS	10.000
	0.00 . 00			

		Call Order: 004 Troposal: E0031	
Quantity	Unit	Description	ALT Item
0.200	GM	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND (Miami-Dade County)	0711- 11-102
300.000	LF	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT (Miami-Dade County)	0711- 11-123
150.000	LF	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS (Miami-Dade County)	0711- 11-124
150.000	LF	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK (Miami-Dade County)	0711- 11-125
0.300	GM	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" (Miami-Dade County)	0711- 11-141
8.000	EA	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL (Miami-Dade County)	0711- 11-160
3.000	EA	THERMOPLASTIC, STANDARD, WHITE, ARROW (Miami-Dade County)	0711- 11-170
70.000	LF	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON (Miami-Dade County)	0711- 11-224
300.000	LF	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK (Miami-Dade County)	0711- 14-123
150.000	LF	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK (Miami-Dade County)	0711- 14-125
4.000	EA	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE (Miami-Dade County)	0711- 14-160
4.000	EA	THERMOPLASTIC, PREFORMED, WHITE, ARROW (Miami-Dade County)	0711- 14-170
0.200	GM	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" (Miami-Dade County)	0711- 15-102
0.200	GM	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8" (Miami-Dade County)	0711- 15-202
0.400	GM	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" (Miami-Dade County)	0711- 16-101
0.200	GM	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP (Miami-Dade County)	0711- 16-131
0.400	GM	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" (Miami-Dade County)	0711- 16-201
		tion	Section 0003 Signalizati
100.000	LF	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE (Miami-Dade County)	0630- 2-12
5.000	EA	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE (Miami-Dade County)	0635- 2-11
4.000	EA	ALUMINUM SIGNALS POLE, PEDESTAL (Miami-Dade County)	0646- 1-11
4.000	AS	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY (Miami-Dade County)	0653- 1-11
4.000	AS	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS (Miami-Dade County)	0653- 1-12
8.000	AS	PEDESTRIAN SIGNAL, RELOCATE (Miami-Dade County)	0653- 1-40
8.000	AS	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN (Miami-Dade County)	0653- 1-60
5.000	EA	LOOP DETECTOR INDUCTIVE, F&I, TYPE 1 (Miami-Dade County)	0660- 1-101
5.000	EA	LOOP DETECTOR INDUCTIVE, F&I, TYPE 2 (Miami-Dade County)	0660- 1-102
5.000	EA	LOOP DETECTOR INDUCTIVE, F&I, TYPE 3 (Miami-Dade County)	0660- 1-103
5.000	EA	LOOP DETECTOR, INDUCTIVE, F&I, TYPE 5, 2CHANNEL, SOLID STATE, SHELF MOUNTED (Miami-Dade County)	0660- 1-105
5.000	EA	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 (Miami-Dade County)	0660- 1-109
5.000	AS	LOOP ASSEMBLY- F&I, TYPE A (Miami-Dade County)	0660- 2-101

ALT	Item	Description	Unit	Quantity
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS (Miami-Dade County)	LF	1,000.000

Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 06220526 Call Order: 003 Proposal: E6O36-R0 District:06

Counties: MIAMI-DADE

Road Name: MOWING MIAMI-DADE COUNTY - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 45066717201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:05/26/22Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$162,770.20

Please read the full advertisement

Description: Bid Factor Bidding

Electronic bids are requested for a Work Order Driven / Bid Factor contract that consists of providing labor, equipment, and materials to perform mowing, litter removal and edging on various sections of State Roads 5,7,9,916,932,934,969 and 826 in Miami- Dade County.

METHOD OF PROCUREMENT-Bid Factor Method:

The limits and estimated quantities per cycle, per section of the roadway are specified in Attachment "A" on pages 36 and 39 of this Specifications Package. Use the Departments' quantities and prices listed for each item in the bid Price Proposal to determine a single bid factor. The bid factor will be used to determine the low bidder and contract award; however, the actual reimbursement to the Contractor will be based on the unit price of the actual amount of work authorized, completed, and approve by the Engineer subject to the limiting amount of the contract. This contract is not renewable.

- -The Department provides quantities and predetermined Base Unit Prices for pay items which are included in the Advertisement.
- -The Bidder shall propose a single Bid Factor expressed as a number carried out to 3 decimal places. The proposed Bid Factor will be applied to all predetermined pay item Base Unit Prices included in the advertisement.
- -The Bid Factor of 1.000 shall be 100% of the Base Unit Price, any number above 1.000 will increase the Base Unit Price, and any number below 1.000 will decrease the Base Unit Price.
- -The lowest Bidder will be determined by the lowest Bid Factor submitted in response to the advertisement.
- -Award of the contract is based upon the bidder who submits a responsive and responsible bid with the lowest Bid Factor.

REQUIRED SUBMITTAL WITH BID: Bid Factor Bidding Sheet MUST be submitted with the bid as an attachment.

Visit www.bidx.com for more information

ALT	Item	Description	Unit	Quantity			
Section 0001 LARGE MACHINE MOWING (AC)							
	E107- 1- 1	LITTER REMOVAL	AC	2,503.776			
	E107- 2- 1	MOWING (LARGE MACHINE)	AC	470.400			
	E107- 2- 2	MOWING (SLOPE)	AC	306.456			
	E107- 2- 3	MOWING (INTERMEDIATE MACHINE)	AC	535.560			
	E107- 2- 4	MOWING (SMALL MACHINE)	AC	1,189.200			
	E110-32-2	EDGING	MI	1,340.448			