

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 06230126                      Call Order: 001      Proposal: E6O09                      District:06

Counties: MIAMI-DADE

Road Name: MIAMI-DADE COUNTY (ADA) CONSTRUCTION - PEDESTRIAN SAFETY

Limits: Midpoint

Project(s): 42953665201(\*)                      Federal Aid No: N/A

Total Roadway Length:	0.000 Miles	Contract Days:	730
Total Bridge Length:	0.000 Miles	Letting Date:	01/26/23
Total Proposal Length:	0.000 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	30

Proposal Budget Estimate: \$1,000,000.00

Please read the full advertisement

Description:

A Push-button (ADA) Contract that consist of Pedestrian Safety Improvement Construction at various locations. Pre-qualification is required.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department's estimated quantities and the Contractors' bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

Award will be made at the Budgetary Ceiling amount of \$1,000,000.00

**Call Order: 001 Proposal: E6O09**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Roadway</b>				
	0102- 14-	TRAFFIC CONTROL OFFICER (MIAMI-DADE)	HR	70.000
	0102- 60-	WORK ZONE SIGN (MIAMI-DADE)	ED	900.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE (MIAMI-DADE)	LF	50.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING (MIAMI-DADE)	LF	300.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE (MIAMI-DADE)	LF	100.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD (MIAMI-DADE)	ED	1,500.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) (MIAMI-DADE)	FD	5,000.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL (MIAMI-DADE)	ED	80.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION (MIAMI-DADE)	LO	2.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY (MIAMI-DADE)	ED	50.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION (MIAMI-DADE)	ED	50.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION (MIAMI-DADE)	ED	50.000
	0102-115-	TYPE III BARRICADE (MIAMI-DADE)	ED	10.000

**Call Order: 001 Proposal: E6009**

ALT	Item	Description	Unit	Quantity
	0104- 18-	INLET PROTECTION SYSTEM (MIAMI-DADE)	EA	5.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE (MIAMI-DADE)	SY	1,100.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	50.000
	0160- 4-	TYPE B STABILIZATION (MIAMI-DADE)	SY	50.000
	0162- 1-100	PREPARED SOIL LAYER, 24" DEPTH (MIAMI-DADE)	SY	80.000
	0285-702-	OPTIONAL BASE, BASE GROUP 02 (MIAMI-DADE)	SY	100.000
	0285-713-	OPTIONAL BASE, BASE GROUP 13 (MIAMI-DADE)	SY	50.000
	0285-715-	OPTIONAL BASE, BASE GROUP 15 (MIAMI-DADE)	SY	50.000
	0286- 1-	TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS (MIAMI-DADE)	SY	50.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH (MIAMI-DADE)	SY	1,000.000
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C (MIAMI-DADE)	TN	50.000
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 (MIAMI-DADE)	TN	10.000
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 (MIAMI-DADE)	TN	10.000
	0337- 7- 82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 (MIAMI-DADE)	TN	10.000
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 (MIAMI-DADE)	TN	30.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT (MIAMI-DADE)	TN	10.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10' (MIAMI-DADE)	EA	1.000
	0425- 1-352	INLETS, CURB, TYPE P-5, >10' (MIAMI-DADE)	EA	1.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL (MIAMI-DADE)	EA	1.000
	0425- 1-359	INLETS, CURB, TYPE P-5, MODIFY (MIAMI-DADE)	EA	1.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10' (MIAMI-DADE)	EA	1.000
	0425- 1-362	INLETS, CURB, TYPE P-6, >10' (MIAMI-DADE)	EA	1.000
	0425- 1-365	INLETS, CURB, TYPE P-6, PARTIAL (MIAMI-DADE)	EA	1.000
	0425- 1-369	INLETS, CURB, TYPE P-6, MODIFY (MIAMI-DADE)	EA	1.000
	0425- 1-910	INLETS, CLOSED FLUME (MIAMI-DADE)	EA	1.000
	0425- 2- 41	MANHOLES, P-7, <10' (MIAMI-DADE)	EA	1.000
	0425- 2- 42	MANHOLES, P-7, >10' (MIAMI-DADE)	EA	1.000
	0425- 2- 43	MANHOLES, P-7, PARTIAL (MIAMI-DADE)	EA	1.000
	0425- 4-	INLETS, ADJUST (MIAMI-DADE)	EA	1.000
	0425- 5-	MANHOLE, ADJUST (MIAMI-DADE)	EA	1.000
	0425- 6-	VALVE BOXES, ADJUST (MIAMI-DADE)	EA	5.000
	0425- 82-	REPLACE GRATE (MIAMI-DADE)	EA	1.000
	0430-175-115	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 15"S/CD (MIAMI-DADE)	LF	10.000
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD (MIAMI-DADE)	LF	50.000
	0430-175-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"S/CD (MIAMI-DADE)	LF	10.000
	0515- 2-211	PEDESTRIAN / BICYCLE RAILING, STEEL, 42" TYPE 1 (MIAMI-DADE)	LF	10.000
	0515- 2-311	PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY, 42" TYPE 1 (MIAMI-DADE)	LF	10.000
	0515- 4- 1	BULLET RAIL, SINGLE RAIL (MIAMI-DADE)	LF	10.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F (MIAMI-DADE)	LF	600.000
	0520- 2- 4	CONCRETE CURB, TYPE D (MIAMI-DADE)	LF	50.000

**Call Order: 001 Proposal: E6009**

ALT	Item	Description	Unit	Quantity
	0520- 5- 41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE (MIAMI-DADE)	LF	10.000
	0520- 5- 42	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE (MIAMI-DADE)	LF	10.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK (MIAMI-DADE)	SY	500.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK (MIAMI-DADE)	SY	150.000
	0527- 2-	DETECTABLE WARNINGS (MIAMI-DADE)	SF	100.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3 (MIAMI-DADE)	LF	100.000
	0536- 6-	PIPE RAIL FOR GUARDRAIL (MIAMI-DADE)	LF	50.000
	0536- 7- 4	SPECIAL GUARDRAIL POST- FRANGIBLE LEAVE-OUT FOR MOUNTING THROUGH CONCRETE SURFACE (MIAMI-DADE)	EA	2.000
	0536- 73-	GUARDRAIL REMOVAL (MIAMI-DADE)	LF	50.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE (MIAMI-DADE)	EA	1.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL (MIAMI-DADE)	EA	1.000
	0550- 10-220	FENCING, TYPE B, 5.1-6.0', STANDARD (MIAMI-DADE)	LF	10.000
	0550- 10-222	FENCING, TYPE B, 5.1-6.0, W/ VINYL COATING (MIAMI-DADE)	LF	10.000
	0550- 10-228	FENCING, TYPE B, 5.1-6.0, RESET EXISTING (MIAMI-DADE)	LF	10.000
	0570- 1- 2	PERFORMANCE TURF, SOD (MIAMI-DADE)	SY	800.000
	0580- 1- 3	LANDSCAPE- RELOCATE TREE (PUSH BUTTON ONLY) (MIAMI-DADE)	EA	2.000
<b>Section 0002 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF (MIAMI-DADE)	AS	20.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF (MIAMI-DADE)	AS	4.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF (MIAMI-DADE)	AS	1.000
	0700- 1- 21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF (MIAMI-DADE)	AS	1.000
	0700- 1- 31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF (MIAMI-DADE)	AS	1.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE (MIAMI-DADE)	AS	2.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE (MIAMI-DADE)	AS	4.000
	0700- 2- 11	MULTI- POST SIGN, F&I GROUND MOUNT, UP TO 12 SF (MIAMI-DADE)	AS	1.000
	0700- 2- 12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF (MIAMI-DADE)	AS	1.000
	0700- 2- 50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE (MIAMI-DADE)	AS	2.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE (MIAMI-DADE)	AS	1.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF (MIAMI-DADE)	EA	2.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF (MIAMI-DADE)	EA	1.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF (MIAMI-DADE)	EA	5.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF (MIAMI-DADE)	EA	2.000
	0700- 11-191	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL GROUND MOUNT- AC POWERED, BLANK OUT SIGN, UP TO 12 SF (MIAMI-DADE)	AS	2.000
	0700- 11-391	ELECTRONIC DISPLAY SIGN, FURNISH & INSTALL OVERHEAD MOUNT- AC POWERED, BLANK OUT SIGN, UP TO 12 SF (MIAMI-DADE)	AS	2.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B (MIAMI-DADE)	EA	150.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" (MIAMI-DADE)	GM	0.250

**Call Order: 001 Proposal: E6009**

ALT	Item	Description	Unit	Quantity
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" (MIAMI-DADE)	GM	0.500
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" (MIAMI-DADE)	LF	400.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" (MIAMI-DADE)	LF	20.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" (MIAMI-DADE)	LF	150.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE (MIAMI-DADE)	GM	0.500
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" (MIAMI-DADE)	GM	0.250
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL (MIAMI-DADE)	EA	2.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS (MIAMI-DADE)	EA	2.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" (MIAMI-DADE)	GM	0.250
	0710- 11-202	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" (MIAMI-DADE)	GM	0.250
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" (MIAMI-DADE)	LF	20.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE (MIAMI-DADE)	SF	20.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT (MIAMI-DADE)	LF	400.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS (MIAMI-DADE)	LF	20.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK (MIAMI-DADE)	LF	150.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" (MIAMI-DADE)	GM	0.250
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL (MIAMI-DADE)	EA	2.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW (MIAMI-DADE)	EA	2.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON (MIAMI-DADE)	LF	20.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" (MIAMI-DADE)	GM	0.250
	0711- 11-421	THERMOPLASTIC, STANDARD, BLUE, SOLID,6" (MIAMI-DADE)	LF	20.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK (MIAMI-DADE)	LF	400.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK (MIAMI-DADE)	LF	150.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE (MIAMI-DADE)	EA	20.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW (MIAMI-DADE)	EA	20.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" (MIAMI-DADE)	GM	0.250
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" (MIAMI-DADE)	GM	0.125
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP (MIAMI-DADE)	GM	0.250

**Call Order: 001 Proposal: E6009**

ALT	Item	Description	Unit	Quantity
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" (MIAMI-DADE)	GM	0.250
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8" (MIAMI-DADE)	GM	0.125
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6" (MIAMI-DADE)	GM	0.125
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN (MIAMI-DADE)	SF	125.000
<b>Section 0003 Lighting</b>				
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 (MIAMI-DADE)	LF	200.000
	0715- 1- 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS (MIAMI-DADE)	LF	200.000
	0715- 61-321	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 10' ARM LENGTH (MIAMI-DADE)	EA	2.000
	0715- 61-421	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 10' ARM LENGTH (MIAMI-DADE)	EA	2.000
	0715- 68-000	LIGHT POLE COMPLETE, RELOCATE (MIAMI-DADE)	EA	2.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL (MIAMI-DADE)	EA	2.000
<b>Section 0004 Signalization</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH (MIAMI-DADE)	LF	100.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE (MIAMI-DADE)	LF	100.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL (MIAMI-DADE)	LF	330.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION (MIAMI-DADE)	PI	1.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE (MIAMI-DADE)	EA	10.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE (MIAMI-DADE)	EA	1.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR (MIAMI-DADE)	AS	1.000
	0639- 1-123	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER NOT REQUIRED (MIAMI-DADE)	AS	1.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE (MIAMI-DADE)	EA	1.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL (MIAMI-DADE)	EA	4.000
	0646- 1- 12	ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST (MIAMI-DADE)	EA	1.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE (MIAMI-DADE)	EA	4.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY (MIAMI-DADE)	AS	2.000
	0650- 1- 18	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY (MIAMI-DADE)	AS	2.000
	0650- 1- 60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN (MIAMI-DADE)	AS	1.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY (MIAMI-DADE)	AS	8.000
	0653- 1- 12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS (MIAMI-DADE)	AS	4.000
	0653- 1- 40	PEDESTRIAN SIGNAL, RELOCATE (MIAMI-DADE)	AS	8.000

**Call Order: 001 Proposal: E6O09**

ALT	Item	Description	Unit	Quantity
	0653- 1- 60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN (MIAMI-DADE)	AS	4.000
	0654- 2- 11	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION (MIAMI-DADE)	AS	1.000
	0654- 2- 12	MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC, COMPLETE SIGN ASSEMBLY- BACK TO BACK (MIAMI-DADE)	AS	1.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 (MIAMI-DADE)	EA	2.000
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A (MIAMI-DADE)	AS	2.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD (MIAMI-DADE)	EA	8.000
	0665- 1- 12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE (MIAMI-DADE)	EA	30.000
	0665- 1- 50	PEDESTRIAN DETECTOR, ADJUST/MODIFY ON EXISTING POLE (MIAMI-DADE)	EA	2.000
	0665- 1- 60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN (MIAMI-DADE)	EA	4.000
	0670- 5-140	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 2070 (MIAMI-DADE)	AS	1.000