BID SOLICITATION NOTICE – District 6 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Miami, FL February 15, 2024 Advertisement No. 1

District Six, Adam Leigh Cann Building 1000 NW 111 Avenue Procurement Office, Room 6202-B Miami, FL 33172

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: https://www.fdot.gov/contracts for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at http://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 11:00 AM Local Time on Thursday, March 28, 2024.

Bid totals for each bid submitted will be read aloud for those present and will be available at 11:00 AM March 28, 2024 in the above referenced location.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (305)470-5457. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d6, click "Letting and Project Information" and select letting date from the Lettings Menu.

----NOTF----

Proposals will not be issued after 11:00 AM Local Time on Wednesday, March 27, 2024.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <u>CPP.Web (fdot.gov)</u>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit https://dms.myflorida.com/egovernment_tools/myflorida_marketplace for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
 Department of Transportation at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/.
 Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid rejection or contract award</u> shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk

of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at https://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d6, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information, please visit https://www.surety2000.com for Surety2000 or https://www.tinubu.com for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids

submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web-based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae 2

POSTING NOTICE

The bid tabulation and intent to award will be posted on April 16, 2024 or April 30, 2024 at www.fdot.gov/contracts/d6, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964**, **42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S.** Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at https://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to http://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to https://www.fdot.gov/contracts/district-offices/distco.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: February 15, 2024

Letting ID: 06240328

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the March 28, 2024 letting.

| Page Number | Proposal Id | Proposal Notes | Fin Proj Numbers | County |
|-------------|-------------|----------------|------------------|------------|
| 3 | E6O81 | | 44598815201(*) | MIAMI-DADE |
| 6 | E6O82 | | 44626135201(*) | MIAMI-DADE |
| 12 | E6P08-R0 | | 42828347201(*) | MIAMI-DADE |
| 14 | E6P21-R0 | | 43715047201(*) | MIAMI-DADE |
| 16 | E6P23 | | 44391115201(*) | MIAMI-DADE |
| 20 | E6P25-R0 | | 45055837201(*) | MIAMI-DADE |
| 21 | Z6161-R0 | | 4543651D201(*) | MIAMI-DADE |
| 22 | Z6162-R0 | | 4543681D201(*) | MONROE |
| 23 | Z6163-R0 | | 4543801F201(*) | MIAMI-DADE |
| 26 | Z6164-R0 | | 4543821F201(*) | MONROE |

Proposal Note Codes:

Letting: 06240328 Call Order: 001 Proposal: E6O81 District:06

Counties: MIAMI-DADE

Road Name: SR 93/I-75 FROM SR 826 TO RAMP 87075616 - RESURFACING

Limits: 87075000

Project(s): 44598815201(*) Federal Aid No: N/A

Total Roadway Length:1.912 MilesContract Days:250Total Bridge Length:0.646 MilesLetting Date:03/28/24Total Proposal Length:2.558 MilesContract Execution Days:10

Special Start Date: 01/06/25

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$3,518,379.00

Please read the full advertisement

Description: Incentive / Disincentive

This is an Incentive-Disincentive contract that consists of Resurfacing along SR 93/I-75 from SR 826 to ramp 87075616 in Miami-Dade County. Prequalification is required.

| ALT | Item | Description | Unit | Quantity |
|---------|-------------------|---|------|------------|
| Section | 0001 Structures | | | |
| | 0110-12-1 | HYDRODEMOLITION, REMOVAL OF DECK SURFACE | SY | 52.000 |
| | 0400- 32- | CONCRETE FOR JOINT REPAIR | CY | 18.000 |
| | 0400-143- | CLEANING & COATING CONCRETE SURFACE, CLASS 5 | SF | 80.000 |
| | 0415- 1- 4 | REINFORCING STEEL - BRIDGE SUPERSTRUCTURE | LB | 3,200.000 |
| | 0458- 1-24 | BRIDGE DECK EXPANSION JOINT, REHABILITATION, FINGER JOINT | LF | 228.000 |
| Section | 0002 Roadway | | | |
| | 0101- 1- | MOBILIZATION (44598815201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (44598815201) | LS | 1.000 |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 3,715.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 11,880.000 |
| | 0102- 71- 16 | TEMPORARY BARRIER, F&I, FREE STANDING | LF | 1,438.000 |
| | 0102- 71- 26 | TEMPORARY BARRIER, RELOCATE, FREE STANDING | LF | 1,400.000 |
| | 0102-74- 1 | CHANNELIZING DEVICE-TYPES I, II, DI, VP, DRUM, OR LCD | ED | 61,020.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 670.000 |
| | 0102-89- 1 | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION | LO | 4.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 650.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 1,080.000 |
| | 0102-150- 1 | PORTABLE REGULATORY, SIGN | ED | 600.000 |
| | 0102-150- 2 | RADAR SPEED DISPLAY UNIT | ED | 600.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 3,023.000 |
| | 0104 - 18- | INLET PROTECTION SYSTEM | EA | 16.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 195.940 |
| | 0107- 2- | MOWING | AC | 186.930 |
| | 0108- 2- | MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (44598815201) | LS | 1.000 |

| | •• | Can Graef. 661 Troposal. 20061 | | |
|--------|----------------|--|------|------------|
| ALT | Item | Description | Unit | Quantity |
| | 0110- 1- 1 | CLEARING & GRUBBING (44598815201) | LS | 1.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 110.700 |
| | 0120- 4- | SUBSOIL EXCAVATION | CY | 610.900 |
| | 0120- 6- | EMBANKMENT TYPE B OTABLE TATION | CY | 2,168.400 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 494.000 |
| | 0285-711- | OPTIONAL BASE, BASE GROUP 11 | SY | 212.000 |
| | 0327-70-6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 6,217.000 |
| | 0327- 70- 11 | MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH | SY | 15,920.000 |
| | 0327- 70- 19 | MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH | SY | 120.000 |
| | 0334- 1-13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 481.500 |
| | 0334- 1-55 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 | TN | 1,381.900 |
| | 0337- 7-25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 662.300 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 31.700 |
| | 0536- 1- 1 | GUARDRAIL -ROADWAY, GENERAL TL-3 | LF | 822.000 |
| | 0536- 8-122 | GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-002, APPROACH TL-3 | EA | 2.000 |
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 770.000 |
| | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE | EA | 1.000 |
| | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL | EA | 2.000 |
| | 0570- 1- 1 | PERFORMANCE TURF | SY | 3,558.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 845.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 764.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 1.300 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 0.301 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 0.856 |
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 17.000 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 17.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 1.494 |
| | 0710- 11-224 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 412.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (44598815201) | LS | 1.000 |
| Sectio | n 0003 Signing | | | |
| | 0546- 72- 1 | GROUND-IN RUMBLE STRIPS, 16" | GM | 0.620 |
| | 0700- 1-112 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF | EA | 7.000 |
| | 0700- 1-312 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER SIDE- MOUNT, 12.0-20.0 SF | EA | 2.000 |
| | 0700- 1-600 | SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE | EA | 5.000 |
| | 0700- 3-402 | SIGN PANEL, INSTALL, 12-20 SF | EA | 13.000 |
| | 0700- 3-602 | SIGN PANEL, REMOVE, 12-20 SF | EA | 13.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 562.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44598815201) | LS | 1.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 575.000 |
| | | | | |

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-----------|
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 5.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 5.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 412.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 0.803 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 0.301 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 0.613 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 0.763 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 1.228 |
| | 0713-103-131 | PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 0.150 |
| | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.646 |
| | 0713-103-331 | PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 0.146 |
| | 0713-107- | PREFORMED/PERMANENT TAPE, REMOVE | SF | 5,341.000 |

Letting: 06240328 Call Order: 002 Proposal: E6O82 District:06

Counties: MIAMI-DADE

Road Name: TRAFFIC OPERATIONS PB MISC, CONSTR. IN MIAMI DADE COUNTY

Limits: Midpoint

Project(s): 44626135201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:730Total Bridge Length:0.000 MilesLetting Date:03/28/24

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aguis/Flexible Start Time: 30

Proposal Budget Estimate: \$1,500,000.00

Please read the full advertisement

Description:

This contract consists of Traffic Operations Push-Button Miscellaneous Construction at various locations in Miami-Dade County. Pregualification is required.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department's estimated quantities and the Contractor's bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

The award will be made at the Department Advertised Estimate amount of \$1,500,000.00

| ALT | Item | Description | Unit | Quantity |
|---------|-----------------------|--|------|-----------|
| Section | n 0001 Roadway | ' | | |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 400.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 2,000.000 |
| | 0102-71-13 | TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE | LF | 1,000.000 |
| | 0102-74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 5,000.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 500.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 300.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 500.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 400.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 400.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 100.000 |
| | 0104 - 18- | INLET PROTECTION SYSTEM | EA | 20.000 |
| | 0110- 2- 1 | CLEARING & GRUBBING (PUSH BUTTON CONTRACT) | AC | 1.000 |
| | 0110- 4-10 | REMOVAL OF EXISTING CONCRETE | SY | 600.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 150.000 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 250.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 100.000 |
| | 0327- 70- 1 | MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH | SY | 2,000.000 |

| A | 1, | Call Order: 002 Proposal: E0062 | 11.22 | 0 "" |
|--------|----------------|--|-------|----------|
| ALT | Item | Description Description | Unit | Quantity |
| | 0327-70-6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 500.000 |
| | 0334- 1-13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 100.000 |
| | 0337- 7-82 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76- 22 | TN | 100.000 |
| | 0337- 7-83 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76 -22 | TN | 30.000 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 10.000 |
| | 0425- 6- | VALVE BOXES, ADJUST | EA | 10.000 |
| | 0520- 1-10 | CONCRETE CURB & GUTTER, TYPE F | LF | 200.000 |
| | 0520- 2- 4 | CONCRETE CURB, TYPE D | LF | 100.000 |
| | 0520- 5-11 | TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE | LF | 100.000 |
| | 0520- 5-42 | TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE | LF | 100.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 200.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 500.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 250.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 300.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 1.000 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 1.000 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 300.000 |
| | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 100.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 300.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 1.000 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 1.000 |
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 20.000 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 20.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 1.000 |
| | 0710- 11-202 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 1.000 |
| | 0710- 11-224 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 100.000 |
| | 0710- 11-231 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" | GM | 1.000 |
| | 0710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | GM | 1.000 |
| Sectio | n 0002 Signing | | | |
| | 0700- 1-11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 150.000 |
| | 0700- 1-12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 20.000 |
| | 0700- 1-13 | SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 10.000 |
| | 0700- 1-21 | SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF | AS | 10.000 |
| | 0700- 1-50 | SINGLE POST SIGN, RELOCATE | AS | 10.000 |
| | 0700- 1-60 | SINGLE POST SIGN, REMOVE | AS | 100.000 |
| | 0700- 2-12 | MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 1.000 |
| | | | | |

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|-----------|
| | 0700- 2-15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 1.000 |
| | 0700- 2-50 | MULTI- POST SIGN, GROUND MOUNT, RELOCATE | AS | 5.000 |
| | 0700- 2-60 | MULTI- POST SIGN, REMOVE | AS | 4.000 |
| | 0700- 3-101 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF | EA | 10.000 |
| | 0700- 3-102 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF | EA | 2.000 |
| | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 10.000 |
| | 0700- 3-202 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF | EA | 2.000 |
| | 0700- 3-203 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF | EA | 2.000 |
| | 0700- 3-204 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF | EA | 2.000 |
| | 0700- 3-205 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF | EA | 2.000 |
| | 0700- 3-501 | SIGN PANEL, RELOCATE, UP TO 12 SF | EA | 10.000 |
| | 0700- 3-502 | SIGN PANEL, RELOCATE, 12-20 SF | EA | 10.000 |
| | 0700- 3-601 | SIGN PANEL, REMOVE, UP TO 12 SF | EA | 20.000 |
| | 0700- 3-602 | SIGN PANEL, REMOVE, 12-20 SF | EA | 2.000 |
| | 0700- 3-603 | SIGN PANEL, REMOVE, 21-30 SF | EA | 2.000 |
| | 0700- 3-604 | SIGN PANEL, REMOVE, 31-50 SF | EA | 2.000 |
| | 0700- 3-605 | SIGN PANEL, REMOVE, 51-100 SF | EA | 2.000 |
| | 0700- 3-626 | SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING | EA | 2.000 |
| | 0700- 3-627 | SIGN PANEL, REMOVE PANEL, 201-300 SF WITH LIGHTING | EA | 2.000 |
| | 0700- 4-140 | OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, OVERPASS BRIDGE MOUNT | EA | 2.000 |
| | 0700- 13- 12 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2' | EA | 100.000 |
| | 0700- 13- 15 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5' | EA | 100.000 |
| | 0700-141-111 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS | EA | 8.000 |
| | 0700-141-141 | ENHANCED HWY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/HIGHLIGHTED SIGN <12 SF, UP TO 12 SF OF STATIC SIGN PANELS | EA | 4.000 |
| | 0700-142-132 | ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/EDS, 12-20 SF OF STATIC SIGN PANELS | EA | 4.000 |
| | 0700-142-314 | ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I OVERHEAD MOUNT, W/BEACON, 31-50 SF OF STATIC SIGN PANELS | EA | 8.000 |
| | 0704- 1- 1 | TUBULAR MARKER, DURABLE, 36" WHITE POST | EA | 20.000 |
| | 0704- 1- 2 | TUBULAR MARKER, DURABLE, 36" YELLOW POST | EA | 20.000 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 10.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 100.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 500.000 |
| | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 200.000 |
| | 0710- 12-290 | PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE | SF | 200.000 |
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 1.000 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 1,000.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 300.000 |
| | | | | |

| ALT | ltom | Call Order: 002 Proposal: E0062 | Lloit | Ougatity |
|--------|-----------------|---|-------|-----------|
| ALI | Item | Description | Unit | Quantity |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 500.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 1.000 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 20.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 20.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 400.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 1.000 |
| | 0711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK | LF | 500.000 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 1,000.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 10.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 10.000 |
| | 0711- 14-660 | THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD | EA | 10.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 0.200 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 0.200 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 0.200 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 0.200 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 1.000 |
| | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 0.200 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 0.200 |
| | 0711- 16-133 | THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"-APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | GM | 0.200 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 1.000 |
| | 0711- 16-202 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8" | GM | 1.000 |
| | 0711- 16-231 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6" | GM | 1.000 |
| | 0711- 17- 1 | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN | SF | 5,000.000 |
| Sectio | n 0003 Lighting | | | |
| | 0715- 1-12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 | LF | 2,000.000 |
| | 0715- 1-13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2 | LF | 1,000.000 |
| | 0715- 1-60 | LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS | LF | 300.000 |
| | 0715- 7-11 | LOAD CENTER, F&I, SECONDARY VOLTAGE | EA | 1.000 |
| | 0715- 11-211 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD | EA | 10.000 |
| | 0715- 11-216 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, PENDANT/TEARDROP | EA | 2.000 |
| | 0715- 21- 2 | LIGHTING REPAIRS AND RETROFITS, LED RETROFIT KIT FOR EXISTING LUMINAIRE | EA | 4.000 |

| ALT | Item | Description | Unit | Quantity |
|--------|-------------------|--|------|-----------|
| | 0715- 69-000 | LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION | EA | 1.000 |
| | 0715-500- 1 | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL | EA | 10.000 |
| Sectio | n 0004 Signalizat | tion | | |
| | 0630- 2-11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 500.000 |
| | 0630- 2-12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 3,000.000 |
| | 0630- 2-14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND | LF | 100.000 |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 4.000 |
| | 0632- 7- 2 | SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL | LF | 2,000.000 |
| | 0632- 7- 6 | SIGNAL CABLE, REMOVE- INTERSECTION | PI | 2.000 |
| | 0632- 7- 7 | SIGNAL CABLE, REMOVE- OUTSIDE OF INTERSECTION | LF | 100.000 |
| | 0633- 1-121 | FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS | LF | 500.000 |
| | 0633- 2-31 | FIBER OPTIC CONNECTION, INSTALL, SPLICE | EA | 10.000 |
| | 0633- 2-32 | FIBER OPTIC CONNECTION, INSTALL, TERMINATION | EA | 10.000 |
| | 0635- 2-11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 100.000 |
| | 0635- 2-12 | PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE | EA | 10.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 4.000 |
| | 0639- 1-123 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER NOT REQUIRED | AS | 4.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 4,000.000 |
| | 0639- 2- 6 | ELECTRICAL SERVICE WIRE, REMOVE | LF | 1,000.000 |
| | 0639- 3-11 | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT | EA | 5.000 |
| | 0639- 3-60 | ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN | EA | 2.000 |
| | 0641- 2-12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 5.000 |
| | 0641- 2-60 | PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE | EA | 2.000 |
| | 0646- 1-11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 20.000 |
| | 0646- 1-12 | ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST | EA | 8.000 |
| | 0646- 1-60 | ALUMINUM SIGNALS POLE, REMOVE | EA | 10.000 |
| | 0646- 2-120 | ALUMINUM POLE- INDEX 695-001, FURNISH & INSTALL, 20' | EA | 1.000 |
| | 0649-21-3 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40' | EA | 1.000 |
| | 0649-21-6 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50' | EA | 1.000 |
| | 0649- 21- 10 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60' | EA | 1.000 |
| | 0649- 21- 15 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 70' | EA | 1.000 |
| | 0649-26-3 | STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION-BOLT ON ATTACHMENT | EA | 1.000 |
| | 0650- 1-14 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY | AS | 5.000 |
| | 0650- 1-16 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY | AS | 2.000 |
| | 0650- 1-60 | VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN | AS | 2.000 |
| | | | | |

| | | Can Order: 002 1 Toposai. Locoz | | |
|-----|--------------|--|------|----------|
| ALT | Item | Description | Unit | Quantity |
| | 0650- 1-70 | VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION | AS | 1.000 |
| | 0650- 2-102 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER | EA | 5.000 |
| | 0650- 2-106 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- 12" LED STANDARD MODULE | EA | 4.000 |
| | 0653- 1-11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 20.000 |
| | 0653- 1-12 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS | AS | 5.000 |
| | 0653- 1-60 | PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN | AS | 10.000 |
| | 0654- 2-11 | MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC, COMPLETE SIGN ASSEMBLY- SINGLE DIRECTION | AS | 4.000 |
| | 0654- 2-12 | MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC, COMPLETE SIGN ASSEMBLY- BACK TO BACK | AS | 4.000 |
| | 0654- 2-15 | MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- AC POWER, MAST ARM MOUNT RRFB SIGN ASSEMBLY | AS | 4.000 |
| | 0654- 2-21 | MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR, COMPLETE SIGN ASSY- SINGLE DIRECTION | AS | 4.000 |
| | 0654- 2-22 | MIDBLOCK CROSSWALK: RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR, COMPLETE SIGN ASSEMBLY- BACK TO BACK | AS | 4.000 |
| | 0654- 3-10 | MIDBLOCK CROSSWALK: PEDESTRIAN HYBRID BEACON ASSEMBLY, FURNISH & INSTALL COMPLETE ASSEMBLY | AS | 4.000 |
| | 0660- 1-109 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 9 | EA | 2.000 |
| | 0660- 2-101 | LOOP ASSEMBLY- F&I, TYPE A | AS | 4.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 4.000 |
| | 0660- 4-11 | VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT | EA | 4.000 |
| | 0660- 4-12 | VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT | EA | 4.000 |
| | 0660- 7-21 | VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 1 OR 2 LANES, AC POWERED | EA | 2.000 |
| | 0665- 1-11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 20.000 |
| | 0665- 1-12 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE | EA | 10.000 |
| | 0665- 1-60 | PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN | EA | 12.000 |
| | 0670- 5-140 | TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 2070 | AS | 2.000 |
| | 0670- 5-600 | TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET | AS | 2.000 |
| | 0670- 5-710 | TRAFFIC CONTROLLER ASSEMBLY, MODIFY ONLY - NO COMPONENTS ADDED | AS | 10.000 |
| | 0684- 90-102 | NETWORK DEVICE, CELLULAR MODEM | EA | 3.000 |
| | 0700- 5-21 | INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 4.000 |
| | 0700- 5-50 | INTERNALLY ILLUMINATED SIGN, RELOCATE | EA | 2.000 |
| | 0700- 5-60 | INTERNALLY ILLUMINATED SIGN, REMOVE | EA | 2.000 |

Letting: 06240328 Call Order: 003 Proposal: E6P08-R0 District:06

Counties: MIAMI-DADE

Road Name: STRIPING MIAMI-DADE COUNTY - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 42828347201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:03/28/24Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$350,000.00

Please read the full advertisement

Description:

This contract consists of applying new and refurbished Thermoplastic Traffic Stripes and Markings on various Arterial State Roads in Miami-Dade County.

*** Experience in Pavement Markings (Form # 850-070-06) must be submitted with your electronic bid as an attachment, or your bid might be deemed nonresponsive.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department's estimated quantities and the Contractor's bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of

letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

| ALT | Item | Description | Unit | Quantity |
|---------|----------------|--|------|------------|
| Section | n 0001 PAVEMEN | IT STRIPING (LARGE MACHINE) (LM) | | |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 5,280.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 2,500.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 5,215.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.500 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 45.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 45.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 2,500.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.500 |
| | 0711- 12-121 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 6" FOR MAINTENANCE USE | LF | 20,000.000 |
| | 0711- 12-122 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 8" FOR MAINTENANCE USE | LF | 15,000.000 |

^{***}Award will be made at the department advertised estimate amount of \$350,000.00.

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|------------|
| | 0711- 12-123 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 12" FOR CROSS WALK OR ROUNDABOUT- MAINTENANCE USE ONLY | LF | 10,000.000 |
| | 0711- 12-124 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY | LF | 8,500.000 |
| | 0711- 12-125 | THERMOPLASTIC, REFURBISHMENT, WHITE, SOLID, 24" FOR STOP LINE OR CROSSWALK, MAINTENANCE USE ONLY | LF | 7,000.000 |
| | 0711- 12-160 | THERMOPLASTIC, REFURBISH, WHITE, MESSAGE | EA | 120.000 |
| | 0711- 12-170 | THERMOPLASTIC, REFURBISH, WHITE, ARROWS | EA | 300.000 |
| | 0711- 12-221 | THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 6" MAINTENANCE USE ONLY | LF | 10,000.000 |
| | 0711- 12-222 | THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 8" MAINTENANCE USE ONLY | LF | 3,000.000 |
| | 0711- 12-224 | THERMOPLASTIC, REFURBISHMENT, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON, MAINTENANCE USE ONLY | LF | 3,000.000 |
| | 0711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK | LF | 30.000 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 30.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 40.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 40.000 |
| | 0711- 14-191 | THERMOPLASTIC, PREFORMED, 6" WHITE, RAILROAD DYNAMIC ENVELOPE | LF | 20.000 |
| | 0711- 14-193 | THERMOPLASTIC, PREFORMED, 12" WHITE ON ASPHALT PAVEMENT, RAILROAD DYNAMIC ENVELOPE | LF | 20.000 |
| | 0711- 14-194 | THERMOPLASTIC, PREFORMED, 12" WHITE WITH 4" OUTSIDE BLACK CONTRAST ON CONCRETE PAVEMENT, RAILROAD DYNAMIC ENVELOPE | LF | 15.000 |
| | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 0.800 |
| | 0711- 16-202 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8" | GM | 0.800 |
| | 0711- 17- 1 | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN | SF | 42,925.470 |
| | 0713-107- | PREFORMED/PERMANENT TAPE, REMOVE | SF | 11,000.000 |
| | E711- 11-121 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 6" | LF | 5,499.000 |
| | E711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, SKIP, 6" | LF | 5,280.000 |
| | E711- 11-221 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6" | LF | 5,280.000 |
| | E711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6" | LF | 2,000.000 |

Letting: 06240328 Call Order: 004 Proposal: E6P21-R0 District:06

Counties: MIAMI-DADE

Road Name: HERBICIDE MIAMI-DADE COUNTY - ROUTINE MAINTENANCE

Limits: Midpoint

Project(s): 43715047201(*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365

Total Bridge Length: 0.000 Miles Letting Date: 03/28/24

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$100,000.00

Please read the full advertisement

Description:

This is a Business Development Initiative (BDI) contract that consists of providing labor, equipment, and materials to apply herbicide on various Arterial State Roads.

BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at https://www.fdot.gov/equalopportunity/bdi.shtm

For more information about bidding on BDI projects, please see the training guide located at https://www.fdot.gov/equalopportunity/bdi.shtm

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at: https://www.fdot.gov/equalopportunity/bdi.shtm

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to: SmallBusiness@dot.state.fl.us

All Sublet work must be contracted to a small business or businesses as defined by the Department. The subcontractor must also submit a notarized Small Business Affidavit Form provided by the Department prior to the start of work.

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier's Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, (Form No. 375-020-09).

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department's estimated quantities and the Contractor's bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

Award will be made at the Department Advertisement Estimate Amount of \$100,000.00.

| | | Call Order: 004 Proposal: E6P21-R0 | | |
|---------|----------------|--|------|-----------|
| ALT | Item | Description | Unit | Quantity |
| Section | n 0001 CHEM WE | EED AND GRASS CONTROL (AC) | | |
| | E580-337- 2 | HERBICIDE (STRIP APPLICATION) | AC | 600.000 |
| | E580-337- 3 | HERBICIDE (SPOT APPLICATION < 100 SF) | SF | 4,500.000 |
| | E580-337- 4 | HERBICIDE (STRIP APPLICATION)(AQUATIC) | AC | 20.000 |
| | E580-337- 6 | HERBICIDE (HAND APPLICATION) | AC | 2.000 |

Letting: 06240328 Call Order: 005 Proposal: E6P23 District:06

Counties: MIAMI-DADE

Road Name: SR 5/US 1/BISCAYNE BLVD.

Limits: 87030000

Project(s): 44391115201(*) Federal Aid No: N/A

Total Roadway Length:0.860 MilesContract Days:340Total Bridge Length:0.000 MilesLetting Date:03/28/24Total Proposal Length:0.860 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 60

Proposal Budget Estimate: \$4,125,013.00

Please read the full advertisement

Description: Incentive / Disincentive

This is an Incentive-Disincentive Contract that consist of Resurfacing along SR 5 / US 1 / Biscayne Blvd. from South of NE 5 Street to NE 11 Street in Miami-Dade County.

Prequalification is required.

| ALT | Item | Description | Unit | Quantity |
|---------|--------------|---|------|------------|
| Section | 0001 Roadway | | | |
| | 0101- 1- | MOBILIZATION (44391115201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (44391115201) | LS | 1.000 |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 1,720.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 32,960.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 32,000.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 33,600.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 800.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 1,320.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 2,040.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 2,040.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 3,500.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 58.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 54.470 |
| | 0107- 2- | MOWING | AC | 4.630 |
| | 0108- 1- | MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44391115201) | LS | 1.000 |
| | 0108- 2- | MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (44391115201) | LS | 1.000 |
| | 0110- 1- 1 | CLEARING & GRUBBING (44391115201) | LS | 1.000 |
| | 0110- 4-10 | REMOVAL OF EXISTING CONCRETE | SY | 1,064.000 |
| | 0120- 71- | REGULAR EXCAVATION (3-R PROJECTS ONLY) (44391115201) | LS | 1.000 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 323.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 64.000 |

| | | Can Order: 003 1 Toposai. E01 23 | | |
|-----|--------------|--|------|------------|
| ALT | Item | Description | Unit | Quantity |
| | 0285-712- | OPTIONAL BASE, BASE GROUP 12 | SY | 259.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 26,598.000 |
| | 0334- 1-13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 28.500 |
| | 0337- 7-83 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22 | TN | 2,221.000 |
| | 0425- 1-331 | INLETS, CURB, TYPE P-3, <10' | EA | 1.000 |
| | 0425- 1-361 | INLETS, CURB, TYPE P-6, <10' | EA | 1.000 |
| | 0425- 1-411 | INLETS, CURB TYPE J-1, <10' | EA | 1.000 |
| | 0425- 1-451 | INLETS, CURB, TYPE J-5, <10' | EA | 2.000 |
| | 0425- 2-71 | MANHOLES, J-7, <10' | EA | 2.000 |
| | 0425- 2-72 | MANHOLES, J-7, >10' | EA | 2.000 |
| | 0425- 5- | MANHOLE, ADJUST | EA | 37.000 |
| | 0425- 5- 1 | MANHOLE, ADJUST, UTILITIES | EA | 1.000 |
| | 0425- 11- | MODIFY EXISTING DRAINAGE STRUCTURE | EA | 7.000 |
| | 0430-175-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD | LF | 127.000 |
| | 0430-175-130 | PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD | LF | 64.000 |
| | 0430-175-136 | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD | LF | 249.000 |
| | 0430-175-218 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD | LF | 85.000 |
| | 0444- 72- 12 | DEEP WELL CLEANING, 25" AND GREATER | LF | 340.000 |
| | 0448- 73- | PUMPING STATION- DRAINAGE (44391115201) | LS | 1.000 |
| | 0519- 78- | BOLLARDS | EA | 10.000 |
| | 0520- 1-10 | CONCRETE CURB & GUTTER, TYPE F | LF | 480.000 |
| | 0520- 2- 2 | CONCRETE CURB, TYPE B | LF | 9.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 110.000 |
| | 0526- 1- 2 | PAVERS, ARCHITECTURAL, SIDEWALK | SY | 829.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 862.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 83.000 |
| | 0630- 2-12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 210.000 |
| | 0635- 2-11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 3.000 |
| | 0639- 8-130 | ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), FPL (DO NOT BID) (44391115201) | LS | 1.000 |
| | 0695- 1- 1 | TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL | EA | 6.000 |
| | 0695- 6-12 | TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS | EA | 6.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 1,257.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 1.663 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 0.063 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 3,547.000 |
| | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 77.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 3,252.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 0.641 |
| | | | | |

| ALT | | | | |
|------------|-------------------|--|------|-----------|
| | ltem | Description | Unit | Quantity |
| 0 |)710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 0.334 |
| 0 | 710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 12.000 |
| 0 | 710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 27.000 |
| 0 | 710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 0.743 |
| 0 |)710- 11-224 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 660.000 |
| 0 |)710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | GM | 0.105 |
| 0 |)999 - 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (44391115201) | LS | 1.000 |
| Section 00 | 002 Signing | | | |
| 0 |)700- 1-111 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF | EA | 22.000 |
| 0 |)700- 1-112 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF | EA | 4.000 |
| 0 | 700- 1-600 | SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE | EA | 22.000 |
| 0 | 700- 13- 10 | RETROREFLECTIVE SIGN STRIP- BACK OF RAIL ROAD CROSSBUCK SIGN BLADES | EA | 5.000 |
| 0 | 700- 13- 15 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5' | EA | 11.000 |
| 0 | 706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 1,265.000 |
| 0 | 710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 1,480.000 |
| 0 | 710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44391115201) | LS | 1.000 |
| 0 |)711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 2,776.000 |
| 0 |)711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 74.000 |
| 0 |)711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 977.000 |
| 0 |)711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.347 |
| 0 | 711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 13.000 |
| 0 | 711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 31.000 |
| 0 |)711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 660.000 |
| 0 |)711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.128 |
| 0 |)711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK | LF | 50.000 |
| 0 | 711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 2,553.000 |
| 0 |)711- 14-191 | THERMOPLASTIC, PREFORMED, 6" WHITE, RAILROAD DYNAMIC ENVELOPE | LF | 233.000 |
| 0 |)711- 14-193 | THERMOPLASTIC, PREFORMED, 12" WHITE ON ASPHALT PAVEMENT, RAILROAD DYNAMIC ENVELOPE | LF | 1,316.000 |
| | 711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 1.795 |
| 0 | 77 11-10-101 | | | |
| | 7711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 0.065 |

| ALT | ltem | Description | Unit | Quantity |
|--------|-------------------|---|------|-----------|
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 0.695 |
| | 0711- 17- 1 | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN | SF | 130.000 |
| Sectio | n 0003 Lighting | | | |
| | 0635- 2-11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 1.000 |
| Sectio | n 0004 Signalizat | tion | | |
| | 0630- 2-11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 396.000 |
| | 0630- 2-12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 4,634.000 |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | Pl | 6.000 |
| | 0632- 7- 6 | SIGNAL CABLE, REMOVE- INTERSECTION | PI | 6.000 |
| | 0635- 2-11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 138.000 |
| | 0635- 2-12 | PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE | EA | 1.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 6.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 360.000 |
| | 0639- 3-60 | ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN | EA | 5.000 |
| | 0641- 2-12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 6.000 |
| | 0646- 1-11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 44.000 |
| | 0646- 1-12 | ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST | EA | 15.000 |
| | 0646- 1-60 | ALUMINUM SIGNALS POLE, REMOVE | EA | 14.000 |
| | 0650- 2-109 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- FLEXIBLE REQUIRED | EA | 64.000 |
| | 0653- 1-11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 56.000 |
| | 0653- 1-60 | PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN | AS | 36.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 27.000 |
| | 0665- 1-11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 62.000 |
| | 0665- 1-60 | PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN | EA | 21.000 |
| | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 1.000 |
| | 0700- 5-22 | INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF | EA | 9.000 |
| | 0700- 5-60 | INTERNALLY ILLUMINATED SIGN, REMOVE | EA | 9.000 |
| | | | | |

Letting: 06240328 Call Order: 006 Proposal: E6P25-R0 District:06

Counties: MIAMI-DADE

Road Name: DRAINAGE SYSTEM VIDEOING AND CLEANING MIAMI-DADE COUNTY

Limits: Midpoint

Project(s): 45055837201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:03/28/24Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$100,000.00

Please read the full advertisement

Description:

This Contract consists of inspecting existing pipes and storm sewers. Provide video and a written report to list all deficiencies of the storm drainpipes, manholes and inlets, along with a detailed map of the storm water system inspected and videoed. The work also includes cleaning of drainage structures on various Arterial State Roads in Miami-Dade County.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department's estimated quantities and the Contractor's bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

| ALT | Item | Description | Unit | Quantity | | | | |
|---------|---|--|------|-----------|--|--|--|--|
| Section | Section 0001 CLEAN DRAINAGE STRUCTURES (LF) | | | | | | | |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 75.000 | | | | |
| | 0102- 60- | WORK ZONE SIGN | ED | 400.000 | | | | |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 6,000.000 | | | | |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 250.000 | | | | |
| | 0430- 94- 1 | DESILTING PIPE, 0 - 24" | LF | 3,400.000 | | | | |
| | 0430-94-2 | DESILTING PIPE, 25 - 36" | LF | 500.000 | | | | |
| | 0430- 94- 4 | DESILTING PIPE, 49 - 60" | LF | 200.000 | | | | |
| | E425-73- 1 | CLEANING MANHOLES AND INLETS (MECHANICAL) | EA | 200.000 | | | | |
| | E432- 4- | STORM SEWER INSPECTION (VIDEO CAMERA) | LF | 1,000.000 | | | | |
| | E999- 3- 2 | HYDRAULIC PUMP, 6" | HR | 200.000 | | | | |

^{***}The Award will be made at the Department Advertised Estimate Amount of \$100,000.00.

Letting: 06240328 Call Order: 007 Proposal: Z6161-R0 District:06

Counties: MIAMI-DADE

Road Name: PRE-EVENT EMERGENCY CUT AND TOSS MIAMI-DADE

Limits: Midpoint

Project(s): 4543651D201(*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365

Total Bridge Length: 0.000 Miles Letting Date: 03/28/24

Total Proposal Length:

0.000 Miles

Contract Execution Days:

N/A

Special Start Date:

N/A

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$5,000.00

Please read the full advertisement

Description:

This is an Emergency (Pre-Event) Contract to provide Cut and Toss Operations pursuant to a Governor's and/or Presidential Declaration of a State Emergency in Miami-Dade County within District Six.

The contractor shall provide all equipment, supplies, and personnel necessary to complete the services described in Exhibit 'A' - Scope of Services. The Department, at its sole discretion, may award one or more contracts. If more than one award is made, award will be based on the lowest responsive bid then the next lowest responsive bid and so forth and activated in the same order based on Contractor availability and ability to satisfy the needs of the Department at the time contacted. No quantities are guaranteed and there will be no unit cost adjustment for quantities required over or under the estimated quantities. Please see Page #23 of the Exhibit "A" Scope of Services.

This contract will be awarded based on the total amount of \$0 (zero) dollars and not the contractor's bid total. Additional funds will be added to the contract as needed.

The Contract Schedule of Items for Emergency Cut & Toss Services MUST be submitted with your bid as an attachment.

FHWA 1273 and Davis Bacon Wage Rates are applicable for this Contract.

The contractor shall provide a letter to the Department at the time of bid from a surety authorized to do business in the State of Florida verifying the contractor is bondable in the State of Florida. For the purposes of this contract the dollar amount is established at \$1,000,000.00

Submit your questions through Bid Question and Answer website and their respective answers will be also posted at this site. Please use the link below:

https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal

ORDER BID DOCUMENTS: To request Bid Documents please use the link below: https://cpp.fdot.gov/

Call Order: 007 Proposal: Z6161-R0

| ALT | Item | Description | Unit | Quantity | | |
|--------------|--|---|------|----------|--|--|
| Section 0001 | Section 0001 MONITOR,RESPOND,RECOVER-STORMS (MH) | | | | | |
| 012 | 9- 1- 1 | NATURAL DISASTER /PRE EVENT CONTRACTS, CREW PRE- POSITIONING: DO NOT BID | ED | 1.000 | | |
| 012 | 9- 1- 2 | NATURAL DISASTER /PRE EVENT CONTRACTS, CUT AND TOSS | HR | 1.000 | | |

Letting: 06240328 Call Order: 008 Proposal: Z6162-R0 District:06

Counties: MONROE

Road Name: PRE-EVENT EMERGENCY CUT & TOSS - MONROE COUNTY

Limits: Midpoint

Project(s): 4543681D201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:03/28/24Total Proposal Length:0.000 MilesContract Execution Days:10

Total Proposal Length:

0.000 Miles

Contract Execution Days:

N/A

Special Start Date:

N/A

Aguis/Flexible Start Time:

Aquis/i lexible of

Proposal Budget Estimate: \$5,000.00

Please read the full advertisement

Description:

This is an Emergency (Pre-Event) Contract to provide Cut and Toss Operations pursuant to a Governor's and/or Presidential Declaration of a State Emergency in Monroe County within District Six. The contractor shall provide all equipment, supplies, and personnel necessary to complete the services described in Exhibit 'A' - Scope of Services. The Department, at its sole discretion, may award one or more contracts. If more than one award is made, award will be based on the lowest responsive bid then the next lowest responsive bid and so forth and activated in the same order based on Contractor availability and ability to satisfy the needs of the Department at the time contacted. No quantities are guaranteed and there will be no unit cost adjustment for quantities required over or under the estimated quantities. Please see Page #23 of the Exhibit "A" Scope of Services.

The contract Schedule of Items for Emergency Cut & Toss Services MUST be submitted with your bid as an attachment.

This contract will be awarded based on the total amount of \$0 (zero) dollars and not the contractor's bid total. Additional funds will be added to the contract as needed.

FHWA 1273 and Davis Bacon Wage Rates are applicable for this Contract.

The contractor shall provide a letter to the Department at the time of bid from a surety authorized to do business in the State of Florida verifying the contractor is bondable in the State of Florida. For the purposes of this contract the dollar amount is established at \$1,000,000.00

Submit your questions through Bid Question and Answer website and their respective answers will be also posted at this site. Please use the link below:

https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal

ORDER BID DOCUMENTS: To request Bid Documents please use the link below: https://cpp.fdot.gov/

Call Order: 008 Proposal: Z6162-R0

| ALT | Item | Description | Unit | Quantity |
|-----------|-------------|---|------|----------|
| Section (| 0001 MONITO | R,RESPOND,RECOVER-STORMS (MH) | | |
| | 0129- 1- 1 | NATURAL DISASTER /PRE EVENT CONTRACTS, CREW PRE- POSITIONING: DO NOT BID | ED | 1.000 |
| | 0129- 1- 2 | NATURAL DISASTER /PRE EVENT CONTRACTS, CUT AND TOSS | HR | 1.000 |

Letting: 06240328 Call Order: 009 Proposal: Z6163-R0 District:06

Counties: MIAMI-DADE

Road Name: EMERGENCY CANDIDATE MIAMI-DADE COUNTY DISASTER RECOVERY

Limits: Midpoint

Project(s): 4543801F201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:03/28/24Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$5,000.00

Please read the full advertisement

Description:

This is an Emergency (Pre-Event) contract to provide Generator Installation, Refueling Operations and Traffic Signal Repair Operations pursuant to a Governor's and/or President's Declaration of a State of Emergency in Miami-Dade County within District Six. The Department, at its sole discretion, may award one or more contracts. If more than one award is made, award will be based on the lowest responsive bid then the next lowest responsive bid and so forth and activated in the same order based on Contractor availability and ability to satisfy the needs of the Department at the time contacted. No quantities are guaranteed and there will be no unit cost adjustment for quantities required over or under the estimated quantities.

This contract will be awarded based on the total amount of \$0 (zero) dollars and not the contractor's bid total. Additional funds will be added to the contract as needed.

The Proposal Schedule of items for Emergency Signal Repair Must be submitted with your bid as an attachment.

PRE-QUALIFICATION IS REQUIRED TO BID ON THIS PROJECT

FHWA 1273 and Davis Bacon Wage Rates are applicable for this Contract.

The contractor shall provide a letter to the Department at the time of bid from a surety authorized to do business in the State of Florida verifying the contractor is bondable in the State of Florida. For the purposes of this contract the dollar amount is established at \$2,000,000.00

Submit your questions through Bid Question and Answer website and their respective answers will be also posted at this site.

Please use the link below: https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal

ORDER BID DOCUMENTS: To request Bid Documents please use the link below:

https://cpp.fdot.gov/

Call Order: 009 Proposal: Z6163-R0

| | | • | | | | | |
|-----------------------------------|------------|---|------|-----------|--|--|--|
| ALT | Item | Description | Unit | Quantity | | | |
| Section 0001 TRAFFIC CONTROL (MH) | | | | | | | |
| | 0102-108- | WOOD POLE, MAX 50', FURNISH AND INSTALL TEMPORARY POLE, FOR PRE-EVENT CONTRACTS ONLY | EA | 50.000 | | | |
| | 0102-109- | GUY WIRE FOR WOOD OR CONCRETE POLE, FURNISH AND INSTALL, FOR PRE-EVENT CONTRACTS ONLY | EA | 50.000 | | | |
| | 0129- 1- 1 | NATURAL DISASTER /PRE EVENT CONTRACTS, CREW PRE- POSITIONING: DO NOT BID | ED | 1.000 | | | |
| | 0630- 2-11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 2,000.000 | | | |
| | 0630- 2-14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND | LF | 150.000 | | | |

Call Order: 009 Proposal: Z6163-R0

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|--|------|------------|
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 100.000 |
| | 0632- 7- 2 | SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL | LF | 5,000.000 |
| | 0634- 4-152 | SPAN WIRE ASSEMBLY, F&I, TWO POINT, DIAGONAL | PΙ | 10.000 |
| | 0634- 4-153 | SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX | PΙ | 10.000 |
| | 0634- 4-154 | SPAN WIRE ASSEMBLY, F&I, TWO POINT, OTHER TYPE | PI | 10.000 |
| | 0634- 4-341 | SPAN WIRE ASSEMBLY, INSTALL, SINGLE POINT ATTACH, PERPENDICULAR | PI | 3.000 |
| | 0634- 4-342 | SPAN WIRE ASSEMBLY, INSTALL, SINGLE POINT ATTACH, DIAGONAL | PI | 2.000 |
| | 0634- 4-343 | SPAN WIRE ASSEMBLY, INSTALL, SINGLE POINT ATTACH, BOX SPANS | PI | 2.000 |
| | 0634- 4-351 | SPAN WIRE ASSEMBLY, INSTALL, TWO POINT ATTACH, PERPENDICULAR | PI | 2.000 |
| | 0634- 4-352 | SPAN WIRE ASSEMBLY, INSTALL, TWO POINT ATTACH, DIAGONAL | PI | 3.000 |
| | 0634- 4-353 | SPAN WIRE ASSEMBLY, INSTALL, TWO POINT ATTACH, BOX SPANS | PI | 3.000 |
| | 0634- 4-400 | SPAN WIRE ASSEMBLY, ADJUST | Pl | 10.000 |
| | 0634- 4-600 | SPAN WIRE ASSEMBLY, REMOVE- POLES REMAIN | PI | 10.000 |
| | 0634- 5- 1 | FIBERGLASS INSULATOR, FURNISH & INSTALL | LF | 2,000.000 |
| | 0635- 2-11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 20.000 |
| | 0635- 3-11 | JUNCTION BOX, FURNISH & INSTALL, AERIAL | EA | 20.000 |
| | 0639- 1-112 | ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY | AS | 25.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 25.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 2,500.000 |
| | 0639- 4- 3 | EMERGENCY GENERATOR - PORTABLE INSTALL- RETROFIT; FDOT FURNISHED | EA | 120.000 |
| | 0639- 4- 5 | EMERGENCY GENERATOR - PORTABLE, MONITOR & REFUEL | HR | 10,000.000 |
| | 0639- 4- 7 | EMERGENCY GENERATOR - HARNESS FOR CABINET RETROFIT | EA | 100.000 |
| | 0641- 2-12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 20.000 |
| | 0646- 1-11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 100.000 |
| | 0650- 1-11 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY | AS | 200.000 |
| | 0650- 1-12 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 2-4 WAY | AS | 200.000 |
| | 0650- 1-14 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY | AS | 1,400.000 |
| | 0650- 1-18 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY | AS | 800.000 |
| | 0650- 1-24 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W/ALUM TOP, 3 SECTION, 1 WAY | AS | 100.000 |
| | 0650- 1-25 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE WITH ALUMINUM TOP SECTION, 3 SECTION, 2-4 WAYS | AS | 100.000 |
| | 0650- 1-29 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W ALUMIN, 5 SECTION CLUSTER, 1 WAY | AS | 100.000 |
| | 0650- 1-50 | VEHICULAR TRAFFIC SIGNAL, INSTALL | AS | 10.000 |
| | 0650- 1-60 | VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN | AS | 1,200.000 |

Call Order: 009 Proposal: Z6163-R0

| | | Odii Order: 003 1 10p03di: 20100-110 | | |
|-----|--------------|---|------|-----------|
| ALT | Item | Description | Unit | Quantity |
| | 0650- 1-70 | VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION | AS | 350.000 |
| | 0650- 1-80 | VEHICULAR TRAFFIC SIGNAL, ADJUST/MODIFY EXISTING SIGNAL | AS | 10.000 |
| | 0650- 2-102 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER | EA | 2,000.000 |
| | 0653- 1-11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 1,000.000 |
| | 0653- 1-12 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS | AS | 500.000 |
| | 0653- 1-60 | PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN | AS | 200.000 |
| | 0660- 3-51 | VEHICLE DETECTION SYSTEM- MICROWAVE, ADJUST & MODIFY, CABINET EQUIPMENT | EA | 3.000 |
| | 0660- 3-52 | VEHICLE DETECTION SYSTEM - MICROWAVE, ADJUST & MODIFY, ABOVE GROUND EQUIPMENT | EA | 2.000 |
| | 0660- 4-51 | VEHICLE DETECTION SYSTEM- VIDEO, ADJUST/MODIFY CABINET EQUIPMENT | EA | 2.000 |
| | 0660- 4-52 | VEHICLE DETECTION SYSTEM- VIDEO, ADJUST/MODIFY ABOVE GROUND EQUIPMENT | EA | 3.000 |
| | 0665- 1-11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 50.000 |
| | 0670- 4- 1 | INTERSECTION CONTROL BEACON CONTROLLER ASSEMBLY, FURNISH & INSTALL | AS | 5.000 |
| | 0670- 5-112 | TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 2 PREEMPTION | AS | 10.000 |
| | 0670- 5-600 | TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET | AS | 10.000 |
| | 0670- 5-700 | TRAFFIC CONTROLLER ASSEMBLY, RESTORE- MINOR REPAIRS | AS | 3.000 |
| | 0678- 1-104 | CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTALL, LOAD SWITCH | EA | 100.000 |
| | 0678- 1-109 | CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTAL, TYPE 3 TIME SWITCH | EA | 10.000 |
| | 0678- 1-110 | CONTROLLER ACCESSORIES, REPLACE EXISTING- FURNISH AND INSTAL, TYPE 4 TIME SWITCH | EA | 10.000 |
| | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 50.000 |
| | 0700- 3-204 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF | EA | 50.000 |
| | 0700- 3-501 | SIGN PANEL, RELOCATE, UP TO 12 SF | EA | 50.000 |
| | 0700- 3-601 | SIGN PANEL, REMOVE, UP TO 12 SF | EA | 50.000 |
| | 0700-141-111 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS | EA | 1.000 |
| | 0700-141-121 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/2 BEACONS, UP TO 12 SF OF STATIC SIGN PANELS | EA | 1.000 |
| | 0700-141-314 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I OVERHEAD MOUNT, W/BEACON, 31-50 SF OF STATIC SIGN PANELS | EA | 1.000 |
| | 0700-142-111 | ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS | EA | 1.000 |
| | 0700-142-121 | ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/2 BEACONS, UP TO 12 SF OF STATIC SIGN PANELS | EA | 1.000 |

Letting: 06240328 Call Order: 010 Proposal: Z6164-R0 District:06

Counties: MONROE

Road Name: EMERGENCY CANDIDATE MONROE COUNTY DISASTER RECOVERY

Limits: Midpoint

Project(s): 4543821F201(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:03/28/24Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aguis/Flexible Start Time:

Proposal Budget Estimate: \$5,000.00

Please read the full advertisement

Description:

This is an Emergency (Pre-Event) contract to provide Generator Installation and Refueling Operations and Traffic Signal Repair Operations pursuant to a Governor's and/or President's Declaration of a State of Emergency in Monroe County within District Six. The Department, at its sole discretion, may award one or more contracts. If more than one award is made, award will be based on the lowest responsive bid then the next lowest responsive bid and so forth and activated in the same order based on Contractor availability and ability to satisfy the needs of the Department at the time contacted. No quantities are guaranteed and there will be no unit cost adjustment for quantities required over or under the estimated quantities.

This contract will be awarded based on the total amount of \$0 (zero) dollars and not the contractor's bid total. Additional funds will be added to the contract as needed.

PRE-QUALIFICATION IS REQUIRED TO BID ON THIS PROJECT

FHWA 1273 and Davis Bacon Wage Rates are applicable for this Contract.

The contractor shall provide a letter to the Department at the time of bid from a surety authorized to do business in the State of Florida verifying the contractor is bondable in the State of Florida. For the purposes of this contract the dollar amount is established at \$2,000,000.00

Submit your questions through Bid Question and Answer website and their respective answers will be also posted at this site. Please use the link below:

https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal

ORDER BID DOCUMENTS: To request Bid Documents please use the link below:

https://cpp.fdot.gov/

Call Order: 010 Proposal: Z6164-R0

| ALT | Item | Description | Unit | Quantity | | | |
|-----------------------------------|------------|---|------|----------|--|--|--|
| Section 0001 TRAFFIC CONTROL (MH) | | | | | | | |
| | 0102-108- | WOOD POLE, MAX 50', FURNISH AND INSTALL TEMPORARY POLE, FOR PRE-EVENT CONTRACTS ONLY | EA | 1.000 | | | |
| | 0102-109- | GUY WIRE FOR WOOD OR CONCRETE POLE, FURNISH AND INSTALL, FOR PRE-EVENT CONTRACTS ONLY | EA | 1.000 | | | |
| | 0129- 1- 1 | NATURAL DISASTER /PRE EVENT CONTRACTS, CREW PRE- POSITIONING: DO NOT BID | ED | 1.000 | | | |
| | 0630- 2-11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 200.000 | | | |
| | 0630- 2-14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND | LF | 50.000 | | | |

^{***} The Proposal Schedule of items for Emergency signal repair MUST be submitted with your bid as an attachment.

Call Order: 010 Proposal: Z6164-R0

| | | Can Cruer. 010 1 Toposai. 20104-10 | | |
|-----|-------------|---|------|-----------|
| ALT | Item | Description | Unit | Quantity |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 5.000 |
| | 0632- 7- 2 | SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL | LF | 50.000 |
| | 0634- 4-152 | SPAN WIRE ASSEMBLY, F&I, TWO POINT, DIAGONAL | PI | 1.000 |
| | 0634- 4-153 | SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX | Pl | 1.000 |
| | 0634- 4-154 | SPAN WIRE ASSEMBLY, F&I, TWO POINT, OTHER TYPE | PI | 1.000 |
| | 0634- 4-341 | SPAN WIRE ASSEMBLY, INSTALL, SINGLE POINT ATTACH, PERPENDICULAR | PI | 1.000 |
| | 0634- 4-342 | SPAN WIRE ASSEMBLY, INSTALL, SINGLE POINT ATTACH, DIAGONAL | PI | 1.000 |
| | 0634- 4-343 | SPAN WIRE ASSEMBLY, INSTALL, SINGLE POINT ATTACH, BOX SPANS | PI | 1.000 |
| | 0634- 4-351 | SPAN WIRE ASSEMBLY, INSTALL, TWO POINT ATTACH, PERPENDICULAR | PI | 1.000 |
| | 0634- 4-352 | SPAN WIRE ASSEMBLY, INSTALL, TWO POINT ATTACH, DIAGONAL | PI | 1.000 |
| | 0634- 4-353 | SPAN WIRE ASSEMBLY, INSTALL, TWO POINT ATTACH, BOX SPANS | PI | 1.000 |
| | 0634- 4-400 | SPAN WIRE ASSEMBLY, ADJUST | Pl | 2.000 |
| | 0634- 4-600 | SPAN WIRE ASSEMBLY, REMOVE- POLES REMAIN | PI | 2.000 |
| | 0634- 5- 1 | FIBERGLASS INSULATOR, FURNISH & INSTALL | LF | 50.000 |
| | 0635- 2-11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 4.000 |
| | 0635- 3-11 | JUNCTION BOX, FURNISH & INSTALL, AERIAL | EA | 1.000 |
| | 0639- 1-112 | ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY | AS | 1.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 1.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 350.000 |
| | 0639- 4- 3 | EMERGENCY GENERATOR - PORTABLE INSTALL- RETROFIT; FDOT FURNISHED | EA | 100.000 |
| | 0639- 4- 5 | EMERGENCY GENERATOR - PORTABLE, MONITOR & REFUEL | HR | 3,360.000 |
| | 0639- 4- 7 | EMERGENCY GENERATOR - HARNESS FOR CABINET RETROFIT | EA | 10.000 |
| | 0641- 2-12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 2.000 |
| | 0646- 1-11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 2.000 |
| | 0650- 1-11 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY | AS | 1.000 |
| | 0650- 1-12 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 2-4 WAY | AS | 6.000 |
| | 0650- 1-14 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY | AS | 52.000 |
| | 0650- 1-18 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY | AS | 3.000 |
| | 0650- 1-24 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W/ALUM TOP, 3 SECTION, 1 WAY | AS | 1.000 |
| | 0650- 1-25 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE WITH ALUMINUM TOP SECTION, 3 SECTION, 2-4 WAYS | AS | 1.000 |
| | 0650- 1-29 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL POLYCARBONATE W ALUMIN, 5 SECTION CLUSTER, 1 WAY | AS | 1.000 |
| | 0650- 1-50 | VEHICULAR TRAFFIC SIGNAL, INSTALL | AS | 52.000 |
| | 0650- 1-70 | VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION | AS | 7.000 |
| | 0650- 1-50 | POLYCARBONATE W ALUMIN, 5 SECTION CLUSTER, 1 WAY VEHICULAR TRAFFIC SIGNAL, INSTALL VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND | AS | 52.000 |

Call Order: 010 Proposal: Z6164-R0

| | | • | | |
|-----|--------------|---|------|----------|
| ALT | Item | Description | Unit | Quantity |
| | 0650- 1-80 | VEHICULAR TRAFFIC SIGNAL, ADJUST/MODIFY EXISTING SIGNAL | AS | 28.000 |
| | 0650- 2-102 | VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER | EA | 1.000 |
| | 0653- 1-11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 9.000 |
| | 0653- 1-12 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS | AS | 2.000 |
| | 0653- 1-60 | PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN | AS | 5.000 |
| | 0665- 1-11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 6.000 |
| | 0670- 4- 1 | INTERSECTION CONTROL BEACON CONTROLLER ASSEMBLY, FURNISH & INSTALL | AS | 6.000 |
| | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 28.000 |
| | 0700- 3-204 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF | EA | 4.000 |
| | 0700- 3-501 | SIGN PANEL, RELOCATE, UP TO 12 SF | EA | 2.000 |
| | 0700- 3-601 | SIGN PANEL, REMOVE, UP TO 12 SF | EA | 28.000 |
| | 0700-141-111 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS | EA | 1.000 |
| | 0700-141-121 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/2 BEACONS, UP TO 12 SF OF STATIC SIGN PANELS | EA | 1.000 |
| | 0700-141-314 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I OVERHEAD MOUNT, W/BEACON, 31-50 SF OF STATIC SIGN PANELS | EA | 1.000 |
| | 0700-142-111 | ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/BEACON, UP TO 12 SF OF STATIC SIGN PANELS | EA | 1.000 |
| | 0700-142-121 | ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/2 BEACONS, UP TO 12 SF OF STATIC SIGN PANELS | EA | 1.000 |