



**Call Order: 003 Proposal: E6M05**

ALT	Item	Description	Unit	Quantity
	0107- 2-	MOWING	AC	5.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	100.000
	0120- 1-	REGULAR EXCAVATION	CY	200.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	120.000
	0120- 6-	EMBANKMENT	CY	120.000
	0160- 4-	TYPE B STABILIZATION	SY	800.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	800.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	300.000
	0285-712-	OPTIONAL BASE, BASE GROUP 12	SY	50.000
	0327- 70- 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	SY	800.000
	0327- 70- 5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH	SY	400.000
	0327- 70- 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	60.000
	0327- 70- 8	MILLING EXIST ASPH PAVT, 2 1/2" AVG DEPTH	SY	400.000
	0327- 70- 11	MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH	SY	400.000
	0327- 70- 12	MILLING EXIST ASPH PAVT, 1 1/4" AVG DEPTH	SY	800.000
	0327- 70- 13	MILLING EXIST ASPH PAVT, 1 3/4" AVG DEPTH	SY	60.000
	0327- 70- 16	MILLING EXIST ASPH PAVT, 1/2" AVG DEPTH	SY	800.000
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	80.000
	0334- 1- 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	10.000
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	12.000
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	8.000
	0337- 7- 82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	40.000
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	40.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	4.000
	0400- 2- 1	CONCRETE CLASS II, CULVERTS	CY	10.000
	0400- 2- 11	CONCRETE CLASS II, RETAINING WALLS	CY	10.000
	0400- 3- 1	CONCRETE CLASS III, CULVERTS	CY	10.000
	0400- 4- 1	CONCRETE CLASS IV, CULVERTS	CY	6.000
	0400- 4- 11	CONC CLASS IV, RETAINING WALLS	CY	6.000
	0415- 1- 3	REINFORCING STEEL- RETAINING WALL	LB	200.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	200.000
	0425- 1-311	INLETS, CURB, TYPE P-1, <10'	EA	2.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	2.000
	0425- 1-352	INLETS, CURB, TYPE P-5, >10'	EA	2.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL	EA	2.000
	0425- 1-359	INLETS, CURB, TYPE P-5, MODIFY	EA	2.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	2.000
	0425- 1-362	INLETS, CURB, TYPE P-6, >10'	EA	1.000
	0425- 1-365	INLETS, CURB, TYPE P-6, PARTIAL	EA	2.000
	0425- 1-369	INLETS, CURB, TYPE P-6, MODIFY	EA	2.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	2.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10'	EA	1.000
	0425- 1-455	INLETS, CURB, TYPE J-5, PARTIAL	EA	2.000
	0425- 1-459	INLETS, CURB, TYPE J-5, MODIFY	EA	2.000

**Call Order: 003 Proposal: E6M05**

ALT	Item	Description	Unit	Quantity
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	2.000
	0425- 1-462	INLETS, CURB, TYPE J-6, >10'	EA	2.000
	0425- 1-465	INLETS, CURB, TYPE J-6, PARTIAL	EA	2.000
	0425- 1-469	INLETS, CURB, TYPE J-6, MODIFY	EA	2.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	1.000
	0425- 1-523	INLETS, DT BOT, TYPE C,JBOT, <10'	EA	2.000
	0425- 1-524	INLETS, DT BOT, TYPE C, JBOT, >10'	EA	1.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	2.000
	0425- 1-542	INLETS, DT BOT, TYPE D, >10'	EA	2.000
	0425- 1-571	INLETS, DITCH BOTTOM, TYPE G, <10'	EA	2.000
	0425- 1-572	INLETS, DITCH BOTTOM, TYPE G, >10'	EA	1.000
	0425- 1-573	INLETS, DITCH BOTTOM, TYPE G, J BOT, <10'	EA	2.000
	0425- 1-574	INLETS, DITCH BOTTOM, TYPE G, J BOT, >10'	EA	1.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	2.000
	0425- 1-712	INLETS, GUTTER, TYPE V, >10'	EA	1.000
	0425- 1-713	INLETS, GUTTER, TYPE V, J BOT, <10'	EA	2.000
	0425- 1-714	INLETS, GUTTER, TYPE V, J BOTTOM, >10'	EA	1.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	2.000
	0425- 2- 42	MANHOLES, P-7, >10'	EA	2.000
	0425- 2- 43	MANHOLES, P-7, PARTIAL	EA	2.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	2.000
	0425- 2- 72	MANHOLES, J-7, >10'	EA	2.000
	0425- 2- 73	MANHOLES, J-7, PARTIAL	EA	2.000
	0425- 4-	INLETS, ADJUST	EA	2.000
	0425- 5-	MANHOLE, ADJUST	EA	2.000
	0425- 6-	VALVE BOXES, ADJUST	EA	2.000
	0425- 8-	DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST	EA	2.000
	0425- 11-	MODIFY EXISTING DRAINAGE STRUCTURE	EA	4.000
	0425- 74- 1	MANHOLES & INLETS CLEANING & SEALING, <10'	EA	2.000
	0425- 74- 2	MANHOLES & INLETS CLEANING & SEALING, >10'	EA	2.000
	0425- 82-	REPLACE GRATE	EA	10.000
	0430- 94- 1	DESILTING PIPE, 0 - 24"	LF	200.000
	0430- 94- 2	DESILTING PIPE, 25 - 36"	LF	300.000
	0430- 94- 3	DESILTING PIPE, 37 - 48"	LF	200.000
	0430- 94- 4	DESILTING PIPE, 49 - 60"	LF	100.000
	0430- 94- 5	DESILTING PIPE, 61" OR GREATER	LF	100.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	50.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	100.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	50.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	50.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	50.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	50.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	50.000
	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	50.000
	0430-175-160	PIPE CULVERT, OPT MATERIAL, ROUND, 60"S/CD	LF	50.000

**Call Order: 003 Proposal: E6M05**

ALT	Item	Description	Unit	Quantity
	0430-175-215	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15"S/CD	LF	50.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	50.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	50.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	5.000
	0430-880- 01	FLAP GATES, 0-24"	EA	2.000
	0430-880- 02	FLAP GATES, 25-36"	EA	2.000
	0430-880- 03	FLAP GATES, 37-48"	EA	2.000
	0430-880- 04	FLAP GATES, 49-60"	EA	2.000
	0431- 1- 1	PIPE LINER, OPTIONAL MATERIAL, 0-24"	LF	100.000
	0431- 1- 2	PIPE LINER, OPTIONAL MATERIAL, 25-36"	LF	100.000
	0431- 1- 3	PIPE LINER, OPTIONAL MATERIAL, 37-48"	LF	100.000
	0431- 1- 4	PIPE LINER, OPTIONAL MATERIAL, 49 - 60"	LF	100.000
	0431- 1- 5	PIPE LINER, OPTIONAL MATERIAL, 61" AND GREATER	LF	100.000
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	50.000
	0443- 70- 4	FRENCH DRAIN, 24"	LF	150.000
	0443- 70- 6	FRENCH DRAIN, 36"	LF	50.000
	0455-107- 1	DRILLED SHAFT CASING, 24" DIAMETER	LF	50.000
	0455-107- 3	DRILLED SHAFT CASING, 36" DIAMETER	LF	50.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	2,500.000
	0515- 1- 1	PIPE HANDRAIL - GUIDERAIL, STEEL	LF	10.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	10.000
	0515- 1- 41	PIPE HANDRAIL - GUIDERAIL, RELOCATE, STEEL	LF	10.000
	0515- 1- 42	PIPE HANDRAIL - GUIDERAIL, RELOCATE, ALUMINUM	LF	10.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	200.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	20.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	20.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	10.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	40.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	60.000
	0524- 1- 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	10.000
	0524- 1- 29	CONCRETE DITCH PAVEMENT, 4", REINFORCED	SY	100.000
	0526- 1- 2	PAVERS, ARCHITECTURAL, SIDEWALK	SY	10.000
	0527- 2-	DETECTABLE WARNINGS	SF	4.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	4.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	20.000
	0536- 1- 11	GUARDRAIL, ROADWAY, MODIFIED THRIE BEAM	LF	100.000
	0536- 6-	PIPE RAIL FOR GUARDRAIL	LF	10.000
	0536- 7- 2	SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT	EA	3.000
	0536- 73-	GUARDRAIL REMOVAL	LF	20.000
	0536- 85- 25	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE TYPE II	EA	2.000
	0550- 10-220	FENCING, TYPE B, 5.1-6.0', STANDARD	LF	40.000
	0550- 10-228	FENCING, TYPE B, 5.1-6.0, RESET EXISTING	LF	10.000
	0570- 1- 1	PERFORMANCE TURF	SY	500.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	500.000

**Call Order: 003 Proposal: E6M05**

ALT	Item	Description	Unit	Quantity
<b>Section 0002 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	4.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	4.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	4.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	0.100
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.100
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	400.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	50.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	50.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.100
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	2.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.100
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	20.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.100
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	400.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	50.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	50.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.100
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	4.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	2.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	100.000
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	400.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	50.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	4.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	4.000
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.100
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"	GM	0.100
<b>Section 0003 Signalization</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	100.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	100.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	4.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	4.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	4.000

**Call Order: 003 Proposal: E6M05**

ALT	Item	Description	Unit	Quantity
	0653- 1- 12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	4.000
	0653- 1- 40	PEDESTRIAN SIGNAL, RELOCATE	AS	4.000
	0653- 1- 60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	4.000
	0660- 1-101	LOOP DETECTOR INDUCTIVE, F&I, TYPE 1	EA	4.000
	0660- 1-102	LOOP DETECTOR INDUCTIVE, F&I, TYPE 2	EA	4.000
	0660- 1-103	LOOP DETECTOR INDUCTIVE, F&I, TYPE 3	EA	4.000
	0660- 1-105	LOOP DETECTOR, INDUCTIVE, F&I, TYPE 5, 2CHANNEL, SOLID STATE, SHELF MOUNTED	EA	4.000
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A	AS	4.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	4.000
	0665- 1- 12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	4.000
	0665- 1- 30	PEDESTRIAN DETECTOR, INSTALL	EA	4.000
	0665- 1- 40	PEDESTRIAN DETECTOR, RELOCATE	EA	4.000
	0665- 1- 50	PEDESTRIAN DETECTOR, ADJUST/MODIFY ON EXISTING POLE	EA	4.000
	0665- 1- 60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	4.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	1.000