BID SOLICITATION NOTICE – District 7 FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Tampa, FL March 11, 2019 Advertisement No. 1

District Contracts, District Seven 11201 N. McKinley Drive, MS 7-700 Tampa, FL 33612

All bids must be completed using **Project Bids** software available on the Bid Express website at <u>https://bidx.com/fl/main</u>.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <u>http://www.fdot.gov/contracts</u> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <u>http://www.bidx.com</u>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 2:30 PM Local Time on Wednesday, April 10, 2019.

Bid totals for each bid submitted will be read aloud for those present and will be available at 2:30 PM **April 10, 2019** in the Pelican Conference Room, District 7 Headquarters, Tampa, Florida. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: <u>contracts.admin@dot.state.fl.us</u> or call telephone number (813)975-6036. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at:

https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/d7, click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

-----NOTE-----

Proposals will not be issued after 2:30 PM Local Time on Tuesday, April 09, 2019 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit http://dms.myflorida.com/egovernment_tools/myflorida_marketplace for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as

established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) <u>http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm</u> to the Department every <u>30</u> calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street,

Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <u>http://www.fdot.gov/contracts/</u>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/d7, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.

BID QUESTIONS

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <u>https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal</u>.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit http://www.surety2000 or SurePath electronic Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10)

Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors should be reported in the **Equal Opportunity Compliance (EOC)** system. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Please complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: http://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: http://www.fdot.gov/contracts/CPP_Online_Ordering/NEW%20BIDDERS%20ORIENTATION.pdf

POSTING NOTICE

The bid tabulation and intent to award will be posted on **April 30, 2019** or **May 07, 2019** at www.fdot.gov/contracts/d7, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federallyassisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link

http://www.fdot.gov/contracts/cpp_online_ordering/bidder_assist.shtm, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at http://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to <u>http://www2.dot.state.fl.us/ContractsAdministration/bsnmail.asp</u> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <u>http://www.fdot.gov/contracts/distco.shtm</u>.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5). Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Published: March 11, 2019

Letting ID: 07190410

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the April 10, 2019 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E7M25		43386315201 43386415201(*)	HERNANDO
10	E7M35		43642115201(*) 43642115202	PASCO
15	E7M36		43648815201(*)	PINELLAS
19	E7M56-R0		43904617207(*)	HILLSBOROUGH
22	E7M57-R0		41602117220(*)	HILLSBOROUGH
23	E7M58-R0		41602637216(*)	HERNANDO, PASCO

Proposal Note Codes:

Letting:	07190410	Call Order: 001	Proposal:	E7M25	District:07
Counties:	HERNANDO				
Road Name: Limits:	US 41/US 98 08050000				
, , ,	386315201 386415201(*)	Federal Aic Federal Aic			
Total Roadway	()	0.192 Miles		Contract Days:	110
Total Bridge Le	ength:	0.000 Miles		Letting Date:	04/10/19
Total Proposal	Length:	0.192 Miles		Contract Execution Days:	10
				Special Start Date:	N/A
				Aquis/Flexible Start Time:	120 Days Flex. Start
Proposal Budget Estimate:		\$	6249,783.00	-	-
	- full - due which - manual				

Please read the full advertisement

Description:

The Improvements under this Contract consist of milling and resurfacing of US 41 (Jefferson St.) from E of Gary to E of Mildred and US 98/SR 700 from North of Oakdale Avenue to South of Manecke Road in Hernando County, Railroad Crossings.

Railroad Insurance is required for this proposal at time of contract execution. Please see the Specifications package, section 7-13.3.1 for more information.

ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Roadway			
	0101- 1-	MOBILIZATION (43386315201)	LS	1.000
	0101- 1-	MOBILIZATION (43386415201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43386315201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43386415201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	624.000
	0102- 60-	WORK ZONE SIGN	ED	4,894.000
	0102-61-	BUSINESS SIGN	EA	6.000
	0102-74-1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	3,867.000
	0102-74-2	CHANNELIZING DEVICE, TYPE III, 6'	ED	133.000
	0102-74-7	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	LF	24.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	60.000
	0102-99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	300.000
	0102-911- 3	PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK, OTHER	SF	64.000
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	5.000
	0104-10-3	SEDIMENT BARRIER	LF	489.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	2.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	7.000
	0104- 19-	CHEMICAL TREATMENT- POWDERED, FOR EROSION CONTROL	SY	5.000
	0107- 1-	LITTER REMOVAL	AC	2.480
	0107- 2-	MOWING	AC	1.330
	0110- 1- 1	CLEARING & GRUBBING (43386315201)	LS	1.000

		Call Order: 001 Proposal: E7M25		
ALT	Item	Description	Unit	Quantity
	0110- 1- 1	CLEARING & GRUBBING (43386415201)	LS	1.00
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	238.00
	0120- 1-	REGULAR EXCAVATION	CY	59.00
	0120- 6-	EMBANKMENT	CY	58.00
	0162- 1-11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	307.00
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	18.0
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	14.0
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	47.0
	0285-715-	OPTIONAL BASE, BASE GROUP 15	SY	118.0
	0327-70-4	MILLING EXIST ASPH PAVT, 3" AVG DEPTH	SY	940.0
	0327-70-5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH	SY	780.0
	0327-70-6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	335.0
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	ΤN	192.7
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76 -22	TN	185.6
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	ΤN	5.1
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	2.0
	0425- 2-61	MANHOLES, P-8, <10'	EA	1.0
	0425- 2-73	MANHOLES, J-7, PARTIAL	EA	1.0
	0430-175-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD	LF	88.0
	0430-175-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"S/CD	LF	16.0
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	322.0
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	200.0
	0527- 2-	DETECTABLE WARNINGS	SF	58.0
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	479.0
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43386315201)	LS	1.0
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43386415201)	LS	1.0
ection	n 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	6.0
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	5.0
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	8.0
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	8.0
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	2.0
	0710-90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43386315201)	LS	2.0
	0710-90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43386415201)	LS	1.0
	0711-11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	169.0
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	64.0
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	1.0
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	298.0
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	134.0
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	1.0
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	1.0

		Call Order. 001 Proposal. L7M25		
ALT	Item	Description	Unit	Quantity
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.124
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.030
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.161
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	0.037

Letting:	07190410	Call Order: 002	Proposal:	E7M35	District:07
Counties:	PASCO				
Road Name:	SR 54				
Limits:	14570002				
Project(s): 430	642115201(*)	Federal Aid	No: N/A		
Project(s): 430	642115202	Federal Aic	No: N/A		
Total Roadway	Length:	3.346 Miles		Contract Days:	180
Total Bridge Le	ngth:	0.000 Miles		Letting Date:	04/10/19
Total Proposal	Length:	3.346 Miles		Contract Execution Days:	10
				Special Start Date:	N/A
				Aquis/Flexible Start Time:	120 Acquisition Days
Proposal Budget Estimate:		\$3	,399,999.00		
Diagon road the	full advartigement				

Please read the full advertisement

Description:

The improvements under this Contract consist of milling and resurfacing, improving sidewalks and curb ramps in compliance with ADA standards, upgrading signals, replacing signing and pavement markings, and removing unwarranted guardrail within the project limits, on SR 54 from Old Millpond Dr. to Little Rd. in Pasco County.

Prequalification Required Hot Plant-Mixed Bituminous Courses.

	Call Order: 002 Proposal: E7M35		
ALT Iter	n Description	Unit	Quantity
Section 0001 Roa	dway		
0101- 1-	MOBILIZATION (43642115201)	LS	1.000
0101- 1-	MOBILIZATION (43642115202)	LS	1.000
0102- 1-	MAINTENANCE OF TRAFFIC (43642115201)	LS	1.000
0102- 1-	MAINTENANCE OF TRAFFIC (43642115202)	LS	1.000
0102- 14	TRAFFIC CONTROL OFFICER	HR	296.000
0102- 60	WORK ZONE SIGN	ED	5,872.000
0102- 74	1 CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	31,918.000
0102-76	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	367.000
0102- 78	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	1,428.000
0102- 99	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	388.000
0102-104	- TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	360.000
0102-107	- 1 TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	360.000
0104- 18	INLET PROTECTION SYSTEM	EA	62.000
0107- 1-	LITTER REMOVAL	AC	56.340
0107- 2-	MOWING	AC	48.240
0110- 1-	1 CLEARING & GRUBBING (43642115201)	LS	1.000
0110- 4-	10 REMOVAL OF EXISTING CONCRETE	SY	470.000
0120- 1-	REGULAR EXCAVATION	CY	5.100
0120- 6-	EMBANKMENT	CY	60.200
0285-701	- OPTIONAL BASE, BASE GROUP 01	SY	13.000
0327-70	6 MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	3,118.000

ALT	Item	Description	Unit	Quantity
	0327- 70- 15	MILLING EXIST ASPH PAVT, 2 3/4" AVG DEPTH	SY	84,640.000
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	9,624.100
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	3,385.600
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	2.800
	0400- 0-11	CONCRETE CLASS NS, GRAVITY WALL	CY	1.100
	0425- 1-425	INLETS, CURB, TYPE J-2, PARTIAL	EA	1.000
	0425- 2-93	MANHOLES, J-8, PARTIAL	EA	1.000
	0431- 1-203	PIPE LINER, REPAIR BY INVERTING METHOD, 48", PROJECT 436421-1 -52-02	LF	298.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	10.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	63.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	256.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	10.000
	0520- 5-16	TRAFFIC SEPARATOR CONCRETE- TYPE I, 8.5' WIDE	LF	9.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	109.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	504.000
	0522- 4-	BUS SHELTER PAD- CONCRETE	SY	19.000
	0527- 2-	DETECTABLE WARNINGS	SF	138.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	166.000
	0536- 6-	PIPE RAIL FOR GUARDRAIL	LF	160.000
	0536- 8-13	APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3	EA	1.000
	0536- 73-	GUARDRAIL REMOVAL	LF	847.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	1.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	587.000
	0571- 1-12	PLASTIC EROSION MAT, TRM, TYPE 2	SY	284.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	102.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	2.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	6.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	6.000
	0695- 7-132	TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 3, PEDESTAL MOUNT	EA	2.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	4.400
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.495
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	2,369.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	390.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	545.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	5.839
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED	GM	0.841

		Call Order: 002 Proposal: E7M35		
ALT	Item	Description	Unit	Quantity
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	4.00
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	76.00
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	2.95
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	14.00
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.30
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID	LS	1.00
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43642115202)	LS	1.00
ectio	n 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	11.00
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	6.00
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	3.00
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	4.00
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	24.00
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	2.0
	0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.0
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	3.0
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	20.0
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	6.0
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	3.0
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	26.0
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	6.0
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	3.0
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	3.0
	0705-10-1	OBJECT MARKER, TYPE 1	EA	9.0
	0705-11-3	DELINEATOR, FLEXIBLE HIGH VISABILITY MEDIAN	EA	6.0
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	5.0
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	332.0
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43642115201)	LS	1.0
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	2,370.0
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	390.0
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	546.0
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.8
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	6.0
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	75.0
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	45.0
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6- 10 DOTTED EXTENSION LINE, 6"	GM	0.4
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,989.0

A 1 T		Call Order: 002 Proposal: E7M35		0
ALT	Item	Description	Unit	Quantity
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	36.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	36.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	4.331
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.495
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	5.832
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	2.785
	0711- 17-	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS: NON-CONFLICTING ONLY	SF	3,189.000
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.298
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.552
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.300
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.562
Sectior	n 0003 Lighting			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	316.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	12.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	3,423.000
	0715- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	126.000
	0715- 4-12	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT	EA	6.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	1.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	6.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	EA	6.000
Sectior	n 0004 Signalizat	ion		
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	890.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	820.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	30.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	ΡI	2.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	ΡI	2.000
	0634- 4-153	SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX	ΡI	1.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	29.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	2.000
	0639- 1-610	ELECTRICAL POWER SERVICE, REMOVE OVERHEAD	AS	1.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	2.000
	0641- 2-80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	4.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	12.000

ALT	Item	Description	Unit	Quantity
	0649- 1-17	STEEL STRAIN POLE, F&I, TYPE PS-X	EA	4.000
	0649-21-6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50'	EA	1.000
	0649- 21- 14	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 60'-60'	EA	1.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	19.000
	0650- 1-15	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 2-4 WAYS	AS	4.000
	0650- 1-19	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION CLUSTER, 1 WAY	AS	10.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	12.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	29.000
	0660- 6-422	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH RELOCATE, ABOVE GROUND EQUIPMENT	EA	1.000
	0663- 1-111	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, CABINET ELECTRONICS	EA	2.000
	0663- 1-112	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, DETECTOR	EA	6.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	12.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	2.000
	0676- 3-30	SMALL EQUIPMENT ENCLOSURE, INSTALL, >10" W x 13" H x 11" D	EA	1.000
	0676- 3-60	SMALL EQUIPMENT ENCLOSURE, REMOVE- POST/CABINET TO REMAIN	EA	1.000
	0682- 1-400	ITS CCTV CAMERA, RELOCATE	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	9.000
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	7.000

Letting:	07190410	Call Order: 003	Proposal:	E7M36	District:07
Counties:	PINELLAS				
Road Name:	ALT US 19/S				
Limits:	15025000				
Project(s): 43	648815201(*)	Federal Aid	l No: N/A		
Total Roadway	Length:	1.548 Miles		Contract Days:	135
Total Bridge Le	ength:	0.000 Miles		Letting Date:	04/10/19
Total Proposal	Length:	1.548 Miles		Contract Execution Days:	10
				Special Start Date:	N/A
				Aquis/Flexible Start Time:	90 Days Acquisition
Proposal Budget Estimate:		\$2	,040,000.00)	

Please read the full advertisement

Description:

The improvements under this Contract consist of Resurfacing, Signage and Safety improvements on Alternate US 19 from SR 60 (Chestnut Street) to Mohawk Street in Pinellas County.

Prequalification Required Hot Plant-Mixed Bituminous Courses.

		Call Order: 003 Proposal: E7M36		
ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Roadway			
	0101- 1-	MOBILIZATION (43648815201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43648815201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	120.000
	0102- 60-	WORK ZONE SIGN	ED	39,300.000
	0102-74-1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	2,430.000
	0102-74-7	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	LF	464.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	1,622.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	284.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	1,080.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	1,080.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	103.000
	0107- 1-	LITTER REMOVAL	AC	19.550
	0107- 2-	MOWING	AC	3.950
	0110- 1- 1	CLEARING & GRUBBING (43648815201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	337.000
	0120- 2- 2	BORROW EXCAVATION, TRUCK MEASURE	CY	7.000
	0120- 71-	REGULAR EXCAVATION (3-R PROJECTS ONLY) (43648815201)	LS	1.000
	0327-70-4	MILLING EXIST ASPH PAVT, 3" AVG DEPTH	SY	37,340.000
	0327-70-6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	5,308.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	ΤN	3,080.600
	0337- 7-81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	3,518.400
	0425- 6-	VALVE BOXES, ADJUST	EA	5.000

		Call Order: 003 Proposal: E7M36		
ALT	Item	Description	Unit	Quantity
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	162.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	307.000
	0524- 1- 4	CONCRETE DITCH PAVEMENT, NON REINFORCED, 6"	SY	6.000
	0527- 2-	DETECTABLE WARNINGS	SF	531.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	25.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	215.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	3.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	12.000
	0695- 6-12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	12.000
	0695- 7-162	TRAFFIC MONITORING SITE CABINET, F&I, TYPE 3, 2 PANE BACK, PEDESTAL MOUNT	EA	3.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	5.372
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.014
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	0.136
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	9,644.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	20.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	5,070.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	4.198
	0710- 11-133	PAINTED PAVEMENT MARKING, STANDARD,WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE,	GM	0.142
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.024
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	24.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	26.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	4.870
	0710- 11-202	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.018
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	50.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.218
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43648815201)	LS	1.000
Sectio	n 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	32.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	13.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	1.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	30.000
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	1.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	1.000

		Call Order: 003 Proposal: E7M36		
ALT	Item	Description	Unit	Quantity
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	2.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	2.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43648815201)	LS	1.000
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.068
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	4,822.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	10.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	898.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.012
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	25.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6- 10 DOTTED EXTENSION LINE, 6"	GM	0.109
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	3,274.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	12.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	13.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	2.686
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.007
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	2.099
	0711- 15-133	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.071
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	2.435
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"	GM	0.009
Sectio	n 0003 Signalizat	ion		
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	426.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,222.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	72.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	1.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	37.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	3.000
	0649-26-5	STEEL MAST ARM ASSEMBLY, REMOVE, DEEP FOUNDATION- BOLT ON ATTACHMENT	EA	1.000
	0650- 2-102	VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER	EA	41.000
	0653- 1-12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	2.000
	0653- 1-60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	2.000
	0660- 1-103	LOOP DETECTOR INDUCTIVE, F&I, TYPE 3	EA	10.000

ALT	Item	Description	Unit	Quantity
	0660- 1-104	LOOP DETECTOR, INDUCTIVE, F&I, TYPE 4, 2CHANNEL, SOLID STATE, SHELF MOUNTED, TIME DELAY	EA	6.000
	0660- 1-105	LOOP DETECTOR, INDUCTIVE, F&I, TYPE 5, 2CHANNEL, SOLID STATE, SHELF MOUNTED	EA	8.000
	0660- 1-106	LOOP DETECTOR INDUCTIVE , F&I, TYPE 6, 2 CH,SS,S,TD	EA	4.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	7.000
	0660- 1-110	LOOP DETECTOR INDUCTIVE, F&I, TYPE 10	EA	1.000
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A	AS	44.000
	0665- 1-12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	2.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	7.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	1.000
	0700- 5-21	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	16.000
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	4.000
	0700- 5-60	INTERNALLY ILLUMINATED SIGN, REMOVE	EA	20.000

Letting:	07190410	Call Order: 004	Proposal [.]	E7M56-R0	District:07
Counties: HILLSBOROUGH			r ropooui.		District.or
Road Name: POND MODIFICATI		ON NPDES -Various	Roads		
Limits:	MAINT				
Project(s): 439	904617207(*)	Federal Aid	No: N/A		
Total Roadway	Length:	0.000 Miles		Contract Days:	365
Total Bridge Lei	ngth:	0.000 Miles		Letting Date:	04/10/19
Total Proposal I	Length:	0.000 Miles		Contract Execution Days:	10
				Special Start Date:	N/A
				Aquis/Flexible Start Time:	
Proposal Budge	et Estimate:	\$	284,250.00		

Please read the full advertisement

Description:

The improvements under this contract consist of providing maintenance and repair of Stormwater Pond structures and component features for routine and permit compliance maintenance for Stormwater and Pond Facilities in Hillsborough County, District 7.

Contract will be awarded at the full budgetary amount of \$284,250.00, low bid will set the unit price.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department's estimated quantities and the Contractor's bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

Previously let on 3/9/2016, contract number E7L24-R0.

		Call Order: 004 Proposal: E7M56-R0		
ALT	ltem	Description	Unit	Quantity
Section 0001	I SODDING	(SY)		
010	4- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	50.000
010	4- 9-	SEDIMENT BASIN / CONTAINMENT SYSTEM- CLEANOUT	EA	4.000
010	4-10-3	SEDIMENT BARRIER	LF	100.000
010	4- 11-	FLOATING TURBIDITY BARRIER	LF	100.000
010	4- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	100.000
010	4- 18-	INLET PROTECTION SYSTEM	EA	5.000
012	0- 1-	REGULAR EXCAVATION	CY	50.000
012	0- 3-	LATERAL DITCH EXCAVATION	CY	200.000
012	0- 6-	EMBANKMENT	CY	100.000
012	0- 10- 21	CLEAN AND RESHAPE DITCH, HAUL, DITCH WIDTH UP TO 15'	LF	300.000
012	0- 72- 10	GRAVEL FILL- BERM, PROJECT 406144-1-52-01	CY	50.000
012	1-70-2	FLOWABLE FILL, MAINTENANCE CONTRACTS ONLY	CY	5.000
012	5- 1-	EXCAVATION FOR STRUCTURES	CY	50.000
014	5- 1-	GEOSYNTHETIC REINFORCED SOIL SLOPE	SF	50.000
016	0- 4-	TYPE B STABILIZATION	SY	50.000
040	0- 1- 2	CONCRETE CLASS I, ENDWALLS	CY	2.000

ALT	Item	Description	Unit	Quantity
	0400- 2- 1	CONCRETE CLASS II, CULVERTS	CY	2.000
	0400- 2- 2	CONCRETE CLASS II, ENDWALLS	CY	2.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	50.000
	0425- 5-	MANHOLE, ADJUST	EA	4.000
	0425- 7-	MANHOLE COVER- REPLACE	EA	1.000
	0425- 8-	DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST	EA	1.000
	0425- 11-	MODIFY EXISTING DRAINAGE STRUCTURE	EA	10.000
	0425-74-1	MANHOLES & INLETS CLEANING & SEALING, <10'	EA	6.000
	0425-74-2	MANHOLES & INLETS CLEANING & SEALING, >10'	EA	2.000
	0425- 78-	INLET CAP, PRECAST	EA	1.000
	0425- 82-	REPLACE GRATE	EA	2.000
	0430-94-1	DESILTING PIPE, 0 - 24"	LF	300.000
	0430-94-2	DESILTING PIPE, 25 - 36"	LF	300.000
	0430-94-3	DESILTING PIPE, 37 - 48"	LF	100.000
	0430-95-1	OUTFALL BARNACLE REMOVAL, 0 - 24"	LF	100.000
	0430-95-2	OUTFALL BARNACLE REMOVAL, 25 - 36"	LF	100.000
	0430- 96-	DRAINAGE PIPE REPAIR- CONCRETE COLLAR AT JOINT	EA	4.000
	0430-950-	DESILTING CONCRETE BOX CULVERT	CY	40.000
	0430-991- 1	MITERED END SECT, REPLACE SLAB- MAINTENANCE USE ONLY	CY	10.000
	0433- 1-	CHEMICAL GROUT REPAIR, MANHOLE / INLET	EA	1.000
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	100.000
	0436- 2-	TRENCH DRAIN, CLEANING (MAINTENANCE USE ONLY)	LF	50.000
	0440- 1-50	UNDERDRAIN, TYPE V	LF	100.000
	0440-73-2	UNDERDRAIN OUTLET PIPE, 6"	LF	500.000
	0443-70-3	FRENCH DRAIN, 18"	LF	100.000
	0530- 1-	RIPRAP, SAND-CEMENT	CY	20.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	20.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	5.000
	0530- 3- 8	RIPRAP- RUBBLE, REMOVE EXISTING AND REINSTALL	CY	9.000
	0530- 74-	BEDDING STONE	TN	40.000
	0571- 1-12	PLASTIC EROSION MAT, TRM, TYPE 2	SY	50.000
	0705-10-1	OBJECT MARKER, TYPE 1	EA	10.000
	0705-11-1	DELINEATOR, FLEXIBLE TUBULAR	EA	5.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	1.000
	E104- 50-	WEED CONTROL MANUAL	AC	2.000
	E110- 30-	LITTER REMOVAL	AC	2.000
	E110- 70-	REMOVAL OF FLEXIBLE PAVEMENT	SY	5.000
	E120-10-1	CLEAN AND RESHAPE DITCH (SPREAD)	LF	250.000
	E120-10-2	CLEAN AND RESHAPE DITCH (HAUL)	LF	250.000
	E120-10-4	CLEAN AND RESHAPE CANAL (3.5' TO 7.0' DEPTH)	LF	100.000
	E120-10-5	CLEAN AND RESHAPE CANAL (> 7.0' DEPTH)	LF	100.000
	E339- 2-	ASPHALTIC CONCRETE (COLD PATCH)	TN	5.000
	E425- 73- 2	REPAIR LEAKS IN MANHOLES AND INLETS	EA	10.000
	E425-73-4	RESET EXISTING FRAME AND GRATE	EA	2.000
	E425-73-5	CLEANING MANHOLES AND INLETS (MANUAL)	EA	10.000

ALT	Item	Description	Unit	Quantity
	E425-73-7	MANHOLE FRAME & COVER	EA	2.000
	E430- 17- 99	PIPE REMOVAL	LF	100.000
	E430-949- 13	DESILTING PIPE (UNDERDRAIN) (4")	LF	100.000
	E430-949- 16	DESILTING PIPE (UNDERDRAIN) (6")	LF	500.000
	E524- 1- 1	CONCRETE DITCH PAVEMENT REPAIR	CY	25.000
	E570- 2-	SEED & MULCH	SY	100.000
	E570- 5-	FERTILIZER	TN	2.000
	E575- 1-	SODDING	SY	100.000
	E580-332- 21	TREE REMOVAL (4" TO 12")	EA	20.000
	E580-336- 1	PRUNING AND TRIMMING (4" TO 24")	EA	5.000
	E580-337- 4	HERBICIDE (STRIP APPLICATION)(AQUATIC)	AC	5.000
	E580-337- 11	HERBICIDE (MANUAL APPLICATION)	GA	250.000

Letting:	07190410	Call Order: 005	Proposal:	E7M57-R0	District:07	
Counties: HILLSBOROUGH						
Road Name: Limits:	EDGE/SWEEP CON MAINT	TRACT -VARIOUS F	ROADS			
Project(s): 41	602117220(*)	Federal Aic	I No: N/A			
Total Roadway	Length:	0.000 Miles		Contract Days:	365	
Total Bridge Le	ength:	0.000 Miles		Letting Date:	04/10/19	
Total Proposal	Length:	0.000 Miles		Contract Execution Days:	10	
Special Start Date: N/A					N/A	
	Aquis/Flexible Start Time:					
Proposal Budge	et Estimate:	\$	200,000.00)		

Please read the full advertisement

Description:

The improvements under this contract consist of edging and sweeping of roadway concrete curb and gutters, sidewalks, traffic separators and multiuse paths on State Primary Roads in Hillsborough County, District 7.

Contract will be awarded at the full budgetary amount of \$200,000.00, low bid will set the unit price.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department's estimated quantities and the Contractor's bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

Previously let on 3/9/2016, contract number E7L14-R0.

		Call Order: 00	05 Proposal: E7M57-R0				
ALT	Item		Description	Unit	Quantity		
Sectio	Section 0001 EDGING AND SWEEPING (EM)						
	E110-32-1	EDGING AND SWEEPING		PM	1,952.000		

Letting:	07190410	Call Order: 006	Proposal:	E7M58-R0	District:07
Counties:	HERNANDO, PASCO)			
Road Name:	BROOKSVILLE REP	AIRS & MAINTENAN	ICE - VARI	OUS ROADS	
Limits:	MAINT				
Project(s): 416	602637216(*)	Federal Aid	No: N/A		
Total Roadway	Length:	0.000 Miles		Contract Days:	365
Total Bridge Ler	ngth:	0.000 Miles		Letting Date:	04/10/19
Total Proposal L	_ength:	0.000 Miles		Contract Execution Days:	10
				Special Start Date:	N/A
				Aquis/Flexible Start Time:	
Proposal Budge	et Estimate:	\$	150,000.00		
Please read the	full advertisement				

Description:

The improvements under this contract consists of removal and replacement of concrete sidewalk, curb and gutter, curbs, curb inlets, mitered end sections, and ditch pavement on Primary Roadways in Hernando and Pasco counties.

Contract will be awarded at the full budgetary amount of \$150,000.00, low bid will set the unit price.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item. The Department's estimated quantities and the Contractor's bid price will be used to calculate a total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed. For this contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work.

Previously Let on 3/9/2016, contract number E7L18-R0.

This is a BUSINESS DEVELOPMENT INITIATIVE project - Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at: http://www.fdot.gov/equalopportunity/bdi.shtm

For more information about bidding on BDI projects, please see the training guide located at: http://www.cmdp-bgp.com/bdiprojects.html

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at: https://fms.fdot.gov/Form?filter=office:42

It is only necessary to submit the Small Business Affidavit (SBA) form once per year. Send a completed and notarized affidavit as an attachment to: dot.bdi@dot.state.fl.us

All Sublet work must be contracted to a small business or businesses as defined by the Department. The subcontractor must also submit a notarized Small Business Affidavit Form provided by the Department prior to the start of work.

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid unless bidder is prequalified in the project's major work type, per Rule 14-22, Florida Administrative Code. This experience excludes residential landscape and sod work.

Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the "File Attachment Upload" folder in the Expedite application in order to send via Bid Express.

BDI Reference Sheet may be found at: http://www.fdot.gov/equalopportunity/bdi.shtm

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier's Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form (Form No. 375-020-09).

A Contract Bond is not required for contracts \$250,000.00 and less..

ALT	Item	Call Order: 006 Proposal: E7M58-R0 Description	Unit	Quantity
	n 0001 CONCRET	·	Offic	Quantity
Section	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	2,500.000
	0425- 1-315	INLETS, CURB TYPE P-1, PARTIAL	EA	2,000.000
	0425- 1-325	INLETS, CURB, TYPE P-2, PARTIAL	EA	2.000
	0425- 1-335	INLETS, CURB, TYPE P-3, PARTIAL	EA	2.000
	0425- 1-345	INLETS, CURB, TYPE P-4, PARTIAL	EA	2.000
	0425- 1-355	INLETS, CURB, TYPE P-5, PARTIAL	EA	2.000
	0425- 1-365	INLETS, CURB, TYPE P-6, PARTIAL	EA	2.000
	0425- 1-475	INLETS, CURB, TYPE 7, PARTIAL	EA	2.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	20.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	10.000
	0430-984-133	MITERED END SECTION , OPTIONAL ROUND, 30" SD	EA	5.000
	0430-984-138	MITERED END SECTION , OPTIONAL ROUND, 36" SIDE DRAIN	EA	2.000
	0430-984-625	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD	EA	1.000
	0430-984-629	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 24" SD	EA	2.000
	0430-984-633	MITERED END SECT, OPTIONAL /ELLIP/ARCH, 30" SD	EA	2.000
	0430-984-638	MITERED END SECT, OPTIONAL /ELLIP/ARCH, 36" SD	EA	2.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	50.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	50.000
	0520- 2- 2	CONCRETE CURB, TYPE B	LF	50.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	50.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	50.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	50.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	520.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	100.000
	0524- 1- 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	100.000
	0524- 1- 4	CONCRETE DITCH PAVEMENT, NON REINFORCED, 6"	SY	50.000
	0527- 2-	DETECTABLE WARNINGS	SF	75.000
	E101- 1- 1	MOBILIZATION	LO	20.000
	E575- 1-	SODDING	SY	215.000