



Bid Questions and Answers Report

Date & Time:

2/28/2018 1:09:14 PM

District Address: District 1 Construction Office, located at 801 N Broadway, Bartow, FL 33830

District Phone: (863) 519-2222

Proposal: T1702

Project: 435090-1-52-01

Letting Date: 2/28/2018

Location: CENTRAL OFFICE

Description: SR 70

---

Question: 20997: Looking over the project you have listed up to 325 days. Why do you foresee such a long timeframe? Posted: 1/31/2018 3:20:40 PM

---

Answer: Due to the Utility work, scope and phasing. It is an A+B project, so contractors have the option of bidding down the contract time as necessary to be competitive. Status: ANSWER PUBLISHED  
Posted: 1/31/2018 4:32:40 PM

---

Question: 21143: Please provide the approved pavement design package, including cores of the existing pavement. Posted: 2/15/2018 3:26:55 PM

---

Answer: The Department does not guarantee the details or computations contained within the pavement core and asphalt survey reports for FPID.435090-1-52-01 and FPID.435090-1-56-01. The pavement core report is provided for informational purposes only and is not part of the contract documents. The bidder's submission of a proposal is prima facie evidence that the bidder has not relied on the pavement core and asphalt survey reports. No claim for compensation may be based on an inaccuracy contained within the pavement core report or the information given within this answer. The pavement core and asphalt survey may be downloaded as labeled "Attachment "A" and "B". Status: ANSWER PUBLISHED  
Posted: 2/20/2018 11:06:44 AM

---

Document: 6987830: 18 02 15\_435090-1\_Pavement Design Report\_S&S.PDF

Attachment "A"

---

Document: 6987844: 435090-1 Asphalt Survey Memo.pdf

Attachment "B"

---

Question: 21178: I was looking over the bid items for the lighting and it lists a High Mast Lighting bid # 715-500-2 there are no High Mast poles shown in the plans, how big of pole is this? Or is this a wrong item and it need to be deleted? Posted: 2/19/2018 3:05:25 PM

---

Answer: The Department contacted the questioner at 1:18PM on 2/20/18 and asked for additional information. The questioner stated that the question was sent incorrectly to this contract. Therefore, no answer is warranted. Status: ANSWER PUBLISHED  
Posted: 2/20/2018 1:20:28 PM