

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: CT181205 Call Order: 002 Proposal: T2724 District:02
Counties: CLAY
Road Name: SR 23 (FIRST COAST EXPRESSWAY)
Limits: FROM E OF CR 209 TO N OF SR 16
Project(s): 42293855201(*) Federal Aid No: D217011B
Project(s): 42293855601 Federal Aid No: D217011B

Total Roadway Length:	9.470 Miles	Contract Days:	2000
Total Bridge Length:	0.228 Miles	Letting Date:	12/05/18
Total Proposal Length:	9.698 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	15 Days (Acq. time)

Proposal Budget Estimate: \$192,065,566.00

Please read the full advertisement

Description:
LIQUIDATED DAMAGES

Railroad insurance is required for this Proposal at time of contract execution. Please see the Specifications Package for more information.

CCUA Standards. Table A -- Schedule of Values is required to be submitted with the bid, as per Technical Special Provision T1000-17.

Please upload completed Table A as a zip file within your EBS File using the "File Attachment Upload" tab before submitting your bid.

THERE WILL BE A MANDATORY PRE-BID MEETING FOR THIS PROJECT AT 10:00 AM EST ON THURSDAY, NOVEMBER 8, 2018 AT THE FLORIDA DEPARTMENT OF TRANSPORTATION, DISTRICT 2, MADISON ROOM, 1109 S. MARION AVE., LAKE CITY, FL 32025. IF YOU HAVE ANY QUESTIONS CONCERNING THIS MATTER, PLEASE CONTACT JIM BROWN AT (386) 758-3798.

THIS PRE-BID MEETING IS MANDATORY BECAUSE OF THE COMPLEXITY OF THE PROJECT. ONLY PLANS AND SPECIFICATIONS WILL BE AVAILABLE PRIOR TO THE PRE-BID MEETING. THE PROSPECTIVE BIDDER SHALL BE PREQUALIFIED ACCORDING TO THE REQUIREMENTS OF FDOT RULE CHAPTER 14-22 AND SECTION 2-1 OF THE 2018 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.

PROPOSALS (BIDDING DOCUMENTS) WILL BE ISSUED ONLY TO THE PROSPECTIVE BIDDERS WHO HAVE ATTENDED THE PRE-BID MEETING AND MET THE FLORIDA DEPARTMENT OF TRANSPORTATION QUALIFICATIONS FOR THIS PROJECT.

PROSPECTIVE BIDDERS ORDERING BID DOCUMENTS PRIOR TO THE PRE-BID MEETING WILL BE GIVEN ACCESS TO DOWNLOAD THE BID DOCUMENTS WITHIN 24 HOURS AFTER THE PRE-BID MEETING. THOSE PROSPECTIVE BIDDERS ORDERING THE DOCUMENTS AFTER THE PRE-BID MEETING WILL NEED TO CONTACT THE OFFICE ADVERTISING THE PROJECT TO CONFIRM ATTENDANCE AND RECEIVE ACCESS TO DOWNLOAD THE BID DOCUMENTS. PLEASE CONTACT THE OFFICE AT LEAST TWO WORKING DAYS PRIOR TO THE DEADLINE FOR OBTAINING BID DOCUMENTS TO ALLOW TIME FOR PROCESSING.

The improvements under this contract consist of milling and resurfacing, base work, shoulder treatment, drainage improvements, curb and gutters, traffic signals, lighting, highway signing, guardrail, box culverts, bridges, MSE walls, sidewalks, ITS, toll facilities and other incidental construction on SR 23 First Coast Expressway from East of CR 209 to North of SR 16 in Clay County.

Call Order: 002 Proposal: T2724

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
Section 0001 Structures				
	0400- 2- 4	CONC CLASS II, BRIDGE SUPERSTRUCTURE	CY	3,498.200
	0400- 2- 10	CONCRETE CLASS II, APPROACH SLABS	CY	1,831.200
	0400- 4- 1	CONCRETE CLASS IV, CULVERTS	CY	4,633.800
	0400- 4- 5	CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE	CY	1,311.300
	0400- 4- 25	CONCRETE CLASS IV, MASS, SUBSTRUCTURE	CY	350.500
	0400- 7-	BRIDGE DECK GROOVING, LESS THAN 8.5"	SY	156.000
	0400- 9-	BRIDGE DECK GROOVING & PLANING, DECK 8.5" AND GREATER	SY	11,628.000
	0400-147-	COMPOSITE NEOPRENE PADS	CF	101.900
	0400-148-	PLAIN NEOPRENE BEARING PADS	CF	3.900
	0415- 1- 1	REINFORCING STEEL- ROADWAY	LB	846,531.000
	0415- 1- 4	REINFORCING STEEL - BRIDGE SUPERSTRUCTURE	LB	714,844.000
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	253,375.000
	0415- 1- 9	REINFORCING STEEL- APPROACH SLABS	LB	348,109.000
	0450- 2- 54	PREST BEAMS: FLORIDA-I BEAM 54"	LF	9,999.000
	0450- 2- 72	PREST BEAMS: FLORIDA-I BEAM 72"	LF	2,148.000
	0450- 2- 78	PREST BEAMS: FLORIDA-I BEAM 78"	LF	1,605.000
	0455- 34- 3	PRESTRESSED CONCRETE PILING, 18" SQ	LF	2,430.000
	0455- 34- 5	PRESTRESSED CONCRETE PILING, 24" SQ	LF	14,415.000
	0455- 34-308	PRESTRESSED CONCRETE PILING, INCLUDES 100% DYNAMIC TESTING, PROJECT 422938-5-52-01, SIZE 18"	LF	1,025.000
	0455-143- 3	TEST PILES-PRESTRESSED CONCRETE,18" SQ	LF	700.000
	0455-143- 5	TEST PILES-PRESTRESSED CONCRETE,24" SQ	LF	2,905.000
	0458- 1- 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	1,576.000
	0459- 71-	PILES, POLYETHYLENE SHEETING	SY	3,346.000
	0521- 5- 13	CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE	LF	6,765.000
	0524- 2- 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	973.000
	0550- 10-344	FENCING, TYPE R, 7.1-8.0, W / PARTIAL ENCLOSURE	LF	817.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	20,295.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	191.000
Section 0002 Roadway				
	0101- 1-	MOBILIZATION (42293855201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (42293855201)	LS	1.000
	0102- 2- 1	SPECIAL DETOUR 1 (42293855201)	LS	1.000
	0102- 2- 2	SPECIAL DETOUR 2 (42293855201)	LS	1.000
	0102- 2- 3	SPECIAL DETOUR 3 (42293855201)	LS	1.000
	0102- 2- 4	SPECIAL DETOUR 4 (42293855201)	LS	1.000
	0102- 2- 5	SPECIAL DETOUR 5 (42293855201)	LS	1.000
	0102- 2- 6	SPECIAL DETOUR 6 (42293855201)	LS	1.000
	0102- 2- 7	SPECIAL DETOUR 7 (42293855201)	LS	1.000
	0102- 2- 8	SPECIAL DETOUR 8 (42293855201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	289.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	124.000

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
	0102- 60-	WORK ZONE SIGN	ED	173,376.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	11,633.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	5,870.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	6,721.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	7,138.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	3,524.000
	0102- 71- 26	TEMPORARY BARRIER, RELOCATE, FREE STANDING	LF	5,486.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	264,494.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	14,414.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	72.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	13,793.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	43.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	7,630.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	100.000
	0102-909-	TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS	DA	92.000
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	25,070.000
	0104- 9-	SEDIMENT BASIN / CONTAINMENT SYSTEM- CLEANOUT	EA	20.000
	0104- 10- 3	SEDIMENT BARRIER	LF	138,325.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	4,181.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	35,808.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	18.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	584.000
	0107- 1-	LITTER REMOVAL	AC	40,209.000
	0107- 2-	MOWING	AC	32,964.000
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (42293855201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (42293855201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	3,742.000
	0110- 6-	PLUGGING WATER WELLS, NON-ARTESIAN	EA	1.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	25.000
	0120- 1-	REGULAR EXCAVATION	CY	2,950,990.000
	0120- 3-	LATERAL DITCH EXCAVATION	CY	7,366.000
	0120- 4-	SUBSOIL EXCAVATION	CY	259,168.000
	0120- 6-	EMBANKMENT	CY	5,917,381.000
	0120- 74-	SURCHARGE EMBANKMENT	CY	22,240.000
	0125- 1-	EXCAVATION FOR STRUCTURES	CY	8,257.000
	0141- 70-	SETTLEMENT PLATE ASSEMBLY	AS	20.000
	0160- 4-	TYPE B STABILIZATION	SY	650,845.000
	0162- 1- 11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	2,248,284.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	21,919.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	121,684.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	17,087.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	384,044.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	2,933.000
	0285-712-	OPTIONAL BASE, BASE GROUP 12	SY	8,833.000

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
	0327- 70- 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	10,176.000
	0327- 70- 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	11,829.000
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	19,384.200
	0334- 1- 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	49,997.500
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	19,978.500
	0334- 1- 54	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC D, PG76-22	TN	60,566.800
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	11,501.400
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22	TN	9,671.300
	0337- 7- 85	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC D, FC-12.5, PG 76-22	TN	4,475.500
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	1,963.000
	0400- 1- 2	CONCRETE CLASS I, ENDWALLS	CY	155.300
	0400- 2- 1	CONCRETE CLASS II, CULVERTS	CY	371.800
	0400- 4- 1	CONCRETE CLASS IV, CULVERTS	CY	802.500
	0400- 4- 11	CONC CLASS IV, RETAINING WALLS	CY	61.200
	0415- 1- 1	REINFORCING STEEL- ROADWAY	LB	247,813.000
	0415- 1- 3	REINFORCING STEEL- RETAINING WALL	LB	6,067.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	45.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	5.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	8.000
	0425- 1-501	INLETS, DT BOT, TYPE A, <10'	EA	43.000
	0425- 1-505	INLETS, DT BOT, TYPE A, PARTIAL	EA	4.000
	0425- 1-511	INLETS, DT BOT, TYPE B, <10'	EA	146.000
	0425- 1-512	INLETS, DT BOT, TYPE B, >10'	EA	5.000
	0425- 1-513	INLETS, DT BOT, TYPE B, J BOT, <10'	EA	28.000
	0425- 1-514	INLETS, DT BOT, TYPE B, J BOT, >10'	EA	16.000
	0425- 1-525	INLETS, DITCH BOTTOM, TYPE C, PARTIAL	EA	1.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	10.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	19.000
	0425- 1-589	INLETS, DT BOT, TYPE H, MODIFY	EA	1.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	132.000
	0425- 1-702	INLETS, GUTTER, TYPE S, >10'	EA	1.000
	0425- 1-703	INLETS, GUTTER, TYPE S, J BOTTOM <10'	EA	1.000
	0425- 1-705	INLETS, GUTTER, TYPE S, PARTIAL	EA	1.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	1.000
	0425- 1-891	INLETS, BARRIER WALL, <10'	EA	32.000
	0425- 1-892	INLETS, BARRIER WALL, >10'	EA	1.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	45.000
	0425- 2- 62	MANHOLES, P-8, >10'	EA	2.000
	0425- 2- 63	MANHOLES, P-8, PARTIAL	EA	3.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	2.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	15.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	5.000
	0430-173-118	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN	LF	272.000
	0430-173-124	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 24", GUTTER DRAIN	LF	863.000

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
	0430-173-130	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 30", GUTTER DRAIN	LF	228.000
	0430-173-136	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 36", GUTTER DRAIN	LF	106.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	487.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	61.000
	0430-174-142	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 42"SD	LF	24.000
	0430-174-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD	LF	468.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	30,146.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	30,611.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	5,878.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	7,586.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	7,332.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	2,831.000
	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	348.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	653.000
	0430-175-236	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 36"S/C	LF	699.000
	0430-185-178	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 78" , STORM AND CROSS DRAIN	LF	210.000
	0430-611-025	U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 18"PIPE	EA	1.000
	0430-611-029	U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 24"PIPE	EA	1.000
	0430-611-125	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 18"PIPE	EA	3.000
	0430-611-129	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 24"PIPE	EA	2.000
	0430-611-133	U-ENDWALL WITH BAFFLES,STD 261,1:4 SLOPE,30"PIPE	EA	1.000
	0430-611-229	U-ENDWALL WITH BAFFLES, STD 261, 1:3 SLOPE, 24"PIPE	EA	10.000
	0430-611-233	U-ENDWALL, STD 261, BAFFLES, 1:3 SLOPE, 30"PIPE	EA	1.000
	0430-612-025	U-ENDWALL WITH GRATE, STD 261, 1:6 SLOPE, 18"PIPE	EA	4.000
	0430-613-025	U-ENDWALL, WITH BAFFLES & GRATE, STD 261,1:6 SLOPE, 18"	EA	10.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	53.600
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	9.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	7.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	8.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	9.000
	0430-982-140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	7.000
	0430-982-142	MITERED END SECTION, OPTIONAL ROUND, 54" CD	EA	1.000
	0430-982-629	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 24" CD	EA	2.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	21.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	6.000
	0430-984-140	MITERED END SECTION , OPTIONAL ROUND, 42" SD	EA	2.000
	0430-984-625	MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD	EA	24.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	9,828.000
	0515- 2-311	PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY,42" TYPE 1	LF	247.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	10,189.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	7,341.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	38,210.000
	0521- 1- 11	MEDIAN CONCRETE BARRIER, 38" HEIGHT	LF	597.000

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
	0521- 1- 12	MEDIAN CONCRETE BARRIER, SHORT GRADE-SEPARATED	LF	85.000
	0521- 8- 7	CONCRETE BARRIER, WITH JUNCTION SLAB, 36" SINGLE SLOPE	LF	6,256.000
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	699.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	3,866.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	161.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	11,532.000
	0527- 2-	DETECTABLE WARNINGS	SF	180.000
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	5,709.600
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	3,539.400
	0530- 74-	BEDDING STONE	TN	4,572.900
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	31,891.000
	0536- 1- 3	GUARDRAIL- ROADWAY, DOUBLE FACE	LF	241.000
	0536- 5- 1	RUB RAIL FOR GUARDRAIL, SINGLE SIDED RUB RAIL	LF	31.000
	0536- 8- 13	APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3	EA	48.000
	0536- 73-	GUARDRAIL REMOVAL	LF	735.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	43.000
	0536- 85- 25	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE TYPE II	EA	19.000
	0536- 85- 27	GUARDRAIL END TREATMENT- DOUBLE FACE APPROACH TERMINA	EA	4.000
	0544- 75- 1	CRASH CUSHION	EA	1.000
	0546- 72- 1	GROUND-IN RUMBLE STRIPS, 16"	GM	28.639
	0548- 12-	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	429,464.000
	0548- 13-	RETAINING WALL SYSTEM, TEMPORARY, EXCLUDING BARRIER	SF	4,572.000
	0550- 10-150	FENCING, TYPE A, 8.1-10.0', STANDARD	LF	89,672.000
	0550- 10-220	FENCING, TYPE B, 5.1-6.0', STANDARD	LF	65,932.000
	0550- 60-112	FENCE GATE, TYPE A, SINGLE, 6.1-12.0' OPENING	EA	8.000
	0550- 60-133	FENCE GATE, TYPE A, SLIDING/CANTILEVER, 12.1-18.0' OPENING	EA	4.000
	0550- 60-135	FENCE GATE, TYPE A, SLIDING/CANTILEVER, 20.1-24.0' OPENING	EA	4.000
	0550- 60-232	FENCE GATE, TYPE B, SLIDING/CANTILEVER, 6.1-12' OPENING	EA	28.000
	0550- 60-235	FENCE GATE, TYPE B, SLIDING/CANTILEVER, 20.1-24' OPENING	EA	16.000
	0570- 1- 1	PERFORMANCE TURF	SY	1,704,047.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	544,238.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	18,768.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	130.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	14.125
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	131.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	3.323
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.098
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	11.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	13.329
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	120.000

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.246
	0999- 16-	PARTNERING, DO NOT BID (42293855201)	LS	1.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	66.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (42293855201)	LS	1.000
Section 0003 Signing				
	0546- 72- 2	GROUND-IN RUMBLE STRIPS, 8" CYLINDRICAL	GM	0.952
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	129.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	92.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	20.000
	0700- 1- 14	SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF	AS	1.000
	0700- 1- 32	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870, 12-20 SF	AS	3.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	2.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	22.000
	0700- 2- 12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	1.000
	0700- 2- 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	5.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	14.000
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	4.000
	0700- 2- 16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	14.000
	0700- 2- 17	MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF	AS	2.000
	0700- 2- 18	MULTI- POST SIGN, F&I GROUND MOUNT, 301-400 SF	AS	9.000
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	4.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	1.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	13.000
	0700- 3-208	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 301-400 SF	EA	8.000
	0700- 3-209	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 401-500 SF	EA	2.000
	0700- 4-125	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 51-100 FT	EA	4.000
	0700- 4-126	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 101-150 FT	EA	6.000
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	8.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	8.000
	0701- 18-101	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6"	GM	0.990
	0701- 18-201	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6"	GM	0.608
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	12.000
	0705- 10- 4	OBJECT MARKER, TYPE 4	EA	3.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	4.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	223.000
	0705- 11- 5	DELINEATOR, FLEXIBLE HIGH PERFORMANCE 36" MANAGED LANES- EXPRESS LANE MARKER	EA	453.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	212.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (42293855201)	LS	1.000

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.309
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	1.639
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	1,511.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	1,823.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	716.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	1.375
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	92.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	278.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	56.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	696.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.365
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	440.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	42.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	39.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	27.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	17.314
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.095
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	16.964
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	16.292
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	14.065
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.132
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.139
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.070
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	11.721
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.706
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.455
	0713-103-103	PERMANENT TAPE, WHITE, SOLID LANE DROP MARKING, 12" FOR CONCRETE BRIDGES	GM	0.054
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.465
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.455
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.465

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
Section 0004 Lighting				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	118,237.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	397.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	2,324.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	606.000
	0635- 3- 11	JUNCTION BOX, FURNISH & INSTALL, AERIAL	EA	25.000
	0639- 1-121	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER FURNISHED BY POWER COMPANY	AS	5.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	367.000
	0715- 1- 11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	11,700.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	660,763.000
	0715- 1- 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	49,544.000
	0715- 4- 13	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT	EA	64.000
	0715- 4- 15	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 50' MOUNTING HEIGHT	EA	502.000
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	5.000
	0715- 11-125	LUMINAIRE, F&I, UNDER DECK, WALL MOUNT	EA	46.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	EA	530.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	36.000
Section 0005 Signalization				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	5,685.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	2,423.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	21.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	3.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	3,266.000
	0633- 1-122	FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS	LF	1,658.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	48.000
	0633- 2- 32	FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	192.000
	0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	2.000
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	2.000
	0633- 3- 14	FIBER OPTIC CONNECTION HARDWARE, F&I, BUFFER TUBE FAN OUT KIT	EA	16.000
	0633- 3- 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	6.000
	0633- 3- 17	FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	6.000
	0634- 4-153	SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX	PI	2.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	106.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	19.000
	0639- 1-121	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER FURNISHED BY POWER COMPANY	AS	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	2,965.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	3.000
	0641- 2- 18	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VIII	EA	8.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	18.000

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40'	EA	6.000
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	2.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	61.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	12.000
	0660- 1-110	LOOP DETECTOR INDUCTIVE, F&I, TYPE 10	EA	20.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	21.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	35.000
	0660- 6-121	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT	EA	2.000
	0660- 6-122	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	2.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	12.000
	0670- 5-110	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA	AS	2.000
	0676- 2-111	ITS CABINET, FURNISH & INSTALL, POLE MOUNT, 336, 24" W X 36" H X 20" D	EA	4.000
	0682- 1-133	ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION	EA	4.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	2.000
	0684- 5- 1	MEDIA CONVERTER, FURNISH & INSTALL	EA	8.000
	0685- 1- 11	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE	EA	2.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	28.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	6.000
	0700- 5- 22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	8.000
Section 0007 Utilities				
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (42293855601)	LS	1.000
	1000- 5-	UTILITY WORK- JPA/UTILITY AGREEMENT, SEWER (42293855601)	LS	1.000
	1000- 6-	UTILITY WORK- JPA/UTILITY AGREEMENT, WATER (42293855601)	LS	1.000
Section 0008 Architectural				
	0735- 74- 1	TOLL PLAZA, LOCATION 1 (42293855201)	LS	1.000
	0735- 74- 2	TOLL PLAZA, LOCATION 2 (42293855201)	LS	1.000
	0735- 74- 3	TOLL PLAZA, LOCATION 3 (42293855201)	LS	1.000
Section 0010 Intelligent Transportation System				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	66,949.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,987.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	620.000
	0630- 2- 15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	872.000
	0633- 1-111	FIBER OPTIC CABLE, F&I, OVERHEAD,2-12 FIBERS	LF	218.000
	0633- 1-113	FIBER OPTIC CABLE, F&I, OVERHEAD,49-96 FIBERS	LF	744.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	26,378.000
	0633- 1-122	FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS	LF	645.000
	0633- 1-123	FIBER OPTIC CABLE, F&I, UNDERGROUND,49-96 FIBERS	LF	120,094.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	380.000

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
	0633- 2- 32	FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	96.000
	0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	26.000
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	26.000
	0633- 3- 15	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED PATCH PANEL	EA	35.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	149.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	148.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	26.000
	0639- 1-121	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER FURNISHED BY POWER COMPANY	AS	5.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	57,471.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	36.000
	0639- 6- 1	ELECTRICAL POWER SERVICE- TRANSFORMER FURNISH & INSTALL	EA	31.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	5.000
	0641- 2- 13	PRESTRESSED CONCRETE POLE, F&I, TYPE P-III	EA	3.000
	0641- 3-169	CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 69'	EA	9.000
	0641- 3-175	CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 75'	EA	11.000
	0641- 3-180	CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 80'	EA	1.000
	0660- 3- 11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	EA	20.000
	0660- 3- 12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	20.000
	0660- 6-121	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT	EA	3.000
	0660- 6-122	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	3.000
	0676- 2-122	ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D	EA	19.000
	0676- 2-143	ITS CABINET, FURNISH & INSTALL, BASE MOUNT, 334, 24" W X 66" H X 30" D	EA	7.000
	0676- 3- 10	SMALL EQUIPMENT ENCLOSURE, FURNISH AND INSTALL, LESS THAN 10"W X 13"H X 11" D	EA	5.000
	0677- 1- 11	EQUIPMENT SHELTER, FURNISH & INSTALL, UP TO 120 SF	EA	1.000
	0682- 1-113	ITS CCTV CAMERA, F&I, DOME PTZ ENCLOSURE - PRESSURIZED, IP, HIGH DEFINITION	EA	21.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	26.000
	0684- 2- 1	DEVICE SERVER, FURNISH & INSTALL	EA	20.000
	0684- 5- 1	MEDIA CONVERTER, FURNISH & INSTALL	EA	10.000
	0684- 90- 5	NETWORK DEVICE, MANAGED HUB ETHERNET SWITCH, PROJECT 422938-5-52-01	EA	1.000
	0700- 8-135	FRONT ACCESS DYNAMIC MESSAGE SIGN, FURNISH & INSTALL- WITH UPS, FULL COLOR, 51-100 SF	EA	5.000
	0700- 9-137	WALK-IN DYNAMIC MESSAGE SIGN, FURNISH & INSTALL- WITH UPS FULL COLOR, 201-300 SF	EA	2.000
	0700- 10-122	DMS SUPPORT STRUCTURE, CANTILEVER, 21-30 FT	EA	2.000
	0700- 10-123	DMS SUPPORT STRUCTURE, CANTILEVER, 31-40 FT	EA	2.000

Call Order: 002 Proposal: T2724

ALT	Item	Description	Unit	Quantity
	0700- 10-124	DMS SUPPORT STRUCTURE, CANTILEVER, 41-50 FT	EA	3.000