



**Call Order: 018 Proposal: T6437**

| ALT                         | Item         | Description   | Unit | Quantity   |
|-----------------------------|--------------|---|------|------------|
|                             | 0110- 4- 10  | REMOVAL OF EXISTING CONCRETE  | SY   | 964.000    |
|                             | 0110- 86-    | DELIVERY OF SALVAGEABLE MATERIAL TO FDOT (43634215201)                              | LS   | 1.000      |
|                             | 0110- 86-    | DELIVERY OF SALVAGEABLE MATERIAL TO FDOT (43634315201)                              | LS   | 1.000      |
|                             | 0160- 4-     | TYPE B STABILIZATION  | SY   | 40.000     |
|                             | 0285-709-    | OPTIONAL BASE, BASE GROUP 09  | SY   | 35.000     |
|                             | 0327- 70- 1  | MILLING EXIST ASPH PAVT, 1" AVG DEPTH   | SY   | 27,584.000 |
|                             | 0327- 70- 6  | MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH   | SY   | 34,552.000 |
|                             | 0334- 1- 13  | SUPERPAVE ASPHALTIC CONC, TRAFFIC C   | TN   | 2.900      |
|                             | 0337- 7- 82  | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22                       | TN   | 1,519.100  |
|                             | 0337- 7- 83  | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22                      | TN   | 2,851.200  |
|                             | 0339- 1-     | MISCELLANEOUS ASPHALT PAVEMENT  | TN   | 10.600     |
|                             | 0425- 5-     | MANHOLE, ADJUST   | EA   | 8.000      |
|                             | 0425- 7-     | MANHOLE COVER- REPLACE  | EA   | 3.000      |
|                             | 0515- 2-311  | PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY, 42" TYPE 1                              | LF   | 129.000    |
|                             | 0520- 1- 10  | CONCRETE CURB & GUTTER, TYPE F  | LF   | 1,202.000  |
|                             | 0522- 1-     | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK   | SY   | 219.000    |
|                             | 0522- 2-     | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK   | SY   | 679.000    |
|                             | 0527- 2-     | DETECTABLE WARNINGS   | SF   | 394.000    |
|                             | 0536- 1- 1   | GUARDRAIL -ROADWAY, GENERAL TL-3  | LF   | 293.000    |
|                             | 0536- 7- 3   | SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT                              | EA   | 5.000      |
|                             | 0536- 73-    | GUARDRAIL REMOVAL   | LF   | 118.000    |
|                             | 0536- 85- 24 | GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- PARALLEL                            | EA   | 2.000      |
|                             | 0536- 85- 25 | GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- TYPE II                             | EA   | 2.000      |
|                             | 0570- 1- 2   | PERFORMANCE TURF, SOD   | SY   | 4,913.000  |
|                             | 0630- 2- 11  | CONDUIT, FURNISH & INSTALL, OPEN TRENCH   | LF   | 129.000    |
|                             | 0635- 2- 11  | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE  | EA   | 3.000      |
|                             | 0695- 1- 1   | TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL                | EA   | 6.000      |
|                             | 0695- 6- 12  | TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS         | EA   | 6.000      |
|                             | 0695- 7-141  | TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 4, BASE MOUNT              | EA   | 3.000      |
|                             | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF   | 639.000    |
|                             | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"   | LF   | 328.000    |
|                             | 0999- 25-    | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43634215201)                                | LS   | 1.000      |
|                             | 0999- 25-    | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43634315201)                                | LS   | 1.000      |
| <b>Section 0002 Signing</b> |              |   |      |            |
|                             | 0700- 1- 11  | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF                                     | AS   | 130.000    |
|                             | 0700- 1- 12  | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF  | AS   | 15.000     |
|                             | 0700- 1- 50  | SINGLE POST SIGN, RELOCATE  | AS   | 20.000     |
|                             | 0700- 1- 60  | SINGLE POST SIGN, REMOVE  | AS   | 76.000     |
|                             | 0705- 10- 1  | OBJECT MARKER, TYPE 1   | EA   | 13.000     |

**Call Order: 018 Proposal: T6437**

| ALT                               | Item         | Description   | Unit | Quantity  |
|-----------------------------------|--------------|---|------|-----------|
|                                   | 0705- 11- 4  | DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48"   | EA   | 52.000    |
|                                   | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE                                      | SF   | 33.000    |
|                                   | 0710- 90-    | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43634215201)  | LS   | 1.000     |
|                                   | 0710- 90-    | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43634315201)  | LS   | 1.000     |
|                                   | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT                       | LF   | 3,174.000 |
|                                   | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS                         | LF   | 555.000   |
|                                   | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK                        | LF   | 1,033.000 |
|                                   | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"                  | GM   | 0.033     |
|                                   | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL   | EA   | 17.000    |
|                                   | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW   | EA   | 64.000    |
|                                   | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON                           | LF   | 324.000   |
|                                   | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"        | GM   | 0.014     |
|                                   | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK                                     | LF   | 2,614.000 |
|                                   | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE  | EA   | 34.000    |
|                                   | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"                                      | GM   | 6.724     |
|                                   | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"                                      | GM   | 0.262     |
|                                   | 0711- 16-131 | THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP                    | GM   | 0.431     |
|                                   | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"                                     | GM   | 3.131     |
|                                   | 0711- 16-231 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"                                      | GM   | 1.159     |
| <b>Section 0003 Lighting</b>      |              |   |      |           |
|                                   | 0630- 2- 12  | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE  | LF   | 1,030.000 |
|                                   | 0635- 2- 11  | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE  | EA   | 11.000    |
|                                   | 0715- 1- 12  | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6   | LF   | 3,260.000 |
|                                   | 0715- 1- 60  | LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS  | LF   | 400.000   |
|                                   | 0715- 4- 11  | LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 30' MOUNTING HEIGHT | EA   | 2.000     |
|                                   | 0715- 4- 12  | LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT | EA   | 5.000     |
|                                   | 0715- 4- 13  | LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT | EA   | 3.000     |
|                                   | 0715- 7- 11  | LOAD CENTER, F&I, SECONDARY VOLTAGE   | EA   | 1.000     |
|                                   | 0715- 11-211 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD          | EA   | 5.000     |
|                                   | 0715- 11-500 | LUMINAIRE, REMOVE   | EA   | 5.000     |
|                                   | 0715-500- 1  | POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL  | EA   | 10.000    |
|                                   | 0999- 25-    | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43634215202)  | LS   | 1.000     |
| <b>Section 0004 Signalization</b> |              |   |      |           |
|                                   | 0630- 2- 12  | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE  | LF   | 670.000   |

**Call Order: 018 Proposal: T6437**

| ALT                           | Item         | Description   | Unit | Quantity |
|-------------------------------|--------------|---|------|----------|
|                               | 0632- 7- 2   | SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL         | LF   | 909.000  |
|                               | 0635- 2- 11  | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE                  | EA   | 59.000   |
|                               | 0646- 1- 11  | ALUMINUM SIGNALS POLE, PEDESTAL                               | EA   | 17.000   |
|                               | 0646- 1- 60  | ALUMINUM SIGNALS POLE, REMOVE                                 | EA   | 3.000    |
|                               | 0653- 1- 11  | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY     | AS   | 11.000   |
|                               | 0653- 1- 12  | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS    | AS   | 9.000    |
|                               | 0653- 1- 60  | PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN | AS   | 8.000    |
|                               | 0660- 2-101  | LOOP ASSEMBLY- F&I, TYPE A                                    | AS   | 35.000   |
|                               | 0665- 1- 11  | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD              | EA   | 29.000   |
|                               | 0665- 1- 60  | PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN          | EA   | 14.000   |
|                               | 0670- 5-400  | TRAFFIC CONTROLLER ASSEMBLY, MODIFY                           | AS   | 6.000    |
| <b>Section 0005 Utilities</b> |              |   |      |          |
|                               | 0999- 25-    | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43634215601)          | LS   | 1.000    |
|                               | 1060- 15-    | UTILITY STRUCTURE, BELOW GROUND, ADJUST/MODIFY                | EA   | 1.000    |
|                               | 1080- 24-500 | UTILITY FIXTURE, VALVE ASSEMBLY, ADJUST/MODIFY                | EA   | 21.000   |