

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: CT180328 Call Order: 017 Proposal: T7414 District:07
 Counties: PASCO
 Road Name: STARKEY GAP (TRI-CO TRL) (C2C TRL)
 Limits: FROM PASCO CO. LINE TO N OF SR 54
 Project(s): 43571915201(*) Federal Aid No: D718005B
 Total Roadway Length: 2.428 Miles Contract Days: 275
 Total Bridge Length: 0.000 Miles Letting Date: 03/28/18
 Total Proposal Length: 2.428 Miles Contract Execution Days: 10
 Special Start Date: N/A
 Aquis/Flexible Start Time: 15 Calendar Days
 Proposal Budget Estimate: \$3,135,000.00

Please read the full advertisement

Description:

The improvements under this contract consist of construction of the Starkey Gap (Tri-County Trail) (C2C Trail), base work, drainage improvements, sidewalks, signalization, signing and pavement markings, and structures.

Call Order: 017 Proposal: T7414

ALT	Item	Description	Unit	Quantity
Section 0001 Structures				
	0400- 4- 1	CONCRETE CLASS IV, CULVERTS	CY	369.600
	0400- 4- 11	CONC CLASS IV, RETAINING WALLS	CY	377.100
	0415- 1- 1	REINFORCING STEEL- ROADWAY	LB	105,700.000
	0415- 1- 3	REINFORCING STEEL- RETAINING WALL	LB	52,117.000
Section 0002 Roadway				
	0101- 1-	MOBILIZATION (43571915201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43571915201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	16.000
	0102- 60-	WORK ZONE SIGN	ED	10,075.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	4,350.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	200.000
	0102- 74- 7	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	LF	774.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	50.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	1,510.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	275.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	275.000
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	668.000
	0104- 10- 3	SEDIMENT BARRIER	LF	30,273.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	837.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	6.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	7.000
	0107- 1-	LITTER REMOVAL	AC	133.060
	0107- 2-	MOWING	AC	100.880

Call Order: 017 Proposal: T7414

ALT	Item	Description	Unit	Quantity
	0110- 1- 1	CLEARING & GRUBBING (43571915201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	1,245.000
	0120- 1-	REGULAR EXCAVATION	CY	3,815.000
	0120- 4-	SUBSOIL EXCAVATION	CY	7,017.000
	0120- 6-	EMBANKMENT	CY	12,588.000
	0120- 74-	SURCHARGE EMBANKMENT	CY	1,400.000
	0141- 70-	SETTLEMENT PLATE ASSEMBLY	AS	3.000
	0145- 2-	GEOSYNTHETIC REINFORCED FOUNDATION OVER SOFT SOIL	SY	1,311.000
	0160- 4-	TYPE B STABILIZATION	SY	9,417.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	1,558.000
	0285-703-	OPTIONAL BASE, BASE GROUP 03	SY	7,335.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	8,255.000
	0286- 1-	TURNOUT CONSTRUCTION	SY	31.000
	0334- 1- 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	1,342.400
	0400- 1- 2	CONCRETE CLASS I, ENDWALLS	CY	11.100
	0425- 2- 61	MANHOLES, P-8, <10'	EA	1.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	17.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	67.000
	0430-175-230	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30"S/CD	LF	85.000
	0430-175-236	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 36"S/CD	LF	44.000
	0430-982-633	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 30" CD	EA	4.000
	0519- 78-	BOLLARDS	EA	5.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	31.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	287.000
	0520- 5- 12	TRAFFIC SEPARATOR CONCRETE-TYPE I, 6' WIDE	LF	39.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	22.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	590.000
	0527- 2-	DETECTABLE WARNINGS	SF	343.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	234.500
	0530- 74-	BEDDING STONE	TN	168.500
	0550- 10-110	FENCING, TYPE A, 0.0-5.0', STANDARD	LF	3,804.000
	0550- 60-125	FENCE GATE, TYPE A, DOUBLE, 20.1-24.0' OPENING	EA	2.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	59,527.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43571915201)	LS	1.000
Section 0003 Signing				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	58.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	1.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	3.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	2.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	14.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	296.000

Call Order: 017 Proposal: T7414

ALT	Item	Description	Unit	Quantity
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	38.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	8.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.026
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	316.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	8.000
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.008
Section 0004 Signalization				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	68.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	4.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	2.000
	0646- 1- 40	ALUMINUM SIGNALS POLE, RELOCATE	EA	1.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	1.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	2.000
	0653- 1- 40	PEDESTRIAN SIGNAL, RELOCATE	AS	1.000
	0653- 1- 60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	1.000
	0654- 2- 22	RECTANGULAR RAPID FLASHING BEACON, FURNISH & INSTALL- SOLAR POWERED, COMPLETE SIGN ASSEMBLY- BACK TO BACK	AS	2.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	2.000
	0665- 1- 40	PEDESTRIAN DETECTOR, RELOCATE	EA	1.000
	0665- 1- 60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	1.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	1.000